

# Frederico Almada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3060896/publications.pdf>

Version: 2024-02-01

26

papers

427

citations

687363

13

h-index

794594

19

g-index

26

all docs

26

docs citations

26

times ranked

574

citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic hypervariability of a Northeastern Atlantic venomous rockfish. <i>PeerJ</i> , 2021, 9, e11730.	2.0	3
2	Effect of the algal alkaloid caulerpin on neuropeptide Y (NPY) expression in the central nervous system (CNS) of <i>Diplodus sargus</i> . <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2019, 205, 203-210.	1.6	13
3	<sup>1</sup> H NMR Spectroscopy and MVA to Evaluate the Effects of Caulerpin-Based Diet on <i>Diplodus sargus</i> Lipid Profiles. <i>Marine Drugs</i> , 2018, 16, 390.	4.6	19
4	Identification of adult and juvenile <i>Atherina presbyter</i> Cuvier, 1829 in a marine coastal area adjacent to Tagus estuary (NE Atlantic): A molecular tool for an ecological question. <i>Journal of Applied Ichthyology</i> , 2017, 33, 168-173.	0.7	2
5	Historical gene flow constraints in a northeastern Atlantic fish: phylogeography of the ballan wrasse <i>Labrus bergylta</i> across its distribution range. <i>Royal Society Open Science</i> , 2017, 4, 160773.	2.4	22
6	Home sweet home: evidence for nest fidelity in the rocky intertidal fish, the shanny <i>Lipophrys pholis</i>. <i>Journal of Fish Biology</i> , 2017, 90, 156-166.	1.6	10
7	Cryptic effects of biological invasions: Reduction of the aggressive behaviour of a native fish under the influence of an invasive biomolecule. <i>PLoS ONE</i> , 2017, 12, e0185620.	2.5	15
8	On the absence of genetic differentiation between morphotypes of the ballan wrasse <i>Labrus bergylta</i> (Labridae). <i>Marine Biology</i> , 2016, 163, 1.	1.5	7
9	Not so sluggish: the success of the <i>Felimare picta</i> complex (Gastropoda, Nudibranchia) crossing Atlantic biogeographic barriers. <i>PeerJ</i> , 2016, 4, e1561.	2.0	12
10	Ichthyofauna of the Selvagens Islands. Do small coastal areas show high species richness in the northeastern Atlantic?. <i>Marine Biology Research</i> , 2015, 11, 49-61.	0.7	13
11	Homing in rocky intertidal fish. Are <i>Lipophrys pholis</i> L. able to perform true navigation?. <i>Animal Cognition</i> , 2012, 15, 1173-1181.	1.8	17
12	A rapid and inexpensive molecular technique to discriminate the north-eastern Atlantic and Mediterranean <i>Atherina</i> species and its potential applications in ecology and larval identification. <i>Biologia (Poland)</i> , 2012, 67, 988-991.	1.5	1
13	Unexpected High Genetic Diversity at the Extreme Northern Geographic Limit of <i>Taurulus bubalis</i> (Euphrasen, 1786). <i>PLoS ONE</i> , 2012, 7, e44404.	2.5	18
14	Northern refugia and recent expansion in the North Sea: the case of the wrasse <i>Syphodus melops</i> (Linnaeus, 1758). <i>Ecology and Evolution</i> , 2012, 2, 153-164.	1.9	32
15	New records on the ichthyofauna of the Gorringe seamount (Northeastern Atlantic). <i>Marine Biology Research</i> , 2009, 5, 605-611.	0.7	15
16	Reclassification of <i>Lepadogaster candollei</i> based on molecular and meristic evidence with a redefinition of the genus <i>Lepadogaster</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 1151-1156.	2.7	14
17	Molecular data confirm the validity of the Portuguese blenny ( <i>Parablennius ruber</i> , Valenciennes, 1836) and its presence in Western Europe. <i>Journal of Fish Biology</i> , 2007, 70, 248-254.	1.6	6
18	Seasonal variation of sound production in the Lusitanian toadfish <i>Halobatrachus didactylus</i> . <i>Journal of Fish Biology</i> , 2006, 69, 1892-1899.	1.6	57

#	ARTICLE	IF	CITATIONS
19	Phylogeny of the shanny, <i>Lipophrys pholis</i> , from the NE Atlantic using mitochondrial DNA markers. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 282-287.	2.7	23
20	Molecular validation of the specific status of &lt;i&gt; <i>Parablennius sanguinolentus</i> &lt;/i&gt; and &lt;i&gt; <i>Parablennius parvicornis</i> &lt;/i&gt; (Pisces: Blenniidae). <i>Scientia Marina</i> , 2005, 69, 519-523.	0.6	14
21	Analysis of conditional contingency using ACTUS2 with examples from studies of animal behavior. <i>Acta Ethologica</i> , 2002, 4, 73-80.	0.9	15
22	A revision of the status of <i>Lepadogaster lepadogaster</i> (Teleostei: Gobiesocidae): sympatric subspecies or a long misunderstood blend of species?. <i>Biological Journal of the Linnean Society</i> , 2002, 76, 327-338.	1.6	11
23	A revision of the status of <i>Lepadogaster lepadogaster</i> (Teleostei: Gobiesocidae): sympatric subspecies or a long misunderstood blend of species?. <i>Biological Journal of the Linnean Society</i> , 2002, 76, 327-338.	1.6	18
24	A revision of the status of <i>Lepadogaster lepadogaster</i> . <i>Biological Journal of the Linnean Society</i> , 2002, 76, 327-338.	1.6	1
25	Agonistic behaviour and sound production in <i>Gaidropsarus mediterraneus</i> (Gadidae). <i>Journal of Fish Biology</i> , 1996, 49, 363-366.	1.6	11
26	Phylogenetic relationships of the north-eastern Atlantic and Mediterranean blenniids. <i>Biological Journal of the Linnean Society</i> , 0, 86, 283-295.	1.6	58