

GMathias Kondolf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/306139/publications.pdf>

Version: 2024-02-01

126
papers

9,806
citations

76196

40
h-index

38300

95
g-index

132
all docs

132
docs citations

132
times ranked

6656
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Flood diversions and bypasses: Benefits and challenges. <i>Wiley Interdisciplinary Reviews: Water</i> , 2022, 9, e1562. | 2.8 | 10 |
| 2 | Quantifying the Uncertainty Created by Non-Transferable Model Calibrations Across Climate and Land Cover Scenarios: A Case Study With SWMM. <i>Water Resources Research</i> , 2022, 58, . | 1.7 | 10 |
| 3 | Restoring Rivers and Floodplains for Habitat and Flood Risk Reduction: Experiences in Multi-Benefit Floodplain Management From California and Germany. <i>Frontiers in Environmental Science</i> , 2022, 9, . | 1.5 | 37 |
| 4 | A Method for Assessment of Sub-Daily Flow Alterations Using Wavelet Analysis for Regulated Rivers. <i>Water Resources Research</i> , 2022, 58, . | 1.7 | 10 |
| 5 | Save the Mekong Delta from drowning. <i>Science</i> , 2022, 376, 583-585. | 6.0 | 30 |
| 6 | Dam Renovation to Prolong Reservoir Life and Mitigate Dam Impacts. <i>Water (Switzerland)</i> , 2022, 14, 1464. | 1.2 | 16 |
| 7 | Strategic planning of hydropower development: balancing benefits and socioenvironmental costs. <i>Current Opinion in Environmental Sustainability</i> , 2022, 56, 101175. | 3.1 | 18 |
| 8 | From flushing flows to (eco)morphogenic releases: evolving terminology, practice, and integration into river management. <i>Earth-Science Reviews</i> , 2021, 213, 103475. | 4.0 | 15 |
| 9 | The social life of sediment. <i>Water History</i> , 2021, 13, 1-12. | 0.5 | 10 |
| 10 | Joint strategic energy and river basin planning to reduce dam impacts on rivers in Myanmar. <i>Environmental Research Letters</i> , 2021, 16, 054054. | 2.2 | 20 |
| 11 | Design Criteria for Process-Based Restoration of Fluvial Systems. <i>BioScience</i> , 2021, 71, 831-845. | 2.2 | 30 |
| 12 | Assessment of suspended sediment load variability in the Tonle Sap and Lower Mekong Rivers, Cambodia. <i>Catena</i> , 2021, 202, 105291. | 2.2 | 4 |
| 13 | Strategic basin and delta planning increases the resilience of the Mekong Delta under future uncertainty. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 15 |
| 14 | Sustaining United States reservoir storage capacity: Need for a new paradigm. <i>Journal of Hydrology</i> , 2021, 602, 126686. | 2.3 | 25 |
| 15 | Biomic river restoration: A new focus for river management. <i>River Research and Applications</i> , 2020, 36, 3-12. | 0.7 | 83 |
| 16 | Restoring fluvial forms and processes by gravel augmentation or bank erosion below dams: A systematic review of ecological responses. <i>Science of the Total Environment</i> , 2020, 706, 135743. | 3.9 | 23 |
| 17 | How Eco is Eco-Tourism? A Systematic Assessment of Resorts on the Red Sea, Egypt. <i>Sustainability</i> , 2020, 12, 10139. | 1.6 | 6 |
| 18 | The Fit of Urban Waterfront Interventions: Matters of Size, Money and Function. <i>Sustainability</i> , 2020, 12, 4079. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Channel and vegetation recovery from dredging of a large river in the Gulf coastal plain, USA. <i>Earth Surface Processes and Landforms</i> , 2020, 45, 1926-1944. | 1.2 | 8 |
| 20 | The ideal meander: Exploring freshwater scientist drawings of river restoration. <i>Freshwater Science</i> , 2020, 39, 349-355. | 0.9 | 5 |
| 21 | Bridges Over the Nile. Transportation Corridors Transformed into Public Spaces. <i>The Journal of Public Space</i> , 2020, , 5-20. | 0.1 | 2 |
| 22 | Les lâchiers morphogÃnes depuis un barrageâ% justification opÃrationnelle et protocole d'intervention. <i>Houille Blanche</i> , 2020, 106, 66-75. | 0.3 | 2 |
| 23 | Impacts of sediment derived from erosion of partially-constructed road on aquatic organisms in a tropical river: The RÃo San Juan, Nicaragua and Costa Rica. <i>PLoS ONE</i> , 2020, 15, e0242356. | 1.1 | 6 |
| 24 | Title is missing!. , 2020, 15, e0242356. | | 0 |
| 25 | Title is missing!. , 2020, 15, e0242356. | | 0 |
| 26 | Title is missing!. , 2020, 15, e0242356. | | 0 |
| 27 | Title is missing!. , 2020, 15, e0242356. | | 0 |
| 28 | Using prey availability to evaluate Lower Colorado River riparian restoration. <i>Restoration Ecology</i> , 2019, 27, 46-53. | 1.4 | 5 |
| 29 | Urban Stream and Wetland Restoration in the Global Southâ”A DPSIR Analysis. <i>Sustainability</i> , 2019, 11, 4975. | 1.6 | 61 |
| 30 | Deploy diverse renewables to save tropical rivers. <i>Nature</i> , 2019, 569, 330-332. | 13.7 | 35 |
| 31 | River research and applications across borders. <i>River Research and Applications</i> , 2019, 35, 768-775. | 0.7 | 7 |
| 32 | Assessing Climate Change Impacts on River Flows in the Tonle Sap Lake Basin, Cambodia. <i>Water (Switzerland)</i> , 2019, 11, 618. | 1.2 | 41 |
| 33 | Planning dam portfolios for low sediment trapping shows limits for sustainable hydropower in the Mekong. <i>Science Advances</i> , 2019, 5, eaaw2175. | 4.7 | 79 |
| 34 | Improved trade-offs of hydropower and sand connectivity by strategic dam planning in the Mekong. <i>Nature Sustainability</i> , 2018, 1, 96-104. | 11.5 | 102 |
| 35 | Changing sediment budget of the Mekong: Cumulative threats and management strategies for a large river basin. <i>Science of the Total Environment</i> , 2018, 625, 114-134. | 3.9 | 182 |
| 36 | Modeling and predicting natural gas fracking pad landscapes require a multidisciplinary approach: A commentary. <i>Landscape and Urban Planning</i> , 2018, 170, 325-328. | 3.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Stochastic Modeling of Sediment Connectivity for Reconstructing Sand Fluxes and Origins in the Unmonitored Se Kong, Se San, and Sre Pok Tributaries of the Mekong River. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018, 123, 2-25. | 1.0 | 30 |
| 38 | 30-year response to damming of a Mediterranean river in California, USA. <i>Physical Geography</i> , 2018, 39, 197-215. | 0.6 | 11 |
| 39 | Urban River Transformation and the Landscape Garden City Movement in China. <i>Sustainability</i> , 2018, 10, 4103. | 1.6 | 18 |
| 40 | Sustainably Managing Reservoir Storage: Ancient Roots of a Modern Challenge. <i>Water (Switzerland)</i> , 2018, 10, 117. | 1.2 | 29 |
| 41 | Sediment Management in Taiwan's Reservoirs and Barriers to Implementation. <i>Water (Switzerland)</i> , 2018, 10, 1034. | 1.2 | 36 |
| 42 | National-local land-use conflicts in floodways of the Mississippi River system. <i>AIMS Environmental Science</i> , 2018, 5, 47-63. | 0.7 | 14 |
| 43 | Anthropogenic landforms and sediments from dredging and disposing sand along the Apalachicola River and its floodplain. <i>Geomorphology</i> , 2017, 294, 119-134. | 1.1 | 21 |
| 44 | The social connectivity of urban rivers. <i>Geomorphology</i> , 2017, 277, 182-196. | 1.1 | 86 |
| 45 | Evaluating Stream Restoration Projects: What Do We Learn from Monitoring?. <i>Water (Switzerland)</i> , 2017, 9, 174. | 1.2 | 56 |
| 46 | Evolution of Two Urbanized Estuaries: Environmental Change, Legal Framework, and Implications for Sea-Level Rise Vulnerability. <i>Water (Switzerland)</i> , 2016, 8, 535. | 1.2 | 11 |
| 47 | Anticipatory Management for Instream Habitat: Application to Carneros Creek, California. <i>River Research and Applications</i> , 2016, 32, 280-294. | 0.7 | 12 |
| 48 | Encroachments in floodways of the Mississippi River and Tributaries Project. <i>Natural Hazards</i> , 2016, 81, 513-542. | 1.6 | 7 |
| 49 | The Line of Beauty in River Designs: Hogarth's Aesthetic Theory on Capability Brown's Eighteenth-Century River Design and Twentieth-Century River Restoration Design. <i>Landscape Research</i> , 2016, 41, 149-167. | 0.7 | 10 |
| 50 | Sustainable Tourism along the Red Sea: Still Possible?. <i>Civil Engineering and Architecture</i> , 2016, 4, 39-46. | 0.2 | 3 |
| 51 | Anticipated geomorphic impacts from Mekong basin dam construction. <i>International Journal of River Basin Management</i> , 2015, 13, 105-121. | 1.5 | 33 |
| 52 | Fractal Dimension of the Hydrographic Pattern of Three Large Rivers in the Mediterranean Morphoclimatic System: Geomorphologic Interpretation of Russian (USA), Ebro (Spain) and Volturno (Italy) Fluvial Geometry. <i>Pure and Applied Geophysics</i> , 2015, 172, 1975-1984. | 0.8 | 32 |
| 53 | Habitat Restoration in the Context of Watershed Prioritization: The Ecological Performance of Urban Stream Restoration Projects in Portland, Oregon. <i>River Research and Applications</i> , 2015, 31, 755-766. | 0.7 | 27 |
| 54 | Upstream Sediment Control Dams: Five Decades of Experience in the Rapidly Eroding Dahan River Basin, Taiwan. <i>Journal of the American Water Resources Association</i> , 2014, 50, 735-747. | 1.0 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sustainable sediment management in reservoirs and regulated rivers: Experiences from five continents. <i>Earth's Future</i> , 2014, 2, 256-280. | 2.4 | 556 |
| 56 | Dams on the Mekong: Cumulative sediment starvation. <i>Water Resources Research</i> , 2014, 50, 5158-5169. | 1.7 | 305 |
| 57 | A reservoir operating method for riverine ecosystem protection, reservoir sedimentation control and water supply. <i>Journal of Hydrology</i> , 2014, 512, 379-387. | 2.3 | 48 |
| 58 | Space and Time Scales in Human-Landscape Systems. <i>Environmental Management</i> , 2014, 53, 76-87. | 1.2 | 42 |
| 59 | Large Rivers in the Anthropocene: Insights and tools for understanding climatic, land use, and reservoir influences. <i>Water Resources Research</i> , 2014, 50, 3641-3646. | 1.7 | 22 |
| 60 | Restoring mediterranean-climate rivers. <i>Hydrobiologia</i> , 2013, 719, 527-545. | 1.0 | 52 |
| 61 | Successes, Failures and Suggested Future Directions for Ecosystem Restoration of the Middle Sacramento River, California. <i>San Francisco Estuary and Watershed Science</i> , 2013, 11, . | 0.2 | 12 |
| 62 | LARGE WOODY DEBRIS IN URBAN STREAM CHANNELS: REDEFINING THE PROBLEM. <i>River Research and Applications</i> , 2012, 28, 1477-1487. | 0.7 | 79 |
| 63 | Consequences of variations in magnitude and duration of an instream environmental flow threshold across a longitudinal gradient. <i>Journal of Hydrology</i> , 2012, 420-421, 17-24. | 2.3 | 7 |
| 64 | Post-Project Appraisals of River Restoration in Advanced University Instruction. <i>Restoration Ecology</i> , 2011, 19, 696-700. | 1.4 | 7 |
| 65 | Evolving Expectations of Dam Removal Outcomes: Downstream Geomorphic Effects Following Removal of a Small, Gravel-Filled Dam. <i>Journal of the American Water Resources Association</i> , 2011, 47, 408-423. | 1.0 | 30 |
| 66 | Controls on the alluviation of oxbow lakes by bed-material load along the Sacramento River, California. <i>Sedimentology</i> , 2010, 57, 389-407. | 1.6 | 127 |
| 67 | Assessment of the Effectiveness of a Constructed Compound Channel River Restoration Project on an Incised Stream. <i>Journal of Hydraulic Engineering</i> , 2010, 136, 1042-1052. | 0.7 | 6 |
| 68 | The Future of a Chinese Water Village. Alternative Design Practices Aimed to Provide New Life for Traditional Water Villages in the Pearl River Delta. <i>Journal of Urban Design</i> , 2010, 15, 243-267. | 0.6 | 7 |
| 69 | Surface water balance to evaluate the hydrological impacts of small instream diversions and application to the Russian River basin, California, USA. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2009, 19, 274-284. | 0.9 | 21 |
| 70 | Hydrologic impacts of small-scale instream diversions for frost and heat protection in the California wine country. <i>River Research and Applications</i> , 2009, 25, 118-134. | 0.7 | 43 |
| 71 | Projecting Cumulative Benefits of Multiple River Restoration Projects: An Example from the Sacramento-San Joaquin River System in California. <i>Environmental Management</i> , 2008, 42, 933-945. | 1.2 | 41 |
| 72 | Bed Mobility on the Deschutes River, Oregon: Tracer Gravel Results. <i>Geodinamica Acta</i> , 2008, 21, 11-22. | 2.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Two Decades of River Restoration in California: What Can We Learn?. <i>Restoration Ecology</i> , 2007, 15, 516-523. | 1.4 | 146 |
| 74 | Systematic Postproject Appraisals to Maximize Lessons Learned from River Restoration Projects: Case Study of Compound Channel Restoration Projects in Northern California. <i>Restoration Ecology</i> , 2007, 15, 524-537. | 1.4 | 21 |
| 75 | Changes in the riparian zone of the lower Eygues River, France, since 1830. <i>Landscape Ecology</i> , 2007, 22, 367-384. | 1.9 | 87 |
| 76 | River Restoration and Meanders. <i>Ecology and Society</i> , 2006, 11, . | 1.0 | 155 |
| 77 | Process-Based Ecological River Restoration: Visualizing Three-Dimensional Connectivity and Dynamic Vectors to Recover Lost Linkages. <i>Ecology and Society</i> , 2006, 11, . | 1.0 | 284 |
| 78 | Chapter 11 Hydrological effects of dams and water diversions on rivers of Mediterranean-climate regions: examples from California. <i>Developments in Earth Surface Processes</i> , 2005, 7, 197-211. | 2.8 | 44 |
| 79 | Radiogenic and Isotopic Methods for the Direct Dating of Fluvial Sediments. , 2005, , 231-267. | | 9 |
| 80 | Archaeology and Human Artefacts. , 2005, , 59-75. | | 3 |
| 81 | Surficial Geologic Tools in Fluvial Geomorphology. , 2005, , 23-57. | | 5 |
| 82 | Vegetation as a Tool in the Interpretation of Fluvial Geomorphic Processes and Landforms in Humid Temperate Areas. , 2005, , 269-288. | | 21 |
| 83 | Statistics and Fluvial Geomorphology. , 2005, , 597-630. | | 8 |
| 84 | Analysis of Aerial Photography and Other Remotely Sensed Data. , 2005, , 135-170. | | 26 |
| 85 | Using Historical Data in Fluvial Geomorphology. , 2005, , 77-101. | | 22 |
| 86 | Sediment Transport. , 2005, , 425-461. | | 22 |
| 87 | Tools in Fluvial Geomorphology: Problem Statement and Recent Practice. , 2005, , 1-22. | | 0 |
| 88 | Flow Measurement and Characterization. , 2005, , 323-346. | | 5 |
| 89 | Use of Tracers in Fluvial Geomorphology. , 2005, , 397-423. | | 41 |
| 90 | Sediment Budgets as an Organizing Framework in Fluvial Geomorphology. , 2005, , 463-500. | | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Bed Sediment Measurement. , 2005, , 347-395. | | 13 |
| 92 | Flow and Sediment-Transport Modeling. , 2005, , 539-576. | | 53 |
| 93 | Numerical Modeling of Alluvial Landforms. , 2005, , 577-595. | | 3 |
| 94 | Modelling Catchment Processes. , 2005, , 205-230. | | 3 |
| 95 | ECOLOGY: Synthesizing U.S. River Restoration Efforts. Science, 2005, 308, 636-637. | 6.0 | 1,552 |
| 96 | Fine-grained sediment in river systems: environmental significance and management issues. River Research and Applications, 2005, 21, 693-717. | 0.7 | 516 |
| 97 | Integrating Geomorphological Tools in Ecological and Management Studies. , 2005, , 631-660. | | 3 |
| 98 | System Approaches in Fluvial Geomorphology. , 2005, , 103-134. | | 43 |
| 99 | Models in Fluvial Geomorphology. , 2005, , 501-537. | | 11 |
| 100 | River restoration. Water Resources Research, 2005, 41, . | 1.7 | 452 |
| 101 | Measurement and Analysis of Alluvial Channel Form. , 2005, , 289-322. | | 9 |
| 102 | Geomorphic Classification of Rivers and Streams. , 2005, , 171-204. | | 13 |
| 103 | Post-Project Appraisals in Adaptive Management of River Channel Restoration. Environmental Management, 2002, 29, 477-496. | 1.2 | 191 |
| 104 | Design and Performance of a Channel Reconstruction Project in a Coastal California Gravel-Bed Stream. Environmental Management, 2001, 28, 761-776. | 1.2 | 142 |
| 105 | Assessing Salmonid Spawning Gravel Quality. Transactions of the American Fisheries Society, 2000, 129, 262-281. | 0.6 | 223 |
| 106 | Some Suggested Guidelines for Geomorphic Aspects of Anadromous Salmonid Habitat Restoration Proposals. Restoration Ecology, 2000, 8, 48-56. | 1.4 | 66 |
| 107 | Measuring and Modeling the Hydraulic Environment for Assessing Instream Flows. North American Journal of Fisheries Management, 2000, 20, 1016-1028. | 0.5 | 74 |
| 108 | Lessons learned from river restoration projects in California. Aquatic Conservation: Marine and Freshwater Ecosystems, 1998, 8, 39-52. | 0.9 | 130 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | REPLY TO DISCUSSION by Gregory S. Bevenger and Rudy M. King.. Journal of the American Water Resources Association, 1997, 33, 1395-1396. | 1.0 | 3 |
| 110 | REPLY TO DISCUSSION by Panayiotis Diplas and Vinod K. Lohani.. Journal of the American Water Resources Association, 1997, 33, 1401-1402. | 1.0 | 1 |
| 111 | APPLICATION OF THE PEBBLE COUNT NOTES ON PURPOSE, METHOD, AND VARIANTS. Journal of the American Water Resources Association, 1997, 33, 79-87. | 1.0 | 105 |
| 112 | PROFILE: Hungry Water: Effects of Dams and Gravel Mining on River Channels. Environmental Management, 1997, 21, 533-551. | 1.2 | 1,084 |
| 113 | The Flushing Flow Problem: Defining and Evaluating Objectives. Water Resources Research, 1996, 32, 2589-2599. | 1.7 | 189 |
| 114 | Historical channel analysis and its application to riparian and aquatic habitat restoration. Aquatic Conservation: Marine and Freshwater Ecosystems, 1995, 5, 109-126. | 0.9 | 85 |
| 115 | Geomorphological stream channel classification in aquatic habitat restoration: Uses and limitations. Aquatic Conservation: Marine and Freshwater Ecosystems, 1995, 5, 127-141. | 0.9 | 100 |
| 116 | Evaluating stream restoration projects. Environmental Management, 1995, 19, 1-15. | 1.2 | 256 |
| 117 | Five Elements for Effective Evaluation of Stream Restoration. Restoration Ecology, 1995, 3, 133-136. | 1.4 | 220 |
| 118 | Managing bedload sediment in regulated rivers: Examples from California, U.S.A.. Geophysical Monograph Series, 1995, , 165-176. | 0.1 | 10 |
| 119 | Geomorphic and environmental effects of instream gravel mining. Landscape and Urban Planning, 1994, 28, 225-243. | 3.4 | 258 |
| 120 | Lag in Stream Channel Adjustment to Livestock Enclosure, White Mountains, California. Restoration Ecology, 1993, 1, 226-230. | 1.4 | 44 |
| 121 | The reclamation concept in regulation of gravel mining in California. Journal of Environmental Planning and Management, 1993, 36, 395-406. | 2.4 | 8 |
| 122 | Unmeasured Residuals in Sediment Budgets: A Cautionary Note. Water Resources Research, 1991, 27, 2483-2486. | 1.7 | 68 |
| 123 | Distribution and Stability of Potential Salmonid Spawning Gravels in Steep Boulder-Bed Streams of the Eastern Sierra Nevada. Transactions of the American Fisheries Society, 1991, 120, 177-186. | 0.6 | 57 |
| 124 | Planning River Restoration Projects: Social and Cultural Dimensions. , 0, , 41-60. | | 26 |
| 125 | Setting Goals in River Restoration: When and Where Can the River "Heal Itself"? Geophysical Monograph Series, 0, , 29-43. | 0.1 | 31 |
| 126 | Geomorphology and Society. , 0, , 105-118. | | 14 |