

Asis Datta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3061626/publications.pdf>

Version: 2024-02-01

48
papers

2,415
citations

279798

23
h-index

206112

48
g-index

49
all docs

49
docs citations

49
times ranked

3003
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental Sensing and Signal Transduction Pathways Regulating Morphopathogenic Determinants of <i>Candida albicans</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2007, 71, 348-376.	6.6	457
2	Small RNAs in plants: recent development and application for crop improvement. <i>Frontiers in Plant Science</i> , 2015, 06, 208.	3.6	235
3	Comparative Proteomics Analysis of Differentially Expressed Proteins in Chickpea Extracellular Matrix during Dehydration Stress. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 1868-1884.	3.8	183
4	Enhancement of fruit shelf life by suppressing N-glycan processing enzymes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2413-2418.	7.1	179
5	Genetically modified (GM) crops: milestones and new advances in crop improvement. <i>Theoretical and Applied Genetics</i> , 2016, 129, 1639-1655.	3.6	123
6	Oxalate Decarboxylase from <i>Collybia velutipes</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 7230-7238.	3.4	112
7	Fruit ripening mutants reveal cell metabolism and redox state during ripening. <i>Protoplasma</i> , 2016, 253, 581-594.	2.1	101
8	Next-generation protein-rich potato expressing the seed protein gene <i>AmA1</i> is a result of proteome rebalancing in transgenic tuber. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 17533-17538.	7.1	91
9	The N-glycan processing enzymes α -mannosidase and β -D-N-acetylhexosaminidase are involved in ripening-associated softening in the non-climacteric fruits of capsicum. <i>Journal of Experimental Botany</i> , 2011, 62, 571-582.	4.8	72
10	Reduction of Oxalate Levels in Tomato Fruit and Consequent Metabolic Remodeling Following Overexpression of a Fungal Oxalate Decarboxylase. <i>Plant Physiology</i> , 2013, 162, 364-378.	4.8	62
11	Attenuation of Virulence and Changes in Morphology in <i>Candida albicans</i> by Disruption of the N-Acetylglucosamine Catabolic Pathway. <i>Infection and Immunity</i> , 2001, 69, 7898-7903.	2.2	61
12	Genetic engineering for improving quality and productivity of crops. <i>Agriculture and Food Security</i> , 2013, 2, .	4.2	50
13	Improving nutritional quality and fungal tolerance in soya bean and grass pea by expressing an oxalate decarboxylase. <i>Plant Biotechnology Journal</i> , 2016, 14, 1394-1405.	8.3	50
14	Fruit Ripening Regulation of α -Mannosidase Expression by the MADS Box Transcription Factor RIPENING INHIBITOR and Ethylene. <i>Frontiers in Plant Science</i> , 2016, 7, 10.	3.6	47
15	N-Acetylglucosamine Kinase, HXK1 Is Involved in Morphogenetic Transition and Metabolic Gene Expression in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2013, 8, e53638.	2.5	38
16	Two gene clusters coordinate for a functional N-acetylglucosamine catabolic pathway in <i>Vibrio cholerae</i> . <i>Molecular Microbiology</i> , 2011, 80, 1549-1560.	2.5	35
17	Current Trends in <i>Candida albicans</i> Research. <i>Advances in Microbial Physiology</i> , 1990, 30, 53-88.	2.4	32
18	Expression of a fungal sterol desaturase improves tomato drought tolerance, pathogen resistance and nutritional quality. <i>Scientific Reports</i> , 2012, 2, 951.	3.3	29

#	ARTICLE	IF	CITATIONS
19	Classification of CRISPR/Cas system and its application in tomato breeding. <i>Theoretical and Applied Genetics</i> , 2022, 135, 367-387.	3.6	29
20	Quantitative proteomics and metabolomics approaches to demonstrate N-acetyl-d-glucosamine inducible amino acid deprivation response as morphological switch in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 369-378.	2.1	28
21	Induction of Senescence and Identification of Differentially Expressed Genes in Tomato in Response to Monoterpene. <i>PLoS ONE</i> , 2013, 8, e76029.	2.5	28
22	Mechanism of lipid induced insulin resistance: Activated PKC δ is a key regulator. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 495-506.	3.8	27
23	Insights into transcriptional regulation of β -D-N-acetylhexosaminidase, an N-glycan-processing enzyme involved in ripening-associated fruit softening. <i>Journal of Experimental Botany</i> , 2014, 65, 5835-5848.	4.8	26
24	Manipulation of oxalate metabolism in plants for improving food quality and productivity. <i>Phytochemistry</i> , 2019, 158, 103-109.	2.9	26
25	Expression of C-5 sterol desaturase from an edible mushroom in fission yeast enhances its ethanol and thermotolerance. <i>PLoS ONE</i> , 2017, 12, e0173381.	2.5	25
26	Cloning and characterization of the 5' flanking region of the oxalate decarboxylase gene from <i>Flammulina velutipes</i> . <i>Biochemical Journal</i> , 2002, 367, 67-75.	3.7	24
27	Unraveling the role of tomato Bcl-2-associated athanogene (BAG) proteins during abiotic stress response and fruit ripening. <i>Scientific Reports</i> , 2021, 11, 21734.	3.3	24
28	Mapping of functional domains and characterization of the transcription factor Cph1 that mediate morphogenesis in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2015, 83, 45-57.	2.1	21
29	Upregulation of galactose metabolic pathway by N-acetylglucosamine induced endogenous synthesis of galactose in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2013, 54, 15-24.	2.1	19
30	A calmodulin like EF hand protein positively regulates oxalate decarboxylase expression by interacting with E-box elements of the promoter. <i>Scientific Reports</i> , 2015, 5, 14578.	3.3	18
31	<i>Magnaporthe oryzae</i> aminosugar metabolism is essential for successful host colonization. <i>Environmental Microbiology</i> , 2016, 18, 1063-1077.	3.8	15
32	Recent Insights into Plant Circadian Clock Response Against Abiotic Stress. <i>Journal of Plant Growth Regulation</i> , 2022, 41, 3530-3543.	5.1	15
33	A Secretion Signal Is Present in the <i>Collybia velutipes</i> Oxalate Decarboxylase Gene. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 807-812.	2.1	12
34	In vivo role of <i>Candida albicans</i> β -hexosaminidase (<i>HEX1</i>) in carbon scavenging. <i>MicrobiologyOpen</i> , 2015, 4, 730-742.	3.0	12
35	Characterization of a Putative Spindle Assembly Checkpoint Kinase Mps1, Suggests Its Involvement in Cell Division, Morphogenesis and Oxidative Stress Tolerance in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2014, 9, e101517.	2.5	11
36	N-Acetylglucosamine Sensing and Metabolic Engineering for Attenuating Human and Plant Pathogens. <i>Bioengineering</i> , 2022, 9, 64.	3.5	11

#	ARTICLE	IF	CITATIONS
37	N-acetylglucosamine kinase, HXK1 contributes to white to opaque morphological transition in <i>Candida albicans</i> . <i>Biochemical and Biophysical Research Communications</i> , 2014, 445, 138-144.	2.1	10
38	Chromatin-Based Transcriptional Reprogramming in Plants under Abiotic Stresses. <i>Plants</i> , 2022, 11, 1449.	3.5	10
39	<i>GIG2</i> -Acetylglucosamine (GlcNAc)-Inducible Gene <i>GIG2</i> Is a Novel Component of GlcNAc Metabolism in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2014, 13, 66-76.	3.4	9
40	Env7p Associates with the Golgin Protein Imh1 at the <i>trans</i> -Golgi Network in <i>Candida albicans</i> . <i>MSphere</i> , 2016, 1, .	2.9	9
41	<i>Magnaporthe oryzae</i> MoNdt80 is a transcriptional regulator of GlcNAc catabolic pathway involved in pathogenesis. <i>Microbiological Research</i> , 2020, 239, 126550.	5.3	9
42	Fruit ripening specific expression of β -D-N-acetylhexosaminidase (β -Hex) gene in tomato is transcriptionally regulated by ethylene response factor SIERF.E4. <i>Plant Science</i> , 2022, 323, 111380.	3.6	9
43	GM Crops: Dream to Bring Science to Society. <i>Agricultural Research</i> , 2012, 1, 95-99.	1.7	8
44	RNA Interference for Improving Disease Resistance in Plants and Its Relevance in This Clustered Regularly Interspaced Short Palindromic Repeats-Dominated Era in Terms of dsRNA-Based Biopesticides. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	8
45	A comprehensive analysis of <i>Candida albicans</i> phosphoproteome reveals dynamic changes in phosphoprotein abundance during hyphal morphogenesis. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 9731-9743.	3.6	6
46	Crystal structure of Gig2 protein from <i>Candida albicans</i> provides a structural insight into DUF1479 family oxygenases. <i>International Journal of Biological Macromolecules</i> , 2020, 150, 1272-1280.	7.5	3
47	Functional characterization of the LdNAGD gene in <i>Leishmania donovani</i> . <i>Microbiological Research</i> , 2021, 251, 126830.	5.3	3
48	Biotechnology for drug discovery and crop improvement. <i>Nucleus (India)</i> , 2017, 60, 237-242.	2.2	2