

Carolina Bravo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/306275/publications.pdf>

Version: 2024-02-01

20
papers

385
citations

840776

11
h-index

794594

19
g-index

21
all docs

21
docs citations

21
times ranked

505
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Effects of organic farming on plant and arthropod communities: A case study in Mediterranean dryland cereal. <i>Agriculture, Ecosystems and Environment</i> , 2011, 141, 193-201. | 5.3 | 58 |
| 2 | Internal seed dispersal by parrots: an overview of a neglected mutualism. <i>PeerJ</i> , 2016, 4, e1688. | 2.0 | 51 |
| 3 | Side effects of rodent control on non-target species: Rodenticides increase parasite and pathogen burden in great bustards. <i>Science of the Total Environment</i> , 2011, 409, 4729-4734. | 8.0 | 34 |
| 4 | Males of a Strongly Polygynous Species Consume More Poisonous Food than Females. <i>PLoS ONE</i> , 2014, 9, e111057. | 2.5 | 27 |
| 5 | Effects of agricultural environmental schemes on farmland birds: do food availability measurements improve patterns obtained from simple habitat models?. <i>Ecology and Evolution</i> , 2014, 4, 2834-2847. | 1.9 | 25 |
| 6 | Diet of young Great Bustards (<i>Otis tarda</i>) in Spain: sexual and seasonal differences. <i>Bird Study</i> , 2012, 59, 243-251. | 1.0 | 24 |
| 7 | Dietary divergence in the most sexually size-dimorphic bird. <i>Auk</i> , 2016, 133, 178-197. | 1.4 | 19 |
| 8 | Effects of farming practices on nesting success of steppe birds in dry cereal farmland. <i>European Journal of Wildlife Research</i> , 2018, 64, 1. | 1.4 | 18 |
| 9 | Faecal sexual steroids in sex typing and endocrine status of great bustards. <i>European Journal of Wildlife Research</i> , 2013, 59, 815-822. | 1.4 | 16 |
| 10 | Revisiting an old question: Which predators eat eggs of ground-nesting birds in farmland landscapes?. <i>Science of the Total Environment</i> , 2020, 744, 140895. | 8.0 | 16 |
| 11 | Cantharidin is conserved across phylogeographic lineages and present in both morphs of Iberian <i>Berberomeloe</i> blister beetles (Coleoptera, Meloidae). <i>Zoological Journal of the Linnean Society</i> , 2017, 180, 790-804. | 2.3 | 15 |
| 12 | Diet composition of a declining steppe bird the Little Bustard (<i>Tetrax tetrax</i>) in relation to farming practices. <i>Avian Conservation and Ecology</i> , 2017, 12, . | 0.8 | 14 |
| 13 | Physiological dormancy broken by endozoochory: Austral parakeets (<i>Enicognathus ferrugineus</i>) as legitimate dispersers of calafate (<i>Berberis microphylla</i>) in the Patagonian Andes. <i>Journal of Plant Ecology</i> , 2020, 13, 538-544. | 2.3 | 13 |
| 14 | Effects of great bustard (<i>Otis tarda</i>) gut passage on black nightshade (<i>Solanum nigrum</i>) seed germination. <i>Seed Science Research</i> , 2014, 24, 265-271. | 1.7 | 12 |
| 15 | Herb endozoochory by cockatoos: Is "foliage the fruit"? <i>Austral Ecology</i> , 2020, 45, 122-126. | 1.5 | 11 |
| 16 | Detectability and predator strategy affect egg depredation rates: Implications for mitigating nest depredation in farmlands. <i>Science of the Total Environment</i> , 2022, 829, 154558. | 8.0 | 8 |
| 17 | Burrowing Parrots <i>Cyanoliseus patagonus</i> as Long-Distance Seed Dispersers of Keystone Algarrobos, Genus <i>Prosopis</i> , in the Monte Desert. <i>Diversity</i> , 2021, 13, 204. | 1.7 | 7 |
| 18 | Food Availability But Not Sex Determines Morning Foraging Area Size in the Great Bustard <i>Otis tarda</i> , the Most Sexually Size-Dimorphic Bird Species. <i>Ardeola</i> , 2017, 64, 289. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Feeding functional responses in a sexually size-dimorphic bird. <i>Acta Oecologica</i> , 2019, 101, 103487. | 1.1 | 5 |
| 20 | Habitat preferences of sympatric sandgrouse during the breeding season in Spain: a multi-scale approach. <i>European Journal of Wildlife Research</i> , 2014, 60, 625-636. | 1.4 | 4 |