

# Ralf J Ludwig

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3062879/publications.pdf>

Version: 2024-02-01

256  
papers

9,235  
citations

44444

50  
h-index

68831

81  
g-index

270  
all docs

270  
docs citations

270  
times ranked

8858  
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigating the epidemiological relationship between vitiligo and psoriasis: a population-based study. Archives of Dermatological Research, 2023, 315, 395-400.	1.1	3
2	Association between TH2 Cytokine Gene Polymorphisms and Risk of Bullous Pemphigoid. Immunological Investigations, 2022, 51, 343-356.	1.0	11
3	Anxiety and depression predispose individuals to an autoimmune bullous diseases- bullous pemphigoid: A large-scale population-based cohort study. Current Psychology, 2022, 41, 8945-8955.	1.7	6
4	Melanoma is associated with an increased risk of bullous pemphigoid: a large population-based longitudinal study. Archives of Dermatological Research, 2022, 314, 77-83.	1.1	6
5	Pathogenic Autoantibody Derived from Regulatory T Cell-Deficient Scurfy Mice Targets Type VII Collagen and Leads to Epidermolysis Bullosa Acquisita-Like Blistering Disease. Journal of Investigative Dermatology, 2022, 142, 980-984.e4.	0.3	1
6	Evidence for a role of extracellular heat shock protein 70 in epidermolysis bullosa acquisita. Experimental Dermatology, 2022, 31, 528-534.	1.4	4
7	Natural Occurrence of Autoantibodies against Basement Membrane Proteins in Epidermolysis Bullosa. Journal of Investigative Dermatology, 2022, 142, 2014-2019.e3.	0.3	4
8	Evaluation of Site- and Autoantigen-Specific Characteristics of Mucous Membrane Pemphigoid. JAMA Dermatology, 2022, 158, 84.	2.0	22
9	C5aR2 Deficiency Ameliorates Inflammation in Murine Epidermolysis Bullosa Acquisita by Regulating Fcγ3 Receptor Expression on Neutrophils. Journal of Investigative Dermatology, 2022, 142, 2715-2723.e2.	0.3	7
10	Sustained CD19+CD27+ Memory B Cell Depletion after Rituximab Treatment in Patients with Pemphigus Vulgaris. Acta Dermato-Venereologica, 2022, 102, adv00679.	0.6	1
11	Pathological Relevance of Anti-Hsp70 IgG Autoantibodies in Epidermolysis Bullosa Acquisita. Frontiers in Immunology, 2022, 13, 877958.	2.2	3
12	Biodiversity of mycobial communities in health and onychomycosis. Scientific Reports, 2022, 12, .	1.6	3
13	Challenge of hepatitis B testing following intravenous immunoglobulin therapy in patients with autoimmune skin diseases. Journal of Dermatology, 2022, 49, 1049-1051.	0.6	3
14	Distinct metabolite profile in pemphigus vulgaris. Journal of Investigative Dermatology, 2022, , .	0.3	0
15	IgG Fc N-Glycosylation Translates MHCII Haplotype into Autoimmune Skin Disease. Journal of Investigative Dermatology, 2021, 141, 285-294.	0.3	12
16	More Severe Erosive Phenotype Despite Lower Circulating Autoantibody Levels in Dipeptidyl Peptidase-4 Inhibitor (DPP4i)-Associated Bullous Pemphigoid: A Retrospective Cohort Study. American Journal of Clinical Dermatology, 2021, 22, 117-127.	3.3	12
17	Immunoglobulin M pemphigoid. Journal of the American Academy of Dermatology, 2021, 85, 1486-1492.	0.6	16
18	Granzyme B inhibition reduces disease severity in autoimmune blistering diseases. Nature Communications, 2021, 12, 302.	5.8	49

#	ARTICLE	IF	CITATIONS
19	A Mitochondrial Polymorphism Alters Immune Cell Metabolism and Protects Mice from Skin Inflammation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1006.	1.8	17
20	Therapeutic Implications of Targeting Heat Shock Protein 70 by Immunization or Antibodies in Experimental Skin Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 614320.	2.2	9
21	A History of Asthma Increases the Risk of Bullous Pemphigoid: Insights from a Large Population-Based Study. <i>Dermatology</i> , 2021, 237, 921-928.	0.9	5
22	Editorial: Skin Autoimmunity. <i>Frontiers in Immunology</i> , 2021, 12, 627565.	2.2	1
23	The G protein-coupled receptor 15 (GPR15) regulates cutaneous immunology by maintaining dendritic epidermal T cells and regulating the skin microbiome. <i>European Journal of Immunology</i> , 2021, 51, 1390-1398.	1.6	4
24	Prevalence and presumptive triggers of localized bullous pemphigoid. <i>Journal of Dermatology</i> , 2021, 48, 1257-1261.	0.6	10
25	Immunological features and factors associated with mucocutaneous bullous pemphigoid – a retrospective cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 1289-1295.	0.4	10
26	The risk of COVID-19 in patients with bullous pemphigoid and pemphigus: A population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 79-87.	0.6	15
27	Pathogenic Activation and Therapeutic Blockage of FcγR-Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2820-2828.	0.3	5
28	Editorial: Precision Medicine in Chronic Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 770462.	2.2	7
29	Topical Application of the PI3K <sup>δ</sup> -Selective Small Molecule Inhibitor TGX-221 Is an Effective Treatment Option for Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Medicine</i> , 2021, 8, 713312.	1.2	5
30	Estimating the Odds of Ulcerative Colitis-Associated Pyoderma Gangrenosum: A Population-Based Case-Control Study. <i>Dermatology</i> , 2021, 237, 323-329.	0.9	3
31	Preventive but Not Therapeutic Topical Application of Local Anesthetics Can Inhibit Experimental Epidermolysis Bullosa Acquisita in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 750160.	2.2	3
32	Lichen Planus. <i>Frontiers in Medicine</i> , 2021, 8, 737813.	1.2	36
33	Risk of solid malignancies in bullous pemphigoid: A large-scale population-based cohort study. <i>Journal of Dermatology</i> , 2021, 48, 317-323.	0.6	5
34	Retrospective analysis of the clinical characteristics and patient-reported outcomes in vulval lichen planus: Results from a single-center study. <i>Journal of Dermatology</i> , 2021, 48, 1913-1917.	0.6	9
35	Immunization with desmoglein 3 induces non-pathogenic autoantibodies in mice. <i>PLoS ONE</i> , 2021, 16, e0259586.	1.1	2
36	Multiple modes of action mediate the therapeutic effect of IVIg in experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2021, , .	0.3	4

#	ARTICLE	IF	CITATIONS
37	The MCPA€rs1024611 and MTHFR rs1801133 gene variations and expressions in alopecia areata: A pilot study. <i>Immunity, Inflammation and Disease</i> , 2021, , .	1.3	2
38	Tissueâ€specific personalized medicine: the next level of individualized treatment. <i>British Journal of Dermatology</i> , 2020, 182, 833-834.	1.4	0
39	Assessment of healthcare costs for patients with pemphigus and bullous pemphigoid in an academic centre in Germany. <i>British Journal of Dermatology</i> , 2020, 182, 1296-1297.	1.4	14
40	The Bidirectional Association Between Bullous Pemphigoid and Psoriasis: A Population-Based Cohort Study. <i>Frontiers in Medicine</i> , 2020, 7, 511.	1.2	24
41	Quantification of the relationship between pyoderma gangrenosum and Crohnâ€™s disease: a population-based case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 814-818.	0.6	4
42	Phenotyping of Adaptive Immune Responses in Inflammatory Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 604464.	2.2	6
43	COVIDâ€™19 and immunological regulations â€“ from basic and translational aspects to clinical implications. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 795-807.	0.4	45
44	Alterations of Total Serum Immunoglobulin Concentrations in Pemphigus and Pemphigoid: Selected IgG2 Deficiency in Bullous Pemphigoid. <i>Frontiers in Medicine</i> , 2020, 7, 472.	1.2	5
45	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1900-1913.	1.3	159
46	Identification of novel therapeutic targets for blocking acantholysis in pemphigus. <i>British Journal of Pharmacology</i> , 2020, 177, 5114-5130.	2.7	20
47	Successful Treatment of Refractory Palmoplantar Pustular Psoriasis With Apremilast: A Case Series. <i>Frontiers in Medicine</i> , 2020, 7, 543944.	1.2	13
48	IL12B and IL23R polymorphisms are associated with alopecia areata. <i>Genes and Immunity</i> , 2020, 21, 203-210.	2.2	16
49	Dupilumab for treatmentâ€refractory prurigo nodularis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 618-624.	0.4	12
50	Penile mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 727-729.	0.4	3
51	Low prevalence of late-onset neutropenia after rituximab treatment in patients with pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1824-1825.	0.6	3
52	Is Gout Associated with Pyoderma Gangrenosum? A Population-Based Case-Control Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1626.	1.0	7
53	Epidermal Damage Induces Th1 Polarization and Defines the Site of Inflammation in Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1713-1722.e9.	0.3	6
54	Visualization of autoantibodies and neutrophils in vivo identifies novel checkpoints in autoantibody-induced tissue injury. <i>Scientific Reports</i> , 2020, 10, 4509.	1.6	9

#	ARTICLE	IF	CITATIONS
55	Impact of diet and genes on murine autoimmune pancreatitis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 8862-8870.	1.6	8
56	&lt;p&gt;Serum Levels of Autoantibodies Against Extracellular Antigens and Neutrophil Granule Proteins Increase in Patients with COPD Compared to Non-COPD Smokers&lt;/p&gt;. <i>International Journal of COPD</i> , 2020, Volume 15, 189-200.	0.9	8
57	Treatment with anti-â€œneonatal Fc receptor (FcRn) antibody ameliorates experimental epidermolysis bullosa acquisita in mice. <i>British Journal of Pharmacology</i> , 2020, 177, 2381-2392.	2.7	20
58	Milestones in Personalized Medicine in Pemphigus and Pemphigoid. <i>Frontiers in Immunology</i> , 2020, 11, 591971.	2.2	17
59	Propranolol Is an Effective Topical and Systemic Treatment Option for Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2408-2420.	0.3	7
60	Drug Development in Pemphigoid Diseases. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00055-114.	0.6	10
61	Increased Risk of Pemphigus among Patients with Psoriasis: A Large-scale Cohort Study. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00293.	0.6	12
62	Presence of Cutaneous Complement Deposition Distinguishes between Immunological and Histological Features of Bullous Pemphigoidâ€”Insights from a Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3928.	1.0	7
63	TH17/IL23 cytokine gene polymorphisms in bullous pemphigoid. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1519.	0.6	6
64	Overlapping and Distinct Gene Polymorphisms in Alopecia Areata in an Iranian Population. <i>Immunological Investigations</i> , 2020, 49, 204-214.	1.0	3
65	075 Inhibition of phosphodiesterase-4 significantly decreases oral mucosa lesions in experimental anti-laminin 332 mucous membrane pemphigoid. <i>Journal of Investigative Dermatology</i> , 2019, 139, S227.	0.3	0
66	372 Inhibition of phosphatidylinositol-3-kinase Î´ improves tissue destruction in pemphigoid diseases by impairing neutrophil function. <i>Journal of Investigative Dermatology</i> , 2019, 139, S278.	0.3	0
67	Gene-diet interactions associated with complex trait variation in an advanced intercross outbred mouse line. <i>Nature Communications</i> , 2019, 10, 4097.	5.8	35
68	The Sphingosine-1-Phosphate Receptor Modulator Fingolimod Aggravates Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2381-2384.e3.	0.3	15
69	Current Clinical Trials in Pemphigus and Pemphigoid. <i>Frontiers in Immunology</i> , 2019, 10, 978.	2.2	63
70	Proinflammatory Cytokine Gene Polymorphisms in Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2019, 10, 636.	2.2	10
71	Type VII collagen IgE autoantibodies in epidermolysis bullosa acquisita: more common than suspected. <i>British Journal of Dermatology</i> , 2019, 180, 981-983.	1.4	1
72	Bullous pemphigoid: more than one disease?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 459-460.	1.3	3

#	ARTICLE	IF	CITATIONS
73	Drug Discovery for Pemphigoid Diseases. <i>Current Protocols in Pharmacology</i> , 2019, 84, e55.	4.0	24
74	Translational Use of a Standardized Full Human Skin Organ Culture Model in Autoimmune Blistering Diseases. <i>Current Protocols in Pharmacology</i> , 2019, 85, e56.	4.0	11
75	Editorial: Autoantibodies. <i>Frontiers in Immunology</i> , 2019, 10, 484.	2.2	3
76	Editorial: Skin Blistering Diseases. <i>Frontiers in Medicine</i> , 2019, 6, 60.	1.2	1
77	IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , 2019, 96, 104-112.	3.0	85
78	Fc $\gamma$ 3 Receptor IIB Controls Skin Inflammation in an Active Model of Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2019, 10, 3012.	2.2	9
79	The Anti-C1s Antibody TNT003 Prevents Complement Activation in the Skin Induced by Bullous Pemphigoid Autoantibodies. <i>Journal of Investigative Dermatology</i> , 2018, 138, 458-461.	0.3	38
80	Calcitriol Treatment Ameliorates Inflammation and Blistering in Mouse Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2018, 138, 301-309.	0.3	20
81	Perspective From the 5th International Pemphigus and Pemphigoid Foundation Scientific Conference. <i>Frontiers in Medicine</i> , 2018, 5, 306.	1.2	27
82	The Growing Incidence of Bullous Pemphigoid: Overview and Potential Explanations. <i>Frontiers in Medicine</i> , 2018, 5, 220.	1.2	147
83	Meta-analysis of the clinical and immunopathological characteristics and treatment outcomes in epidermolysis bullosa acquisita patients. <i>Orphanet Journal of Rare Diseases</i> , 2018, 13, 153.	1.2	64
84	Regulatory T-cell deficiency leads to pathogenic bullous pemphigoid antigen 230 autoantibody and autoimmune bullous disease. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1831-1842.e7.	1.5	77
85	Therapeutic Effect of a Novel Phosphatidylinositol-3-Kinase $\hat{\imath}$ Inhibitor in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018, 9, 1558.	2.2	30
86	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018, 9, 249.	2.2	31
87	Targeting IgE Antibodies by Immunoabsorption in Atopic Dermatitis. <i>Frontiers in Immunology</i> , 2018, 9, 254.	2.2	28
88	Autoantibodies in Serum of Systemic Scleroderma Patients: Peptide-Based Epitope Mapping Indicates Increased Binding to Cytoplasmic Domains of CXCR3. <i>Frontiers in Immunology</i> , 2018, 9, 428.	2.2	13
89	Tissue Destruction in Bullous Pemphigoid Can Be Complement Independent and May Be Mitigated by C5aR2. <i>Frontiers in Immunology</i> , 2018, 9, 488.	2.2	46
90	Specific Inhibition of Complement Activation Significantly Ameliorates Autoimmune Blistering Disease in Mice. <i>Frontiers in Immunology</i> , 2018, 9, 535.	2.2	29

#	ARTICLE	IF	CITATIONS
91	Induction of Hypergammaglobulinemia and Autoantibodies by Salmonella Infection in MyD88-Deficient Mice. <i>Frontiers in Immunology</i> , 2018, 9, 1384.	2.2	8
92	IgE-Selective Immunoabsorption for Severe Atopic Dermatitis. <i>Frontiers in Medicine</i> , 2018, 5, 27.	1.2	10
93	TNF- $\beta$ -308G/A gene polymorphism in bullous pemphigoid and alopecia areata. <i>Human Antibodies</i> , 2018, 26, 201-207.	0.6	8
94	Epidermolysis Bullosa Acquisita: The 2019 Update. <i>Frontiers in Medicine</i> , 2018, 5, 362.	1.2	91
95	Genetic variant association of PTPN22, CTLA4, IL2RA, as well as HLA frequencies in susceptibility to alopecia areata. <i>Immunological Investigations</i> , 2018, 47, 666-679.	1.0	15
96	The Leukotriene B4 and its Receptor BLT1 Act as Critical Drivers of Neutrophil Recruitment in Murine Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1104-1113.	0.3	73
97	Signalling and targeted therapy of inflammatory cells in epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2017, 26, 1179-1186.	1.4	28
98	Analysis of serum markers of cellular immune activation in patients with bullous pemphigoid. <i>Experimental Dermatology</i> , 2017, 26, 1248-1252.	1.4	29
99	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1199-1203.	0.3	34
100	Nadroparin carries a potentially high risk of inducing cutaneous delayed-type hypersensitivity responses. <i>Contact Dermatitis</i> , 2017, 77, 35-41.	0.8	5
101	Nanoparticles prepared from porcine cells support the healing of cutaneous inflammation in mice and wound re-epithelialization in human skin. <i>Experimental Dermatology</i> , 2017, 26, 1199-1206.	1.4	4
102	Increased TREM-1 expression in inflamed skin has no functional impact on the pathogenesis of cutaneous disorders. <i>Journal of Dermatological Science</i> , 2017, 88, 152-155.	1.0	2
103	CCL3/MIP1 $\beta$ represents a biomarker but not a mandatory cytokine for disease development in experimental epidermolysis bullosa acquisita. <i>Journal of Dermatological Science</i> , 2017, 88, 248-250.	1.0	1
104	New insights into pemphigoid diseases. <i>Experimental Dermatology</i> , 2017, 26, 1151-1153.	1.4	1
105	In vivo enzymatic modulation of IgG antibodies prevents immune complex-dependent skin injury. <i>Experimental Dermatology</i> , 2017, 26, 691-696.	1.4	15
106	Clinical features and diagnosis of epidermolysis bullosa acquisita. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 157-169.	1.3	68
107	Topically Applied Hsp90 Blocker 17AAG Inhibits Autoantibody-Mediated Blister-Inducing Cutaneous Inflammation. <i>Journal of Investigative Dermatology</i> , 2017, 137, 341-349.	0.3	25
108	The genetic difference between C57Bl/6J and C57Bl/6N mice significantly impacts Aldara-induced psoriasiform dermatitis. <i>Experimental Dermatology</i> , 2017, 26, 349-351.	1.4	18

#	ARTICLE	IF	CITATIONS
109	Evidence for a contributory role of a xenogeneic immune response in experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2017, 26, 1207-1213.	1.4	19
110	Mechanisms of Autoantibody-Induced Pathology. <i>Frontiers in Immunology</i> , 2017, 8, 603.	2.2	377
111	Regulatory T Cells Suppress Inflammation and Blistering in Pemphigoid Diseases. <i>Frontiers in Immunology</i> , 2017, 8, 1628.	2.2	51
112	Gene Expression Analysis Reveals Novel Shared Gene Signatures and Candidate Molecular Mechanisms between Pemphigus and Systemic Lupus Erythematosus in CD4+ T Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1992.	2.2	56
113	Reduced Skin Blistering in Experimental Epidermolysis Bullosa Acquisita After Anti-TNF Treatment. <i>Molecular Medicine</i> , 2016, 22, 918-926.	1.9	41
114	Cytoskeletal Regulation of Inflammation and Its Impact on Skin Blistering Disease Epidermolysis Bullosa Acquisita. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1116.	1.8	14
115	Successful pregnancy outcome under prolonged ustekinumab treatment in a patient with Crohn's disease and paradoxical psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e191-e192.	1.3	42
116	T cells mediate autoantibody-induced cutaneous inflammation and blistering in epidermolysis bullosa acquisita. <i>Scientific Reports</i> , 2016, 6, 38357.	1.6	54
117	Epidermolysis Bullosa Acquisita: From Pathophysiology to Novel Therapeutic Options. <i>Journal of Investigative Dermatology</i> , 2016, 136, 24-33.	0.3	94
118	235 Topically applied heat shock protein 90 blocker 17AAG inhibits autoantibody-mediated blister-inducing cutaneous inflammation. <i>Journal of Investigative Dermatology</i> , 2016, 136, S201.	0.3	0
119	In Vivo Expansion of Endogenous Regulatory T Cell Populations Induces Long-Term Suppression of Contact Hypersensitivity. <i>Journal of Immunology</i> , 2016, 197, 1567-1576.	0.4	19
120	PDE4 Inhibition as Potential Treatment of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2016, 136, 2211-2220.	0.3	23
121	Dissecting genetics of cutaneous miRNA in a mouse model of an autoimmune blistering disease. <i>BMC Genomics</i> , 2016, 17, 112.	1.2	8
122	IL-10 mediates plasmacytosis-associated immunodeficiency by inhibiting complement-mediated neutrophil migration. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1487-1497.e6.	1.5	57
123	Myeloid-related proteins-8 and -14 are expressed but dispensable in the pathogenesis of experimental epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2016, 81, 165-172.	1.0	3
124	Discovering potential drug-targets for personalized treatment of autoimmune disorders - what we learn from epidermolysis bullosa acquisita. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 985-998.	1.5	16
125	Skin microbiota-associated inflammation precedes autoantibody induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Journal of Autoimmunity</i> , 2016, 68, 14-22.	3.0	25
126	Dimethylfumarate Impairs Neutrophil Functions. <i>Journal of Investigative Dermatology</i> , 2016, 136, 117-126.	0.3	70



#	ARTICLE	IF	CITATIONS
127	Heat shock protein 90 is required for <i>ex vivo</i> neutrophil-driven autoantibody-induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2015, 24, 471-473.	1.4	23
128	Conditional depletion of mast cells has no impact on the severity of experimental epidermolysis bullosa acquisita. <i>European Journal of Immunology</i> , 2015, 45, 1462-1470.	1.6	27
129	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 63.	1.2	46
130	The retinoid-related orphan receptor alpha is essential for the end-stage effector phase of experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2015, 237, 111-122.	2.1	23
131	A recombinant fusion protein derived from dog hookworm inhibits autoantibody-induced dermal-epidermal separation <i>ex vivo</i> . <i>Experimental Dermatology</i> , 2015, 24, 872-878.	1.4	5
132	Pathogenesis of Epidermolysis Bullosa Acquisita. , 2015, , 121-130.		0
133	Effects of Intravenous Immunoglobulins on Mice with Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2015, 135, 768-775.	0.3	30
134	Recombinant Soluble CD32 Suppresses Disease Progression in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2015, 135, 916-919.	0.3	24
135	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1565-1573.	0.3	23
136	Tolerance of Fondaparinux in Immediate-type Hypersensitivity to Heparins. <i>American Journal of Medicine</i> , 2015, 128, e21-e22.	0.6	3
137	Caspase-1-independent IL-1 Release Mediates Blister Formation in Autoantibody-Induced Tissue Injury through Modulation of Endothelial Adhesion Molecules. <i>Journal of Immunology</i> , 2015, 194, 3656-3663.	0.4	44
138	Radiosensitive Hematopoietic Cells Determine the Extent of Skin Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2015, 195, 1945-1954.	0.4	30
139	Allelic and copy-number variations of FcγRs affect granulocyte function and susceptibility for autoimmune blistering diseases. <i>Journal of Autoimmunity</i> , 2015, 61, 36-44.	3.0	32
140	Immune mechanism-targeted treatment of experimental epidermolysis bullosa acquisita. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 1365-1378.	1.3	4
141	Animal Models to Investigate Pathomechanisms and Evaluate Novel Treatments for Autoimmune Bullous Dermatoses. <i>Current Pharmaceutical Design</i> , 2015, 21, 2422-2439.	0.9	19
142	Recombinant Human IgA1 and IgA2 Autoantibodies to Type VII Collagen Induce Subepidermal Blistering Ex Vivo. <i>Journal of Immunology</i> , 2014, 193, 1600-1608.	0.4	25
143	ptRNApred: computational identification and classification of post-transcriptional RNA. <i>Nucleic Acids Research</i> , 2014, 42, e167-e167.	6.5	6
144	Flightless I overexpression impairs skin barrier development, function and recovery following skin blistering. <i>Journal of Pathology</i> , 2014, 232, 541-552.	2.1	28

#	ARTICLE	IF	CITATIONS
145	Activated CD4 <sup>+</sup> T cells enter the splenic T <sub>H</sub> cell zone and induce autoantibody-producing germinal centers through bystander activation. <i>European Journal of Immunology</i> , 2014, 44, 93-102.	1.6	25
146	From bedside to bench – reverse translational medicine. Scientific lessons from revertant mosaicism in “knockout” humans. <i>Experimental Dermatology</i> , 2014, 23, 549-550.	1.4	2
147	Immunomodulatory effects of heat shock protein 90 inhibition on humoral immune responses. <i>Experimental Dermatology</i> , 2014, 23, 585-590.	1.4	33
148	Broad requirement for terminal sialic acid residues and Fc $\gamma$ RIIB for the preventive and therapeutic activity of intravenous immunoglobulins in vivo. <i>European Journal of Immunology</i> , 2014, 44, 1444-1453.	1.6	115
149	Co-occurrence of autoantibodies in healthy blood donors. <i>Experimental Dermatology</i> , 2014, 23, 519-521.	1.4	32
150	Fc $\gamma$ Receptors III and IV Mediate Tissue Destruction in a Novel Adult Mouse Model of Bullous Pemphigoid. <i>American Journal of Pathology</i> , 2014, 184, 2185-2196.	1.9	66
151	GM-CSF Modulates Autoantibody Production and Skin Blistering in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2014, 192, 559-571.	0.4	37
152	Metabolite analysis distinguishes between mice with epidermolysis bullosa acquisita and healthy mice. <i>Orphanet Journal of Rare Diseases</i> , 2013, 8, 93.	1.2	7
153	Recombinant IL-6 treatment protects mice from organ specific autoimmune disease by IL-6 classical signalling-dependent IL-1ra induction. <i>Journal of Autoimmunity</i> , 2013, 40, 74-85.	3.0	48
154	High incidence of heparin-induced allergic delayed-type hypersensitivity reactions in pregnancy. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 131-139.	1.5	35
155	Vitamin D status in patients with bullous pemphigoid. <i>British Journal of Dermatology</i> , 2013, 168, 873-874.	1.4	14
156	Genetic control of psoriasis is relatively distinct from that of metabolic syndrome and coronary artery disease. <i>Experimental Dermatology</i> , 2013, 22, 552-553.	1.4	37
157	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, e89-e95.	0.6	95
158	Emerging treatments for pemphigoid diseases. <i>Trends in Molecular Medicine</i> , 2013, 19, 501-512.	3.5	48
159	B Cells, Dendritic Cells, and Macrophages Are Required To Induce an Autoreactive CD4 Helper T Cell Response in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2013, 191, 2978-2988.	0.4	55
160	Topically Applied Flightless I Neutralizing Antibodies Improve Healing of Blistered Skin in a Murine Model of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1008-1016.	0.3	54
161	Methylprednisolone Blocks Autoantibody-Induced Tissue Damage in Experimental Models of Bullous Pemphigoid and Epidermolysis Bullosa Acquisita through Inhibition of Neutrophil Activation. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2390-2399.	0.3	47
162	Clinical Presentation, Pathogenesis, Diagnosis, and Treatment of Epidermolysis Bullosa Acquisita. <i>ISRN Dermatology</i> , 2013, 2013, 1-25.	1.9	80

#	ARTICLE	IF	CITATIONS
163	The immune system of mouse vibrissae follicles: cellular composition and indications of immune privilege. <i>Experimental Dermatology</i> , 2013, 22, 593-598.	1.4	17
164	Aberrant Expression and Secretion of Heat Shock Protein 90 in Patients with Bullous Pemphigoid. <i>PLoS ONE</i> , 2013, 8, e70496.	1.1	40
165	Persistent Autoantibody-Production by Intermediates between Short-and Long-Lived Plasma Cells in Inflamed Lymph Nodes of Experimental Epidermolysis Bullosa Acquisita. <i>PLoS ONE</i> , 2013, 8, e83631.	1.1	26
166	Identification of Quantitative Trait Loci in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1409-1415.	0.3	35
167	Heparin-induced skin lesions. <i>Lancet, The</i> , 2012, 380, 1867-1879.	6.3	82
168	Enzymatic autoantibody glycan hydrolysis alleviates autoimmunity against type VII collagen. <i>Journal of Autoimmunity</i> , 2012, 39, 304-314.	3.0	54
169	Anti-inflammatory activity of IgG1 mediated by Fc galactosylation and association of Fc $\gamma$ RIIB and dectin-1. <i>Nature Medicine</i> , 2012, 18, 1401-1406.	15.2	405
170	Application, tolerance and safety of fondaparinux therapy in a German hospital: A prospective single-centre experience. <i>Thrombosis Research</i> , 2012, 129, 17-21.	0.8	11
171	Model systems duplicating epidermolysis bullosa acquisita: A methodological review. <i>Autoimmunity</i> , 2012, 45, 102-110.	1.2	16
172	Mapping of B cell epitopes on desmoglein 3 in pemphigus vulgaris patients by the use of overlapping peptides. <i>Journal of Dermatological Science</i> , 2012, 65, 102-109.	1.0	14
173	Genetic identification and functional validation of Fc $\gamma$ RIIV as key molecule in autoantibody-induced tissue injury. <i>Journal of Pathology</i> , 2012, 228, 8-19.	2.1	89
174	Pathogenicity of Autoantibodies in Anti-p200 Pemphigoid. <i>PLoS ONE</i> , 2012, 7, e41769.	1.1	44
175	Pathogenesis of Epidermolysis Bullosa Acquisita. <i>Dermatologic Clinics</i> , 2011, 29, 493-501.	1.0	27
176	Improvement of treatment-refractory atopic dermatitis by immunoadsorption: A pilot study. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 267-270.e6.	1.5	50
177	Rituximab for treatment-refractory pemphigus and pemphigoid: A case series of 17 patients. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 552-558.	0.6	130
178	PI3K $\beta$ Plays a Critical Role in Neutrophil Activation by Immune Complexes. <i>Science Signaling</i> , 2011, 4, ra23.	1.6	130
179	Heat-shock protein 90 inhibition in autoimmunity to type VII collagen: evidence that nonmalignant plasma cells are not therapeutic targets. <i>Blood</i> , 2011, 117, 6135-6142.	0.6	68
180	Development of a simple enzyme-linked immunosorbent assay for the detection of autoantibodies in anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2011, 164, 76-82.	1.4	77

#	ARTICLE	IF	CITATIONS
181	The risk for cross-reactions after a cutaneous delayed-type hypersensitivity reaction to heparin preparations is independent of their molecular weight: a systematic review. <i>Contact Dermatitis</i> , 2011, 65, 187-194.	0.8	20
182	Generation of Antibodies of Distinct Subclasses and Specificity Is Linked to H2s in an Active Mouse Model of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2011, 131, 167-176.	0.3	63
183	Autoantibody-induced intestinal inflammation and weight loss in experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2011, 224, 234-244.	2.1	39
184	Overexpression of the <i>Flii</i> gene increases dermal epidermal blistering in an autoimmune ColVII mouse model of epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2011, 225, 401-413.	2.1	40
185	Complement-Fixing Anti-Type VII Collagen Antibodies Are Induced in Th1-Polarized Lymph Nodes of Epidermolysis Bullosa Acquisita-Susceptible Mice. <i>Journal of Immunology</i> , 2011, 187, 5043-5050.	0.4	50
186	Repetitive Immunization Breaks Tolerance to Type XVII Collagen and Leads to Bullous Pemphigoid in Mice. <i>Journal of Immunology</i> , 2011, 187, 1176-1183.	0.4	66
187	Work in progress: MiceNet: Monitoring behaviour of laboratory mice with sensor networks. , 2011, , .		1
188	Platelet P-selectin reflects a state of cutaneous inflammation: possible application to monitor treatment efficacy in psoriasis. <i>Experimental Dermatology</i> , 2010, 19, 736-741.	1.4	56
189	High-Dose Intravenous Immunoglobulin (IVIg) Therapy in Autoimmune Skin Blistering Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2010, 38, 186-195.	2.9	53
190	Heparin-induced non-necrotizing skin lesions: rarely associated with heparin-induced thrombocytopenia. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1486-1491.	1.9	44
191	Animal models for autoimmune bullous dermatoses. <i>Experimental Dermatology</i> , 2010, 19, 2-11.	1.4	36
192	Constitutive and functionally relevant expression of JAM-C on platelets. <i>Thrombosis and Haemostasis</i> , 2010, 103, 857-859.	1.8	8
193	Fc $\gamma$ RIIA and Fc $\gamma$ RIIIB Are Required for Autoantibody-Induced Tissue Damage in Experimental Human Models of Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2841-2844.	0.3	48
194	Low Allergenic Potential With Fondaparinux: Results of a Prospective Investigation. <i>Mayo Clinic Proceedings</i> , 2010, 85, 913-919.	1.4	30
195	Pathogenicity of IgG subclass autoantibodies to type VII collagen: Induction of dermal epidermal separation. <i>Journal of Autoimmunity</i> , 2010, 34, 435-444.	3.0	55
196	Clearance rates of circulating and tissue-bound autoantibodies to type VII collagen in experimental epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2010, 162, 1064-1070.	1.4	22
197	Platelet, Not Endothelial, P-Selectin Expression Contributes to Generation of Immunity in Cutaneous Contact Hypersensitivity. <i>American Journal of Pathology</i> , 2010, 176, 1339-1345.	1.9	15
198	Need for an increasing awareness for heparin-induced skin lesions. <i>Expert Review of Dermatology</i> , 2010, 5, 1-3.	0.3	1

#	ARTICLE	IF	CITATIONS
199	Shear Stress-Mediated Adhesion of Acute Myeloid Leukemia and KG-1 Cells to Endothelial Cells Involves Functional P-Selectin. <i>Stem Cells and Development</i> , 2009, 18, 1235-1242.	1.1	9
200	Transcriptional induction of junctional adhesion molecule-C gene expression in activated T cells. <i>Journal of Leukocyte Biology</i> , 2009, 85, 796-803.	1.5	6
201	Therapeutic Use of Heparin beyond Anticoagulation. <i>Current Drug Discovery Technologies</i> , 2009, 6, 281-289.	0.6	90
202	Incidence and causes of heparin-induced skin lesions. <i>Cmaj</i> , 2009, 181, 477-481.	0.9	77
203	Junctional adhesion molecule (JAM)-B supports lymphocyte rolling and adhesion through interaction with $\alpha 4 \beta 1$ integrin. <i>Immunology</i> , 2009, 128, 196-205.	2.0	39
204	PS3, A Semisynthetic $\beta$ -1,3-Glucan Sulfate, Diminishes Contact Hypersensitivity Responses Through Inhibition of L- and P-Selectin Functions. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1192-1202.	0.3	29
205	Computer-aided analysis of cell interactions under dynamic flow conditions. <i>Experimental Dermatology</i> , 2009, 18, 238-245.	1.4	5
206	Dimethylfumarate Reduces Leukocyte Rolling in Vivo through Modulation of Adhesion Molecule Expression. <i>Journal of Investigative Dermatology</i> , 2008, 128, 326-331.	0.3	65
207	Tolerance of fondaparinux in patients with generalized contact dermatitis to heparin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 378-380.	1.3	18
208	The influence of heparin's molecular weight and the incidence of delayed type hypersensitivity reactions revisited; in response to Grims et al., <i>Br J Dermatol</i> 2007; 157:514-17. <i>British Journal of Dermatology</i> , 2008, 158, 849-851.	1.4	5
209	Topical 5-fluorouracil in Darier disease. <i>British Journal of Dermatology</i> , 2008, 158, 1393-1396.	1.4	19
210	C-terminally truncated kindlin-1 leads to abnormal adhesion and migration of keratinocytes. <i>British Journal of Dermatology</i> , 2008, 159, ???-???	1.4	19
211	P-selectin. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 1103-1117.	1.5	80
212	Diminished thrombus formation and alleviation of myocardial infarction and reperfusion injury through antibody- or small-molecule-mediated inhibition of selectin-dependent platelet functions. <i>Haematologica</i> , 2007, 92, 502-512.	1.7	34
213	How shingles can be beached. <i>Lancet, The</i> , 2007, 370, 1240.	6.3	1
214	Psoriasis and Risk of Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 361.	3.8	8
215	Diminished Lymphocyte Adhesion and Alleviation of Allergic Responses by Small-Molecule- or Antibody-Mediated Inhibition of L-Selectin Functions. <i>Journal of Investigative Dermatology</i> , 2007, 127, 90-97.	0.3	27
216	Oligonucleotides Suppress IL-8 in Skin Keratinocytes In Vitro and Offer Anti-Inflammatory Properties In Vivo. <i>Journal of Investigative Dermatology</i> , 2007, 127, 846-854.	0.3	25

#	ARTICLE	IF	CITATIONS
217	Psoriasis: a possible risk factor for development of coronary artery calcification. <i>British Journal of Dermatology</i> , 2007, 156, 271-276.	1.4	326
218	Psoriasis patients show signs of insulin resistance. <i>British Journal of Dermatology</i> , 2007, 157, 1249-1251.	1.4	227
219	Persistence of peri-neural granulomas after successful treatment of leprosy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007, 21, 1414-1416.	1.3	3
220	Leprosy in a Pregnant Woman. <i>Infection</i> , 2007, 35, 37-39.	2.3	8
221	Management of cutaneous type IV hypersensitivity reactions induced by heparin. <i>Thrombosis and Haemostasis</i> , 2006, 96, 611-617.	1.8	44
222	Mesenchymal stem cells display coordinated rolling and adhesion behavior on endothelial cells. <i>Blood</i> , 2006, 108, 3938-3944.	0.6	500
223	The ability of different forms of heparins to suppress P-selectin function in vitro correlates to their inhibitory capacity on bloodborne metastasis in vivo. <i>Thrombosis and Haemostasis</i> , 2006, 95, 535-540.	1.8	98
224	Chronic venous insufficiency - a potential trigger for localized scleroderma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 96-99.	1.3	11
225	Eukaryotic expression of the broad-spectrum chemokine receptor antagonist vMIP-II and its effects on T-cell function in vitro and in vivo. <i>Experimental Dermatology</i> , 2006, 15, 634-642.	1.4	12
226	SchÄ¶n et al. reply to "Efomycine M: an inhibitor of selectins". <i>Nature Medicine</i> , 2006, 12, 873-874.	15.2	5
227	The influence of various structural parameters of semisynthetic sulfated polysaccharides on the P-selectin inhibitory capacity. <i>Biochemical Pharmacology</i> , 2006, 72, 474-485.	2.0	51
228	Structural Requirements of Heparin and Related Molecules to Exert a Multitude of Anti-Inflammatory Activities. <i>Mini-Reviews in Medicinal Chemistry</i> , 2006, 6, 1009-1023.	1.1	28
229	Management of cutaneous type IV hypersensitivity reactions induced by heparin. <i>Thrombosis and Haemostasis</i> , 2006, 96, 611-7.	1.8	8
230	Complicated mycosis fungoides mimicking facial erysipelas. <i>British Journal of Dermatology</i> , 2005, 152, 1381-1383.	1.4	7
231	Eosinophilic cellulitis (Wells' syndrome) associated with colon carcinoma. Kolon-Karzinom assoziierte Eosinophile Zellulitis (Wells' Syndrom). <i>JDDG - Journal of the German Society of Dermatology</i> , 2005, 3, 530-531.	0.4	33
232	Junctional Adhesion Molecules (JAM)-B and -C Contribute to Leukocyte Extravasation to the Skin and Mediate Cutaneous Inflammation. <i>Journal of Investigative Dermatology</i> , 2005, 125, 969-976.	0.3	87
233	Experimental approaches to lymphocyte migration in dermatology in vitro and in vivo. <i>Experimental Dermatology</i> , 2005, 14, 641-666.	1.4	31
234	Molecular weight determines the frequency of delayed type hypersensitivity reactions to heparin and synthetic oligosaccharides. <i>Thrombosis and Haemostasis</i> , 2005, 94, 1265-1269.	1.8	53

#	ARTICLE	IF	CITATIONS
235	Lymphocyte trafficking to inflamed skin – molecular mechanisms and implications for therapeutic target molecules. <i>Expert Opinion on Therapeutic Targets</i> , 2005, 9, 225-243.	1.5	47
236	In vitro investigation on the selectin binding mechanisms in tumor cell metastasis and their inhibition by heparin. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2005, 43, 570-572.	0.3	3
237	Endothelial P-Selectin as a Target of Heparin Action in Experimental Melanoma Lung Metastasis. <i>Cancer Research</i> , 2004, 64, 2743-2750.	0.4	186
238	Activated, Not Resting, Platelets Increase Leukocyte Rolling in Murine Skin Utilizing a Distinct Set of Adhesion Molecules. <i>Journal of Investigative Dermatology</i> , 2004, 122, 830-836.	0.3	117
239	Intolerance of fondaparinux in a patient allergic to heparins. <i>Contact Dermatitis</i> , 2004, 50, 383-384.	0.8	24
240	Narrowband UVB and cream psoralen-UVA combination therapy for plaque-type psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2004, 50, 734-739.	0.6	56
241	New Insight into the Transport Mechanism of Hydrated Hydroxide Ions in Water. <i>ChemInform</i> , 2003, 34, no.	0.1	0
242	New Insight into the Transport Mechanism of Hydrated Hydroxide Ions in Water. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 258-260.	7.2	77
243	The selective cyclooxygenase-2 inhibitor rofecoxib may improve the treatment of chronic idiopathic urticaria. <i>British Journal of Dermatology</i> , 2003, 148, 604-606.	1.4	13
244	Tolerance of fondaparinux in a patient allergic to heparins and other glycosaminoglycans. <i>Contact Dermatitis</i> , 2003, 49, 158-159.	0.8	46
245	Herpes simplex virus type 2-associated eosinophilic cellulitis (Wells' syndrome). <i>Journal of the American Academy of Dermatology</i> , 2003, 48, S60-S61.	0.6	32
246	Enchondroma. <i>Clinical Nuclear Medicine</i> , 2002, 27, 695-697.	0.7	21
247	Narrowband UV-B phototherapy in the treatment of cutaneous graft versus host disease. <i>Transplantation</i> , 2002, 74, 1631-1634.	0.5	63
248	Spatial distribution of 8-methoxypsoralen penetration into human skin after systemic or topical administration. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 535-539.	1.1	6
249	Efomycine M, a new specific inhibitor of selectin, impairs leukocyte adhesion and alleviates cutaneous inflammation. <i>Nature Medicine</i> , 2002, 8, 366-372.	15.2	139
250	Enchondroma: a benign osseous lesion with high F-18 FDG uptake. <i>Clinical Nuclear Medicine</i> , 2002, 27, 695-7.	0.7	6
251	Kinetics and dose-response of photosensitivity in cream psoralen plus ultraviolet A photochemotherapy: comparative in vivo studies after topical application of three standard preparations. <i>British Journal of Dermatology</i> , 2001, 144, 991-995.	1.4	17
252	Chronic dermatophytosis in lamellar ichthyosis: relevance of a T-helper 2-type immune response to <i>Trichophyton rubrum</i> . <i>British Journal of Dermatology</i> , 2001, 145, 518-521.	1.4	25

#	ARTICLE	IF	CITATIONS
253	Macrophage and lymphocyte homing in experimental diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1999, 107, S102-S107.	0.6	1
254	In vivo microscopy of murine islets of Langerhans: increased adhesion of transferred lymphocytes to islets depends on macrophage-derived cytokines in a model of organ-specific insulinitis. <i>Immunology</i> , 1999, 98, 111-115.	2.0	10
255	Lymphocyte transfer in streptozotocin-induced diabetes: adhesion of donor cells to islet endothelium. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E928-E935.	1.8	4
256	Unmet Medical Needs in Chronic, Non-communicable Inflammatory Skin Diseases. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	51