

Emilio Pardo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3062917/emilio-pardo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

7,100
citations

44
h-index

79
g-index

161
ext. papers

7,961
ext. citations

7.9
avg, IF

5.82
L-index

#	Paper	IF	Citations
149	Mixed component metal-organic frameworks: Heterogeneity and complexity at the service of application performances. <i>Coordination Chemistry Reviews</i> , 2022 , 451, 214273	23.2	10
148	Multivariate Metal-Organic Framework/Single-Walled Carbon Nanotube Buckypaper for Selective Lead Decontamination.. <i>ACS Applied Nano Materials</i> , 2022 , 5, 5223-5233	5.6	1
147	Click amidations, esterifications and one-pot reactions catalyzed by Cu salts and multimetal-organic frameworks (MMOFs). <i>Molecular Catalysis</i> , 2022 , 522, 112228	3.3	
146	Switching of easy-axis to easy-plane anisotropy in cobalt(ii) complexes. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 5158-5168	6.8	3
145	Highly Efficient Removal of Neonicotinoid Insecticides by Thioether-Based (Multivariate) Metal-Organic Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 28424-28432	9.5	9
144	Photodegradation of Brilliant Green Dye by a Zinc bioMOF and Crystallographic Visualization of Resulting CO. <i>Molecules</i> , 2021 , 26,	4.8	1
143	Synthesis and Enhanced Capture Properties of a New BioMOF@SWCNT-BP: Recovery of the Endangered Rare-Earth Elements from Aqueous Systems. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100730	4.6	3
142	Crystallographic Visualization of a Double Water Molecule Addition on a Pt1-MOF during the Low-temperature Water-Gas Shift Reaction. <i>ChemCatChem</i> , 2021 , 13, 1195-1200	5.2	1
141	Bioinspired Metal-Organic Frameworks in Mixed Matrix Membranes for Efficient Static/Dynamic Removal of Mercury from Water. <i>Advanced Functional Materials</i> , 2021 , 31, 2008499	15.6	14
140	Synthesis of a rod-based porous coordination polymer from a nucleotide as a sequential chiral inductor. <i>Journal of Coordination Chemistry</i> , 2021 , 74, 200-215	1.6	0
139	Reverse osmosis and nanofiltration membranes for highly efficient PFASs removal: overview, challenges and future perspectives. <i>Dalton Transactions</i> , 2021 , 50, 5398-5410	4.3	20
138	Soluble/MOF-Supported Palladium Single Atoms Catalyze the Ligand-, Additive-, and Solvent-Free Aerobic Oxidation of Benzyl Alcohols to Benzoic Acids. <i>Journal of the American Chemical Society</i> , 2021 , 143, 2581-2592	16.4	22
137	Synthesis and Enhanced Capture Properties of a New BioMOF@SWCNT-BP: Recovery of the Endangered Rare-Earth Elements from Aqueous Systems (Adv. Mater. Interfaces 16/2021). <i>Advanced Materials Interfaces</i> , 2021 , 8, 2170089	4.6	
136	A Biocompatible Aspartic-Decorated Metal-Organic Framework with Tubular Motif Degradable under Physiological Conditions. <i>Inorganic Chemistry</i> , 2021 , 60, 14221-14229	5.1	
135	Towards Iron-Titanium Oxide Nanostructures from Ecuadorian Black Mineral Sands. <i>Minerals (Basel, Switzerland)</i> , 2021 , 11, 122	2.4	6
134	Hydrolase-like catalysis and structural resolution of natural products by a metal-organic framework. <i>Nature Communications</i> , 2020 , 11, 3080	17.4	16
133	Bio-metal-organic frameworks for molecular recognition and sorbent extraction of hydrophilic vitamins followed by their determination using HPLC-UV. <i>Mikrochimica Acta</i> , 2020 , 187, 201	5.8	9

132	Metal-Organic Frameworks as Chemical Nanoreactors: Synthesis and Stabilization of Catalytically Active Metal Species in Confined Spaces. <i>Accounts of Chemical Research</i> , 2020 , 53, 520-531	24.3	45
131	Isolating reactive metal-based species in Metal-Organic Frameworks - viable strategies and opportunities. <i>Chemical Science</i> , 2020 , 11, 4031-4050	9.4	34
130	Gas Transport in Mixed Matrix Membranes: Two Methods for Time Lag Determination. <i>Computation</i> , 2020 , 8, 28	2.2	6
129	Glassy PEEK-WC vs. Rubbery Pebax [®] 1657 Polymers: Effect on the Gas Transport in CuNi-MOF Based Mixed Matrix Membranes. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1310	2.6	6
128	Modulating magnetic dynamics through tailoring the terminal ligands in Dy single-molecule magnets. <i>Dalton Transactions</i> , 2020 , 49, 808-816	4.3	8
127	Data on phase and chemical compositions of black sands from "El Ostional" beach situated in Mompiche, Ecuador. <i>Data in Brief</i> , 2020 , 32, 106214	1.2	7
126	Cyclic metal(oid) clusters control platinum-catalysed hydrosilylation reactions: from soluble to zeolite and MOF catalysts. <i>Chemical Science</i> , 2020 , 11, 8113-8124	9.4	10
125	A series of lanthanide(III) metal-organic frameworks derived from a pyridyl-dicarboxylate ligand: single-molecule magnet behaviour and luminescence properties. <i>Dalton Transactions</i> , 2020 , 49, 14123-14132	4.3	13
124	Synthesis of a chiral rod-like metal-organic framework from a preformed amino acid-based hexanuclear wheel. <i>Journal of Coordination Chemistry</i> , 2019 , 72, 1204-1221	1.6	1
123	A Metalloligand Approach for the Self-Assembly of a Magnetic Two-Dimensional Grid-of-Grids. <i>Crystal Growth and Design</i> , 2019 , 19, 3905-3912	3.5	6
122	Self-Assembly of Catalytically Active Supramolecular Coordination Compounds within Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2019 , 141, 10350-10360	16.4	25
121	Direct Visualization of Pyrrole Reactivity upon Confinement within a Cyclodextrin Metal-Organic Framework. <i>Angewandte Chemie</i> , 2019 , 131, 9277-9281	3.6	3
120	Direct Visualization of Pyrrole Reactivity upon Confinement within a Cyclodextrin Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 9179-9183	16.4	10
119	Multivariate Metal-Organic Frameworks for the Simultaneous Capture of Organic and Inorganic Contaminants from Water. <i>Journal of the American Chemical Society</i> , 2019 , 141, 13601-13609	16.4	66
118	Efficient Gas Separation and Transport Mechanism in Rare Hemilabile Metal-Organic Framework. <i>Chemistry of Materials</i> , 2019 , 31, 5856-5866	9.6	15
117	Magnetic order in a CuII/DyIII oxamate-based two-dimensional coordination polymer. <i>Comptes Rendus Chimie</i> , 2019 , 22, 466-475	2.7	2
116	Solvent-induced single-crystal-to-single-crystal transformation and tunable magnetic properties of 1D azido-Cu(II) chains with a carboxylate bridge. <i>Dalton Transactions</i> , 2019 , 48, 11268-11277	4.3	9
115	Metal-Organic Frameworks as Playgrounds for Reticulate Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2019 , 58, 14498-14506	5.1	9

114	Modulation of the magnetic anisotropy of octahedral cobalt(II) single-ion magnets by fine-tuning the axial coordination microenvironment. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 848-856	6.8	38
113	Capping N-Donor Ligands Modulate the Magnetic Dynamics of Dy Diketonate Single-Ion Magnets with D Symmetry. <i>Chemistry - A European Journal</i> , 2019 , 25, 3884-3892	4.8	24
112	Crystallographic snapshots of host-guest interactions in drugs@metal-organic frameworks: towards mimicking molecular recognition processes. <i>Materials Horizons</i> , 2018 , 5, 683-690	14.4	43
111	Synthesis of Densely Packaged, Ultrasmall PtO ₂ Clusters within a Thioether-Functionalized MOF: Catalytic Activity in Industrial Reactions at Low Temperature. <i>Angewandte Chemie</i> , 2018 , 130, 6294-6299 ^{3.6}	3.6	12
110	Synthesis of Densely Packaged, Ultrasmall Pt Clusters within a Thioether-Functionalized MOF: Catalytic Activity in Industrial Reactions at Low Temperature. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 6186-6191	16.4	89
109	Metal-organic framework technologies for water remediation: towards a sustainable ecosystem. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4912-4947	13	279
108	Efficient Capture of Organic Dyes and Crystallographic Snapshots by a Highly Crystalline Amino-Acid-Derived Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2018 , 24, 17712-17718	4.8	30
107	A post-synthetic approach triggers selective and reversible sulphur dioxide adsorption on a metal-organic framework. <i>Chemical Communications</i> , 2018 , 54, 9063-9066	5.8	19
106	Design of Magnetic Coordination Polymers Built from Polyoxalamide Ligands: A Thirty Year Story. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 228-247	2.3	30
105	Efficient Capture of Organic Dyes and Crystallographic Snapshots by a Highly Crystalline Amino-Acid-Derived Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2018 , 24, 17615-17615	4.8	1
104	Concise Chemistry Modulation of the SMM Behavior within a Family of Mononuclear Dy(III) Complexes. <i>Inorganic Chemistry</i> , 2018 , 57, 14843-14851	5.1	39
103	Confined Pt Water Clusters in a MOF Catalyze the Low-Temperature Water-Gas Shift Reaction with both CO Oxygen Atoms Coming from Water. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 17094-17099 ^{16.4} ³⁵	16.4	35
102	Confined Pt ¹⁺ Water Clusters in a MOF Catalyze the Low-Temperature Water-Gas Shift Reaction with both CO ₂ Oxygen Atoms Coming from Water. <i>Angewandte Chemie</i> , 2018 , 130, 17340-17345	3.6	4
101	Stabilized Ru[(H ₂ O) ₆] ³⁺ in Confined Spaces (MOFs and Zeolites) Catalyzes the Imination of Primary Alcohols under Atmospheric Conditions with Wide Scope. <i>ACS Catalysis</i> , 2018 , 8, 10401-10406	13.1	19
100	Toward Engineering Chiral Rodlike Metal-Organic Frameworks with Rare Topologies. <i>Inorganic Chemistry</i> , 2018 , 57, 12869-12875	5.1	10
99	Lanthanide Discrimination with Hydroxyl-Decorated Flexible Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2018 , 57, 13895-13900	5.1	17
98	Highly efficient temperature-dependent chiral separation with a nucleotide-based coordination polymer. <i>Chemical Communications</i> , 2018 , 54, 6356-6359	5.8	13
97	Isolated Fe(III)-O Sites Catalyze the Hydrogenation of Acetylene in Ethylene Flows under Front-End Industrial Conditions. <i>Journal of the American Chemical Society</i> , 2018 , 140, 8827-8832	16.4	50

96	Cytosine Nucleobase Ligand: A Suitable Choice for Modulating Magnetic Anisotropy in Tetrahedrally Coordinated Mononuclear Co Compounds. <i>Inorganic Chemistry</i> , 2017 , 56, 1857-1864	5.1	29
95	Molecular magnetism, quo vadis? A historical perspective from a coordination chemist viewpoint?. <i>Coordination Chemistry Reviews</i> , 2017 , 339, 17-103	23.2	218
94	Reversible solvatomagnetic switching in a single-ion magnet from an entatic state. <i>Chemical Science</i> , 2017 , 8, 3694-3702	9.4	54
93	Tuning the selectivity of light hydrocarbons in natural gas in a family of isoreticular MOFs. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11032-11039	13	28
92	Rational Synthesis of Chiral Metal-Organic Frameworks from Preformed Rodlike Secondary Building Units. <i>Inorganic Chemistry</i> , 2017 , 56, 6551-6557	5.1	25
91	The MOF-driven synthesis of supported palladium clusters with catalytic activity for carbene-mediated chemistry. <i>Nature Materials</i> , 2017 , 16, 760-766	27	180
90	A novel oxalate-based three-dimensional coordination polymer showing magnetic ordering and high proton conductivity. <i>Dalton Transactions</i> , 2017 , 46, 15130-15137	4.3	13
89	Fine-tuning of the confined space in microporous metal-organic frameworks for efficient mercury removal. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 20120-20125	13	44
88	Postsynthetic Approach for the Rational Design of Chiral Ferroelectric Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2017 , 139, 8098-8101	16.4	61
87	Selective and Efficient Removal of Mercury from Aqueous Media with the Highly Flexible Arms of a BioMOF. <i>Angewandte Chemie</i> , 2016 , 128, 11333-11338	3.6	33
86	Selective and Efficient Removal of Mercury from Aqueous Media with the Highly Flexible Arms of a BioMOF. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11167-72	16.4	134
85	Selective Guest Inclusion in Oxalate-Based Iron(III) Magnetic Coordination Polymers. <i>Inorganic Chemistry</i> , 2016 , 55, 11160-11169	5.1	5
84	Selective Gold Recovery and Catalysis in a Highly Flexible Methionine-Decorated Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7864-7	16.4	136
83	Insights into the Dynamics of Grotthuss Mechanism in a Proton-Conducting Chiral bioMOF. <i>Chemistry of Materials</i> , 2016 , 28, 4608-4615	9.6	82
82	Guest-dependent single-ion magnet behaviour in a cobalt(ii) metal-organic framework. <i>Chemical Science</i> , 2016 , 7, 2286-2293	9.4	93
81	Solid-State Molecular Nanomagnet Inclusion into a Magnetic Metal-Organic Framework: Interplay of the Magnetic Properties. <i>Chemistry - A European Journal</i> , 2016 , 22, 539-45	4.8	55
80	Solvent-Dependent Self-Assembly of an Oxalato-Based Three-Dimensional Magnet Exhibiting a Novel Architecture. <i>Inorganic Chemistry</i> , 2016 , 55, 6845-7	5.1	12
79	Spin-crossover complex encapsulation within a magnetic metal-organic framework. <i>Chemical Communications</i> , 2016 , 52, 7360-3	5.8	33

78	Structural Studies on a New Family of Chiral BioMOFs. <i>Crystal Growth and Design</i> , 2016 , 16, 5571-5578	3.5	16
77	Dicopper(II) metallacyclophanes as multifunctional magnetic devices: a joint experimental and computational study. <i>Accounts of Chemical Research</i> , 2015 , 48, 510-20	24.3	57
76	Postsynthetic Improvement of the Physical Properties in a Metal-Organic Framework through a Single Crystal to Single Crystal Transmetallation. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 6521-5	16.4	84
75	Cation Exchange in Dynamic 3D Porous Magnets: Improvement of the Physical Properties. <i>Inorganic Chemistry</i> , 2015 , 54, 10834-40	5.1	17
74	Double interpenetration in a chiral three-dimensional magnet with a (10,3)-a structure. <i>Inorganic Chemistry</i> , 2015 , 54, 8890-2	5.1	14
73	Postsynthetic Improvement of the Physical Properties in a Metal-Organic Framework through a Single Crystal to Single Crystal Transmetallation. <i>Angewandte Chemie</i> , 2015 , 127, 6621-6625	3.6	13
72	Field-Induced Slow Magnetic Relaxation in a Mononuclear Manganese(III)-Porphyrin Complex. <i>Chemistry - A European Journal</i> , 2015 , 21, 17299-307	4.8	45
71	Metallosupramolecular approach toward multifunctional magnetic devices for molecular spintronics. <i>Coordination Chemistry Reviews</i> , 2015 , 303, 110-138	23.2	56
70	Homochiral self-assembly of biocoordination polymers: anion-triggered helicity and absolute configuration inversion. <i>Chemical Science</i> , 2015 , 6, 4300-4305	9.4	24
69	Oxamate-based coordination polymers: recent advances in multifunctional magnetic materials. <i>Chemical Communications</i> , 2014 , 50, 7569-85	5.8	94
68	A triple-bridged azido-Cu(II) chain compound fine-tuned by mixed carboxylate/ethanol linkers displays slow-relaxation and ferromagnetic order: synthesis, crystal structure, magnetic properties and DFT calculations. <i>Dalton Transactions</i> , 2014 , 43, 15359-66	4.3	19
67	High-temperature spin crossover in a mononuclear six-coordinate cobalt(II) complex. <i>Inorganic Chemistry</i> , 2014 , 53, 10009-11	5.1	27
66	S-shaped decanuclear heterometallic [Ni ₈ Ln ₂] complexes [Ln(III) = Gd, Tb, Dy and Ho]: theoretical modeling of the magnetic properties of the gadolinium analogue. <i>Dalton Transactions</i> , 2014 , 43, 10164-74	4.3	22
65	Heterometallic Pentanuclear [Ni ₄ Ln] (Ln(III) = Gd, Tb, Dy, Ho) Complexes: Accidental Orthogonality Leading to Ferromagnetic Interactions. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 3393-3400	2.3	16
64	The oxamate route, a versatile post-functionalization for metal incorporation in MIL-101(Cr): Catalytic applications of Cu, Pd, and Au. <i>Journal of Catalysis</i> , 2013 , 307, 295-304	7.3	83
63	Enantioselective self-assembly of antiferromagnetic hexacopper(II) wheels with chiral amino acid oxamates. <i>Chemical Communications</i> , 2013 , 49, 5942-4	5.8	22
62	The odd association of a C(3h) trisamidinium cation and tosylate anion with a series of linear oxalate-bridged trinuclear heterometallic complexes. <i>Dalton Transactions</i> , 2013 , 42, 4704-13	4.3	12
61	A hexaicosametallc copper(II) phosphonate. <i>Dalton Transactions</i> , 2013 , 42, 8192-6	4.3	21

60	Synthesis, Structure, and Magnetic Properties of a Family of Heterometallic Pentanuclear [Co ₄ Ln] (Ln = Gd ^{III} , Dy ^{III} , Tb ^{III} , and Ho ^{III}) Assemblies. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 4506-4514	2.3	20
59	Slow magnetic relaxation in a hydrogen-bonded 2D array of mononuclear dysprosium(III) oxamates. <i>Inorganic Chemistry</i> , 2013 , 52, 4777-9	5.1	37
58	Self-assembly of a chiral three-dimensional manganese(II)copper(II) coordination polymer with a double helical architecture. <i>CrystEngComm</i> , 2013 , 15, 9312	3.3	17
57	Field-Induced Hysteresis and Quantum Tunneling of the Magnetization in a Mononuclear Manganese(III) Complex. <i>Angewandte Chemie</i> , 2013 , 125, 14325-14329	3.6	16
56	Dicopper(II) Metallacyclophanes with Electroswitchable Polymethyl-Substituted para-Phenylene Spacers. <i>Chemistry - A European Journal</i> , 2013 , 19, 12124-37	4.8	25
55	Field-induced hysteresis and quantum tunneling of the magnetization in a mononuclear manganese(III) complex. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 14075-9	16.4	138
54	Reversible solvatomagnetic switching in a spongelike manganese(II)-copper(II) 3D open framework with a pillared square/octagonal layer architecture. <i>Chemistry - A European Journal</i> , 2012 , 18, 1608-17	4.8	81
53	Antisymmetric exchange in triangular tricopper(II) complexes: correlation among structural, magnetic, and electron paramagnetic resonance parameters. <i>Inorganic Chemistry</i> , 2012 , 51, 985-1001	5.1	102
52	The role of order-disorder transitions in the quest for molecular multiferroics: structural and magnetic neutron studies of a mixed valence iron(II)-iron(III) formate framework. <i>Journal of the American Chemical Society</i> , 2012 , 134, 19772-81	16.4	118
51	Self-assembly, metal binding ability, and magnetic properties of dinickel(II) and dicobalt(II) triple mesocates. <i>CrystEngComm</i> , 2012 , 14, 5639	3.3	12
50	Redox switching of the antiferromagnetic coupling in permethylated dicopper(II) paracyclophanes. <i>Chemical Communications</i> , 2012 , 48, 8401-3	5.8	22
49	Ligand effects on the dimensionality of oxamato-bridged mixed-metal open-framework magnets. <i>Chemical Communications</i> , 2012 , 48, 3539-41	5.8	15
48	Influence of the alkaline earth cations on the topology of MII/CuII mixed-metalorganic frameworks (M = Ca, Sr and Ba). <i>CrystEngComm</i> , 2012 , 14, 761-764	3.3	16
47	Field-induced slow magnetic relaxation in a six-coordinate mononuclear cobalt(II) complex with a positive anisotropy. <i>Journal of the American Chemical Society</i> , 2012 , 134, 15704-7	16.4	315
46	Highly selective chemical sensing in a luminescent nanoporous magnet. <i>Advanced Materials</i> , 2012 , 24, 5625-9	24	121
45	Topological versatility of oxalate-based bimetallic one-dimensional (1D) compounds associated with ammonium cations. <i>Inorganic Chemistry</i> , 2012 , 51, 11582-93	5.1	32
44	Selective gas and vapor sorption and magnetic sensing by an isorecticular mixed-metal-organic framework. <i>Journal of the American Chemical Society</i> , 2012 , 134, 15301-4	16.4	102
43	Prussian blue analogues of reduced dimensionality. <i>Small</i> , 2012 , 8, 2532-40	11	18

42	Multiferroics by Rational Design: Implementing Ferroelectricity in Molecule-Based Magnets. <i>Angewandte Chemie</i> , 2012 , 124, 8481-8485	3.6	34
41	Multiferroics by rational design: implementing ferroelectricity in molecule-based magnets. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 8356-60	16.4	147
40	Solid-state aggregation of metallacyclophane-based Mn(II)Cu(II) one-dimensional ladders. <i>Inorganic Chemistry</i> , 2012 , 51, 7019-21	5.1	14
39	Slow magnetic relaxation in carbonato-bridged dinuclear lanthanide(III) complexes with 2,3-quinoxalinediolate ligands. <i>Chemical Communications</i> , 2012 , 48, 7726-8	5.8	46
38	Synthesis, crystal structures, and magnetic properties of a new family of heterometallic cyanide-bridged Fe(III)2M(II)2 (M=Mn, Ni, and Co) square complexes. <i>Inorganic Chemistry</i> , 2011 , 50, 6250-62	5.1	60
37	High proton conduction in a chiral ferromagnetic metal-organic quartz-like framework. <i>Journal of the American Chemical Society</i> , 2011 , 133, 15328-31	16.4	270
36	Spin control in oxamato-based manganese(II)-copper(II) coordination polymers with brick-wall layer architectures. <i>Inorganic Chemistry</i> , 2011 , 50, 8694-6	5.1	32
35	New Magnetic Thin Film Hybrid Materials Built by the Incorporation of Octanickel(II)-oxamato Clusters Between Clay Mineral Platelets. <i>Journal of Physical Chemistry Letters</i> , 2011 , 2, 2004-2008	6.4	16
34	Slow relaxation of the magnetization in Oximato-bridged heterobimetallic Copper(II)-Manganese(III) chains. <i>Journal of the Brazilian Chemical Society</i> , 2011 , 22, 976-986	1.5	2
33	Synthesis, crystal structures and magnetic properties of M(II)Cu(II) chains (M = Mn and Co) with sterically hindered alkyl-substituted phenyloxamate bridging ligands. <i>Chemistry - A European Journal</i> , 2011 , 17, 2176-88	4.8	55
32	Rational enantioselective design of chiral heterobimetallic single-chain magnets: synthesis, crystal structures and magnetic properties of oxamato-bridged M(II)Cu(II) chains (M=Mn, Co). <i>Chemistry - A European Journal</i> , 2011 , 17, 12482-94	4.8	77
31	Photoswitching of the antiferromagnetic coupling in an oxamato-based dicopper(II) anthracenophane. <i>Chemical Communications</i> , 2011 , 47, 11035-7	5.8	36
30	Synthesis, crystal structure and magnetic properties of two oxalato-bridged dimetallic trinuclear complexes combined with a polar cation. <i>Dalton Transactions</i> , 2010 , 39, 4951-8	4.3	34
29	Tuning the spin ground state in heterononanuclear nickel(II)-copper(II) cylinders with a triangular metallacyclophane core. <i>Inorganic Chemistry</i> , 2010 , 49, 11264-6	5.1	4
28	Variation of the ground spin state in homo- and hetero-octanuclear copper(II) and nickel(II) double-star complexes with a meso-helicate-type metallacryptand core. <i>Dalton Transactions</i> , 2010 , 39, 4786-801	4.3	9
27	[Fe(II)LSCo(III)LS]2 \leftrightarrow [Fe(III)LSCo(II)HS]2 photoinduced conversion in a cyanide-bridged heterobimetallic molecular square. <i>Chemical Communications</i> , 2010 , 46, 8995-7	5.8	100
26	Single chain magnet behaviour in an enantiopure chiral cobalt(II)-copper(II) one-dimensional compound. <i>Chemical Communications</i> , 2010 , 46, 2322-4	5.8	98
25	Supramolecular coordination chemistry of aromatic polyoxalamide ligands: A metallosupramolecular approach toward functional magnetic materials. <i>Coordination Chemistry Reviews</i> , 2010 , 254, 2281-2296	23.2	168

24	Oligo-m-phenyleneoxalamide copper(II) mesocates as electro-switchable ferromagnetic metal-organic wires. <i>Chemistry - A European Journal</i> , 2010 , 16, 12838-51	4.8	27
23	Ferromagnetic coupling by spin polarization in a trinuclear copper(II) metallacyclophane with a triangular cage-like structure. <i>Inorganic Chemistry</i> , 2009 , 48, 5244-9	5.1	44
22	Redox switch-off of the ferromagnetic coupling in a mixed-spin tricobalt(II) triple mesocate. <i>Journal of the American Chemical Society</i> , 2009 , 131, 14614-5	16.4	35
21	Molecular-programmed self-assembly of homo- and heterometallic tetranuclear coordination compounds: synthesis, crystal structures, and magnetic properties of rack-type Cu(II)(2)M(II)(2) complexes (M = Cu and Ni) with tetranucleating phenylenedioxamato bridging ligands. <i>Inorganic Chemistry</i> , 2009 , 48, 1111-5	5.1	18
20	Structure and magnetism of dinuclear copper(II) metallacyclophanes with oligoacenebis(oxamate) bridging ligands: theoretical predictions on wirelike magnetic coupling. <i>Journal of the American Chemical Society</i> , 2008 , 130, 576-85	16.4	60
19	Ligand design for multidimensional magnetic materials: a metallosupramolecular perspective. <i>Dalton Transactions</i> , 2008 , 2780-805	4.3	233
18	A metallacryptand-based manganese(II)-cobalt(II) ferrimagnet with a three-dimensional honeycomb open-framework architecture. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 4211-6	16.4	40
17	A Metallacryptand-Based Manganese(II)Cobalt(II) Ferrimagnet with a Three-Dimensional Honeycomb Open-Framework Architecture. <i>Angewandte Chemie</i> , 2008 , 120, 4279-4284	3.6	10
16	Rational design of a new class of heterobimetallic molecule-based magnets: Synthesis, crystal structures, and magnetic properties of oxamato-bridged (M ₂ =LiI and MnII; M=NiII and CoII) open-frameworks with a three-dimensional honeycomb architecture. <i>Inorganica Chimica Acta</i> , 2008 , 361, 3394-3402	2.7	45
15	Magnetic properties of six-coordinated high-spin cobalt(II) complexes: Theoretical background and its application. <i>Inorganica Chimica Acta</i> , 2008 , 361, 3432-3445	2.7	481
14	Molecular-programmed self-assembly of homo- and heterometallic penta- and hexanuclear coordination compounds: synthesis, crystal structures, and magnetic properties of ladder-type CuII2MIIx (M=Cu, Ni; x=3, 4) oxamato complexes with CuII2 metallacyclophane cores. <i>Inorganic Chemistry</i> , 2007 , 46, 4504-14	5.1	41
13	Ligand design for heterobimetallic single-chain magnets: synthesis, crystal structures, and magnetic properties of MIIICuII (M=Mn, Co) chains with sterically hindered methyl-substituted phenyloxamate bridging ligands. <i>Chemistry - A European Journal</i> , 2007 , 13, 2054-66	4.8	100
12	Solid-State Anion Guest Encapsulation by Metallosupramolecular Capsules Made from Two Tetranuclear Copper(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 4569-4573	2.3	7
11	High-valent bis(oxo)-bridged dinuclear manganese oxamates: Synthesis, crystal structures, magnetic properties, and electronic structure calculations of bis(Ebxo)dimanganese(IV) complexes with a binucleating o-phenylenedioxamate ligand. <i>Inorganica Chimica Acta</i> , 2007 , 360, 221-232	2.7	13
10	Ordered mesoporous silicas as host for the incorporation and aggregation of octanuclear nickel(II) single-molecule magnets: a bottom-up approach to new magnetic nanocomposite materials. <i>Journal of Materials Chemistry</i> , 2006 , 16, 2702-2714		32
9	Chemistry and reactivity of mononuclear manganese oxamate complexes: Oxidative carbon-carbon bond cleavage of vic-diols by dioxygen and aldehydes catalyzed by a trans-dipyridine manganese(III) complex with a tetradentate o-phenylenedioxamate ligand. <i>Journal of Molecular Catalysis A</i> , 2006 , 212, 21-28		27
8	Chemistry and reactivity of dinuclear manganese oxamate complexes: Aerobic catechol oxidation catalyzed by high-valent bis(oxo)-bridged dimanganese(IV) complexes with a homologous series of binucleating 4,5-disubstituted-o-phenylenedioxamate ligands. <i>Journal of Molecular Catalysis A</i> , 2006 , 250, 20-26		39
7	Cobalt(II)Copper(II) Bimetallic Chains as a New Class of Single-Chain Magnets. <i>Advanced Materials</i> , 2004 , 16, 1597-1600	24	131

6	Chemistry and reactivity of dinuclear iron oxamate complexes: alkane oxidation with hydrogen peroxide catalysed by an oxo-bridged diiron(III) complex with amide and carboxylate ligation. <i>Inorganica Chimica Acta</i> , 2004 , 357, 2713-2720	2.7	30
5	Self-assembly and magnetic properties of a double-propeller octanuclear copper(II) complex with a meso-helicate-type metallacryptand core. <i>Chemical Communications</i> , 2004 , 920-1	5.8	28
4	Spin control in ladderlike hexanuclear copper(II) complexes with metallacyclophane cores. <i>Inorganic Chemistry</i> , 2004 , 43, 2768-70	5.1	40
3	Magnetic anisotropy of a high-spin octanuclear nickel(II) complex with a meso-helicate core. <i>Inorganic Chemistry</i> , 2004 , 43, 7594-6	5.1	39
2	Long-range magnetic coupling through extended pi-conjugated aromatic bridges in dinuclear copper(II) metallacyclophanes. <i>Journal of the American Chemical Society</i> , 2003 , 125, 10770-1	16.4	99
1	Alkane oxidation by a carboxylate-bridged dimanganese(III) complex. <i>Chemical Communications</i> , 2001 , 2102-3	5.8	48