

Paraskev T Nedialkov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/306443/paraskev-t-nedialkov-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

455
citations

11
h-index

20
g-index

55
ext. papers

535
ext. citations

2.2
avg, IF

3.78
L-index

#	Paper	IF	Citations
46	Radical scavenging and antioxidant activities of methanolic extracts from <i>Hypericum</i> species growing in Bulgaria. <i>Pharmacognosy Magazine</i> , 2010 , 6, 74-8	0.8	67
45	Benzophenone O-glucoside, a biogenic precursor of 1,3,7-trioxygenated xanthenes in <i>Hypericum annulatum</i> . <i>Phytochemistry</i> , 2001 , 57, 1237-43	4	47
44	Mangiferin and isomangiferin in some <i>Hypericum</i> species. <i>Biochemical Systematics and Ecology</i> , 1998 , 26, 647-653	1.4	41
43	Effect of benzophenones from <i>Hypericum annulatum</i> on carbon tetrachloride-induced toxicity in freshly isolated rat hepatocytes. <i>Redox Report</i> , 2006 , 11, 3-8	5.9	37
42	Two benzophenone O-arabinosides and a chromone from <i>Hypericum annulatum</i> . <i>Phytochemistry</i> , 2002 , 59, 867-71	4	33
41	Identification of phenolic components via LC-MS analysis and biological activities of two <i>Centaurea</i> species: <i>C. drabifolia</i> subsp. <i>drabifolia</i> and <i>C. lycopifolia</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 149, 436-441	3.5	24
40	Cytotoxic effects of hyperatomarin, a prenylated phloroglucinol from <i>Hypericum annulatum</i> Moris subsp. <i>annulatum</i> , in a panel of malignant cell lines. <i>Phytomedicine</i> , 2008 , 15, 1010-5	6.5	17
39	Benzophenones and flavonoids from <i>Hypericum maculatum</i> and their antioxidant activities. <i>Natural Product Research</i> , 2012 , 26, 1576-83	2.3	15
38	A new isocoumarin from <i>Hypericum annulatum</i> . <i>Natural Product Research</i> , 2007 , 21, 1056-60	2.3	14
37	Cytoprotective and antioxidant effects of phenolic compounds from <i>Haberlea rhodopensis</i> Friv. (Gesneriaceae). <i>Pharmacognosy Magazine</i> , 2013 , 9, 294-301	0.8	13
36	<i>Chenopodium bonus-henricus</i> L. - A source of hepatoprotective flavonoids. <i>Floterap</i> , 2017 , 118, 13-20	3.2	11
35	Saponins from the roots of - L. <i>Natural Product Research</i> , 2019 , 33, 2024-2031	2.3	10
34	Elegaphenone and 7-epi-clusianone, the major cytotoxic constituents of <i>Hypericum elegans</i> . <i>Natural Product Research</i> , 2011 , 25, 1743-50	2.3	10
33	Benzophenone O-glycosides from <i>Hypericum elegans</i> . <i>Natural Product Research</i> , 2009 , 23, 1176-80	2.3	10
32	Flavonoids and a xanthone from <i>Hypericum umbellatum</i> (Guttiferae). <i>Biochemical Systematics and Ecology</i> , 2007 , 35, 118-120	1.4	10
31	Cytoprotective effects of 5 benzophenones and a xanthone from <i>Hypericum annulatum</i> in models of epirubicin-induced cytotoxicity: SAR-analysis and mechanistic investigations. <i>Medicinal Chemistry</i> , 2006 , 2, 377-84	1.8	10
30	Benzophenones from <i>Hypericum elegans</i> with antioxidant and acetylcholinesterase inhibitory potential. <i>Pharmacognosy Magazine</i> , 2013 , 9, S1-5	0.8	10

29	Flavonol glycosides from <i>Chenopodium foliosum</i> Asch. <i>Phytochemistry Letters</i> , 2011 , 4, 367-371	1.9	7
28	Simultaneous determination of benzophenones and gentisein in <i>Hypericum annulatum</i> Moris by high-performance liquid chromatography. <i>Phytochemical Analysis</i> , 2007 , 18, 1-6	3.4	7
27	New -tocotrienol derivatives from Colombian propolis. <i>Natural Product Research</i> , 2020 , 34, 2779-2786	2.3	6
26	30-normedicagenic acid glycosides from <i>Chenopodium foliosum</i> . <i>Natural Product Communications</i> , 2012 , 7, 1419-22	0.9	6
25	A comparative study of UHPLC/Orbitrap MS metabolomics profiles and biological properties of <i>Asphodeline taurica</i> from Bulgaria and Turkey. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 168, 174-180	3.5	5
24	Cytotoxic prenylated acylphloroglucinols from <i>Hypericum annulatum</i> . <i>Fitoterapia</i> , 2018 , 127, 375-382	3.2	5
23	6-Methoxyflavonol Glycosides with In Vitro Hepatoprotective Activity from <i>Chenopodium bonus-henricus</i> Roots. <i>Natural Product Communications</i> , 2015 , 10, 1377-80	0.9	5
22	Neuroprotective, anti--glucosidase and prolipase active flavonoids from Good King Henry (L.). <i>Natural Product Research</i> , 2021 , 35, 5484-5488	2.3	4
21	Junipers of Various Origins as Potential Sources of the Anticancer Drug Precursor Podophyllotoxin. <i>Molecules</i> , 2021 , 26,	4.8	4
20	Polyprenylated Phloroglucinols from <i>Hypericum maculatum</i> . <i>Natural Product Communications</i> , 2015 , 10, 1231-5	0.9	4
19	Hepatoprotective activity of a purified methanol extract and saponins from the roots of <i>Chenopodium bonus-henricus</i> L. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2019 , 74, 329-337	1.7	3
18	UHPLC-HRMS based flavonoid profiling of the aerial parts of Asch. (Amaranthaceae). <i>Natural Product Research</i> , 2021 , 35, 3336-3340	2.3	3
17	Pharmacognostic investigations of the aerial parts of <i>Chenopodium foliosum</i> Asch. and radical-scavenging activities of five flavonoids isolated from methanol extract of the plant. <i>Pharmacognosy Journal</i> , 2014 , 6, 43-48	1.6	3
16	Cytotoxic Effects and Multidrug Resistance Modulation by Five Benzophenones and a Xanthone Isolated from <i>Hypericum Annulatum</i> Moris SUBSP. <i>Annulatum</i> . <i>Biotechnology and Biotechnological Equipment</i> , 2013 , 27, 3561-3568	1.6	3
15	Isofraxiseicoside, a new coumarin-secoiridoid from the stem bark of <i>Fraxinus xanthoxyloides</i> . <i>Natural Product Research</i> , 2019 , 33, 1334-1339	2.3	2
14	Bioactive Compounds of Goosefoot (Genus <i>Chenopodium</i>). <i>Reference Series in Phytochemistry</i> , 2021 , 1-24	0.7	2
13	6-Methoxyflavonol Glycosides with In Vitro Hepatoprotective Activity from <i>Chenopodium Bonus-henricus</i> Roots. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	1
12	Ultra-high-performance liquid chromatography - high-resolution mass spectrometry profiling and hepatoprotective activity of purified saponin and flavonoid fractions from the aerial parts of wild spinach (L.). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2021 , 76, 261-271	1.7	1

11	In vitro investigation of the antiproliferative and proapoptotic effects of hyperatomarin B bicyclic prenylated acylphloroglucinol from <i>Hypericum annulatum</i> Moris subsp. <i>annulatum</i> against human tumor and endothelial cells. <i>Journal of Pharmaceutical Technology & Drug Research</i> , 2012 , 1, 6		1
10	A new ent-kaur-16-en-19-oic acid from the aerial parts of <i>Inula bifrons</i> . <i>Biochemical Systematics and Ecology</i> , 2020 , 93, 104141	1.4	1
9	Validated UHPLC-HRMS method for simultaneous quantification of flavonoid contents in the aerial parts of <i>Chenopodium bonus-henricus</i> L. (wild spinach). <i>Pharmacia</i> , 2021 , 68, 597-601	1.3	1
8	Innovative Biochemometric Approach to the Metabolite and Biological Profiling of the Balkan Thistle (<i>Griseb.</i>), Asteraceae. <i>Plants</i> , 2021 , 10,	4.5	1
7	Bioactive Compounds of Goosefoot (Genus <i>Chenopodium</i>). <i>Reference Series in Phytochemistry</i> , 2021 , 97-119	0.7	1
6	Polyprenylated Phloroglucinols from <i>Hypericum maculatum</i> . <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	0
5	30-Normedicagenic Acid Glycosides from <i>Chenopodium Foliosum</i> . <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200701	0.9	0
4	Phytotherapeutic approaches to treatment and prophylaxis in pediatric practice. <i>Pharmacia</i> , 2019 , 66, 115-119	1.3	0
3	Three new prenyloxy chromanones from aerial parts of <i>Hypericum aucheri</i> . <i>Phytotherapy</i> , 2019 , 139, 104421	3.2	0
2	A Validated HPLC Method for Simultaneous Determination of Caffeoyl Phenylethanoid Glucosides and Flavone 8-C-glycosides in <i>Haberlea rhodopensis</i> . <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	0
1	Synthesis of Two Novel Homologous Polyphosphoesters Containing Aminophosphonate Units and Cytotoxicity of Some Low-Molecular and Polymeric Aminophosphonate Derivatives. <i>Advances in Materials Science and Engineering</i> , 2018 , 2018, 1-8	1.5	