

Hongbing Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3065031/hongbing-jiang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,346
citations

22
h-index

34
g-index

79
ext. papers

1,784
ext. citations

5.5
avg, IF

4.45
L-index

#	Paper	IF	Citations
71	Cerium-Containing Bioactive Glasses Promote In Vitro Lymphangiogenesis.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	1
70	Differential expression profiles and function prediction of tRNA-derived fragments in fibrous dysplasia.. <i>Archives of Oral Biology</i> , 2022 , 135, 105347	2.8	0
69	Geranylgeraniol Restores Zoledronic Acid-Induced Efferocytosis Inhibition in Bisphosphonate-Related Osteonecrosis of the Jaw. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 770899	5.7	1
68	miR-34a-5p functions as a tumor suppressor in head and neck squamous cell cancer progression by targeting Flotillin-2. <i>International Journal of Biological Sciences</i> , 2021 , 17, 4327-4339	11.2	0
67	Blood and Salivary MicroRNAs for Diagnosis of Oral Squamous Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021 , 79, 1082.e1-1082.e13	1.8	5
66	Immune landscape and subtypes in primary resectable oral squamous cell carcinoma: prognostic significance and predictive of therapeutic response 2021 , 9,		3
65	A CREB1-miR-181a-5p loop regulates the pathophysiologic features of bone marrow stromal cells in fibrous dysplasia of bone. <i>Molecular Medicine</i> , 2021 , 27, 81	6.2	5
64	Abnormal macrophage polarization impedes the healing of diabetes-associated tooth sockets. <i>Bone</i> , 2021 , 143, 115618	4.7	5
63	Identification of the canonical and noncanonical role of miR-143/145 in estrogen-deficient bone loss. <i>Theranostics</i> , 2021 , 11, 5491-5510	12.1	3
62	Identification of diagnostic and prognostic signatures derived from preoperative blood parameters for oral squamous cell carcinoma. <i>Annals of Translational Medicine</i> , 2021 , 9, 1220	3.2	0
61	LncRNA NEAT1 controls the lineage fates of BMSCs during skeletal aging by impairing mitochondrial function and pluripotency maintenance. <i>Cell Death and Differentiation</i> , 2021 ,	12.7	7
60	Long noncoding RNA UCA1 promotes cell growth, migration, and invasion by targeting miR-143-3p in oral squamous cell carcinoma. <i>Cancer Medicine</i> , 2020 , 9, 3115-3129	4.8	13
59	LncRNA HOTAIR promotes the invasion and metastasis of oral squamous cell carcinoma through metastasis-associated gene 2. <i>Molecular Carcinogenesis</i> , 2020 , 59, 353-364	5	22
58	Insulin impedes osteogenesis of BMSCs by inhibiting autophagy and promoting premature senescence via the TGF- β pathway. <i>Aging</i> , 2020 , 12, 2084-2100	5.6	21
57	Age-dependent role of SIRT6 in jawbone via regulating senescence and autophagy of bone marrow stromal cells. <i>Journal of Molecular Histology</i> , 2020 , 51, 67-76	3.3	4
56	MiR-155-5p promotes oral cancer progression by targeting chromatin remodeling gene ARID2. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 122, 109696	7.5	27
55	Single-stage repair of secondary unilateral cleft lip-nose deformity in adults. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2020 , 48, 83-89	3.6	2

54	Combinational therapeutic targeting of BRD4 and CDK7 synergistically induces anticancer effects in head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2020 , 469, 510-523	9.9	23
53	Therapeutically targeting head and neck squamous cell carcinoma through synergistic inhibition of LSD1 and JMJD3 by TCP and GSK-J1. <i>British Journal of Cancer</i> , 2020 , 122, 528-538	8.7	12
52	Metformin promotes the osseointegration of titanium implants under osteoporotic conditions by regulating BMSCs autophagy, and osteogenic differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 531, 228-235	3.4	10
51	Machine Learning Predicts Lymph Node Metastasis in Early-Stage Oral Tongue Squamous Cell Carcinoma. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020 , 78, 2208-2218	1.8	11
50	Trabeculae microstructure parameters serve as effective predictors for marginal bone loss of dental implant in the mandible. <i>Scientific Reports</i> , 2020 , 10, 18437	4.9	3
49	AKT/FOXO1 axis links cross-talking of endothelial cell and pericyte in TIE2-mutated venous malformations. <i>Cell Communication and Signaling</i> , 2020 , 18, 139	7.5	2
48	Development and validation of a seven-immune-feature-based prognostic score for oral squamous cell carcinoma after curative resection. <i>International Journal of Cancer</i> , 2020 , 146, 1152-1163	7.5	9
47	Therapeutic Targeting of BRD4 in Head Neck Squamous Cell Carcinoma. <i>Theranostics</i> , 2019 , 9, 1777-1793	12.1	26
46	Surgery-First and Orthodontic-First Approaches Produce Similar Patterns of Condylar Displacement and Remodeling in Patients With Skeletal Class III Malocclusion. <i>Journal of Oral and Maxillofacial Surgery</i> , 2019 , 77, 1446-1456	1.8	4
45	The Hippo effector TAZ promotes cancer stemness by transcriptional activation of SOX2 in head neck squamous cell carcinoma. <i>Cell Death and Disease</i> , 2019 , 10, 603	9.8	26
44	ADAR1 promotes the epithelial-to-mesenchymal transition and stem-like cell phenotype of oral cancer by facilitating oncogenic microRNA maturation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 315	12.8	18
43	Sp7/osterix positively regulates dlx2b and bglap to affect tooth development and bone mineralization in zebrafish larvae. <i>Journal of Biosciences</i> , 2019 , 44, 1	2.3	7
42	UGM: a more stable procedure for large-scale multiple testing problems, new solutions to identify oncogene. <i>Theoretical Biology and Medical Modelling</i> , 2019 , 16, 20	2.3	
41	HDAC8, A Potential Therapeutic Target, Regulates Proliferation and Differentiation of Bone Marrow Stromal Cells in Fibrous Dysplasia. <i>Stem Cells Translational Medicine</i> , 2019 , 8, 148-161	6.9	9
40	Zoledronic acid promotes TLR-4-mediated M1 macrophage polarization in bisphosphonate-related osteonecrosis of the jaw. <i>FASEB Journal</i> , 2019 , 33, 5208-5219	0.9	39
39	microRNA-31 inhibition partially ameliorates the deficiency of bone marrow stromal cells from cleidocranial dysplasia. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 9472-9486	4.7	4
38	Assessment of aging characteristics of female condylar trabecular structure by cone-beam computed tomography. <i>Oral Radiology</i> , 2019 , 35, 16-22	2.5	3
37	Density and location of CD3 and CD8 tumor-infiltrating lymphocytes correlate with prognosis of oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 359-367	3.3	28

36	A functional polymorphism in the pre-miR-146a gene is associated with the risk of nonsyndromic orofacial cleft. <i>Human Mutation</i> , 2018 , 39, 742-750	4.7	14
35	Simvastatin improves oral implant osseointegration via enhanced autophagy and osteogenesis of BMSCs and inhibited osteoclast activity. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, 1209-1219	4.4	18
34	Estrogen regulates stemness and senescence of bone marrow stromal cells to prevent osteoporosis via ER β SATB2 pathway. <i>Journal of Cellular Physiology</i> , 2018 , 233, 4194-4204	7	29
33	Pharmacological activation of TAZ enhances osteogenic differentiation and bone formation of adipose-derived stem cells. <i>Stem Cell Research and Therapy</i> , 2018 , 9, 53	8.3	27
32	MicroRNA-31a-5p from aging BMSCs links bone formation and resorption in the aged bone marrow microenvironment. <i>Aging Cell</i> , 2018 , 17, e12794	9.9	92
31	Radiographic features of anatomic relationship between impacted third molar and inferior alveolar canal on coronal CBCT images: risk factors for nerve injury after tooth extraction. <i>Archives of Medical Science</i> , 2018 , 14, 532-540	2.9	22
30	Associations of genetic variants in endocytic trafficking of epidermal growth factor receptor super pathway with risk of nonsyndromic cleft lip with or without cleft palate. <i>Molecular Genetics & Genomic Medicine</i> , 2018 , 6, 1157-1167	2.3	7
29	Concentration-dependent effects of rapamycin on proliferation, migration and apoptosis of endothelial cells in human venous malformation. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 4595-4601	2.1	3
28	TEAD4 overexpression promotes epithelial-mesenchymal transition and associates with aggressiveness and adverse prognosis in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , 2018 , 18, 178	6.4	23
27	The level and clinical significance of 5-hydroxymethylcytosine in oral squamous cell carcinoma: An immunohistochemical study in 95 patients. <i>Pathology Research and Practice</i> , 2017 , 213, 969-974	3.4	8
26	Comprehensive analysis of ectopic mandibular third molar: a rare clinical entity revisited. <i>Head & Face Medicine</i> , 2017 , 13, 24	2.4	9
25	External root resorption of the second molar associated with mesially and horizontally impacted mandibular third molar: evidence from cone beam computed tomography. <i>Clinical Oral Investigations</i> , 2017 , 21, 1335-1342	4.2	29
24	Transplantation of osteoporotic bone marrow stromal cells rejuvenated by the overexpression of SATB2 prevents alveolar bone loss in ovariectomized rats. <i>Experimental Gerontology</i> , 2016 , 84, 71-79	4.5	19
23	The histone demethylase LSD1 is a novel oncogene and therapeutic target in oral cancer. <i>Cancer Letters</i> , 2016 , 374, 12-21	9.9	38
22	The angiogenic variation of skeletal site-specific human BMSCs from same alveolar cleft patients: a comparative study. <i>Journal of Molecular Histology</i> , 2016 , 47, 153-68	3.3	18
21	SATB2-Nanog axis links age-related intrinsic changes of mesenchymal stem cells from craniofacial bone. <i>Aging</i> , 2016 , 8, 2006-2011	5.6	13
20	TPM1 polymorphisms and nonsyndromic orofacial clefts susceptibility in a Chinese Han population. <i>American Journal of Medical Genetics, Part A</i> , 2016 , 170A, 1208-15	2.5	7
19	Hyaluronan synthase 2 expressed by cancer-associated fibroblasts promotes oral cancer invasion. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 181	12.8	29

18	Validation of a genome-wide association study implied that SHTIN1 may involve in the pathogenesis of NSCL/P in Chinese population. <i>Scientific Reports</i> , 2016 , 6, 38872	4.9	6
17	Associations between microRNA binding site SNPs in FGFs and FGFRs and the risk of non-syndromic orofacial cleft. <i>Scientific Reports</i> , 2016 , 6, 31054	4.9	16
16	Association study between Van der Woude Syndrome causative gene GRHL3 and nonsyndromic cleft lip with or without cleft palate in a Chinese cohort. <i>Gene</i> , 2016 , 588, 69-73	3.8	12
15	Overexpression of miR-29b reduces collagen biosynthesis by inhibiting heat shock protein 47 during skin wound healing. <i>Translational Research</i> , 2016 , 178, 38-53.e6	11	27
14	Roles of SATB2 in site-specific stemness, autophagy and senescence of bone marrow mesenchymal stem cells. <i>Journal of Cellular Physiology</i> , 2015 , 230, 680-90	7	30
13	The pluripotency factor LIN28B is involved in oral carcinogenesis and associates with tumor aggressiveness and unfavorable prognosis. <i>Cancer Cell International</i> , 2015 , 15, 99	6.4	12
12	Let-7b-mediated pro-survival of transplanted mesenchymal stem cells for cardiac regeneration. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 216	8.3	9
11	Different levels in alcohol and tobacco consumption in head and neck cancer patients from 1957 to 2013. <i>PLoS ONE</i> , 2015 , 10, e0124045	3.7	24
10	Genome-wide association study identifies a new susceptibility locus for cleft lip with or without a cleft palate. <i>Nature Communications</i> , 2015 , 6, 6414	17.4	124
9	The Hippo transducer TAZ promotes epithelial to mesenchymal transition and cancer stem cell maintenance in oral cancer. <i>Molecular Oncology</i> , 2015 , 9, 1091-105	7.9	110
8	Smooth muscle actin-positive myofibroblasts, in association with epithelial-mesenchymal transition and lymphogenesis, is a critical prognostic parameter in patients with oral tongue squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2014 , 43, 335-43	3.3	55
7	Histone deacetylase 8 suppresses osteogenic differentiation of bone marrow stromal cells by inhibiting histone H3K9 acetylation and RUNX2 activity. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 54, 68-77	5.6	48
6	Phenotypic characterization of craniofacial bone marrow stromal cells: unique properties of enhanced osteogenesis, cell recruitment, autophagy, and apoptosis resistance. <i>Cell and Tissue Research</i> , 2014 , 358, 165-75	4.2	13
5	Genetic variants in let-7/Lin28 modulate the risk of oral cavity cancer in a Chinese Han population. <i>Scientific Reports</i> , 2014 , 4, 7434	4.9	14
4	Oncogenic roles of Bmi1 and its therapeutic inhibition by histone deacetylase inhibitor in tongue cancer. <i>Laboratory Investigation</i> , 2014 , 94, 1431-45	5.9	41
3	Meta-analysis of phospholipase C epsilon 1 polymorphism and cancer risk. <i>Cancer Biomarkers</i> , 2013 , 13, 483-9	3.8	4
2	Contribution of SATB2 to the stronger osteogenic potential of bone marrow stromal cells from craniofacial bones. <i>Cell and Tissue Research</i> , 2012 , 350, 425-37	4.2	19
1	Focal adhesion kinase serves as a marker of cervical lymph node metastasis and is a potential therapeutic target in tongue cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 1295-302	4.9	24

