

# Rosario R Le Moli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3065173/publications.pdf>

Version: 2024-02-01

24  
papers

1,386  
citations

516561

16  
h-index

610775

24  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1340  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Onset of Marine-Lenhart syndrome and Graves'™ ophthalmopathy in a female patient treated with alemtuzumab for multiple sclerosis. <i>Hormones</i> , 2021, 20, 161-165.   | 0.9 | 2         |
| 2  | A novel methodology for epidemic risk assessment of COVID-19 outbreak. <i>Scientific Reports</i> , 2021, 11, 5304.   | 1.6 | 50        |
| 3  | The 2021 European Group on Graves'™ orbitopathy (EUGOGO) clinical practice guidelines for the medical management of Graves'™ orbitopathy. <i>European Journal of Endocrinology</i> , 2021, 185, G43-G67.           | 1.9 | 362       |
| 4  | Recent insights into the pathogenesis of autoimmune hypophysitis. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 1175-1185.   | 1.3 | 7         |
| 5  | Evidence That Baseline Levels of Low-Density Lipoproteins Cholesterol Affect the Clinical Response of Graves'™ Ophthalmopathy to Parenteral Corticosteroids. <i>Frontiers in Endocrinology</i> , 2020, 11, 609895. | 1.5 | 19        |
| 6  | Corticosteroid Pulse Therapy for Graves' Ophthalmopathy Reduces the Relapse Rate of Graves' Hyperthyroidism. <i>Frontiers in Endocrinology</i> , 2020, 11, 367.  | 1.5 | 4         |
| 7  | Role of selenium and myo-inositol supplementation on autoimmune thyroiditis progression. <i>Endocrine Journal</i> , 2020, 67, 1093-1098.   | 0.7 | 22        |
| 8  | Efficacy of Botulinum Toxin <sc>A</sc> for Treating Cramps in Diabetic Neuropathy. <i>Annals of Neurology</i> , 2018, 84, 674-682.   | 2.8 | 12        |
| 9  | Integrated insulin pump therapy with continuous glucose monitoring for improved adherence: technology update. <i>Patient Preference and Adherence</i> , 2015, 9, 1263.   | 0.8 | 15        |
| 10 | Type 2 diabetic patients with Graves' disease have more frequent and severe Graves' orbitopathy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 452-457.                                     | 1.1 | 28        |
| 11 | The tall cell variant of papillary thyroid carcinoma: clinical and pathological features and outcomes. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 249-54.  | 1.8 | 22        |
| 12 | Severe Graves' Ophthalmopathy After Percutaneous Ethanol Injection in a Nontoxic Thyroid Nodule. <i>Thyroid</i> , 2012, 22, 210-213.   | 2.4 | 18        |
| 13 | Insulin Analogs and Cancer. <i>Frontiers in Endocrinology</i> , 2012, 3, 21.   | 1.5 | 39        |
| 14 | Graves'™ Orbitopathy: Extraocular Muscle/Total Orbit Area Ratio is Positively Related to the Clinical Activity Score. <i>European Journal of Ophthalmology</i> , 2012, 22, 301-308.                                | 0.7 | 27        |
| 15 | A Diffuse Sclerosing Variant of Papillary Thyroid Carcinoma: Clinical and Pathologic Features and Outcomes of 34 Consecutive Cases. <i>Thyroid</i> , 2011, 21, 383-389.  | 2.4 | 67        |
| 16 | Levothyroxine Monotherapy Cannot Guarantee Euthyroidism in All Athyreotic Patients. <i>PLoS ONE</i> , 2011, 6, e22552.   | 1.1 | 234       |
| 17 | Insulin analogues differently activate insulin receptor isoforms and post-receptor signalling. <i>Diabetologia</i> , 2010, 53, 1743-1753.  | 2.9 | 127       |
| 18 | Determinants of Liver Damage Associated with Intravenous Methylprednisolone Pulse Therapy in Graves' Ophthalmopathy. <i>Thyroid</i> , 2007, 17, 357-362.   | 2.4 | 125       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Effect of octreotide on insulin requirement, hepatic glucose production, growth hormone, glucagon and c-peptide levels in type 2 diabetic patients with chronic renal failure or normal renal function. <i>Diabetes Research and Clinical Practice</i> , 2001, 51, 45-50. | 1.1 | 11        |
| 20 | Determinants of longterm outcome of radioiodine therapy of sporadic non-toxic goitre. <i>Clinical Endocrinology</i> , 1999, 50, 783-789.  | 1.2 | 78        |
| 21 | Establishment of reference values for endocrine tests II: Hyperprolactinemia. <i>Netherlands Journal of Medicine</i> , 1999, 55, 71-75.   | 0.6 | 21        |
| 22 | A simplified diagnostic test for ambulatory screening of peripheral diabetic neuropathy. <i>Diabetes Research and Clinical Practice</i> , 1998, 39, 165-172.  | 1.1 | 71        |
| 23 | Effects of octreotide on glycaemic control, glucose disposal, hepatic glucose production and counterregulatory hormones secretion in type 1 and type 2 insulin treated diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 1997, 38, 81-89.               | 1.1 | 19        |
| 24 | Effect of octreotide on blood glucose and counterregulatory hormones in insulin-dependent diabetic patients: the role of dose and route of administration. <i>European Journal of Clinical Pharmacology</i> , 1996, 51, 139-144.  | 0.8 | 6         |