

Richard L Gallo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3066548/publications.pdf>

Version: 2024-02-01

394
papers

53,398
citations

1040

113
h-index

1489

219
g-index

403
all docs

403
docs citations

403
times ranked

43414
citing authors

#	ARTICLE	IF	CITATIONS
1	Toll-Like Receptor Triggering of a Vitamin D-Mediated Human Antimicrobial Response. <i>Science</i> , 2006, 311, 1770-1773.	6.0	3,367
2	The 2011 Report on Dietary Reference Intakes for Calcium and Vitamin D from the Institute of Medicine: What Clinicians Need to Know. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 53-58.	1.8	3,343
3	Endogenous Antimicrobial Peptides and Skin Infections in Atopic Dermatitis. <i>New England Journal of Medicine</i> , 2002, 347, 1151-1160.	13.9	2,084
4	Innate antimicrobial peptide protects the skin from invasive bacterial infection. <i>Nature</i> , 2001, 414, 454-457.	13.7	1,403
5	AMPed up immunity: how antimicrobial peptides have multiple roles in immune defense. <i>Trends in Immunology</i> , 2009, 30, 131-141.	2.9	1,019
6	Epithelial antimicrobial defence of the skin and intestine. <i>Nature Reviews Immunology</i> , 2012, 12, 503-516.	10.6	779
7	Skin microbiota: a source of disease or defence?. <i>British Journal of Dermatology</i> , 2008, 158, 442-455.	1.4	746
8	Antimicrobials from human skin commensal bacteria protect against <i>Staphylococcus aureus</i> and are deficient in atopic dermatitis. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	744
9	An angiogenic role for the human peptide antibiotic LL-37/hCAP-18. <i>Journal of Clinical Investigation</i> , 2003, 111, 1665-1672.	3.9	727
10	Antimicrobial peptides. <i>Current Biology</i> , 2016, 26, R14-R19.	1.8	717
11	Increased serine protease activity and cathelicidin promotes skin inflammation in rosacea. <i>Nature Medicine</i> , 2007, 13, 975-980.	15.2	708
12	Cutting Edge: Mast Cell Antimicrobial Activity Is Mediated by Expression of Cathelicidin Antimicrobial Peptide. <i>Journal of Immunology</i> , 2003, 170, 2274-2278.	0.4	645
13	Commensal bacteria regulate Toll-like receptor α dependent inflammation after skin injury. <i>Nature Medicine</i> , 2009, 15, 1377-1382.	15.2	620
14	HIF-1 α expression regulates the bactericidal capacity of phagocytes. <i>Journal of Clinical Investigation</i> , 2005, 115, 1806-1815.	3.9	608
15	Injury enhances TLR2 function and antimicrobial peptide expression through a vitamin D α dependent mechanism. <i>Journal of Clinical Investigation</i> , 2007, 117, 803-811.	3.9	576
16	Tight junction defects in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 773-786.e7.	1.5	576
17	Glycosaminoglycans and their proteoglycans: host-associated molecular patterns for initiation and modulation of inflammation. <i>FASEB Journal</i> , 2006, 20, 9-22.	0.2	560
18	The antimicrobial peptide cathelicidin protects the urinary tract against invasive bacterial infection. <i>Nature Medicine</i> , 2006, 12, 636-641.	15.2	553

#	ARTICLE	IF	CITATIONS
19	Postsecretory Processing Generates Multiple Cathelicidins for Enhanced Topical Antimicrobial Defense. <i>Journal of Immunology</i> , 2004, 172, 3070-3077.	0.4	547
20	IOM Committee Members Respond to Endocrine Society Vitamin D Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1146-1152.	1.8	492
21	Cutaneous Injury Induces the Release of Cathelicidin Anti-Microbial Peptides Active Against Group A Streptococcus. <i>Journal of Investigative Dermatology</i> , 2001, 117, 91-97.	0.3	488
22	Hyaluronan Fragments Stimulate Endothelial Recognition of Injury through TLR4. <i>Journal of Biological Chemistry</i> , 2004, 279, 17079-17084.	1.6	473
23	Dermatan sulfate: new functions from an old glycosaminoglycan. <i>Glycobiology</i> , 2002, 12, 117R-125R.	1.3	397
24	Kallikrein-mediated proteolysis regulates the antimicrobial effects of cathelicidins in skin. <i>FASEB Journal</i> , 2006, 20, 2068-2080.	0.2	397
25	Statins Enhance Formation of Phagocyte Extracellular Traps. <i>Cell Host and Microbe</i> , 2010, 8, 445-454.	5.1	368
26	Dermal adipocytes protect against invasive <i>Staphylococcus aureus</i> skin infection. <i>Science</i> , 2015, 347, 67-71.	6.0	368
27	The microbiome extends to subepidermal compartments of normal skin. <i>Nature Communications</i> , 2013, 4, 1431.	5.8	361
28	Identification of CRAMP, a Cathelin-related Antimicrobial Peptide Expressed in the Embryonic and Adult Mouse. <i>Journal of Biological Chemistry</i> , 1997, 272, 13088-13093.	1.6	360
29	Functions of the skin microbiota in health and disease. <i>Seminars in Immunology</i> , 2013, 25, 370-377.	2.7	349
30	Structure and function of the human skin microbiome. <i>Trends in Microbiology</i> , 2013, 21, 660-668.	3.5	348
31	Recognition of Hyaluronan Released in Sterile Injury Involves a Unique Receptor Complex Dependent on Toll-like Receptor 4, CD44, and MD-2. <i>Journal of Biological Chemistry</i> , 2007, 282, 18265-18275.	1.6	345
32	Activation of TLR2 by a Small Molecule Produced by <i>Staphylococcus epidermidis</i> Increases Antimicrobial Defense against Bacterial Skin Infections. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2211-2221.	0.3	345
33	Cytosolic DNA Triggers Inflammasome Activation in Keratinocytes in Psoriatic Lesions. <i>Science Translational Medicine</i> , 2011, 3, 82ra38.	5.8	342
34	Ultraviolet radiation damages self noncoding RNA and is detected by TLR3. <i>Nature Medicine</i> , 2012, 18, 1286-1290.	15.2	340
35	Antimicrobial peptides and the skin immune defense system. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 261-266.	1.5	337
36	Selective Antimicrobial Action Is Provided by Phenol-Soluble Modulins Derived from <i>Staphylococcus epidermidis</i> , a Normal Resident of the Skin. <i>Journal of Investigative Dermatology</i> , 2010, 130, 192-200.	0.3	337

#	ARTICLE	IF	CITATIONS
37	The antimicrobial peptide LL-37 is expressed by keratinocytes in condyloma acuminatum and verruca vulgaris. <i>Journal of the American Academy of Dermatology</i> , 2002, 47, 347-350.	0.6	331
38	Cytokine Milieu of Atopic Dermatitis Skin Subverts the Innate Immune Response to Vaccinia Virus. <i>Immunity</i> , 2006, 24, 341-348.	6.6	319
39	The microbiome in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 26-35.	1.5	317
40	Antimicrobial peptides. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, 381-390.	0.6	309
41	Antimicrobial Peptides: Old Molecules with New Ideas. <i>Journal of Investigative Dermatology</i> , 2012, 132, 887-895.	0.3	308
42	Standard classification and pathophysiology of rosacea: The 2017 update by the National Rosacea Society Expert Committee. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 148-155.	0.6	295
43	Plasmacytoid dendritic cells sense skin injury and promote wound healing through type I interferons. <i>Journal of Experimental Medicine</i> , 2010, 207, 2921-2930.	4.2	292
44	Microbial Symbiosis with the Innate Immune Defense System of the Skin. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1974-1980.	0.3	289
45	Molecular cartography of the human skin surface in 3D. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2120-9.	3.3	288
46	The 2011 Dietary Reference Intakes for Calcium and Vitamin D: What Dietetics Practitioners Need to Know. This article is a summary of the Institute of Medicine report entitled Dietary Reference Intakes for Calcium and Vitamin D (available at) http://www.iom.edu/Reports/2010/Dietary-Reference-Intakes-for-Calcium-and-Vitamin-D		

#	ARTICLE	IF	CITATIONS
55	Cathelicidin deficiency predisposes to eczema herpeticum. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 836-841.	1.5	252
56	Cathelicidin Anti-Microbial Peptide Expression in Sweat, an Innate Defense System for the Skin. <i>Journal of Investigative Dermatology</i> , 2002, 119, 1090-1095.	0.3	249
57	The molecular pathology of rosacea. <i>Journal of Dermatological Science</i> , 2009, 55, 77-81.	1.0	249
58	Fermentation of <i>Propionibacterium acnes</i> , a Commensal Bacterium in the Human Skin Microbiome, as Skin Probiotics against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>PLoS ONE</i> , 2013, 8, e55380.	1.1	231
59	Cutaneous Defense Mechanisms by Antimicrobial Peptides. <i>Journal of Investigative Dermatology</i> , 2005, 125, 9-13.	0.3	223
60	d-Alanylation of Teichoic Acids Promotes Group A <i>Streptococcus</i> Antimicrobial Peptide Resistance, Neutrophil Survival, and Epithelial Cell Invasion. <i>Journal of Bacteriology</i> , 2005, 187, 6719-6725.	1.0	222
61	Antimicrobial and Protease Inhibitory Functions of the Human Cathelicidin (hCAP18/LL-37) Prosequence. <i>Journal of Investigative Dermatology</i> , 2003, 120, 810-816.	0.3	221
62	Interplay between antibacterial effectors: A macrophage antimicrobial peptide impairs intracellular <i>Salmonella</i> replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 2422-2427.	3.3	219
63	Control of the innate epithelial antimicrobial response is cell-type specific and dependent on relevant microenvironmental stimuli. <i>Immunology</i> , 2006, 118, 060606080407003-???	2.0	212
64	Filaggrin mutations that confer risk of atopic dermatitis confer greater risk for eczema herpeticum. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 507-513.e7.	1.5	209
65	The Antimicrobial Protein REG3A Regulates Keratinocyte Proliferation and Differentiation after Skin Injury. <i>Immunity</i> , 2012, 37, 74-84.	6.6	208
66	Cathelicidin Mediates Innate Intestinal Defense against Colonization with Epithelial Adherent Bacterial Pathogens. <i>Journal of Immunology</i> , 2005, 174, 4901-4907.	0.4	205
67	Administration of oral vitamin D induces cathelicidin production in atopic individuals. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 829-831.	1.5	205
68	<i>Staphylococcus epidermidis</i> in the human skin microbiome mediates fermentation to inhibit the growth of <i>Propionibacterium acnes</i> : implications of probiotics in acne vulgaris. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 411-424.	1.7	205
69	Lack of Neutrophil-Derived CRAMP Reduces Atherosclerosis in Mice. <i>Circulation Research</i> , 2012, 110, 1052-1056.	2.0	203
70	Anti-Fungal Activity of Cathelicidins and their Potential Role in <i>Candida albicans</i> Skin Infection. <i>Journal of Investigative Dermatology</i> , 2005, 125, 108-115.	0.3	199
71	Co-Regulation and Interdependence of the Mammalian Epidermal Permeability and Antimicrobial Barriers. <i>Journal of Investigative Dermatology</i> , 2008, 128, 917-925.	0.3	199
72	Human Skin Is the Largest Epithelial Surface for Interaction with Microbes. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1213-1214.	0.3	194

#	ARTICLE	IF	CITATIONS
73	Psychological stress downregulates epidermal antimicrobial peptide expression and increases severity of cutaneous infections in mice. <i>Journal of Clinical Investigation</i> , 2007, 117, 3339-3349.	3.9	193
74	Cathelicidins, essential gene-encoded mammalian antibiotics. <i>Journal of Molecular Medicine</i> , 2002, 80, 549-561.	1.7	192
75	Expression of LL-37 by human gastric epithelial cells as a potential host defense mechanism against <i>Helicobacter pylori</i> . <i>Gastroenterology</i> , 2003, 125, 1613-1625.	0.6	192
76	Cathelicidin Antimicrobial Peptides are Expressed in Salivary Glands and Saliva. <i>Journal of Dental Research</i> , 2002, 81, 845-850.	2.5	188
77	Quorum sensing between bacterial species on the skin protects against epidermal injury in atopic dermatitis. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	185
78	Dermatan Sulfate Released after Injury Is a Potent Promoter of Fibroblast Growth Factor-2 Function. <i>Journal of Biological Chemistry</i> , 1998, 273, 28116-28121.	1.6	184
79	A commensal strain of <i>Staphylococcus epidermidis</i> protects against skin neoplasia. <i>Science Advances</i> , 2018, 4, eaao4502.	4.7	183
80	Host-microbiome interactions and recent progress into understanding the biology of acne vulgaris. <i>Microbiome</i> , 2018, 6, 177.	4.9	183
81	Sebum Free Fatty Acids Enhance the Innate Immune Defense of Human Sebocytes by Upregulating β -Defensin-2 Expression. <i>Journal of Investigative Dermatology</i> , 2010, 130, 985-994.	0.3	182
82	<i>Staphylococcus epidermidis</i> Antimicrobial δ -Toxin (Phenol-Soluble Modulin- δ) Cooperates with Host Antimicrobial Peptides to Kill Group A <i>Streptococcus</i> . <i>PLoS ONE</i> , 2010, 5, e8557.	1.1	182
83	N-Glycolylneuraminic Acid Deficiency in Mice: Implications for Human Biology and Evolution. <i>Molecular and Cellular Biology</i> , 2007, 27, 4340-4346.	1.1	180
84	Antimicrobial peptides in the pathogenesis of psoriasis. <i>Journal of Dermatology</i> , 2012, 39, 225-230.	0.6	179
85	The Role of the Skin Microbiome in Atopic Dermatitis. <i>Current Allergy and Asthma Reports</i> , 2015, 15, 65.	2.4	179
86	Keratinocytes Store the Antimicrobial Peptide Cathelicidin in Lamellar Bodies. <i>Journal of Investigative Dermatology</i> , 2005, 124, 394-400.	0.3	178
87	The mammalian ionic environment dictates microbial susceptibility to antimicrobial defense peptides. <i>FASEB Journal</i> , 2006, 20, 35-42.	0.2	173
88	Interleukin-10 Downregulates Anti-Microbial Peptide Expression in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2005, 125, 738-745.	0.3	171
89	Cathelicidin Antimicrobial Peptide LL-37 in Psoriasis Enables Keratinocyte Reactivity against TLR9 Ligands. <i>Journal of Investigative Dermatology</i> , 2012, 132, 135-143.	0.3	170
90	Mast Cells Are Key Mediators of Cathelicidin-Initiated Skin Inflammation in Rosacea. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2728-2736.	0.3	167

#	ARTICLE	IF	CITATIONS
91	Neutrophil differentiation into a unique hybrid population exhibiting dual phenotype and functionality of neutrophils and dendritic cells. <i>Blood</i> , 2013, 121, 1677-1689.	0.6	162
92	Photoimmunology: how ultraviolet radiation affects the immune system. <i>Nature Reviews Immunology</i> , 2019, 19, 688-701.	10.6	162
93	IL-17A Enhances Vitamin D3-Induced Expression of Cathelicidin Antimicrobial Peptide in Human Keratinocytes. <i>Journal of Immunology</i> , 2008, 181, 8504-8512.	0.4	161
94	M1 Protein Allows Group A Streptococcal Survival in Phagocyte Extracellular Traps through Cathelicidin Inhibition. <i>Journal of Innate Immunity</i> , 2009, 1, 202-214.	1.8	157
95	Antimicrobial Peptides: An Emerging Concept in Cutaneous Biology. <i>Journal of Investigative Dermatology</i> , 1998, 111, 739-743.	0.3	154
96	Heterogeneous expression of human cathelicidin hCAP18/LL-37 in inflammatory bowel diseases. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 615-621.	0.8	149
97	Genetic variants in thymic stromal lymphopoietin are associated with atopic dermatitis and eczema herpeticum. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1403-1407.e4.	1.5	149
98	Rosacea as a Disease of Cathelicidins and Skin Innate Immunity. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2011, 15, 12-15.	0.8	146
99	Cathelicidin Antimicrobial Peptides Block Dendritic Cell TLR4 Activation and Allergic Contact Sensitization. <i>Journal of Immunology</i> , 2007, 178, 1829-1834.	0.4	143
100	Neonatal Skin in Mice and Humans Expresses Increased Levels of Antimicrobial Peptides: Innate Immunity During Development of the Adaptive Response. <i>Pediatric Research</i> , 2003, 53, 566-572.	1.1	142
101	Development of a human skin commensal microbe for bacteriotherapy of atopic dermatitis and use in a phase 1 randomized clinical trial. <i>Nature Medicine</i> , 2021, 27, 700-709.	15.2	142
102	Keratinocyte Production of Cathelicidin Provides Direct Activity against Bacterial Skin Pathogens. <i>Infection and Immunity</i> , 2005, 73, 6771-6781.	1.0	139
103	Innate immunity and antimicrobial defense systems in psoriasis. <i>Clinics in Dermatology</i> , 2007, 25, 616-624.	0.8	138
104	Histone Acetylation in Keratinocytes Enables Control of the Expression of Cathelicidin and CD14 by 1,25-Dihydroxyvitamin D3. <i>Journal of Investigative Dermatology</i> , 2008, 128, 816-824.	0.3	137
105	Activation of Epidermal Toll-Like Receptor 2 Enhances Tight Junction Function: Implications for Atopic Dermatitis and Skin Barrier Repair. <i>Journal of Investigative Dermatology</i> , 2013, 133, 988-998.	0.3	137
106	Neutrophil-Derived Cathelicidin Promotes Adhesion of Classical Monocytes. <i>Circulation Research</i> , 2013, 112, 792-801.	2.0	132
107	IL-4R α Blockade by Dupilumab Decreases Staphylococcus aureus Colonization and Increases Microbial Diversity in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 191-202.e7.	0.3	130
108	Expression and Secretion of Cathelicidin Antimicrobial Peptides in Murine Mammary Glands and Human Milk. <i>Pediatric Research</i> , 2005, 57, 10-15.	1.1	129

#	ARTICLE	IF	CITATIONS
109	Developmental switch of intestinal antimicrobial peptide expression. <i>Journal of Experimental Medicine</i> , 2008, 205, 183-193.	4.2	129
110	Antimicrobial peptides in human skin disease. <i>European Journal of Dermatology</i> , 2008, 18, 11-21.	0.3	129
111	Antimicrobial Peptide LL37 and MAVS Signaling Drive Interferon- β Production by Epidermal Keratinocytes during Skin Injury. <i>Immunity</i> , 2016, 45, 119-130.	6.6	128
112	From The Cover: Expression of an additional cathelicidin antimicrobial peptide protects against bacterial skin infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3750-3755.	3.3	123
113	Vitamin D in allergic disease: Shedding light on a complex problem. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 324-329.	1.5	123
114	<i>Staphylococcus aureus</i> Induces Increased Serine Protease Activity in Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2017, 137, 377-384.	0.3	122
115	The antimicrobial peptide LL-37 facilitates the formation of neutrophil extracellular traps. <i>Biochemical Journal</i> , 2014, 464, 3-11.	1.7	121
116	The skin microbiome is different in pediatric versus adult atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1233-1236.	1.5	121
117	Novel Role of the Antimicrobial Peptide LL-37 in the Protection of Neutrophil Extracellular Traps against Degradation by Bacterial Nucleases. <i>Journal of Innate Immunity</i> , 2014, 6, 860-868.	1.8	120
118	Sebocytes Express Functional Cathelicidin Antimicrobial Peptides and Can Act to Kill <i>Propionibacterium Acnes</i> . <i>Journal of Investigative Dermatology</i> , 2008, 128, 1863-1866.	0.3	119
119	Host Immune Defense Peptide LL-37 Activates Caspase-Independent Apoptosis and Suppresses Colon Cancer. <i>Cancer Research</i> , 2012, 72, 6512-6523.	0.4	118
120	Mast Cell Cathelicidin Antimicrobial Peptide Prevents Invasive Group A <i>Streptococcus</i> Infection of the Skin. <i>Journal of Immunology</i> , 2008, 180, 7565-7573.	0.4	117
121	M Protein and Hyaluronic Acid Capsule Are Essential for <i>In Vivo</i> Selection of <i>covRS</i> Mutations Characteristic of Invasive Serotype M1T1 Group A <i>Streptococcus</i> . <i>MBio</i> , 2010, 1, .	1.8	116
122	Antimicrobial peptides and the skin immune defense system. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, R13-R18.	1.5	114
123	Recommendations for rosacea diagnosis, classification and management: update from the global ROSacea COnsensus 2019 panel. <i>British Journal of Dermatology</i> , 2020, 182, 1269-1276.	1.4	113
124	Kallikrein Expression and Cathelicidin Processing Are Independently Controlled in Keratinocytes by Calcium, Vitamin D3, and Retinoic Acid. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1297-1306.	0.3	112
125	Cathelicidin-Deficient (<i>Cnlp</i> ^Δ) Mice Show Increased Susceptibility to <i>Pseudomonas aeruginosa</i> Keratitis. , 2007, 48, 4498.		110
126	Inhibition of HDAC8 and HDAC9 by microbial short-chain fatty acids breaks immune tolerance of the epidermis to TLR ligands. <i>Science Immunology</i> , 2016, 1, .	5.6	109

#	ARTICLE	IF	CITATIONS
127	Genetic alteration of endothelial heparan sulfate selectively inhibits tumor angiogenesis. <i>Journal of Cell Biology</i> , 2007, 177, 539-549.	2.3	107
128	The vitamin D pathway: a new target for control of the skin's immune response?. <i>Experimental Dermatology</i> , 2008, 17, 633-639.	1.4	106
129	Histone H4 Is a Major Component of the Antimicrobial Action of Human Sebocytes. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2489-2496.	0.3	106
130	Dermal white adipose tissue: a new component of the thermogenic response. <i>Journal of Lipid Research</i> , 2015, 56, 2061-2069.	2.0	104
131	The Neuroendocrine Peptide Catestatin Is a Cutaneous Antimicrobial and Induced in the Skin after Injury. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1525-1534.	0.3	103
132	Migration Studies and Histology of Injectable Microspheres of Different Sizes in Mice. <i>Plastic and Reconstructive Surgery</i> , 2004, 113, 1380-1390.	0.7	102
133	Antimicrobial Peptides, Skin Infections, and Atopic Dermatitis. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2008, 27, 144-150.	1.6	102
134	PR-39, a Syndecan-inducing Antimicrobial Peptide, Binds and Affects p130Cas. <i>Journal of Biological Chemistry</i> , 1998, 273, 28978-28985.	1.6	100
135	Neutrophil-Derived Cathelicidin Protects from Neointimal Hyperplasia. <i>Science Translational Medicine</i> , 2011, 3, 103ra98.	5.8	100
136	Structural and Sequence Motifs in Dermatan Sulfate for Promoting Fibroblast Growth Factor-2 (FGF-2) and FGF-7 Activity. <i>Journal of Biological Chemistry</i> , 2005, 280, 5300-5306.	1.6	99
137	Cathelicidin, kallikrein 5, and serine protease activity is inhibited during treatment of rosacea with azelaic acid 15% gel. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 570-577.	0.6	99
138	The role of the skin microbiome in atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 122, 263-269.	0.5	99
139	Propionibacterium acnes CAMP Factor and Host Acid Sphingomyelinase Contribute to Bacterial Virulence: Potential Targets for Inflammatory Acne Treatment. <i>PLoS ONE</i> , 2011, 6, e14797.	1.1	98
140	Cathelicidin-Related Antimicrobial Peptide Is Required for Effective Lung Mucosal Immunity in Gram-Negative Bacterial Pneumonia. <i>Journal of Immunology</i> , 2012, 189, 304-311.	0.4	97
141	Toll-Like Receptors in Skin Infections and Inflammatory Diseases. <i>Infectious Disorders - Drug Targets</i> , 2008, 8, 144-155.	0.4	96
142	Engagement of CD44 by hyaluronan suppresses TLR4 signaling and the septic response to LPS. <i>Molecular Immunology</i> , 2009, 47, 449-456.	1.0	95
143	Rosacea. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 761-770.	0.6	95
144	Phagocytosis of Different Particulate Dermal Filler Substances by Human Macrophages and Skin Cells. <i>Dermatologic Surgery</i> , 2002, 28, 484-490.	0.4	93

#	ARTICLE	IF	CITATIONS
145	Obesity alters pathology and treatment response in inflammatory disease. <i>Nature</i> , 2022, 604, 337-342.	13.7	93
146	Dermatan Sulfate Binds and Potentiates Activity of Keratinocyte Growth Factor (FGF-7). <i>Journal of Biological Chemistry</i> , 2002, 277, 42815-42820.	1.6	92
147	Flagellin Stimulates Protective Lung Mucosal Immunity: Role of Cathelicidin-Related Antimicrobial Peptide. <i>Journal of Immunology</i> , 2010, 185, 1142-1149.	0.4	92
148	Antimicrobial peptides and the skin. <i>Expert Opinion on Biological Therapy</i> , 2004, 4, 543-549.	1.4	91
149	Reductions in claudin-1 may enhance susceptibility to herpes simplex virus 1 infections in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 242-246.e5.	1.5	90
150	Staphylococcus epidermidis protease EcpA can be a deleterious component of the skin microbiome in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 955-966.e16.	1.5	90
151	Standard management options for rosacea: The 2019 update by the National Rosacea Society Expert Committee. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 1501-1510.	0.6	89
152	Doxycycline Indirectly Inhibits Proteolytic Activation of Tryptic Kallikrein-Related Peptidases and Activation of Cathelicidin. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1435-1442.	0.3	87
153	TH2 cytokines increase kallikrein 7 expression and function in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 259-261.e1.	1.5	84
154	Induction of the Antimicrobial Peptide CRAMP in the Blood-Brain Barrier and Meninges after Meningococcal Infection. <i>Infection and Immunity</i> , 2006, 74, 6982-6991.	1.0	82
155	A group B streptococcal pilus protein promotes phagocyte resistance and systemic virulence. <i>FASEB Journal</i> , 2008, 22, 1715-1724.	0.2	82
156	S100A15, an Antimicrobial Protein of the Skin: Regulation by E. coli through Toll-Like Receptor 4. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2596-2604.	0.3	81
157	Vitamin D and innate immunity. <i>Dermatologic Therapy</i> , 2010, 23, 13-22.	0.8	80
158	Cathelicidins and Innate Defense Against Invasive Bacterial Infection. <i>Scandinavian Journal of Infectious Diseases</i> , 2003, 35, 670-676.	1.5	79
159	The antimicrobial peptide cathelicidin modulates Clostridium difficile-associated colitis and toxin A-mediated enteritis in mice. <i>Gut</i> , 2013, 62, 1295-1305.	6.1	79
160	Cathelicidin Host Defence Peptide Augments Clearance of Pulmonary Pseudomonas aeruginosa Infection by Its Influence on Neutrophil Function In Vivo. <i>PLoS ONE</i> , 2014, 9, e99029.	1.1	78
161	A randomized controlled double-blind investigation of the effects of vitamin D dietary supplementation in subjects with atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 781-789.	1.3	78
162	Endogenous production of antimicrobial peptides in innate immunity and human disease. <i>Current Allergy and Asthma Reports</i> , 2003, 3, 402-409.	2.4	77

#	ARTICLE	IF	CITATIONS
163	Age-Related Loss of Innate Immune Antimicrobial Function of Dermal Fat Is Mediated by Transforming Growth Factor Beta. <i>Immunity</i> , 2019, 50, 121-136.e5.	6.6	75
164	Expanding the Roles of Antimicrobial Peptides in Skin: Alarming and Arming Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2007, 127, 510-512.	0.3	74
165	History of eczema herpeticum is associated with the inability to induce human β -defensin (HBD)-2, HBD-3 and cathelicidin in the skin of patients with atopic dermatitis. <i>British Journal of Dermatology</i> , 2010, 163, 659-661.	1.4	74
166	Development of atopic dermatitis-like skin disease from the chronic loss of epidermal caspase-8. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 22249-22254.	3.3	72
167	Short-Chain Fatty Acids from <i>Cutibacterium acnes</i> Activate Both a Canonical and Epigenetic Inflammatory Response in Human Sebocytes. <i>Journal of Immunology</i> , 2019, 202, 1767-1776.	0.4	71
168	L-Rhamnosylation of <i>Listeria monocytogenes</i> Wall Teichoic Acids Promotes Resistance to Antimicrobial Peptides by Delaying Interaction with the Membrane. <i>PLoS Pathogens</i> , 2015, 11, e1004919.	2.1	70
169	Neuroendocrine Nicotinic Receptor Activation Increases Susceptibility to Bacterial Infections by Suppressing Antimicrobial Peptide Production. <i>Cell Host and Microbe</i> , 2010, 7, 277-289.	5.1	69
170	Antibodies Elicited by Inactivated <i>Propionibacterium acnes</i> -Based Vaccines Exert Protective Immunity and Attenuate the IL-8 Production in Human Sebocytes: Relevance to Therapy for Acne Vulgaris. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2451-2457.	0.3	68
171	Vaccination Targeting a Surface Sialidase of <i>P. acnes</i> : Implication for New Treatment of Acne Vulgaris. <i>PLoS ONE</i> , 2008, 3, e1551.	1.1	68
172	Propionic acid and its esterified derivative suppress the growth of methicillin-resistant <i>Staphylococcus aureus</i> USA300. <i>Beneficial Microbes</i> , 2014, 5, 161-168.	1.0	68
173	Hyaluronan digestion controls DC migration from the skin. <i>Journal of Clinical Investigation</i> , 2014, 124, 1309-1319.	3.9	68
174	Collagen Synthesis Is Suppressed in Dermal Fibroblasts by the Human Antimicrobial Peptide LL-37. <i>Journal of Investigative Dermatology</i> , 2009, 129, 843-850.	0.3	67
175	Tissue damage drives co-localization of NF- κ B, Smad3, and Nrf2 to direct Rev-erb sensitive wound repair in mouse macrophages. <i>ELife</i> , 2016, 5, .	2.8	66
176	Evidence that Human Skin Microbiome Dysbiosis Promotes Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2460-2461.	0.3	66
177	Processing site and gene structure for the murine antimicrobial peptide CRAMP. <i>Peptides</i> , 2001, 22, 1643-1650.	1.2	65
178	Granulysin-Derived Peptides Demonstrate Antimicrobial and Anti-Inflammatory Effects Against <i>Propionibacterium acnes</i> . <i>Journal of Investigative Dermatology</i> , 2005, 125, 256-263.	0.3	65
179	<i>Acrosyringium</i> Is the Main Site of the Vesicle/Pustule Formation in Palmoplantar Pustulosis. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2010-2016.	0.3	65
180	Induction and exacerbation of psoriasis with Interferon- α therapy for hepatitis C: A review and analysis of 36 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 771-778.	1.3	65

#	ARTICLE	IF	CITATIONS
181	The Host Defense Peptide Cathelicidin Is Required for NK Cell-Mediated Suppression of Tumor Growth. <i>Journal of Immunology</i> , 2010, 184, 369-378.	0.4	64
182	<i>Staphylococcus aureus</i> Hijacks a Skin Commensal to Intensify Its Virulence: Immunization Targeting β -Hemolysin and CAMP Factor. <i>Journal of Investigative Dermatology</i> , 2011, 131, 401-409.	0.3	63
183	A Novel Role of a Lipid Species, Sphingosine-1-Phosphate, in Epithelial Innate Immunity. <i>Molecular and Cellular Biology</i> , 2013, 33, 752-762.	1.1	61
184	Dermal White Adipose Tissue: A Newly Recognized Layer of Skin Innate Defense. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1002-1009.	0.3	61
185	An Innate Bactericidal Oleic Acid Effective Against Skin Infection of Methicillin-Resistant <i>Staphylococcus aureus</i> : A Therapy Concordant with Evolutionary Medicine. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 391-399.	0.9	61
186	Toll-Like Receptor 3 Activation Is Required for Normal Skin Barrier Repair Following UV Damage. <i>Journal of Investigative Dermatology</i> , 2015, 135, 569-578.	0.3	60
187	Augmentation of Cutaneous Immune Responses by ATP β S: Purinergic Agonists Define a Novel Class of Immunologic Adjuvants. <i>Journal of Immunology</i> , 2005, 174, 7725-7731.	0.4	59
188	Expression and potential function of cathelicidin antimicrobial peptides in dermatophytosis and tinea versicolor. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 877-882.	1.3	59
189	Vaccination targeting surface FomA of <i>Fusobacterium nucleatum</i> against bacterial co-aggregation: Implication for treatment of periodontal infection and halitosis. <i>Vaccine</i> , 2010, 28, 3496-3505.	1.7	59
190	Innate immune defense system of the skin. <i>Veterinary Dermatology</i> , 2013, 24, 32.	0.4	59
191	Cathelicidin promotes inflammation by enabling binding of self-RNA to cell surface scavenger receptors. <i>Scientific Reports</i> , 2018, 8, 4032.	1.6	58
192	Endothelial Cell Surface Alkaline Phosphatase Activity is Induced by IL-6 Released During Wound Repair. <i>Journal of Investigative Dermatology</i> , 1997, 109, 597-603.	0.3	57
193	Nasal commensal <i>Staphylococcus epidermidis</i> counteracts influenza virus. <i>Scientific Reports</i> , 2016, 6, 27870.	1.6	57
194	MIT1 group A streptococcal pili promote epithelial colonization but diminish systemic virulence through neutrophil extracellular entrapment. <i>Journal of Molecular Medicine</i> , 2010, 88, 371-381.	1.7	56
195	Interplay of Staphylococcal and Host Proteases Promotes Skin Barrier Disruption in Netherton Syndrome. <i>Cell Reports</i> , 2020, 30, 2923-2933.e7.	2.9	56
196	Structure, Dynamics, and Antimicrobial and Immune Modulatory Activities of Human LL-23 and Its Single-Residue Variants Mutated on the Basis of Homologous Primate Cathelicidins. <i>Biochemistry</i> , 2012, 51, 653-664.	1.2	55
197	Anti-Microbial Activity and Cell Binding are Controlled by Sequence Determinants in the Anti-Microbial Peptide PR-39. <i>Journal of Investigative Dermatology</i> , 2001, 116, 230-235.	0.3	54
198	Pimecrolimus Enhances TLR2/6-Induced Expression of Antimicrobial Peptides in Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2646-2654.	0.3	54

#	ARTICLE	IF	CITATIONS
199	Acute ethanol exposure disrupts VEGF receptor cell signaling in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H174-H184.	1.5	53
200	Neutrophil antimicrobial defense against <i>Staphylococcus aureus</i> is mediated by phagolysosomal but not extracellular trap-associated cathelicidin. <i>Journal of Leukocyte Biology</i> , 2009, 86, 1159-1169.	1.5	53
201	Passive immunoprotection targeting a secreted CAMP factor of <i>Propionibacterium acnes</i> as a novel immunotherapeutic for acne vulgaris. <i>Vaccine</i> , 2011, 29, 3230-3238.	1.7	53
202	The Critical and Multifunctional Roles of Antimicrobial Peptides in Dermatology. <i>Dermatologic Clinics</i> , 2017, 35, 39-50.	1.0	52
203	<i>Staphylococcus aureus</i> : Master Manipulator of the Skin. <i>Cell Host and Microbe</i> , 2017, 22, 579-581.	5.1	52
204	Activation of TLR3 in Keratinocytes Increases Expression of Genes Involved in Formation of the Epidermis, Lipid Accumulation, and Epidermal Organelles. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2031-2040.	0.3	51
205	Group A Streptococcal M1 Protein Sequesters Cathelicidin to Evade Innate Immune Killing. <i>Cell Host and Microbe</i> , 2015, 18, 471-477.	5.1	51
206	ClpX Contributes to Innate Defense Peptide Resistance and Virulence Phenotypes of <i>Bacillus anthracis</i> . <i>Journal of Innate Immunity</i> , 2009, 1, 494-506.	1.8	50
207	Streptococcal Inhibitor of Complement Promotes Innate Immune Resistance Phenotypes of Invasive M1T1 Group A <i>Streptococcus</i> . <i>Journal of Innate Immunity</i> , 2010, 2, 587-595.	1.8	50
208	Protecting the boundary: the sentinel role of host defense peptides in the skin. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 2189-2199.	2.4	50
209	A Precision Microbiome Approach Using Sucrose for Selective Augmentation of <i>Staphylococcus epidermidis</i> Fermentation against <i>Propionibacterium acnes</i> . <i>International Journal of Molecular Sciences</i> , 2016, 17, 1870.	1.8	50
210	Critical Role of Antimicrobial Peptide Cathelicidin for Controlling <i>Helicobacter pylori</i> Survival and Infection. <i>Journal of Immunology</i> , 2016, 196, 1799-1809.	0.4	49
211	FGF10 and specific structural elements of dermatan sulfate size and sulfation promote maximal keratinocyte migration and cellular proliferation. <i>Wound Repair and Regeneration</i> , 2009, 17, 118-126.	1.5	48
212	Differing effects of exogenous or endogenous cathelicidin on macrophage toll-like receptor signaling. <i>Immunology and Cell Biology</i> , 2009, 87, 496-500.	1.0	47
213	The signal transducer and activator of transcription 6 gene (STAT6) increases the propensity of patients with atopic dermatitis toward disseminated viral skin infections. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 1006-1014.	1.5	47
214	PTH/PTHrP and Vitamin D Control Antimicrobial Peptide Expression and Susceptibility to Bacterial Skin Infection. <i>Science Translational Medicine</i> , 2012, 4, 135ra66.	5.8	47
215	Identification of a Human Skin Commensal Bacterium that Selectively Kills <i>Cutibacterium acnes</i> . <i>Journal of Investigative Dermatology</i> , 2020, 140, 1619-1628.e2.	0.3	47
216	Regulation of GM-CSF and IL-3 Production from the Murine Keratinocyte Cell Line PAM 212 Following Exposure to Ultraviolet Radiation. <i>Journal of Investigative Dermatology</i> , 1991, 97, 203-209.	0.3	46

#	ARTICLE	IF	CITATIONS
217	The Cutaneous Microbiome and Aspects of Skin Antimicrobial Defense System Resist Acute Treatment with Topical Skin Cleansers. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1950-1954.	0.3	46
218	Short chain fatty acids produced by <i>Cutibacterium acnes</i> inhibit biofilm formation by <i>Staphylococcus epidermidis</i> . <i>Scientific Reports</i> , 2020, 10, 21237.	1.6	46
219	Innate immune defense of the nail unit by antimicrobial peptides. <i>Journal of the American Academy of Dermatology</i> , 2004, 50, 343-348.	0.6	45
220	Resveratrol Stimulates Sphingosine-1-Phosphate Signaling of Cathelicidin Production. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1942-1949.	0.3	45
221	Topical flagellin protects the injured corneas from <i>Pseudomonas aeruginosa</i> infection. <i>Microbes and Infection</i> , 2010, 12, 978-989.	1.0	44
222	Dermatan sulfate activates nuclear factor- κ B and induces endothelial and circulating intercellular adhesion molecule-1. <i>Journal of Clinical Investigation</i> , 1999, 103, 1329-1335.	3.9	44
223	Porphyrin Metabolisms in Human Skin Commensal <i>Propionibacterium acnes</i> Bacteria: Potential Application to Monitor Human Radiation Risk. <i>Current Medicinal Chemistry</i> , 2013, 20, 562-568.	1.2	44
224	Cathelin-related antimicrobial peptide differentially regulates T and B cell function. <i>European Journal of Immunology</i> , 2011, 41, 3006-3016.	1.6	43
225	The Anti-Inflammatory Activities of <i>Propionibacterium acnes</i> CAMP Factor-Targeted Acne Vaccines. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2355-2364.	0.3	43
226	Dilute bleach baths used for treatment of atopic dermatitis are not antimicrobial in vitro. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1946-1948.	1.5	43
227	Cathelicidin Antimicrobial Peptides Inhibit Hyaluronan-Induced Cytokine Release and Modulate Chronic Allergic Dermatitis. <i>Journal of Immunology</i> , 2008, 181, 3915-3922.	0.4	42
228	Dermatan Sulfate Proteoglycan and Glycosaminoglycan Synthesis Is Induced in Fibroblasts by Transfer to a Three-dimensional Extracellular Environment. <i>Journal of Biological Chemistry</i> , 2004, 279, 48640-48646.	1.6	41
229	The Coordinated Response of the Physical and Antimicrobial Peptide Barriers of the Skin. <i>Journal of Investigative Dermatology</i> , 2011, 131, 285-287.	0.3	41
230	Impairment of innate immune killing mechanisms by bacteriostatic antibiotics. <i>FASEB Journal</i> , 2007, 21, 1107-1116.	0.2	40
231	The essentiality of α 2-macroglobulin in human salivary innate immunity against new H1N1 swine origin influenza A virus. <i>Proteomics</i> , 2010, 10, 2396-2401.	1.3	40
232	Mammalian antimicrobial peptide influences control of cutaneous <i>Leishmania</i> infection. <i>Cellular Microbiology</i> , 2011, 13, 913-923.	1.1	40
233	HSV-1 exploits the innate immune scavenger receptor MARCO to enhance epithelial adsorption and infection. <i>Nature Communications</i> , 2013, 4, 1963.	5.8	39
234	HB-107, a nonbacteriostatic fragment of the antimicrobial peptide cecropin B, accelerates murine wound repair. <i>Wound Repair and Regeneration</i> , 2004, 12, 351-358.	1.5	38

#	ARTICLE	IF	CITATIONS
235	Antifibrogenic Effects of the Antimicrobial Peptide Cathelicidin in Murine Colitis-Associated Fibrosis. Cellular and Molecular Gastroenterology and Hepatology, 2015, 1, 55-74.e1.	2.3	38
236	An evaluation of potential correlations between pathophysiologic mechanisms, clinical manifestations, and management of rosacea. Cutis, 2013, 91, 1-8.	0.4	38
237	<i>Ixodes</i> tick saliva suppresses the keratinocyte cytokine response to TLR2/TLR3 ligands during early exposure to Lyme borreliosis. Experimental Dermatology, 2016, 25, 26-31.	1.4	37
238	Proteoglycans and Cutaneous Vascular Defense and Repair. Journal of Investigative Dermatology Symposium Proceedings, 2000, 5, 55-60.	0.8	36
239	Parallel evaluation of antimicrobial peptides derived from the synthetic PAF26 and the human LL37. Biochemical and Biophysical Research Communications, 2007, 356, 107-113.	1.0	36
240	Sounding the Alarm: Multiple Functions of Host Defense Peptides. Journal of Investigative Dermatology, 2008, 128, 5-6.	0.3	36
241	A Bacterial Pathogen Co-opts Host Plasmin to Resist Killing by Cathelicidin Antimicrobial Peptides. Journal of Biological Chemistry, 2012, 287, 40891-40897.	1.6	36
242	Therapeutic effects of cell-permeant peptides that activate G proteins downstream of growth factors. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E2602-10.	3.3	35
243	Bioengineering a humanized acne microenvironment model: Proteomics analysis of host responses to <i>Propionibacterium acnes</i> infection <i>in vivo</i> . Proteomics, 2008, 8, 3406-3415.	1.3	34
244	Reduction in Serine Protease Activity Correlates with Improved Rosacea Severity in a Small, Randomized Pilot Study of a Topical Serine Protease Inhibitor. Journal of Investigative Dermatology, 2014, 134, 1143-1145.	0.3	34
245	Vaccinia Virus Binds to the Scavenger Receptor MARCO on the Surface of Keratinocytes. Journal of Investigative Dermatology, 2015, 135, 142-150.	0.3	34
246	Improved clinical outcome and biomarkers in adults with papulopustular rosacea treated with doxycycline modified-release capsules in a randomized trial. Journal of the American Academy of Dermatology, 2016, 74, 1086-1092.	0.6	34
247	Rosacea comorbidities and future research: The 2017 update by the National Rosacea Society Expert Committee. Journal of the American Academy of Dermatology, 2018, 78, 167-170.	0.6	34
248	Hyaluronidase inhibits reactive adipogenesis and inflammation of colon and skin. JCI Insight, 2018, 3, .	2.3	34
249	Innate Immune Dysfunction in Rosacea Promotes Photosensitivity and Vascular Adhesion Molecule Expression. Journal of Investigative Dermatology, 2020, 140, 645-655.e6.	0.3	34
250	Cyclooxygenase-2 Enhances Antimicrobial Peptide Expression and Killing of <i>Staphylococcus aureus</i> . Journal of Immunology, 2010, 185, 6535-6544.	0.4	33
251	Endogenous Intracellular Cathelicidin Enhances TLR9 Activation in Dendritic Cells and Macrophages. Journal of Immunology, 2015, 194, 1274-1284.	0.4	33
252	IsaB Inhibits Autophagic Flux to Promote Host Transmission of Methicillin-Resistant <i>Staphylococcus aureus</i> . Journal of Investigative Dermatology, 2015, 135, 2714-2722.	0.3	33

#	ARTICLE	IF	CITATIONS
253	Cutaneous innate immune tolerance is mediated by epigenetic control of MAP2K3 by HDAC8/9. <i>Science Immunology</i> , 2021, 6, .	5.6	33
254	ULTRAVIOLET RADIATION INDUCES A CHANGE IN CELL MEMBRANE POTENTIAL in vitro: A POSSIBLE SIGNAL FOR ULTRAVIOLET RADIATION INDUCED ALTERATION IN CELL ACTIVITY. <i>Photochemistry and Photobiology</i> , 1989, 49, 655-662.	1.3	32
255	<i>Entamoeba histolytica</i> Induces Intestinal Cathelicidins but Is Resistant to Cathelicidin-Mediated Killing. <i>Infection and Immunity</i> , 2012, 80, 143-149.	1.0	32
256	Mutations in TSPEAR, Encoding a Regulator of Notch Signaling, Affect Tooth and Hair Follicle Morphogenesis. <i>PLoS Genetics</i> , 2016, 12, e1006369.	1.5	32
257	Adrenocorticotropin Hormone Stimulates Interleukin-18 Expression in Human HaCaT Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1210-1216.	0.3	31
258	Microbiome precision editing: Using PEG as a selective fermentation initiator against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Biotechnology Journal</i> , 2017, 12, .	1.8	31
259	Cathelicidin preserves intestinal barrier function in polymicrobial sepsis. <i>Critical Care</i> , 2020, 24, 47.	2.5	31
260	Innate Immunity: A Cutaneous Perspective. <i>Clinical Reviews in Allergy and Immunology</i> , 2007, 33, 15-26.	2.9	30
261	Crystallinity of Double-Stranded RNA-Antimicrobial Peptide Complexes Modulates Toll-Like Receptor 3-Mediated Inflammation. <i>ACS Nano</i> , 2017, 11, 12145-12155.	7.3	30
262	Applying the phenotype approach for rosacea to practice and research. <i>British Journal of Dermatology</i> , 2018, 179, 741-746.	1.4	30
263	Role of Epigenetics in the Regulation of Immune Functions of the Skin. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1157-1166.	0.3	30
264	Characterization of the plasma and mitochondrial membrane potentials of alveolar type II cells by the use of ionic probes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984, 771, 217-227.	1.4	29
265	Hyaluronan Breakdown Contributes to Immune Defense against Group A Streptococcus. <i>Journal of Biological Chemistry</i> , 2014, 289, 26914-26921.	1.6	29
266	Bcl-3 Acts as an Innate Immune Modulator by Controlling Antimicrobial Responses in Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2148-2155.	0.3	28
267	Hyaluronic Acid Oligosaccharides Suppress TLR3-Dependent Cytokine Expression in a TLR4-Dependent Manner. <i>PLoS ONE</i> , 2013, 8, e72421.	1.1	28
268	Use of Autologous Bacteriotherapy to Treat <i>Staphylococcus aureus</i> in Patients With Atopic Dermatitis. <i>JAMA Dermatology</i> , 2021, 157, 978.	2.0	28
269	The Response of Human Skin Commensal Bacteria as a Reflection of UV Radiation: UV-B Decreases Porphyrin Production. <i>PLoS ONE</i> , 2012, 7, e47798.	1.1	27
270	Innate Immune Sensors Stimulate Inflammatory and Immunosuppressive Responses to UVB Radiation. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1508-1511.	0.3	27

#	ARTICLE	IF	CITATIONS
271	Hyaluronan Degradation by Cemp Regulates Host Defense against Staphylococcus aureus Skin Infection. Cell Reports, 2020, 30, 61-68.e4.	2.9	27
272	A novel vaccine targeting Fusobacterium nucleatum against abscesses and halitosis. Vaccine, 2009, 27, 1589-1595.	1.7	26
273	2-O-Sulfated Domains in Syndecan-1 Heparan Sulfate Inhibit Neutrophil Cathelicidin and Promote Staphylococcus aureus Corneal Infection. Journal of Biological Chemistry, 2015, 290, 16157-16167.	1.6	26
274	Murine models of Pneumocystis infection recapitulate human primary immune disorders. JCI Insight, 2018, 3, .	2.3	26
275	Innate barriers against skin infection and associated disorders. Drug Discovery Today Disease Mechanisms, 2008, 5, e145-e152.	0.8	25
276	Diet-induced obesity promotes infection by impairment of the innate antimicrobial defense function of dermal adipocyte progenitors. Science Translational Medicine, 2021, 13, .	5.8	25
277	Quantitative proteomes and <i>in vivo</i> secretomes of progressive and regressive UV α -induced fibrosarcoma tumor cells: Mimicking tumor microenvironment using a dermis-based cell-trapped system linked to tissue chamber. Proteomics, 2007, 7, 4589-4600.	1.3	24
278	A mouse model for vitamin D-induced human cathelicidin antimicrobial peptide gene expression. Journal of Steroid Biochemistry and Molecular Biology, 2020, 198, 105552.	1.2	24
279	Mechanisms for control of skin immune function by the microbiome. Current Opinion in Immunology, 2021, 72, 324-330.	2.4	24
280	The Ubiquitous Human Skin Commensal Staphylococcus hominis Protects against Opportunistic Pathogens. MBio, 2022, 13, .	1.8	24
281	Fluorescence and UV Resonance Raman Study of Peptide-Vesicle Interactions of Human Cathelicidin LL-37 and Its F6W and F17W Mutants. Biochemistry, 2009, 48, 11264-11272.	1.2	22
282	Dermatological Therapy by Topical Application of Non-Pathogenic Bacteria. Journal of Investigative Dermatology, 2014, 134, 11-14.	0.3	22
283	Beta-Lactamase Repressor Blal Modulates Staphylococcus aureus Cathelicidin Antimicrobial Peptide Resistance and Virulence. PLoS ONE, 2015, 10, e0136605.	1.1	22
284	Replicated methylation changes associated with eczema herpeticum and allergic response. Clinical Epigenetics, 2019, 11, 122.	1.8	22
285	The Parathyroid Hormone Second Receptor PTH2R and its Ligand Tuberoindubular Peptide of 39 Residues TIP39 Regulate Intracellular Calcium and Influence Keratinocyte Differentiation. Journal of Investigative Dermatology, 2016, 136, 1449-1459.	0.3	21
286	Non-coding Double-stranded RNA and Antimicrobial Peptide LL-37 Induce Growth Factor Expression from Keratinocytes and Endothelial Cells. Journal of Biological Chemistry, 2016, 291, 11635-11646.	1.6	21
287	Emerging evidence for the essential role of hyaluronan in cutaneous biology. Journal of Dermatological Science, 2019, 94, 190-195.	1.0	21
288	Update on the Management of Rosacea from the American Acne & Rosacea Society (AARS). Journal of Clinical and Aesthetic Dermatology, 2019, 12, 17-24.	0.1	21

#	ARTICLE	IF	CITATIONS
289	Activation of cathepsin L by the cathelin-like domain of protegrin-3. <i>Molecular Immunology</i> , 2008, 45, 2531-2536.	1.0	20
290	De novo synthesis of human dermis in vitro in the absence of a three-dimensional scaffold. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2009, 45, 430-441.	0.7	20
291	S.Âepidermidis Influence on Host Immunity: More Than Skin Deep. <i>Cell Host and Microbe</i> , 2015, 17, 143-144.	5.1	20
292	Host Cathelicidin Exacerbates Group B<i>Streptococcus</i>Urinary Tract Infection. <i>MSphere</i> , 2020, 5, .	1.3	20
293	Whole genome sequencing identifies novel genetic mutations in patients with eczema herpeticum. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2510-2523.	2.7	20
294	Expression of Antimicrobial Peptides in the Normal and Involved Skin of Patients with Infective Cellulitis. <i>Journal of Infectious Diseases</i> , 2007, 196, 1425-1430.	1.9	19
295	Calpain 12 Function Revealed through the Study of an Atypical Case of Autosomal Recessive Congenital Ichthyosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 385-393.	0.3	19
296	1Î±,25-dihydroxyvitamin D₃-eluting nanofibrous dressings induce endogenous antimicrobial peptide expression. <i>Nanomedicine</i> , 2018, 13, 1417-1432.	1.7	19
297	Distinct Innate Immune Gene Expression Profiles in Non-Melanoma Skin Cancer of Immunocompetent and Immunosuppressed Patients. <i>PLoS ONE</i> , 2012, 7, e40754.	1.1	19
298	Antimicrobial production by perifollicular dermal preadipocytes is essential to the pathophysiology of acne. <i>Science Translational Medicine</i> , 2022, 14, eabh1478.	5.8	19
299	Endogenous cathelicidin production limits inflammation and protective immunity to <i>Mycobacterium avium</i> in mice. <i>Immunity, Inflammation and Disease</i> , 2014, 2, 1-12.	1.3	18
300	IL-1 Receptorâ€œKnockout Mice Develop Epidermal Cysts and Show an Altered InnateÂImmune Response after Exposure toÂUVB Radiation. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2417-2426.	0.3	18
301	The role of the NMD factor UPF3B in olfactory sensory neurons. <i>ELife</i> , 2020, 9, .	2.8	18
302	Vitamin D deficiency and asthma: Not a strong linkâ€”yet. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 782-783.	1.5	17
303	UVB Radiation Illuminates the Role of TLR3 in the Epidermis. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2315-2320.	0.3	17
304	Microbial Skin Inhabitants: Friends Forever. <i>Cell</i> , 2016, 165, 771-772.	13.5	17
305	Activation of Parathyroid Hormone 2 Receptor Induces Decorin Expression andÂPromotes Wound Repair. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1774-1783.	0.3	17
306	Retinoids Enhance the Expression of Cathelicidin Antimicrobial Peptide during Reactive Dermal Adipogenesis. <i>Journal of Immunology</i> , 2019, 203, 1589-1597.	0.4	17

#	ARTICLE	IF	CITATIONS
307	Exogenous Addition of a C-Xylopyranoside Derivative Stimulates Keratinocyte Dermatan Sulfate Synthesis and Promotes Migration. <i>PLoS ONE</i> , 2011, 6, e25480.	1.1	16
308	The 2011 Report on Dietary Reference Intakes for Calcium and Vitamin D From the Institute of Medicine: What Clinicians Need to Know. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 356-357.	0.2	16
309	Expression and Activity of a Novel Cathelicidin from Domestic Cats. <i>PLoS ONE</i> , 2011, 6, e18756.	1.1	15
310	Antimicrobials from a feline commensal bacterium inhibit skin infection by drug-resistant <i>S. pseudintermedius</i> . <i>ELife</i> , 2021, 10, .	2.8	14
311	The birth of innate immunity. <i>Experimental Dermatology</i> , 2013, 22, 517-517.	1.4	13
312	A Co-Drug of Butyric Acid Derived from Fermentation Metabolites of the Human Skin Microbiome Stimulates Adipogenic Differentiation of Adipose-Derived Stem Cells: Implications in Tissue Augmentation. <i>Journal of Investigative Dermatology</i> , 2017, 137, 46-56.	0.3	13
313	Skin inflammation activates intestinal stromal fibroblasts and promotes colitis. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	12
314	Lysophosphatidylcholine cell depolarization: Increased membrane permeability for use in the determination of cell membrane potentials. <i>Archives of Biochemistry and Biophysics</i> , 1984, 235, 544-554.	1.4	11
315	Cyclosporin Increases Granulocyte/Macrophage Colony-Stimulating Factor (GM-CSF) Activity and Gene Expression in Murine Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1992, 98, 274-278.	0.3	11
316	Polygenic prediction of atopic dermatitis improves with atopic training and filaggrin factors. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 145-155.	1.5	11
317	Inhibition of Allergic Contact Dermatitis and Ultraviolet Radiation-Induced Tissue Swelling in the Mouse by Topical Amiloride. <i>Archives of Dermatology</i> , 1989, 125, 502.	1.7	10
318	A Peptide with a ProGln C Terminus in the Human Saliva Peptidome Exerts Bactericidal Activity against <i>Propionibacterium acnes</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 1834-1836.	1.4	10
319	426 Clinical improvement in atopic dermatitis following autologous application of microbiome therapy targeting <i>Staphylococcus aureus</i> . <i>Journal of Investigative Dermatology</i> , 2018, 138, S72.	0.3	10
320	Leaf-Encapsulated Vaccines: Agroinfiltration and Transient Expression of the Antigen <i>Staphylococcal EndotoxinB</i> in Radish Leaves. <i>Journal of Immunology Research</i> , 2018, 2018, 1-9.	0.9	10
321	Status Report from the Scientific Panel on Antibiotic Use in Dermatology of the American Acne and Rosacea Society: Part 3: Current Perspectives on Skin and Soft Tissue Infections with Emphasis on Methicillin-resistant <i>Staphylococcus aureus</i> , Commonly Encountered Scenarios when Antibiotic Use May Not Be Needed, and Concluding Remarks on Rational Use of Antibiotics in Dermatology. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2016, 9, 17-24.	0.1	9
322	Structure-Function Relations in the Inhibition of Murine Contact Hypersensitivity by Amiloride. <i>Journal of Investigative Dermatology</i> , 1995, 104, 38-41.	0.3	8
323	Etanercept decreases the innate immune wounding response in psoriasis. <i>Experimental Dermatology</i> , 2013, 22, 599-608.	1.4	8
324	Rosacea, the face of innate immunity. <i>British Journal of Dermatology</i> , 2014, 171, 1282-1284.	1.4	8

#	ARTICLE	IF	CITATIONS
325	Sequence determinants in the cathelicidin LL-37 that promote inflammation via presentation of RNA to scavenger receptors. <i>Journal of Biological Chemistry</i> , 2021, 297, 100828.	1.6	8
326	A Nitric Oxideâ€“Releasing Topical Medication as a Potential Treatment Option for Atopic Dermatitis through Antimicrobial and Anti-Inflammatory Activity. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2531-2535.e2.	0.3	8
327	Clarification of DRIs for Calcium and Vitamin D across Age Groups. <i>Journal of the American Dietetic Association</i> , 2011, 111, 1467.	1.3	7
328	Cathelicidin regulates myeloid cell accumulation in adipose tissue and promotes insulin resistance during obesity. <i>Thrombosis and Haemostasis</i> , 2016, 115, 1237-1239.	1.8	7
329	The mPEG-PCL Copolymer for Selective Fermentation of <i>Staphylococcus lugdunensis</i> Against <i>Candida parapsilosis</i> in the Human Microbiome. <i>Journal of Microbial & Biochemical Technology</i> , 2016, 8, 259-265.	0.2	6
330	Surviving innate immunity. <i>Trends in Microbiology</i> , 2002, 10, 358-359.	3.5	5
331	Genetic Variants in TSLP and its Receptor, IL7R, Contribute to an Increased Risk for Atopic Dermatitis and Eczema Herpeticum in Two American Populations. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, S70-S70.	1.5	5
332	Commensal skin bacteria as the probiotic of the cutaneous immune response. <i>Expert Review of Dermatology</i> , 2010, 5, 251-253.	0.3	5
333	IOM Committee Members Respond to Endocrine Society Vitamin D Guideline. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 479-480.	0.2	5
334	Recognizing that the microbiome is part of the human immune system will advance treatment of both cancer and infections. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 772-774.	0.6	5
335	070 Liquid crystalline ordering of antimicrobial peptide-RNA complexes controls TLR3 activation. <i>Journal of Investigative Dermatology</i> , 2017, 137, S12.	0.3	4
336	<i>Staphylococcus aureus</i> Enters Hair Follicles Using Triacylglycerol Lipases Preserved through the Genus <i>Staphylococcus</i> . <i>Journal of Investigative Dermatology</i> , 2021, 141, 2094-2097.	0.3	4
337	<i>Skin Microbiology</i> . , 2009, , 734-747.		3
338	Variations in the CCL20 and CCR6 Genes are Associated with Atopic Dermatitis and Eczema Herpeticum in Populations of European and African descent.. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, S70-S70.	1.5	3
339	The parathyroid hormone family member <i>TIP</i> 39 interacts with sarco/endoplasmic reticulum Ca ²⁺ â€“ATPase activity by influencing calcium homeostasis. <i>Experimental Dermatology</i> , 2017, 26, 792-797.	1.4	3
340	Identifying Genetic Determinants of Atopic Dermatitis and Bacterial Colonization Using Whole Genome Sequencing. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB391.	1.5	2
341	IL-17A Has Some Nerve!. <i>Immunity</i> , 2015, 43, 414-415.	6.6	2
342	The Skin Microbiome Differs with Age in Atopic Dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, AB407.	1.5	2

#	ARTICLE	IF	CITATIONS
343	373 Dupilumab improves clinical atopic dermatitis parameters and modulates specific IgEs and Staphylococcus aureus abundance. Journal of Investigative Dermatology, 2016, 136, S224.	0.3	2
344	Response to Comment on "A commensal strain of Staphylococcus epidermidis protects against skin neoplasia" by Nakatsuji et al. Science Advances, 2019, 5, eaay5611.	4.7	2
345	Update on the Management of Rosacea from the American Acne & Rosacea Society (AARS). Journal of Clinical and Aesthetic Dermatology, 2020, 13, S17-S24.	0.1	2
346	Defensive Defensins: A Response to the Commentary "In Defense of Skin". Journal of Investigative Dermatology, 2005, 125, x-xi.	0.3	1
347	Filaggrin R501X Mutation is Associated with an Increased Susceptibility to Atopic Dermatitis and Eczema Herpeticum, and Associated Phenotypes in a European Population. Journal of Allergy and Clinical Immunology, 2009, 123, S34-S34.	1.5	1
348	Genetic Variants In Interferon Regulatory Factor 2 (irf2) Are Associated With Atopic Dermatitis And Eczema Herpeticum In Populations Of European And African Descent. Journal of Allergy and Clinical Immunology, 2010, 125, AB232.	1.5	1
349	Sampling Human Indigenous Saliva Peptidome Using a Lollipop-Like Ultrafiltration Probe: Simplify and Enhance Peptide Detection for Clinical Mass Spectrometry. Journal of Visualized Experiments, 2012, , e4108.	0.2	1
350	Porphyrin Metabolisms in Human Skin Commensal Propionibacterium acnes Bacteria: Potential Application to Monitor Human Radiation Risk. Current Medicinal Chemistry, 2013, 20, 562-568.	1.2	1
351	484 Staphylococcus aureus exploits barrier defects in atopic dermatitis to trigger skin inflammation. Journal of Investigative Dermatology, 2016, 136, S85.	0.3	1
352	LB1554 Bleach does not kill Staphylococcus aureus on skin; A comparison of bactericidal effects of bleach on individual bacterial cells versus cultured bacteria. Journal of Investigative Dermatology, 2018, 138, B15.	0.3	1
353	LB1505 Dupilumab-mediated IL-4R α blockade decreases Staphylococcus aureus colonization and increases microbial diversity in patients with Atopic Dermatitis (AD). Journal of Investigative Dermatology, 2018, 138, B7.	0.3	1
354	Diversity is Excellence: Initiatives in the Society for Investigative Dermatology to Broaden Participation. Journal of Investigative Dermatology, 2019, 139, 2217-2219.	0.3	1
355	Innate antimicrobial peptide protects the skin from invasive bacterial infection. , 0, .		1
356	Antimicrobial peptides and the skin. , 0, .		1
357	Genetic alteration of endothelial heparan sulfate selectively inhibits tumor angiogenesis. Journal of Experimental Medicine, 2007, 204, i16-i16.	4.2	1
358	Advocacy for a shared physician/patient approach for the management of acne, rosacea, seborrheic dermatitis and photodamage. European Journal of Dermatology, 2022, 32, 138-139.	0.3	1
359	Pediatric dermatology 2003, innate immunity increases understanding of common skin disorders. Current Opinion in Pediatrics, 2003, 15, 398.	1.0	0
360	Atopic Dermatitis (AD) and Eczema Herpeticum (EH): Role of Cathelicidins in Herpes Simplex Virus (HSV) Infection. Journal of Allergy and Clinical Immunology, 2006, 117, S187.	1.5	0

#	ARTICLE	IF	CITATIONS
361	DltABCD-mediated d-alanylation of teichoic acids in Group A Streptococcus confers innate immune resistance. International Congress Series, 2006, 1289, 254-256.	0.2	0
362	Viewpoint 6. Experimental Dermatology, 2006, 15, 926-927.	1.4	0
363	Immunodermatology. Seminars in Immunopathology, 2007, 29, 1-2.	2.8	0
364	Neuroendocrine Nicotinic Receptor Activation Increases Susceptibility to Bacterial Infections by Suppressing Antimicrobial Peptide Production. Cell Host and Microbe, 2010, 8, 552.	5.1	0
365	The Association Between HLA B7 Alleles and Human Atopic Dermatitis Complicated by Eczema Herpeticum. Journal of Allergy and Clinical Immunology, 2012, 129, AB205.	1.5	0
366	Th2 cytokines increase kallikrein 7 expression and function in patients with atopic dermatitis. Okayama Igakkai Zasshi, 2013, 125, 217-220.	0.0	0
367	323 A parathyroid hormone family member TIP39 increases intracellular calcium via the IP3 pathway. Journal of Investigative Dermatology, 2016, 136, S57.	0.3	0
368	512 Skin microbiome: Counteraction of commensal and pathogenic Staphylococcus aureus by glycerol fermentation. Journal of Investigative Dermatology, 2016, 136, S90.	0.3	0
369	Filaggrin Associated Risk for Atopic Dermatitis Is Offset By Protective Missense Variants in Rptn and LCE1B Genes in the Epidermal Differentiation Complex. Journal of Allergy and Clinical Immunology, 2016, 137, AB182.	1.5	0
370	269 Transcriptome analysis of psoriasis and wounded skin. Journal of Investigative Dermatology, 2016, 136, S47.	0.3	0
371	469 Identification of the MAVS signaling pathway as a driver of epidermal interferon beta production in psoriasis and wound repair. Journal of Investigative Dermatology, 2016, 136, S83.	0.3	0
372	739 Hyaluronan controls adipogenesis following skin injury. Journal of Investigative Dermatology, 2016, 136, S130.	0.3	0
373	273 Establishment of an autologous microbiome transplant in atopic dermatitis targeting Staphylococcus aureus. Journal of Investigative Dermatology, 2016, 136, S48.	0.3	0
374	314 The cutaneous microbiome controls epidermal protease activity. Journal of Investigative Dermatology, 2016, 136, S55.	0.3	0
375	513 Selective fermentation of probiotic Staphylococcus lugdunensis interferes with the growth of Candida parapsilosis in the human dandruff microbiome. Journal of Investigative Dermatology, 2016, 136, S90.	0.3	0
376	270 Resilience of AMPs and the cutaneous microbiome to treatment with topical cleansers. Journal of Investigative Dermatology, 2016, 136, S48.	0.3	0
377	731 Non-coding double-stranded RNA and LL-37 induce growth factor expression from keratinocytes and endothelial cell. Journal of Investigative Dermatology, 2016, 136, S129.	0.3	0
378	557 Targeted genetic alteration in hyaluronan catabolism delays wound healing in mice. Journal of Investigative Dermatology, 2016, 136, S256.	0.3	0

#	ARTICLE	IF	CITATIONS
379	281 Doxycycline modified release (MR) capsules improve rosacea clinical outcomes by modifying antimicrobial peptide metabolism: Results of a multicenter, randomized, double blind, placebo controlled study of 170 adults with papulopustular rosacea. <i>Journal of Investigative Dermatology</i> , 2016, 136, S49.	0.3	0
380	497 The microbiome modulates cytokine production in the skin through epigenetic control of histone acetylation. <i>Journal of Investigative Dermatology</i> , 2016, 136, S88.	0.3	0
381	586 Inflammatory gene expression in keratinocytes is regulated by HDAC8 and HDAC9 and is modulated by metabolites from the microbiome. <i>Journal of Investigative Dermatology</i> , 2017, 137, S101.	0.3	0
382	634 Aging and diet-induced obesity impair activation of adipocytes that protect against invasive <i>Staphylococcus aureus</i> skin infection. <i>Journal of Investigative Dermatology</i> , 2017, 137, S109.	0.3	0
383	LB1002 TIP39: A novel PTH family member that controls ECM formation and wound repair. <i>Journal of Investigative Dermatology</i> , 2017, 137, B13.	0.3	0
384	038 Hyaluronan oligosaccharides induce suppressive effect to chronic allergic dermatitis. <i>Journal of Investigative Dermatology</i> , 2017, 137, S7.	0.3	0
385	611 LL37 enhances dsRNA uptake into keratinocytes via receptor-dependent, clathrin-dependent endocytosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, S105.	0.3	0
386	317 Transcriptome differences in wound healing between psoriatic nonlesional and healthy skin. <i>Journal of Investigative Dermatology</i> , 2017, 137, S54.	0.3	0
387	612 Specific strains of <i>S. epidermidis</i> suppress UV-induced skin tumor formation by production of 6-N-hydroxyaminopurine, a DNA synthesis inhibitor. <i>Journal of Investigative Dermatology</i> , 2017, 137, S106.	0.3	0
388	613 The colon and skin rely on hyaluronan to activate adipogenesis and defend against bacterial translocation. <i>Journal of Investigative Dermatology</i> , 2017, 137, S106.	0.3	0
389	636 Commensal skin bacteria inhibit the capacity of <i>Staphylococcus aureus</i> to induce epidermal serine protease activity in atopic dermatitis. <i>Journal of Investigative Dermatology</i> , 2017, 137, S110.	0.3	0
390	LB1557 Lantibiotics from human skin commensal bacteria defend against multiple Gram-positive bacterial skin pathogens. <i>Journal of Investigative Dermatology</i> , 2018, 138, B15.	0.3	0
391	LB1571 Effects of SB414 cream on <i>S. aureus</i> and tissue cytokines in an atopic dermatitis mouse model. <i>Journal of Investigative Dermatology</i> , 2018, 138, B18.	0.3	0
392	LB1077 Cutaneous responses to systemic iron: A potential role for epidermal turnover in mammalian iron excretion. <i>Journal of Investigative Dermatology</i> , 2019, 139, B9.	0.3	0
393	Fifty Years of Collaboration between the SID and ESDR: Two Societies and One Journal. <i>Journal of Investigative Dermatology</i> , 2020, 140, S171-S174.	0.3	0
394	Pediatric Dermatology. <i>Current Opinion in Pediatrics</i> , 2001, 13, 323.	1.0	0