Michael W Ronellenfitsch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3066960/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Pan-Bcl-2 Inhibitor (â^')-Gossypol Triggers Autophagic Cell Death in Malignant Glioma. Molecular Cancer Research, 2010, 8, 1002-1016.	3.4	169
2	mTOR target NDRG1 confers MGMT-dependent resistance to alkylating chemotherapy. Proceedings of the United States of America, 2014, 111, 409-414.	7.1	152
3	Bevacizumab Plus Irinotecan Versus Temozolomide in Newly Diagnosed O ⁶ -Methylguanine–DNA Methyltransferase Nonmethylated Glioblastoma: The Randomized GLARIUS Trial. Journal of Clinical Oncology, 2016, 34, 1611-1619.	1.6	151
4	Distribution and prognostic relevance of tumor-infiltrating lymphocytes (TILs) and PD-1/PD-L1 immune checkpoints in human brain metastases. Oncotarget, 2015, 6, 40836-40849.	1.8	106
5	Bevacizumab as a last-line treatment for glioblastoma following failure of radiotherapy, temozolomide and lomustine. Oncology Letters, 2017, 14, 1141-1146.	1.8	58
6	Synthesis of cytochrome c oxidase 2: a p53-dependent metabolic regulator that promotes respiratory function and protects glioma and colon cancer cells from hypoxia-induced cell death. Oncogene, 2012, 31, 3764-3776.	5.9	52
7	ERGO2: A Prospective, Randomized Trial of Calorie-Restricted Ketogenic Diet and Fasting in Addition to Reirradiation for Malignant Glioma. International Journal of Radiation Oncology Biology Physics, 2020, 108, 987-995.	0.8	46
8	Dabrafenib in patients with recurrent, BRAF V600E mutated malignant glioma and leptomeningeal disease. Oncology Reports, 2017, 38, 3291-3296.	2.6	46
9	The physiological mTOR complex 1 inhibitor DDIT4 mediates therapy resistance in glioblastoma. British Journal of Cancer, 2019, 120, 481-487.	6.4	45
10	Antagonism of the mammalian target of rapamycin selectively mediates metabolic effects of epidermal growth factor receptor inhibition and protects human malignant glioma cells from hypoxia-induced cell death. Brain, 2009, 132, 1509-1522.	7.6	42
11	Serine-dependent redox homeostasis regulates glioblastoma cell survival. British Journal of Cancer, 2020, 122, 1391-1398.	6.4	41
12	The PI3K/Akt/mTOR pathway as a preventive target in melanoma brain metastasis. Neuro-Oncology, 2022, 24, 213-225.	1.2	36
13	Diagnostic and clinical relevance of the autophago-lysosomal network in human gliomas. Oncotarget, 2016, 7, 20016-20032.	1.8	32
14	Mammalian target of rapamycin complex 1 activation sensitizes human glioma cells to hypoxia-induced cell death. Brain, 2017, 140, 2623-2638.	7.6	30
15	Treatment of refractory and superrefractory status epilepticus with topiramate: A cohort study of 106 patients and a review of the literature. Epilepsia, 2019, 60, 2448-2458.	5.1	30
16	Sustained focal antitumor activity of bevacizumab in recurrent glioblastoma. Neurology, 2014, 83, 227-234.	1.1	28
17	Perioperative cerebral ischemia promote infiltrative recurrence in glioblastoma. Oncotarget, 2015, 6, 14537-14544.	1.8	27
18	Personalized translational epilepsy research — Novel approaches and future perspectives. Epilepsy and Behavior, 2017, 76, 13-18.	1.7	26

#	Article	IF	CITATIONS
19	Doxycycline Impairs Mitochondrial Function and Protects Human Glioma Cells from Hypoxia-Induced Cell Death: Implications of Using Tet-Inducible Systems. International Journal of Molecular Sciences, 2018, 19, 1504.	4.1	25
20	Epidermal growth factor receptor and mammalian target of rapamycin as therapeutic targets in malignant glioma: current clinical status and perspectives. Targeted Oncology, 2010, 5, 183-191.	3.6	23
21	Regorafenib CSF Penetration, Efficacy, and MRI Patterns in Recurrent Malignant Glioma Patients. Journal of Clinical Medicine, 2019, 8, 2031.	2.4	23
22	Targetable ERBB2 mutations identified in neurofibroma/schwannoma hybrid nerve sheath tumors. Journal of Clinical Investigation, 2020, 130, 2488-2495.	8.2	23
23	Akt and mTORC1 signaling as predictive biomarkers for the EGFR antibody nimotuzumab in glioblastoma. Acta Neuropathologica Communications, 2018, 6, 81.	5.2	22
24	Lack of H3K27 trimethylation is associated with 1p/19q codeletion in diffuse gliomas. Acta Neuropathologica, 2019, 138, 331-334.	7.7	22
25	Bevacizumab-Induced Diffusion Restriction in Patients With Glioma: Tumor Progression or Surrogate Marker of Hypoxia?. Journal of Clinical Oncology, 2010, 28, e477-e477.	1.6	21
26	Rescue of 2-Deoxyglucose Side Effects by Ketogenic Diet. International Journal of Molecular Sciences, 2018, 19, 2462.	4.1	21
27	Second Generation mTOR Inhibitors as a Double-Edged Sword in Malignant Glioma Treatment. International Journal of Molecular Sciences, 2019, 20, 4474.	4.1	19
28	Myoinositol as a Biomarker in Recurrent Glioblastoma Treated with Bevacizumab: A 1H-Magnetic Resonance Spectroscopy Study. PLoS ONE, 2016, 11, e0168113.	2.5	19
29	Disruption of peroxisome proliferator–activated receptor γ coactivator (PGC)-1α reverts key features of the neoplastic phenotype of glioma cells. Journal of Biological Chemistry, 2019, 294, 3037-3050.	3.4	18
30	Short-term fasting in glioma patients: analysis of diet diaries and metabolic parameters of the ERGO2 trial. European Journal of Nutrition, 2022, 61, 477-487.	3.9	16
31	Immunohistochemical Assessment of Phosphorylated mTORC1-Pathway Proteins in Human Brain Tumors. PLoS ONE, 2015, 10, e0127123.	2.5	15
32	Personalized translational epilepsy research — Novel approaches and future perspectives. Epilepsy and Behavior, 2017, 76, 7-12.	1.7	14
33	Hypoxia Enhances the Antiglioma Cytotoxicity of B10, a Glycosylated Derivative of Betulinic Acid. PLoS ONE, 2014, 9, e94921.	2.5	13
34	Increased occurrence of status epilepticus in patients with brain metastases and checkpoint inhibition. Oncolmmunology, 2020, 9, 1851517.	4.6	12
35	Effects of soluble CPE on glioma cell migration are associated with mTOR activation and enhanced glucose flux. Oncotarget, 2017, 8, 67567-67591.	1.8	11
36	Quality of life in the GLARIUS trial randomizing bevacizumab/irinotecan versus temozolomide in newly diagnosed, MGMT-nonmethylated glioblastoma. Neuro-Oncology, 2018, 20, 975-985.	1.2	11

#	Article	IF	CITATIONS
37	<i>CASP9</i> germline mutation in a family with multiple brain tumors. Brain Pathology, 2018, 28, 94-102.	4.1	11
38	Activating transcription factor 4 mediates adaptation of human glioblastoma cells to hypoxia and temozolomide. Scientific Reports, 2021, 11, 14161.	3.3	11
39	AMPK activation protects astrocytes from hypoxia‑induced cell death. International Journal of Molecular Medicine, 2020, 45, 1385-1396.	4.0	9
40	Immune Checkpoint Inhibitor-Induced Cerebral Pseudoprogression: Patterns and Categorization. Frontiers in Immunology, 2021, 12, 798811.	4.8	9
41	Activation of AMP-activated kinase modulates sensitivity of glioma cells against epidermal growth factor receptor inhibition. International Journal of Oncology, 2016, 49, 173-180.	3.3	8
42	Influence of VEGF-A, VEGFR-1-3, and neuropilin 1-2 on progression-free: and overall survival in WHO grade II and III meningioma patients. Journal of Molecular Histology, 2021, 52, 233-243.	2.2	8
43	Single-shot bevacizumab for cerebral radiation injury. BMC Neurology, 2021, 21, 77.	1.8	8
44	Clinical Outcome and Risk Factors of Red Blood Cell Transfusion in Patients Undergoing Elective Primary Meningioma Resection. Cancers, 2021, 13, 3601.	3.7	8
45	EGFR and mTOR as therapeutic targets in glioblastoma. Oncotarget, 2019, 10, 4721-4723.	1.8	7
46	Activation of Epidermal Growth Factor Receptor Sensitizes Glioblastoma Cells to Hypoxia-Induced Cell Death. Cancers, 2020, 12, 2144.	3.7	6
47	Meningioma Surgery in Patients ≥70 Years of Age: Clinical Outcome and Validation of the SKALE Score. Journal of Clinical Medicine, 2021, 10, 1820.	2.4	5
48	Linking epigenetic signature and metabolic phenotype in <i>IDH</i> mutant and <i>IDH</i> wildtype diffuse glioma. Neuropathology and Applied Neurobiology, 2021, 47, 379-393.	3.2	4
49	Adrenal Insufficiency in Patients with Corticosteroid-Refractory Cerebral Radiation Necrosis Treated with Bevacizumab. Journal of Clinical Medicine, 2019, 8, 1608.	2.4	2
50	A 25-year retrospective, single center analysis of 343 WHO grade II/III glioma patients: implications for grading and temozolomide therapy. Journal of Cancer Research and Clinical Oncology, 2021, 147, 2373-2383.	2.5	2
51	Sex-Dependent Analysis of Temozolomide-Induced Myelosuppression and Effects on Survival in a Large Real-life Cohort of Patients With Glioma. Neurology, 2022, 98, .	1.1	2
52	Pulmonary Resection after Radiosurgery and Neoadjuvant Immunochemotherapy for NSCLC Patients with Synchronous Brain Metastasis—A Case Series of Three Patients. Current Oncology, 2022, 29, 2225-2239.	2.2	2
53	Cetuximab-Mediated Protection from Hypoxia- Induced Cell Death: Implications for Therapy Sequence in Colorectal Cancer. Cancers, 2020, 12, 3050.	3.7	1
54	Immune profile and radiological characteristics of progressive multifocal leukoencephalopathy. European Journal of Neurology, 2022, 29, 543-554.	3.3	1

#	Article	IF	CITATIONS
55	ANGI-02PERIOPERATIVE CEREBRAL ISCHEMIA PROMOTE INFILTRATIVE RECURRENCE IN GLIOBLASTOMA. Neuro-Oncology, 2015, 17, v41.2-v41.	1.2	0
56	Multicenter cohort study on the use of topiramate in the treatment of refractory and super-refractory status epilepticus. Epilepsy and Behavior, 2019, 101, 106800.	1.7	0
57	Tumor necrosis factor receptor superfamily member 9 is upregulated in the endothelium and tumor cells in melanoma brain metastasis. Neuroimmunology and Neuroinflammation, 2014, 1, 135.	1.4	0