

Luc Jordaens

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3069381/luc-jordaens-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

241
papers

7,738
citations

43
h-index

81
g-index

262
ext. papers

9,013
ext. citations

4.3
avg, IF

5.43
L-index

#	Paper	IF	Citations
241	Quality of life and symptoms in patients selected for ablation of ventricular extrasystoles: a prospective study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 1	2.4	1
240	Implantable Cardioverter Defibrillator Lead Survival in Athletic Patients. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , 14, e009344	6.4	0
239	On the Dutch Registry of catheter ablation of atrial fibrillation. <i>Europace</i> , 2021 , 23, 1331	3.9	1
238	Feasibility of His-bundle pacing in patients with conduction disorders following transcatheter aortic valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 813-821	2.7	13
237	Myocardial disease and ventricular arrhythmia in Marfan syndrome: a prospective study. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 300	4.2	6
236	Case report: Synergetic effect of ischaemia and increased vagal tone inducing ventricular fibrillation in a patient with Brugada syndrome. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-5	0.9	0
235	In-hospital and 12-month follow-up outcome from the ESC-EORP EHRA Atrial Fibrillation Ablation Long-Term registry: sex differences. <i>Europace</i> , 2020 , 22, 66-73	3.9	17
234	Funny waves in repolarisation and tachycardia in a patient suspected for Brugada syndrome. <i>Netherlands Heart Journal</i> , 2019 , 27, 451-452	2.2	
233	Funny waves in repolarisation and tachycardia in a patient suspected for Brugada syndrome. <i>Netherlands Heart Journal</i> , 2019 , 27, 454-455	2.2	
232	Intensive recreational athletes in the prospective multinational ICD Sports Safety Registry: Results from the European cohort. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 764-775	3.9	20
231	Sleep apnea and the impact on cardiovascular risk in patients with Marfan syndrome. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e805	2.3	3
230	Atrial fibrillation history impact on catheter ablation outcome. Findings from the ESC-EHRA Atrial Fibrillation Ablation Long-Term Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 313-320	1.6	7
229	Impact of body mass index on the outcome of catheter ablation of atrial fibrillation. <i>Heart</i> , 2019 , 105, 244-250	5.1	34
228	Gender differences in electro-mechanical characteristics of left bundle branch block: Potential implications for selection and response of cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2018 , 257, 84-91	3.2	11
227	A clinical approach to arrhythmias revisited in 2018 : From ECG over noninvasive and invasive electrophysiology to advanced imaging. <i>Netherlands Heart Journal</i> , 2018 , 26, 182-189	2.2	5
226	Catheter Ablation for Atrial Fibrillation with Heart Failure. <i>New England Journal of Medicine</i> , 2018 , 378, 417-427	59.2	950
225	Arrhythmias and Conduction Disturbances in Noncompaction Cardiomyopathy 2018 , 870-877		

224	198In Hospital and 12-month Follow-up Outcome from the ESC-EHRA Atrial Fibrillation Ablation Long-Term Registry: Gender Differences. <i>Europace</i> , 2018 , 20, i19-i19	3.9	1
223	Comparison of Multivariate Risk Estimation Models to Predict Prognosis in Patients With Implantable Cardioverter Defibrillators With or Without Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2017 , 119, 1414-1420	3	6
222	Biventricular Paced QRS Area Predicts Acute Hemodynamic CRT Response Better Than QRS Duration or QRS Amplitudes. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 192-200	2.7	15
221	P352Atrial fibrillation recurrence after pulmonary vein isolation; in search for novel markers. <i>Europace</i> , 2017 , 19, iii62-iii62	3.9	
220	Safety of Sports for Athletes With Implantable Cardioverter-Defibrillators: Long-Term Results of a Prospective Multinational Registry. <i>Circulation</i> , 2017 , 135, 2310-2312	16.7	76
219	Evaluating current implantable cardioverter defibrillator implantation procedures: can common complications be minimised?. <i>Expert Review of Cardiovascular Therapy</i> , 2016 , 14, 579-89	2.5	
218	Different Methods to Measure QRS Duration in CRT Patients: Impact on the Predictive Value of QRS Duration Parameters. <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 305-15	1.5	14
217	Longevity of the Subcutaneous Implantable Defibrillator: Long-Term Follow-Up of the European Regulatory Trial Cohort. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1159-63	6.4	24
216	Ventricular tachycardia induced by atrial fi brillation. <i>Acta Cardiologica</i> , 2015 , 70, 603-603	0.9	
215	Defective recovery of QT dispersion following transcatheter aortic valve implantation: frequency, predictors and prognosis. <i>Journal of Geriatric Cardiology</i> , 2015 , 12, 482-8	1.7	7
214	The atrial fibrillation ablation pilot study: a European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. <i>European Heart Journal</i> , 2014 , 35, 1466-78	9.5	141
213	ICDs at higher age and clinical risk factors. <i>Netherlands Heart Journal</i> , 2014 , 22, 279-85	2.2	10
212	Ventricular tachyarrhythmias and mortality in patients with an implantable cardioverter defibrillator: impact of depression in the MIDAS cohort. <i>Psychosomatic Medicine</i> , 2014 , 76, 58-65	3.7	26
211	Catheter ablation of right ventricular outflow tract tachycardia using contact force guidance. <i>Netherlands Heart Journal</i> , 2014 , 22, 460-2	2.2	3
210	Relation of statin therapy to psychological functioning in patients with an implantable cardioverter defibrillator. <i>American Journal of Cardiology</i> , 2013 , 111, 1169-74	3	7
209	Pre-implantation psychological functioning preserved in majority of implantable cardioverter defibrillator patients 12 months post implantation. <i>International Journal of Cardiology</i> , 2013 , 166, 215-20 ³⁻²		53
208	Survivors of ventricular fibrillation have persistent cardiovascular risk factors late in follow-up. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 161-7	3.9	1
207	Long-term performance of the St Jude Riata 1580-1582 ICD lead family. <i>Netherlands Heart Journal</i> , 2013 , 21, 127-34	2.2	15

206	Pacemaker dependency after transcatheter aortic valve implantation with the self-expanding Medtronic CoreValve System. <i>International Journal of Cardiology</i> , 2013 , 168, 1269-73	3.2	90
205	Patients' perspective on deactivation of the implantable cardioverter-defibrillator near the end of life. <i>American Journal of Cardiology</i> , 2013 , 111, 1443-7	3	37
204	Procedure- and device-related complications and psychological morbidity in implantable cardioverter defibrillator patients. <i>International Journal of Cardiology</i> , 2013 , 168, 606-7	3.2	21
203	Ventricular fibrillation and life-threatening ventricular tachycardia in the setting of outflow tract arrhythmias—the place of ICD therapy. <i>International Journal of Cardiology</i> , 2013 , 165, 385-7	3.2	3
202	Outcomes of repeat catheter ablation using magnetic navigation or conventional ablation. <i>Europace</i> , 2013 , 15, 1426-31	3.9	25
201	Poor health status and distress in cardiac patients: the role of device therapy vs. underlying heart disease. <i>Europace</i> , 2013 , 15, 355-61	3.9	18
200	Comorbidity burden is associated with poor psychological well-being and physical health status in patients with an implantable cardioverter-defibrillator. <i>Europace</i> , 2013 , 15, 1468-74	3.9	26
199	Unique cardiac Purkinje fiber transient outward current I_{to} subunit composition: a potential molecular link to idiopathic ventricular fibrillation. <i>Circulation Research</i> , 2013 , 112, 1310-22	15.7	61
198	Anxiety and risk of ventricular arrhythmias or mortality in patients with an implantable cardioverter defibrillator. <i>Psychosomatic Medicine</i> , 2013 , 75, 36-41	3.7	35
197	The cost-effectiveness of primary prophylactic implantable defibrillator therapy in patients with ischaemic or non-ischaemic heart disease: a European analysis. <i>European Heart Journal</i> , 2013 , 34, 211-9	9.5	50
196	Changes in renal function over time in patients with cardiac resynchronisation therapy. <i>Swiss Medical Weekly</i> , 2013 , 143, w13863	3.1	1
195	The prevalence of early repolarization in patients with noncompaction cardiomyopathy presenting with malignant ventricular arrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 938-44	2.7	29
194	Catheter ablation of ventricular tachycardias using remote magnetic navigation: a consecutive case-control study. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 948-54	2.7	40
193	Undertreatment of anxiety and depression in patients with an implantable cardioverter-defibrillator: impact on health status. <i>Health Psychology</i> , 2012 , 31, 745-53	5	28
192	Subcutaneous chronic implantable defibrillation systems in humans. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 34, 325-32	2.4	17
191	Clinical characteristics and acute results of catheter ablation for outflow tract ventricular tachycardia or premature beats. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 35, 301-9; discussion 309	2.4	12
190	Persistent annual permanent pacemaker implantation rate after surgical aortic valve replacement in patients with severe aortic stenosis. <i>Annals of Thoracic Surgery</i> , 2012 , 94, 1143-9	2.7	41
189	Performance of the Seattle Heart Failure Model in implantable defibrillator patients treated with cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , 2012 , 110, 398-402	3	16

188	Acute and long-term outcomes of catheter ablation using remote magnetic navigation in patients with congenital heart disease. <i>American Journal of Cardiology</i> , 2012 , 110, 409-14	3	43
187	Safety and efficacy of the remote magnetic navigation for ablation of ventricular tachycardias--a systematic review. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012 , 34, 65-71	2.4	20
186	Use of remote monitoring in the management of system-related complications in implantable defibrillator patients. <i>Netherlands Heart Journal</i> , 2012 , 20, 82-5	2.2	6
185	Prognostic role of high-sensitivity C-reactive protein and B-type natriuretic peptide in implantable cardioverter-defibrillator patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 275-82	1.6	9
184	Shock and patient preimplantation type D personality are associated with poor health status in patients with implantable cardioverter-defibrillator. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 373-80	5.8	19
183	New conduction abnormalities after TAVI--frequency and causes. <i>Nature Reviews Cardiology</i> , 2012 , 9, 454-63	14.8	116
182	Beta-blocker therapy is not associated with symptoms of depression and anxiety in patients receiving an implantable cardioverter-defibrillator. <i>Europace</i> , 2012 , 14, 74-80	3.9	7
181	Long-term outcome of ablative therapy of post-operative atrial tachyarrhythmias in patients with tetralogy of Fallot: a European multi-centre study. <i>Europace</i> , 2012 , 14, 522-7	3.9	31
180	Risk of chronic anxiety in implantable defibrillator patients: a multi-center study. <i>International Journal of Cardiology</i> , 2011 , 147, 420-3	3.2	49
179	Posttraumatic stress in implantable cardioverter defibrillator patients: the role of pre-implantation distress and shocks. <i>International Journal of Cardiology</i> , 2011 , 146, 438-9	3.2	39
178	AVNRT Cryoablation and Comparison with RF Ablation 2011 , 128-142		
177	Flutter ablation with remote magnetic navigation: comparison between the 8-mm tip, the irrigated tip and a manual approach. <i>Acta Cardiologica</i> , 2011 , 66, 287-92	0.9	4
176	Paradoxical effects of interatrial conduction delay in a hypertrophic cardiomyopathy patient in the long-term: time is a great healer. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 587-9	2.7	2
175	Indications and outcome of implantable cardioverter-defibrillators for primary and secondary prophylaxis in patients with noncompaction cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 898-904	2.7	50
174	Hemoptysis after pulmonary vein isolation with a cryoballoon: an analysis of the potential etiology. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1067-9	2.7	22
173	Relation of symptomatic heart failure and psychological status to persistent depression in patients with implantable cardioverter-defibrillator. <i>American Journal of Cardiology</i> , 2011 , 108, 69-74	3	21
172	Effect of cardiac resynchronization therapy-defibrillator implantation on health status in patients with mild versus moderate symptoms of heart failure. <i>American Journal of Cardiology</i> , 2011 , 108, 1155-9 ³		4
171	Long-term follow-up of prophylactic implantable cardioverter-defibrillator-only therapy: comparison of ischemic and nonischemic heart disease. <i>Clinical Cardiology</i> , 2011 , 34, 761-7	3.3	16

170	Health care utilisation after defibrillator implantation for primary prevention according to the guidelines in 2 Dutch academic medical centres. <i>Netherlands Heart Journal</i> , 2011 , 19, 405-11	2.2	5
169	Long-term follow-up after catheter ablation for atrioventricular nodal reentrant tachycardia: a comparison of cryothermal and radiofrequency energy in a large series of patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2011 , 30, 55-61	2.4	28
168	Clinical experience with a novel subcutaneous implantable defibrillator system in a single center. <i>Clinical Research in Cardiology</i> , 2011 , 100, 737-44	6.1	77
167	The magnetic navigation system allows safety and high efficacy for ablation of arrhythmias. <i>Europace</i> , 2011 , 13, 1015-21	3.9	79
166	Gender disparities in anxiety and quality of life in patients with an implantable cardioverter-defibrillator. <i>Europace</i> , 2011 , 13, 1723-30	3.9	21
165	Arrhythmogenic right ventricular dysplasia/cardiomyopathy: pathogenic desmosome mutations in index-patients predict outcome of family screening: Dutch arrhythmogenic right ventricular dysplasia/cardiomyopathy genotype-phenotype follow-up study. <i>Circulation</i> , 2011 , 123, 2690-700	16.7	164
164	The prognosis of implantable defibrillator patients treated with cardiac resynchronization therapy: comorbidity burden as predictor of mortality. <i>Europace</i> , 2011 , 13, 62-9	3.9	59
163	Impact of left ventricular ejection fraction on occurrence of ventricular events in defibrillator patients with coronary artery disease. <i>Europace</i> , 2011 , 13, 1562-7	3.9	4
162	The European cardiac resynchronization therapy survey: patient selection and implantation practice vary according to centre volume. <i>Europace</i> , 2011 , 13, 1445-53	3.9	23
161	Insulation damage in a shock wire: an unexpected fluoroscopic image. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 770-2	1.6	21
160	A randomized comparison of transeptal and transaortic approaches for magnetically guided ablation of left-sided accessory pathways. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 1298-303	1.6	6
159	Bradycardiomyopathy: the case for a causative relationship between severe sinus bradycardia and heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 822-4	2.7	11
158	Course of anxiety and device-related concerns in implantable cardioverter defibrillator patients the first year post implantation. <i>Europace</i> , 2010 , 12, 1119-26	3.9	50
157	A prospective comparison of cardiac imaging using intracardiac echocardiography with transesophageal echocardiography in patients with atrial fibrillation: the intracardiac echocardiography guided cardioversion helps interventional procedures study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 571-7	6.4	66
156	Arrhythmogenic right ventricular dysplasia/cardiomyopathy diagnostic task force criteria: impact of new task force criteria. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 126-33	6.4	52
155	Who are the long-QT syndrome patients who receive an implantable cardioverter-defibrillator and what happens to them?: data from the European Long-QT Syndrome Implantable Cardioverter-Defibrillator (LQTS ICD) Registry. <i>Circulation</i> , 2010 , 122, 1272-82	16.7	209
154	Close connection between improvement in left ventricular function by cardiac resynchronization therapy and the incidence of arrhythmias in cardiac resynchronization therapy-defibrillator patients. <i>European Journal of Heart Failure</i> , 2010 , 12, 1325-32	12.3	28
153	An entirely subcutaneous implantable cardioverter-defibrillator. <i>New England Journal of Medicine</i> , 2010 , 363, 36-44	59.2	518

152	Effectiveness of prophylactic implantation of cardioverter-defibrillators without cardiac resynchronization therapy in patients with ischaemic or non-ischaemic heart disease: a systematic review and meta-analysis. <i>Europace</i> , 2010 , 12, 1564-70	3.9	102
151	Cryoablation: how to improve results in atrioventricular nodal reentrant tachycardia ablation?. <i>Europace</i> , 2010 , 12, 1522-5	3.9	14
150	Double intra-atrial connections in a patient late after orthotopic heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2010 , 29, 700-3	5.8	3
149	Effect of implantable cardioverter-defibrillator on left ventricular ejection fraction in patients with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2010 , 106, 1640-5	3	15
148	Pre-implantation implantable cardioverter defibrillator concerns and Type D personality increase the risk of mortality in patients with an implantable cardioverter defibrillator. <i>Europace</i> , 2010 , 12, 1446-52	3.9	67
147	An in vivo comparison of radiofrequency cardiac lesions formed by standard and magnetically steered 4 mm tip catheters. <i>Netherlands Heart Journal</i> , 2010 , 18, 66-71	2.2	13
146	Migraine accompagn� after transseptal puncture. <i>Netherlands Heart Journal</i> , 2010 , 18, 374-5	2.2	3
145	Dissimilar atrial rhythms after heart transplantation. <i>Netherlands Heart Journal</i> , 2010 , 18, 382	2.2	
144	Effect of magnetic navigation system on procedure times and radiation risk in children undergoing catheter ablation. <i>American Journal of Cardiology</i> , 2010 , 106, 69-72	3	16
143	Baffle puncture guided by transoesophageal echocardiography in a patient with dextrocardia and Mustard correction. <i>European Journal of Echocardiography</i> , 2009 , 10, 144-7		6
142	Cardiovascular flashlight. Ablation of ventricular tachycardia in the anterior interventricular vein. <i>European Heart Journal</i> , 2009 , 30, 1289	9.5	
141	Electro-anatomical mapping of the left atrium before and after cryothermal balloon isolation of the pulmonary veins. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 25, 59-65	2.4	20
140	Rationale and design of WEBCARE: a randomized, controlled, web-based behavioral intervention trial in cardioverter-defibrillator patients to reduce anxiety and device concerns and enhance quality of life. <i>Trials</i> , 2009 , 10, 120	2.8	23
139	Increased anxiety in partners of patients with a cardioverter-defibrillator: the role of indication for ICD therapy, shocks, and personality. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 184-92	1.6	40
138	Analysis of 57,148 transmissions by remote monitoring of implantable cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32 Suppl 1, S63-5	1.6	25
137	Initial experience with catheter ablation using remote magnetic navigation in adults with complex congenital heart disease and in small children. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32 Suppl 1, S198-201	1.6	35
136	Analysis of implantable defibrillator longevity under clinical circumstances: implications for device selection. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1276-85	1.6	20
135	Transcranial measurement of cerebral microembolic signals during endocardial pulmonary vein isolation: comparison of three different ablation techniques. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 1102-7	2.7	64

134	Primary prevention: a necessity after myocardial infarction with left ventricular dysfunction. <i>Europace</i> , 2009 , 11, 407-8	3.9	
133	Reflections on reconnection after pulmonary vein isolation. <i>Europace</i> , 2009 , 11, 400-1	3.9	3
132	Prevention of inappropriate therapy in implantable defibrillators: A meta-analysis of clinical trials comparing single-chamber and dual-chamber arrhythmia discrimination algorithms. <i>International Journal of Cardiology</i> , 2008 , 125, 352-7	3.2	65
131	New-onset atrial fibrillation is an independent predictor of in-hospital mortality in hospitalized heart failure patients: results of the EuroHeart Failure Survey. <i>European Heart Journal</i> , 2008 , 29, 1618-24	2.5	104
130	The Happy Ending Problem of cardiac pacing? Cardiac resynchronization therapy for patients with atrial fibrillation and heart failure after atrioventricular junction ablation. <i>Europace</i> , 2008 , 10, 779-81	3.9	3
129	Magnetically guided left ventricular lead implantation based on a virtual three-dimensional reconstructed image of the coronary sinus. <i>Europace</i> , 2008 , 10, 1042-7	3.9	11
128	One year follow-up after cryoballoon isolation of the pulmonary veins in patients with paroxysmal atrial fibrillation. <i>Europace</i> , 2008 , 10, 1271-6	3.9	114
127	Clustering of device-related concerns and type D personality predicts increased distress in ICD patients independent of shocks. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 20-7	1.6	40
126	Acute success and short-term follow-up of catheter ablation of isthmus-dependent atrial flutter; a comparison of 8 mm tip radiofrequency and cryotherapy catheters. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008 , 21, 241-8	2.4	18
125	Recurrence of cardiac arrest after 14 years without ICD interventions: a VF cluster immediately after delivery. <i>Netherlands Heart Journal</i> , 2008 , 16, 242-5	2.2	4
124	Focal AF-ablation after pulmonary vein isolation in a patient with hypertrophic cardiomyopathy using cryothermal energy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 1358-61	1.6	4
123	A left-sided accessory pathway revisited with remote retrograde magnetic navigation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 573-6	1.6	3
122	Bidirectional superior vena cava: right atrial conduction delay during tachycardia. <i>Europace</i> , 2007 , 9, 302-4	3.9	49
121	Does cardiac resynchronization therapy reduce sudden cardiac deaths?: reply. <i>European Heart Journal</i> , 2007 , 28, 1268-1269	9.5	
120	Type-D personality but not implantable cardioverter-defibrillator indication is associated with impaired health-related quality of life 3 months post-implantation. <i>Europace</i> , 2007 , 9, 675-80	3.9	60
119	Alternative pacing sites at the atrial level. <i>Country Review Ukraine</i> , 2007 , 9, I33-I36		1
118	Pulmonary vein isolation using an occluding cryoballoon for circumferential ablation: feasibility, complications, and short-term outcome. <i>European Heart Journal</i> , 2007 , 28, 2231-7	9.5	255
117	Cardiac Electrophysiology 2007 , 153-162		

116	Coronary risk factors and inflammation in patients with coronary artery disease and internal cardioverter defibrillator implants. <i>International Journal of Cardiology</i> , 2006 , 112, 72-9	3.2	2
115	The role of remote monitoring in the reduction of inappropriate implantable cardioverter defibrillator therapies. <i>Clinical Research in Cardiology</i> , 2006 , 95 Suppl 3, III17-21	6.1	25
114	Tachycardiomyopathy with familial predisposition masquerading as peripartum cardiomyopathy. <i>Netherlands Heart Journal</i> , 2006 , 14, 246-250	2.2	
113	The presence of contractile reserve has no predictive value for the evolution of left ventricular function following atrio-ventricular node ablation in patients with permanent atrial fibrillation. <i>European Journal of Echocardiography</i> , 2005 , 6, 344-50		7
112	Efficacy of an implantable cardioverter-defibrillator in a neonate with LQT3 associated arrhythmias. <i>Europace</i> , 2005 , 7, 77-84	3.9	27
111	Electrical storm in the ICD era. <i>Europace</i> , 2005 , 7, 181-3	3.9	10
110	Anticoagulation in atrial fibrillation and flutter. <i>Europace</i> , 2005 , 7, 492-9	3.9	17
109	Concerns about the implantable cardioverter defibrillator: a determinant of anxiety and depressive symptoms independent of experienced shocks. <i>American Heart Journal</i> , 2005 , 149, 664-9	4.9	115
108	Atrial flutter: Watch and control?. <i>Europace</i> , 2005 , 7, 413-4	3.9	1
107	Defibrillation efficacy testing: long-term follow-up and mortality. <i>Europace</i> , 2005 , 7, 509-15	3.9	16
106	CRAVT: a prospective, randomized study comparing transvenous cryothermal and radiofrequency ablation in atrioventricular nodal re-entrant tachycardia. <i>European Heart Journal</i> , 2004 , 25, 2232-7	9.5	77
105	Treatment of atrial fibrillation by catheter-based procedures. <i>Europace</i> , 2004 , 5 Suppl 1, S30-5	3.9	4
104	Ablation lesions in Koch's triangle assessed by three-dimensional myocardial contrast echocardiography. <i>Cardiovascular Ultrasound</i> , 2004 , 2, 27	2.4	5
103	Clinical experience with a new detection algorithm for differentiation of supraventricular from ventricular tachycardia in a dual-chamber defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2004 , 15, 646-52	2.7	49
102	Type D personality is associated with increased anxiety and depressive symptoms in patients with an implantable cardioverter defibrillator and their partners. <i>Psychosomatic Medicine</i> , 2004 , 66, 714-9	3.7	138
101	Visualization of a coronary sinus valve using intracardiac echocardiography. <i>European Journal of Echocardiography</i> , 2004 , 5, 93-6		5
100	A09-5 Transvenous cryoenergy and radiofrequency ablation in the triangle of koch. Preliminary data of cravt, a prospective, randomised study. <i>Europace</i> , 2003 , 4, B14-B14	3.9	
99	Long-term prognostic significance of complex ventricular arrhythmias induced during dobutamine stress echocardiography. <i>American Journal of Cardiology</i> , 2003 , 91, 242-4	3	8

98	Effects of septal pacing on P wave characteristics: the value of three-dimensional echocardiography. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 253-6	1.6	5
97	Comparison of monophasic and biphasic shocks for transthoracic cardioversion of atrial fibrillation. <i>British Heart Journal</i> , 2003 , 89, 1032-4		31
96	A09-5 Transvenous cryoenergy and radiofrequency ablation in the triangle of Koch. Preliminary data of cravt, a prospective, randomised study. <i>Europace</i> , 2003 , 4, B14	3.9	
95	An equine model of chronic atrial fibrillation: methodology. <i>Veterinary Journal</i> , 2002 , 164, 142-50	2.5	30
94	Diagnostic performance of a dual-chamber cardioverter defibrillator programmed with nominal settings: a European prospective study. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 25-32	2.7	25
93	Cardiac effects of chronic oral beta-blockade: lack of agreement between heart rate and QT interval changes. <i>Annals of Noninvasive Electrocardiology</i> , 2002 , 7, 379-88	1.5	13
92	Hybrid pharmacological and ablative therapy for the management of symptomatic atrial fibrillation. <i>Netherlands Heart Journal</i> , 2002 , 10, 8-12	2.2	
91	Transthoracic defibrillation of short-lasting ventricular fibrillation: a randomised trial for comparison of the efficacy of low-energy biphasic rectilinear and monophasic damped sine shocks. <i>Acta Cardiologica</i> , 2002 , 57, 329-34	0.9	10
90	Long term results of cardioverter-defibrillator implantation in patients with right ventricular dysplasia and malignant ventricular tachyarrhythmias. <i>British Heart Journal</i> , 2001 , 85, 53-6		68
89	Effects of intravenous dofetilide on induction of atrioventricular re-entrant tachycardia. <i>British Heart Journal</i> , 2001 , 86, 522-6		3
88	Determinants of sudden death after discharge from hospital for myocardial infarction in the thrombolytic era. <i>European Heart Journal</i> , 2001 , 22, 1214-25	9.5	14
87	How to approach left-sided accessory pathway ablation using intracardiac echocardiography. <i>Europace</i> , 2001 , 3, 28	3.9	4
86	Initial clinical experience with a new arrhythmia detection algorithm in dual chamber implantable cardioverter defibrillators. <i>Europace</i> , 2001 , 3, 181-6	3.9	13
85	Dual-Chamber Pacemaker Implantation via the Cephalic Vein in Healthy Equids. <i>Journal of Veterinary Internal Medicine</i> , 2001 , 15, 564-571	3.1	17
84	Dual-chamber pacemaker implantation via the cephalic vein in healthy equids. <i>Journal of Veterinary Internal Medicine</i> , 2001 , 15, 564-71	3.1	19
83	Infarct size and recurrence of ventricular arrhythmias after defibrillator implantation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 807-15	8.8	10
82	How to make sure complications are avoided after an otherwise safe procedure. <i>Europace</i> , 2000 , 2, 191-3.9		
81	Spontaneous episodes of atrial fibrillation after implantation of the Metrix Atrioverter: observations on treated and nontreated episodes. Metrix Investigators. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1428-33	15.1	55

80	Lipid lowering drugs and recurrences of life-threatening ventricular arrhythmias in high-risk patients. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 766-72	15.1	103
79	Pacing induced sustained atrial fibrillation in a pony. <i>Canadian Journal of Veterinary Research</i> , 2000 , 64, 254-8		14
78	Report of a study group on ablate and pace therapy for paroxysmal atrial fibrillation. Barcelona Discussion Group. Working Group on Arrhythmias of the European Society of Cardiology. <i>Europace</i> , 1999 , 1, 8-13	3.9	16
77	QT dispersion is not related to infarct size or inducibility in patients with coronary artery disease and life threatening ventricular arrhythmias. <i>Heart</i> , 1999 , 81, 533-8	5.1	11
76	Quality of life in patients with complete heart block and paroxysmal atrial tachyarrhythmias: a comparison of permanent DDIR versus DDDR pacing with mode switch to DDIR. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999 , 22, 462-8	1.6	9
75	Heart rate dynamics before spontaneous onset of ventricular fibrillation in patients with healed myocardial infarcts. <i>American Journal of Cardiology</i> , 1999 , 83, 880-4	3	140
74	Factors influencing long term persistence of sinus rhythm after a first electrical cardioversion for atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 284-7	1.6	55
73	Variations of autonomic tone preceding onset of atrial fibrillation after coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 1998 , 82, 22-5	3	142
72	Influence of anaesthesia on defibrillation threshold. <i>Anaesthesia</i> , 1998 , 53, 1156-9	6.6	15
71	ECG changes and plasma concentrations of propafenone and its metabolites in a case of severe poisoning. <i>Journal of Toxicology: Clinical Toxicology</i> , 1998 , 36, 247-51		7
70	Intracardiac overdrive pacing as a treatment of atrial flutter in a horse. <i>Veterinary Record</i> , 1998 , 142, 301-3	0.9	15
69	Atrioverter: an implantable device for the treatment of atrial fibrillation. <i>Circulation</i> , 1998 , 98, 1651-6	16.7	222
68	Atrial fibrillation: current knowledge and recommendations for management. Working Group on Arrhythmias of the European Society of Cardiology. <i>European Heart Journal</i> , 1998 , 19, 1294-320	9.5	194
67	Electrocardiographic and morphometric features in patients with ventricular tachycardia of right ventricular origin. <i>Heart</i> , 1998 , 79, 388-93	5.1	25
66	Analysis of the P wave with signal averaging to assess the risk of atrial fibrillation after coronary artery bypass surgery. <i>Cardiology</i> , 1998 , 89, 19-24	1.6	15
65	Signal-averaged P wave: predictor of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1998 , 9, S30-4	2.7	9
64	Inappropriate shocks in a patient treated with a cardioverter defibrillator. <i>Heart</i> , 1997 , 77, 386-7	5.1	1
63	Changes in the QT interval and its adaptation to rate, assessed with continuous electrocardiographic recordings in patients with ventricular fibrillation, as compared to normal individuals without arrhythmias. <i>European Heart Journal</i> , 1997 , 18, 994-9	9.5	42

62	Recommendations for driving of patients with implantable cardioverter defibrillators. Study Group on QCD and Driving of the Working Groups on Cardiac Pacing and Arrhythmias of the European Society of Cardiology. <i>European Heart Journal</i> , 1997 , 18, 1210-9	9.5	36
61	Low-energy intracardiac shocks during atrial fibrillation: effects on cardiac rhythm. <i>American Heart Journal</i> , 1997 , 133, 101-7	4.9	4
60	Conversion of atrial fibrillation to sinus rhythm and rate control by digoxin in comparison to placebo. <i>European Heart Journal</i> , 1997 , 18, 643-8	9.5	123
59	Ventricular arrhythmias in apparently healthy subjects. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2692-8	1.6	2
58	The actual therapy and in-hospital mortality of acute myocardial infarction in Flanders. Miracle Investigators. <i>Acta Cardiologica</i> , 1997 , 52, 397-410	0.9	
57	Survival analysis and clinical medicine. An observational comparison of the implantable cardioverter defibrillator, amiodarone treatment, and heart transplantation. <i>European Heart Journal</i> , 1996 , 17, 1444-9	7.5	5
56	Atrial flutter with 1:1 conduction after administration of the antimalarial drug mefloquine. <i>Clinical Cardiology</i> , 1996 , 19, 967-8	3.3	15
55	Transoesophageal echocardiographic evaluation of ventricular function during transvenous defibrillator implantation. <i>Acta Anaesthesiologica Scandinavica</i> , 1996 , 40, 913-8	1.9	11
54	Familial dilated cardiomyopathy and spontaneous ventricular arrhythmias. <i>American Journal of Cardiology</i> , 1996 , 78, 102-4	3	3
53	A randomized, single-blind crossover comparison of the effects of chronic DDD and dual sensor VVIR pacing mode on quality-of-life and cardiopulmonary performance in complete heart block. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 1320-6	1.6	17
52	Removal of endocardial defibrillation leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996 , 19, 127-9	1.6	9
51	Earthquake tachycardia in Belgium. <i>Heart</i> , 1996 , 76, 23	5.1	1
50	Sudden death and tachyarrhythmias in athletes. <i>Developments in Cardiovascular Medicine</i> , 1996 , 13-21		1
49	The implantable defibrillator. From concept to clinical reality. <i>Advances in Cardiology</i> , 1996 , 38, 1-168		
48	Awareness during anaesthesia for implantable cardioverter defibrillator implantation. Recall of defibrillation shocks. <i>Anaesthesia</i> , 1995 , 50, 733-5	6.6	9
47	Superior vena cava syndrome after implantation of a transvenous cardioverter defibrillator. <i>European Heart Journal</i> , 1995 , 16, 716-8	9.5	7
46	A new transvenous internal cardioverter-defibrillator: implantation technique, complications, and short-term follow-up. <i>American Heart Journal</i> , 1995 , 129, 251-8	4.9	15
45	Effects of perioperative hemodynamic variations on mitral regurgitation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1995 , 9, 113-4	2.1	1

44	Electrophysiologic profile and efficacy of intravenous dofetilide (UK-68,798), a new class III antiarrhythmic drug, in patients with sustained monomorphic ventricular tachycardia. Dofetilide Arrhythmia Study Group. <i>American Journal of Cardiology</i> , 1995 , 76, 1040-4	3	49
43	Cardiac Arrhythmias and the Interaction with Pacemakers. <i>Developments in Cardiovascular Medicine</i> , 1995 , 167-183		
42	Emboic stroke after unanticoagulated cardioversion despite prior exclusion of atrial thrombi by transoesophageal echocardiography. <i>European Heart Journal</i> , 1994 , 15, 1279-80	9.5	20
41	Evaluation of six minute walking test in patients with single chamber rate responsive pacemakers. <i>Heart</i> , 1994 , 72, 192-6	5.1	20
40	Comparison of athletes with life-threatening ventricular arrhythmias with two groups of healthy athletes and a group of normal control subjects. <i>American Journal of Cardiology</i> , 1994 , 74, 1124-8	3	43
39	The "automatic mode switch" function in successive generations of minute ventilation sensing dual chamber rate responsive pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994 , 17, 1913-9	1.6	21
38	Prolonged monitoring for detection of symptomatic arrhythmias after slow pathway ablation in AV-nodal tachycardia. <i>International Journal of Cardiology</i> , 1994 , 44, 57-63	3.2	11
37	Age-related differences in presentation, treatment and outcome of acute myocardial infarction. <i>Cardiology</i> , 1994 , 85, 111-20	1.6	12
36	Indication for ICD implantation and selection of patients: present and future 1994 , 373-380		
35	Anomalous origin of the left coronary artery from the pulmonary artery. <i>Annals of Thoracic Surgery</i> , 1993 , 56, 1168-70	2.7	9
34	Experience of cardioverter-defibrillators inserted without thoracotomy: evaluation of transvenously inserted intracardiac leads alone or with a subcutaneous axillary patch. <i>Heart</i> , 1993 , 69, 14-9	5.1	25
33	Changes of the RR interval and the QRS morphology in AV nodal tachycardia: further evidence for extranodal involvement. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993 , 16, 261-6	1.6	1
32	A subcutaneous lead array for implantable cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993 , 16, 1429-33	1.6	32
31	Cardiac anatomy and diastolic filling in professional road cyclists. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993 , 66, 405-8		22
30	Cardiac anatomy and diastolic filling in professional road cyclists. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993 , 67, 569-570		
29	Delayed restoration of atrial function after conversion of atrial flutter by pacing or electrical cardioversion. <i>American Journal of Cardiology</i> , 1993 , 71, 63-7	3	50
28	Association of a Wolff-Parkinson-White syndrome and a fistula from the coronary to the pulmonary artery. <i>Acta Cardiologica</i> , 1993 , 48, 55-8	0.9	1
27	Clinical aspects during long-term follow-up after DC shock ablation of the atrioventricular junction. A Belgian experience. <i>Acta Cardiologica</i> , 1993 , 48, 199-208	0.9	1

26	Radiofrequency ablation of incessant ventricular tachycardia to prevent multiple defibrillator shocks. <i>International Journal of Cardiology</i> , 1992 , 37, 117-20	3.2	10
25	Clinical observations with a dual sensor rate adaptive single chamber pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 1821-5	1.6	13
24	Atrial arrhythmias in dual chamber pacing and their influence on long-term mortality. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 1846-50	1.6	16
23	Assessment of the defibrillation threshold and appropriate sensing during cardioverter defibrillator implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 636-41	1.6	6
22	His bundle ablation for supraventricular arrhythmias to avoid spurious shocks of an implanted defibrillator. <i>Clinical Cardiology</i> , 1992 , 15, 693-5	3.3	6
21	Antitachycardia Pacing. <i>Developments in Cardiovascular Medicine</i> , 1992 , 183-190		
20	Electrocardiographic determinants of efficacy of 8-Joule shocks for ablation of the atrioventricular node. <i>European Heart Journal</i> , 1991 , 12, 608-11	9.5	3
19	Efficacy and safety of intravenous sotalol for termination of paroxysmal supraventricular tachycardia. The Sotalol Versus Placebo Multicenter Study Group. <i>American Journal of Cardiology</i> , 1991 , 68, 35-40	3	65
18	Implantable cardioverter defibrillator: data storage and retrieval with Patientlog. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1991 , 14, 317-21	1.6	1
17	Catecholamine levels and pacing behavior of QT-driven pacemakers during exercise. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1990 , 13, 603-7	1.6	9
16	Isolated rheumatic carditis, a disease in search of diagnostic criteria. <i>International Journal of Cardiology</i> , 1990 , 29, 249-52	3.2	0
15	Behavior of a respiratory driven pacemaker and direct respiratory measurements. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989 , 12, 1600-6	1.6	9
14	Improved rate responsive algorithm in QT driven pacemakers--evaluation of initial response to exercise. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989 , 12, 805-11	1.6	7
13	Ablation of ventricular tachycardia of right ventricular origin with low energy shocks. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989 , 12, 911-6	1.6	8
12	Incidence of arrhythmias after atrial or dual-chamber pacemaker implantation. <i>European Heart Journal</i> , 1989 , 10, 102-7	9.5	17
11	Experience with the automatic implantable defibrillator. <i>Acta Clinica Belgica</i> , 1988 , 43, 209-18	1.8	9
10	Incidence and prognostic significance of asymptomatic ischaemia in patients with sustained ventricular arrhythmias. <i>European Heart Journal</i> , 1988 , 9 Suppl N, 128-35	9.5	5
9	Physiologic pacing in the elderly. Effects on exercise capacity and exercise-induced arrhythmias. <i>International Heart Journal</i> , 1988 , 29, 35-44		9

8	The influence of transdermal glyceryl trinitrate on peripheral circulation in healthy subjects and in patients with congestive cardiac failure. <i>European Journal of Clinical Pharmacology</i> , 1987 , 33, 73-5	2.8	2
7	An implantable antitachycardia pacemaker with back-up pacing and scanning burst mode. <i>European Heart Journal</i> , 1986 , 7, 61-6	9.5	5
6	Ventricular tachycardia during exercise treated by verapamil. <i>International Journal of Cardiology</i> , 1986 , 11, 9-15	3.2	8
5	Ventricular pacing via a Swan Ganz catheter: a new mode of pacemaker therapy. <i>Acta Cardiologica</i> , 1986 , 41, 23-9	0.9	4
4	Efficacy of an implanted automatic defibrillator which had induced atrial fibrillation. <i>Heart</i> , 1985 , 54, 605-8	5.1	8
3	Pathologic study of echocardiography and coronary atherosclerosis. <i>American Heart Journal</i> , 1983 , 105, 1043-5	4.9	
2	A fatal intoxication due to doxepin. <i>Journal of Analytical Toxicology</i> , 1983 , 7, 161-4	2.9	7
1	Non-interaction of cimetidine with digoxin absorption. <i>Acta Clinica Belgica</i> , 1981 , 36, 109-10	1.8	16