

Trine Karlsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3070831/trine-karlsen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,889
citations

16
h-index

43
g-index

47
ext. papers

2,204
ext. citations

2.6
avg, IF

4.38
L-index

#	Paper	IF	Citations
37	Blood Volume, Hemoglobin Mass, and Peak Oxygen Uptake in Older Adults: The Generation 100 Study. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 638139	2.3	0
36	Exercise training and high-sensitivity cardiac troponin T in patients with heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2021 , 8, 2183-2192	3.7	1
35	Baseline and Exercise Predictors of $\dot{V}O_{2peak}$ in Systolic Heart Failure Patients: Results from SMARTEX-HF. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 810-819	1.2	8
34	Intensity Control During Block-Periodized High-Intensity Training: Heart Rate and Lactate Concentration During Three Annual Seasons in World-Class Cross-Country Skiers. <i>Frontiers in Sports and Active Living</i> , 2020 , 2, 549407	2.3	1
33	Upper arm venous compliance and fitness in stable coronary artery disease patients and healthy controls. <i>Clinical Physiology and Functional Imaging</i> , 2017 , 37, 498-506	2.4	3
32	High-Intensity Interval Training in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation</i> , 2017 , 135, 839-849	16.7	205
31	The Combined Association of Skeletal Muscle Strength and Physical Activity on Mortality in Older Women: The HUNT2 Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 710-718	6.4	16
30	High Intensity Interval Training for Maximizing Health Outcomes. <i>Progress in Cardiovascular Diseases</i> , 2017 , 60, 67-77	8.5	111
29	Effects of upper-body sprint-interval training on strength and endurance capacities in female cross-country skiers. <i>PLoS ONE</i> , 2017 , 12, e0172706	3.7	14
28	High-intensity interval training improves obstructive sleep apnoea. <i>BMJ Open Sport and Exercise Medicine</i> , 2016 , 2,	3.4	10
27	Long-term Exercise Adherence After High-intensity Interval Training in Cardiac Rehabilitation: A Randomized Study. <i>Physiotherapy Research International</i> , 2016 , 21, 54-64	1.8	40
26	Comparison of Three Popular Exercise Modalities on $\dot{V}O_{2max}$ in Overweight and Obese. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 491-8	1.2	53
25	Safety of the CO-Rebreathing Method in Patients with Coronary Artery Disease. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 33-8	1.2	8
24	Living altitude influences endurance exercise performance change over time at altitude. <i>Journal of Applied Physiology</i> , 2016 , 120, 1151-8	3.7	14
23	Acute dietary nitrate supplementation improves arterial endothelial function at high altitude: A double-blinded randomized controlled cross over study. <i>Nitric Oxide - Biology and Chemistry</i> , 2015 , 50, 58-64	5	33
22	Sport-Specific Physiological Adaptations in Highly Trained Endurance Athletes. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2150-7	1.2	14
21	How to Be 80 Year Old and Have a $\dot{V}O_{2max}$ of a 35 Year Old. <i>Case Reports in Medicine</i> , 2015 , 2015, 909561	1.7	7

20	Effect of Change in VO ₂ max on Daily Total Energy Expenditure in a Cohort of Norwegian Men: A Randomized Pilot Study. <i>Open Cardiovascular Medicine Journal</i> , 2015 , 9, 50-7	0.7	7
19	Home-based versus hospital-based high-intensity interval training in cardiac rehabilitation: a randomized study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1070-8	3.9	45
18	Defining the "dose" of altitude training: how high to live for optimal sea level performance enhancement. <i>Journal of Applied Physiology</i> , 2014 , 116, 595-603	3.7	69
17	Comparing cardiorespiratory fitness across populations. <i>Chest</i> , 2014 , 146, e30	5.3	
16	Does rating of perceived exertion result in target exercise intensity during interval training in cardiac rehabilitation? A study of the Borg scale versus a heart rate monitor. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 541-5	4.4	34
15	Age-predicted maximal heart rate in healthy subjects: The HUNT Fitness study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 697-704	4.6	130
14	Effect of lower extremity functional electrical stimulation pulsed isometric contractions on arm cycling peak oxygen uptake in spinal cord injured individuals. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 254-9	3.4	11
13	Exercise-training intervention studies in competitive swimming. <i>Sports Medicine</i> , 2012 , 42, 527-43	10.6	71
12	Effect of leg vascular occlusion on arm cycling peak oxygen uptake in spinal cord-injured individuals. <i>Spinal Cord</i> , 2012 , 50, 298-302	2.7	3
11	Effect of aerobic high-intensity hybrid training on stroke volume and peak oxygen consumption in men with spinal cord injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, 407-14	2.6	44
10	Interval and strength training in CAD patients. <i>International Journal of Sports Medicine</i> , 2011 , 32, 54-9	3.6	31
9	Maximal strength training restores walking mechanical efficiency in heart patients. <i>International Journal of Sports Medicine</i> , 2009 , 30, 337-42	3.6	22
8	Aerobic interval training improves VO ₂ peak in coronary artery disease patients; no additional effect from hyperoxia. <i>Scandinavian Cardiovascular Journal</i> , 2008 , 42, 303-9	2	11
7	Patients with coronary artery- or chronic obstructive pulmonary disease walk with mechanical inefficiency. <i>Scandinavian Cardiovascular Journal</i> , 2007 , 41, 405-10	2	15
6	Aerobic high-intensity intervals improve VO ₂ max more than moderate training. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 665-71	1.2	696
5	Urine acid-base compensation at simulated moderate altitude. <i>High Altitude Medicine and Biology</i> , 2006 , 7, 64-71	1.9	21
4	Determinants of erythropoietin release in response to short-term hypobaric hypoxia. <i>Journal of Applied Physiology</i> , 2002 , 92, 2361-7	3.7	127
3	EFFECTS OF 3 WEEKS HYPOXIC INTERVAL TRAINING ON SEA LEVEL CYCLING PERFORMANCE AND HEMATOLOGICAL PARAMETERS.. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, S224	1.2	6

2	EPO RESPONSE TO 24 HRS OF ARTIFICIAL HYPOBARIC HYPOXIA PREDICTS EPO RESPONSE TO NATURAL ALTITUDE. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, S98	1.2	
1	OPTIMAL ALTITUDE FOR ???LIVING HIGH-TRAINING LOW???. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, S292	1.2	8