

Toshiki Miyazaki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/307091/toshiki-miyazaki-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

3,033
citations

24
h-index

53
g-index

129
ext. papers

3,237
ext. citations

3.7
avg, IF

4.86
L-index

#	Paper	IF	Citations
127	Preparation and assessment of revised simulated body fluids. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 65, 188-95		783
126	Mechanism of bonelike apatite formation on bioactive tantalum metal in a simulated body fluid. <i>Biomaterials</i> , 2002 , 23, 827-32	15.6	189
125	Bonding of alkali- and heat-treated tantalum implants to bone. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 53, 28-35		151
124	Coating of an apatite layer on polyamide films containing sulfonic groups by a biomimetic process. <i>Biomaterials</i> , 2004 , 25, 4529-34	15.6	139
123	Deposition of bone-like apatite on silk fiber in a solution that mimics extracellular fluid. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 65, 283-9		131
122	Bioactive ceramic-based materials with designed reactivity for bone tissue regeneration. <i>Journal of the Royal Society Interface</i> , 2009 , 6 Suppl 3, S349-60	4.1	112
121	Bioactive tantalum metal prepared by NaOH treatment. <i>Journal of Biomedical Materials Research Part B</i> , 2000 , 50, 35-42		112
120	Apatite deposition on polyamide films containing carboxyl group in a biomimetic solution. <i>Journal of Materials Science: Materials in Medicine</i> , 2003 , 14, 569-74	4.5	93
119	Induction and Acceleration of Bonelike Apatite Formation on Tantalum Oxide Gel in Simulated Body Fluid. <i>Journal of Sol-Gel Science and Technology</i> , 2001 , 21, 83-88	2.3	89
118	Apatite-Forming Ability of Niobium Oxide Gels in a Simulated Body Fluid.. <i>Journal of the Ceramic Society of Japan</i> , 2001 , 109, 929-933		75
117	Coating bone-like apatite onto organic substrates using solutions mimicking body fluid. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2007 , 1, 33-8	4.4	62
116	Apatite-forming ability of polyglutamic acid hydrogels in a body-simulating environment. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 2269-74	4.5	49
115	A novel covalently crosslinked gel of alginate and silane with the ability to form bone-like apatite. <i>Journal of Biomedical Materials Research Part B</i> , 2004 , 71, 596-601		48
114	Bioactive PMMA bone cement prepared by modification with methacryloxypropyltrimethoxysilane and calcium chloride. <i>Journal of Biomedical Materials Research - Part A</i> , 2003 , 67, 1417-23	5.4	46
113	Coating of bone-like apatite for development of bioactive materials for bone reconstruction. <i>Biomedical Materials (Bristol)</i> , 2007 , 2, R17-23	3.5	44
112	Removal of formaldehyde by hydroxyapatite layer biomimetically deposited on polyamide film. <i>Environmental Science & Technology</i> , 2006 , 40, 4281-5	10.3	40
111	Preparation of Bioactive Chitosan-hydroxyapatite Nanocomposites for Bone Repair through Mechanochemical Reaction. <i>Materials Transactions</i> , 2004 , 45, 994-998	1.3	33

110	Synthesis of bioactive organic-inorganic nanohybrid for bone repair through sol-gel processing. <i>Journal of Nanoscience and Nanotechnology</i> , 2003 , 3, 511-5	1.3	30
109	Enhancement of sludge reduction and methane production by removing extracellular polymeric substances from waste activated sludge. <i>Chemosphere</i> , 2014 , 117, 552-8	8.4	27
108	Bioactive carbon-PEEK composites prepared by chemical surface treatment. <i>Materials Science and Engineering C</i> , 2017 , 70, 71-75	8.3	26
107	In vitro apatite formation on polyamide containing carboxyl groups modified with silanol groups. <i>Journal of Materials Science: Materials in Medicine</i> , 2007 , 18, 1037-42	4.5	26
106	Bioactivity and mechanical properties of cellulose/carbonate hydroxyapatite composites prepared in situ through mechanochemical reaction. <i>Journal of Biomaterials Applications</i> , 2006 , 21, 179-94	2.9	26
105	Mesoporous Calcium Phosphate Via Post-Treatment of β -TCP. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 822-826	3.8	25
104	Apatite mineralization abilities and mechanical properties of covalently cross-linked pectin hydrogels. <i>Materials Science and Engineering C</i> , 2009 , 29, 1765-1769	8.3	24
103	Relationship between apatite-forming ability and mechanical properties of bioactive PMMA-based bone cement modified with calcium salts and alkoxy silane. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 1399-405	4.5	24
102	Organic-inorganic composites designed for biomedical applications. <i>Biological and Pharmaceutical Bulletin</i> , 2013 , 36, 1670-5	2.3	23
101	Thermoreversible behavior of β -arrageenan and its apatite-forming ability in simulated body fluid. <i>Materials Science and Engineering C</i> , 2011 , 31, 1472-1476	8.3	21
100	Design of novel bioactive materials through organic modification of calcium silicate. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 1527-1533	6	21
99	Preparation of ferromagnetic microcapsules for hyperthermia using water/oil emulsion as a reaction field. <i>Materials Science and Engineering C</i> , 2012 , 32, 692-696	8.3	18
98	Biomimetic deposition of hydroxyapatite on a synthetic polypeptide with beta sheet structure in a solution mimicking body fluid. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 387-93	4.5	18
97	Modification of polyglutamic acid with silanol groups and calcium salts to induce calcification in a simulated body fluid. <i>Journal of Biomaterials Applications</i> , 2011 , 25, 581-94	2.9	17
96	Fabrication of poly(vinyl alcohol)/ β apatite hybrids through biomimetic process. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 1585-1588	6	17
95	Bioactive PMMA-Based Bone Cement Modified with Methacryloxypropyltrimethoxysilane and Calcium Salts-Effects of Calcium Salts on Apatite-Forming Ability-. <i>Journal of the Ceramic Society of Japan</i> , 2003 , 111, 738-742		17
94	FABRICATION AND CHEMICAL DURABILITY OF POROUS BODIES CONSISTING OF BIPHASIC TRICALCIUM PHOSPHATES. <i>Phosphorus Research Bulletin</i> , 2004 , 17, 95-100	0.3	17
93	Apatite formation abilities and mechanical properties of hydroxyethylmethacrylate-based organic-inorganic hybrids incorporated with sulfonic groups and calcium ions. <i>Journal of Materials Science: Materials in Medicine</i> , 2009 , 20, 157-61	4.5	16

92	A Comparative Study of Apatite Deposition on Polyamide Films Containing Different Functional Groups under a Biomimetic Condition. <i>Journal of the Ceramic Society of Japan</i> , 2005 , 113, 588-592		16
91	MC3T3-E1 and RAW264.7 cell response to hydroxyapatite and alpha-type alumina adsorbed with bovine serum albumin. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 1880-6	5.4	15
90	In vivo response of bioactive PMMA-based bone cement modified with alkoxysilane and calcium acetate. <i>Journal of Biomaterials Applications</i> , 2008 , 23, 213-28	2.9	15
89	Sol-gel synthesis of magnetic TiO ₂ microspheres and characterization of their in vitro heating ability for hyperthermia treatment of cancer. <i>Journal of Sol-Gel Science and Technology</i> , 2015 , 75, 90-97	2.3	14
88	Effects of organic polymer addition in magnetite synthesis on the crystalline structure. <i>RSC Advances</i> , 2014 , 4, 23359-23363	3.7	14
87	Evaluation of apatite-forming ability and mechanical property of pectin hydrogels. <i>Journal of the Ceramic Society of Japan</i> , 2008 , 116, 74-78	1	14
86	Preparation of Porous Glass-Ceramics Containing Whitlockite and Diopside for Bone Repair. <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 82-86		14
85	Formation of bioactive N-doped TiO ₂ on Ti with visible light-induced antibacterial activity using NaOH, hot water, and subsequent ammonia atmospheric heat treatment. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 145, 285-290	6	14
84	Enhanced biosafety of silica coated gadolinium based nanoparticles. <i>Journal of Materials Science: Materials in Medicine</i> , 2017 , 28, 46	4.5	13
83	In situ synthesis of magnetic iron oxide nanoparticles in chitosan hydrogels as a reaction field: Effect of cross-linking density. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 179, 334-339	6	13
82	Carboxymethyl dextran/magnetite hybrid microspheres designed for hyperthermia. <i>Journal of Materials Science: Materials in Medicine</i> , 2013 , 24, 1125-9	4.5	13
81	In vitro apatite formation and drug loading/release of porous TiO ₂ microspheres prepared by sol-gel processing with different SiO ₂ nanoparticle contents. <i>Materials Science and Engineering C</i> , 2015 , 50, 317-23	8.3	13
80	Effect of Autoclave and Hot Water Treatments on Surface Structure and In Vitro Apatite-Forming Ability of NaOH- and Heat-Treated Bioactive Titanium Metal. <i>Materials Transactions</i> , 2013 , 54, 811-816	1.3	13
79	Fabrication of yttria microcapsules for radiotherapy from water/oil emulsion. <i>Journal of the Ceramic Society of Japan</i> , 2010 , 118, 479-482	1	12
78	Development of bioactive materials based on bone-bonding mechanism on metal oxides. <i>Journal of the Ceramic Society of Japan</i> , 2008 , 116, 260-264	1	12
77	Biom mineralization on chemically synthesized collagen containing immobilized poly-L-glutamic acid. <i>Dental Materials Journal</i> , 2013 , 32, 544-9	2.5	11
76	Effects of Cross-Linking Agent on Apatite-Forming Ability and Mechanical Property of Organic-Inorganic Hybrids Based on Starch. <i>Materials Transactions</i> , 2007 , 48, 317-321	1.3	11
75	Adsorption of Laminin on Hydroxyapatite and Alumina and the MC3T3-E1 Cell Response. <i>ACS Biomaterials Science and Engineering</i> , 2016 , 2, 1162-1168	5.5	11

74	Effect of fibronectin adsorption on osteoblastic cellular responses to hydroxyapatite and alumina. <i>Materials Science and Engineering C</i> , 2016 , 69, 1268-72	8.3	10
73	Structures of organic additives modified magnetite nanoparticles. <i>Ceramics International</i> , 2016 , 42, 6000-6004	5.6	10
72	Control of crystalline phase and morphology of calcium carbonate by electrolysis: Effects of current and temperature. <i>Ceramics International</i> , 2019 , 45, 14039-14044	5.1	9
71	Apatite formation abilities of various carrageenan gels in simulated body environment. <i>Journal of the Ceramic Society of Japan</i> , 2010 , 118, 487-490	1	9
70	Biofilm formation of periodontal pathogens on hydroxyapatite surfaces: Implications for periodontium damage. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 2873-80	5.4	8
69	Preparation of chitosan-hydroxyapatite composite mono-fiber using coagulation method and their mechanical properties. <i>Carbohydrate Polymers</i> , 2017 , 175, 355-360	10.3	8
68	Design of bone-integrating organic-inorganic composite suitable for bone repair. <i>Frontiers in Bioscience - Elite</i> , 2013 , 5, 333-40	1.6	8
67	Synthesis of osteoconductive organic inorganic nano hybrids through modification of chitin with alkoxysilane and calcium chloride. <i>Journal of Biomaterials Applications</i> , 2007 , 22, 71-81	2.9	8
66	Synthesis of Bioactive Organic-Inorganic Hybrids from Tetraisopropyl Titanate and Hydroxyethylmethacrylate. <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 87-91		7
65	In vitro apatite mineralization and heat generation of magnetite-reduced graphene oxide nanocomposites for hyperthermia treatment. <i>Materials Science and Engineering C</i> , 2019 , 99, 68-72	8.3	6
64	Development of hafnium metal and titanium-hafnium alloys having apatite-forming ability by chemical surface modification. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018 , 106, 2519-2523	3.5	6
63	Preparation and in vitro apatite-forming ability of porous and non-porous titania microspheres. <i>Journal of the Ceramic Society of Japan</i> , 2013 , 121, 782-787	1	6
62	COMPARISON OF ADSORPTION BEHAVIOR OF BOVINE SERUM ALBUMIN AND OSTEOPOINTIN ON HYDROXYAPATITE AND ALUMINA. <i>Phosphorus Research Bulletin</i> , 2012 , 26, 23-28	0.3	6
61	Organic-Inorganic Composites Toward Biomaterial Application. <i>Frontiers of Oral Biology</i> , 2015 , 17, 33-8		6
60	Characterization and degradation study of chitosan-siloxane hybrid microspheres synthesized using a microfluidic approach. <i>Materials Science and Engineering C</i> , 2017 , 81, 571-579	8.3	5
59	Bioactive Co-Cr alloy for biomedical applications prepared by surface modification using self-assembled monolayers and poly- γ -glutamic acid. <i>Dental Materials Journal</i> , 2015 , 34, 707-12	2.5	5
58	Control of the Microstructure of Porous Tricalcium Phosphate: Effects of addition of Mg, Zn and Fe. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2005 , 52, 356-359	0.2	5
57	Structural effects of phosphate groups on apatite formation in a copolymer modified with Ca in a simulated body fluid. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 174-182	7.3	5

56	Bisphosphonate release profiles from magnetite microspheres. <i>Journal of Biomaterials Applications</i> , 2014 , 29, 543-7	2.9	4
55	TiO microspheres containing magnetic nanoparticles for intra-arterial hyperthermia. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 2308-2314	3.5	4
54	Effect of pulse current on structure and adhesion of apatite electrochemically deposited onto titanium substrates. <i>Journal of Materials Research</i> , 2008 , 23, 3176-3183	2.5	4
53	Mechanical Properties of .BETA.-Tricalcium Phosphate/Polylactic Acid Composites Prepared through Ball-Milling. <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 332-335		4
52	Synthesis and in vitro biodegradation of pure octacalcium phosphate spheres. <i>International Journal of Applied Ceramic Technology</i> , 2020 , 17, 372-379	2	4
51	Structural Effects of Sulfur-Containing Functional Groups on Apatite Formation on Ca-Modified Copolymers in a Simulated Body Environment. <i>ACS Omega</i> , 2018 , 3, 5627-5633	3.9	4
50	Apatite formation on a hydrogel containing sulfinic acid group under physiological conditions. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 1924-1929	3.5	3
49	Bioactive polymethylmethacrylate bone cement modified with combinations of phosphate group-containing monomers and calcium acetate. <i>Journal of Biomaterials Applications</i> , 2015 , 29, 1296-303 ⁹	2.9	3
48	Cytocompatible and Antibacterial Properties of Chitosan-Siloxane Hybrid Spheres. <i>Polymers</i> , 2019 , 11,	4.5	3
47	Effect of ammonia or nitric acid treatment on surface structure, in vitro apatite formation, and visible-light photocatalytic activity of bioactive titanium metal. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 111, 503-8	6	3
46	Apatite mineralization behavior on polyglutamic acid hydrogels in aqueous condition: effects of molecular weight. <i>Bio-Medical Materials and Engineering</i> , 2013 , 23, 339-47	1	3
45	The Investigation of Bioactivity and Mechanical Properties of Glass Ionomer Cements Prepared from Al ₂ O ₃ -SiO ₂ Glass and Poly(β -glutamic acid). <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-6	3.2	3
44	Apatite-Forming Ability of Polyglutamic Acid Gel in Simulated Body Fluid: Effect of Cross-Linking Agent. <i>Key Engineering Materials</i> , 2007 , 330-332, 683-686	0.4	3
43	Mechanical Properties and Cyclic Fatigue of the Newly Developed Ceramic Material for Artificial Joints. <i>Journal of the Ceramic Society of Japan</i> , 2007 , 115, 466-470	1	3
42	Hydroxyapatite-Forming Ability and Mechanical Properties of Organic-Inorganic Hybrids Reinforced by Calcium Phosphates. <i>Journal of the Ceramic Society of Japan</i> , 2006 , 114, 692-696		3
41	Apatite-forming ability of vinylphosphonic acid-based copolymer in simulated body fluid: effects of phosphate group content. <i>Journal of Materials Science: Materials in Medicine</i> , 2016 , 27, 152	4.5	2
40	Biomineralization behavior of a vinylphosphonic acid-based copolymer added with polymerization accelerator in simulated body fluidPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. <i>Journal of Asian Ceramic Societies</i> , 2015 , 3, 407-411	2.4	2
39	Acceleration of calcium phosphate formation on bioactive PMMA-based bone cement by controlling spatial design. <i>Materials Science and Engineering C</i> , 2010 , 30, 624-630	8.3	2

38	Apatite Deposition on Organic-inorganic Hybrids Prepared from Chitin by Modification with Alkoxysilane and Calcium Salt. <i>Key Engineering Materials</i> , 2003 , 254-256, 545-548	0.4	2
37	Apatite Deposition on Polyamide Film Containing Silanol Groups in Simulated Body Environment. <i>Key Engineering Materials</i> , 2005 , 284-286, 505-508	0.4	2
36	Ceramic-Polymer Composites for Biomedical Applications 2015 , 1-12		2
35	Effect of Calcium Acetate Content on Apatite-Forming Ability and Mechanical Property of PMMA Bone Cement Modified with Quaternary Ammonium. <i>Materials</i> , 2020 , 13,	3.5	2
34	Setting behavior, apatite-forming ability, mechanical strength of polymethylmethacrylate bone cement through bioactivity modification of phosphate functional groups combined with Ca ions. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2020 , 31, 2128-2151	3.5	2
33	Factors governing the fluorination of hydroxyapatite by an ionic liquid. <i>Ceramics International</i> , 2021 , 47, 16225-16231	5.1	2
32	Microparticles Preparation Using Water-in-Oil Emulsion 2018 , 453-481		1
31	Effect of metallographic structure and machining process on the apatite-forming ability of sodium hydroxide- and heat-treated titanium. <i>Bio-Medical Materials and Engineering</i> , 2018 , 29, 109-118	1	1
30	Apatite Deposition on Hyaluronic Acid Gels in Biomimetic Conditions. <i>Transactions of the Materials Research Society of Japan</i> , 2009 , 34, 85-87	0.2	1
29	Apatite-forming ability of organic-inorganic hybrids fabricated from glucomannan by chemical modification with alkoxysilane and calcium salt. <i>Journal of the Ceramic Society of Japan</i> , 2008 , 116, 46-49 ¹		1
28	PREPARATION AND CHARACTERISTICS OF CELLULOSE-HYDROXYAPATITE COMPOSITES THROUGH MECHANOCHEMICAL REACTION. <i>Phosphorus Research Bulletin</i> , 2004 , 17, 197-202	0.3	1
27	DESIGN OF A NOVEL BIOACTIVE CALCIUM PHOSPHATE PASTE CONTAINING ACETYL CELLULOSE. <i>Phosphorus Research Bulletin</i> , 2004 , 17, 203-208	0.3	1
26	Structural control of magnetite nanoparticles for hyperthermia by modification with organic polymers: effect of molecular weight.. <i>RSC Advances</i> , 2020 , 10, 26374-26380	3.7	1
25	Organic modification of magnetite nanoparticles for biomedical applications 2021 , 77-82		1
24	Development of Bioactive Organic-Inorganic Hybrids Through Sol-Gel Processing 2009 , 769-793		1
23	Effect of sodium tungstate on anaerobic digestion of waste sewage sludge: Enhanced methane production via increased acetoclastic methanogens. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107524	6.8	1
22	Bioactive Glass-Ceramics 2017 , 213-237		0
21	Compositional dependence of the apatite formation ability of Ti-Zr alloys designed for hard tissue reconstruction. <i>Journal of Materials Science: Materials in Medicine</i> , 2020 , 31, 110	4.5	0

20	Relationship between valence of titania and apatite mineralization behavior in simulated body environment. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 3545-3553	3.8	o
19	Preparation of bioactive and antibacterial PMMA-based bone cement by modification with quaternary ammonium and alkoxy silane. <i>Journal of Biomaterials Applications</i> , 2021 , 36, 311-320	2.9	o
18	Ceramic-Polymer Composites for Biomedical Applications 2016 , 287-300		o
17	Biointegration of Prosthetic Devices 2011 , 777-802		
16	Design of Bioactive Nano-Hybrids for Bone Tissue Regeneration 339-366		
15	Comparison of Apatite Formation on Polyamide Films Containing Carboxyl and Sulfonic Groups in a Solution Mimicking Body Fluid. <i>Key Engineering Materials</i> , 2006 , 309-311, 477-480	0.4	
14	DESIGN OF BONE-BONDING ORGANIC-INORGANIC HYBRIDS. <i>Phosphorus Research Bulletin</i> , 2004 , 17, 59-66	0.3	
13	Properties of Bone-bonding PMMA Cement. <i>Proceedings of the 1992 Annual Meeting of JSME/MMD</i> , 2002 , 2002, 5-6		
12	Mechanical properties of PMMA-based bone cement with enhanced biological compatibility via a chemical modification. <i>Proceedings of the 1992 Annual Meeting of JSME/MMD</i> , 2002 , 2002, 435-436		
11	FABRICATION OF INORGANIC-ORGANIC HYBRIDS UTILIZING BIOMIMETIC PROCESS. <i>Phosphorus Research Bulletin</i> , 2006 , 20, 79-88	0.3	
10	Microparticles Preparation Using Water-in-Oil Emulsion 2016 , 1-29		
9	Release Profiles of Dyes and Proteins from Calcium Phosphate Microspheres with Different Crystalline Phases. <i>Ceramics</i> , 2021 , 4, 291-301	1.7	
8	Spontaneous fabrication of octacalcium phosphate: synthesis conditions and basic characterizations. <i>Bulletin of Materials Science</i> , 2021 , 44, 1	1.7	
7	Fabrication and properties of alginate/calcium phosphate hybrid beads: A comparative study. <i>Bio-Medical Materials and Engineering</i> , 2021 , 32, 15-27	1	
6	Apatite formation on electrochemically modified surface of hafnium metal in simulated body environment. <i>Journal of Asian Ceramic Societies</i> , 2022 , 10, 215-222	2.4	
5	Apatite Deposition on Organic-Inorganic Hybrids Prepared from Hydroxyethylmethacrylate by Modification with Alkoxy silane and Calcium Salt in Body Environment. <i>Ceramic Engineering and Science Proceedings</i> , 797-804	0.1	
4	Fabrication of Composite for Bone Repairing from Tricalcium Phosphate and Hydroxypropylcellulose 215-220		
3	Apatite Formation on the Pmma Bone Cement Modified with Alkoxy silane and Calcium Salt in a Simulated Body Fluid 233-238		

2 Deposition of Bone-Like Apatite on Polyglutamic Acid Gels in Biomimetic Solution 151-158

1 Apatite-Polyglutamic Acid Composites Prepared Through Biomimetic Process. *Ceramic Engineering and Science Proceedings*, 181-187

O.1