

# Karim Erzini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3070945/publications.pdf>

Version: 2024-02-01

194  
papers

5,314  
citations

71102

41  
h-index

138484

58  
g-index

197  
all docs

197  
docs citations

197  
times ranked

4139  
citing authors

#	ARTICLE	IF	CITATIONS
1	Weight-length relationships for selected fish species of the small-scale demersal fisheries of the south and south-west coast of Portugal. <i>Fisheries Research</i> , 1997, 30, 253-256.	1.7	252
2	A regulation-based classification system for Marine Protected Areas (MPAs). <i>Marine Policy</i> , 2016, 72, 192-198.	3.2	123
3	Marine partially protected areas: drivers of ecological effectiveness. <i>Frontiers in Ecology and the Environment</i> , 2018, 16, 381-387.	4.0	100
4	Quantifying recreational shore angling catch and harvest in southern Portugal (north-east Atlantic). <i>Journal of Applied Ichthyology</i> , 2010, 76, 2216-2237.	1.6	99
5	Seasonal, tidal and diurnal changes in fish assemblages in the Ria Formosa lagoon (Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2006, 67, 461-474.	2.1	98
6	Trends in NE Atlantic landings (southern Portugal): identifying the relative importance of fisheries and environmental variables. <i>Fisheries Oceanography</i> , 2005, 14, 195-209.	1.7	95
7	Small-scale coastal fisheries in European Seas are not what they were: Ecological, social and economic changes. <i>Marine Policy</i> , 2018, 98, 176-186.	3.2	93
8	Home range, residency and movements of <i>Diplodus sargus</i> and <i>Diplodus vulgaris</i> in a coastal lagoon: Connectivity between nursery and adult habitats. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 85, 525-529.	2.1	92
9	By-catch and discarding practices in five Algarve (southern Portugal) fisheries. <i>Journal of Applied Ichthyology</i> , 2001, 17, 104-114.	0.7	85
10	An experimental study of gill net and trammel net 'ghost fishing' in the Algarve (southern Portugal). <i>Marine Ecology - Progress Series</i> , 1997, 158, 257-265.	1.9	83
11	Feeding habits of the gilthead seabream ( <i>Sparus aurata</i> ) from the Ria Formosa (southern Portugal) as compared to the black seabream ( <i>Spondyliosoma cantharus</i> ) and the annular seabream ( <i>Diplodus</i> ). <i>Journal of Applied Ichthyology</i> , 2001, 17, 115-121.	1.7	81
12	Trammel net catch species composition, catch rates and diversity in southern European waters: A multivariate approach. <i>Fisheries Research</i> , 2006, 79, 170-182.	1.7	77
13	Size selectivity of trammel nets in southern European small-scale fisheries. <i>Fisheries Research</i> , 2006, 79, 183-201.	1.7	72
14	Tropicalization of fish assemblages in temperate biogeographic transition zones. <i>Marine Ecology - Progress Series</i> , 2014, 504, 241-252.	1.9	71
15	Species and size selectivity in a Portuguese multispecies artisanal long-line fishery. <i>ICES Journal of Marine Science</i> , 1996, 53, 811-819.	2.5	70
16	Long-term changes in fish communities of the Ria Formosa coastal lagoon (southern Portugal) based on two studies made 20 years apart. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 76, 57-68.	2.1	70
17	Site fidelity and movements of gilthead sea bream ( <i>Sparus aurata</i> ) in a coastal lagoon (Ria Formosa). <i>Journal of Applied Ichthyology</i> , 2001, 17, 122-128.	2.1	66
18	Weight-length relationships for fish species discarded in commercial fisheries of the Algarve (southern Portugal). <i>Journal of Applied Ichthyology</i> , 2003, 19, 394-396.	0.7	64

#	ARTICLE	IF	CITATIONS
19	Ecological quality assessment of transitional waters based on fish assemblages in Portuguese estuaries: The Estuarine Fish Assessment Index (EFAI). <i>Ecological Indicators</i> , 2012, 19, 144-153.	6.3	64
20	The EU landing obligation and European small-scale fisheries: What are the odds for success?. <i>Marine Policy</i> , 2016, 64, 64-71.	3.2	62
21	Using a modified Nordmøre grid for by-catch reduction in the Portuguese crustacean-trawl fishery. <i>Fisheries Research</i> , 2005, 71, 223-239.	1.7	61
22	Ageing seabreams: A comparative study between scales and otoliths. <i>Fisheries Research</i> , 2008, 89, 37-48.	1.7	61
23	Conservation and management of exploited shark populations based on reproductive value. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 931-942.	1.4	59
24	Structure and temporal variations of fish assemblages of the Castro Marim salt marsh, southern Portugal. <i>Estuarine, Coastal and Shelf Science</i> , 2006, 70, 27-38.	2.1	59
25	Species and size selectivity in a red sea bream longline fishery in the Algarve (southern Portugal). <i>Aquatic Living Resources</i> , 1998, 11, 1-11.	1.2	57
26	Residency, movements and habitat use of adult white seabream ( <i>Diplodus sargus</i> ) between natural and artificial reefs. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 118, 80-85.	2.1	57
27	Discards of the Algarve (southern Portugal) crustacean trawl fishery. <i>Hydrobiologia</i> , 2001, 449, 267-277.	2.0	55
28	The reproductive biology of the two-banded sea bream ( <i>Diplodus vulgaris</i> ) from the southwest coast of Portugal. <i>Journal of Applied Ichthyology</i> , 2000, 16, 110-116.	0.7	54
29	Discards from experimental trammel nets in southern European small-scale fisheries. <i>Fisheries Research</i> , 2007, 88, 5-14.	1.7	54
30	An empirical study of variability in length-at-age of marine fishes. <i>Journal of Applied Ichthyology</i> , 1994, 10, 17-41.	0.7	53
31	Gill net and longlines fisheries in Cyclades waters (Aegean Sea): species composition and gear competition. <i>Fisheries Research</i> , 2002, 57, 25-37.	1.7	52
32	Fishers' Behaviour in Response to the Implementation of a Marine Protected Area. <i>PLoS ONE</i> , 2013, 8, e65057.	2.5	50
33	Quantifying the roles of competing static gears: comparative selectivity of longlines and monofilament gill nets in a multi-species fishery of the Algarve (southern Portugal). <i>Scientia Marina</i> , 2003, 67, 341-352.	0.6	49
34	Size selectivity of diamond and square mesh cod ends for rose shrimp ( <i>Parapenaeus longirostris</i> ) and Norway lobster ( <i>Nephrops norvegicus</i> ) off the Portuguese south coast. <i>Fisheries Research</i> , 2002, 58, 281-301.	1.7	47
35	A comparative study of the species composition of discards from five fisheries from the Algarve (southern Portugal). <i>Fisheries Management and Ecology</i> , 2002, 9, 31-40.	2.0	46
36	Age and growth, maturity, mortality and yield-per-recruit for two banded bream ( <i>Diplodus vulgaris</i> )	1.7	46

#	ARTICLE	IF	CITATIONS
37	An assessment of catches and harvest of recreational shore angling in the north of Portugal. <i>Fisheries Management and Ecology</i> , 2007, 14, 343-352.	2.0	46
38	Fish mouth dimensions and size selectivity in a Portuguese longline fishery. <i>Journal of Applied Ichthyology</i> , 1997, 13, 41-44.	0.7	45
39	Feeding habits of the velvet belly lanternshark <i>Etmopterus spinax</i> (Chondrichthyes: Etmopteridae) off the Algarve, southern Portugal. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 835-841.	0.8	44
40	Fish assemblages and rapid colonization after enlargement of an artificial reef off the Algarve coast (Southern Portugal). <i>Marine Ecology</i> , 2008, 29, 435-448.	1.1	44
41	Trends in landings of fish species potentially affected by climate change in Portuguese fisheries. <i>Regional Environmental Change</i> , 2014, 14, 657-669.	2.9	44
42	Comparative fixed gear studies in the Cyclades (Aegean Sea): size selectivity of small-hook longlines and monofilament gill nets. <i>Fisheries Research</i> , 2002, 58, 25-40.	1.7	42
43	Trophic food web and ecosystem attributes of a water reservoir of the Ria Formosa (south Portugal). <i>Ecological Modelling</i> , 2005, 181, 509-520.	2.5	41
44	<i>Diplodus</i> spp. assemblages on artificial reefs: importance for near shore fisheries. <i>Fisheries Management and Ecology</i> , 2009, 16, 88-99.	2.0	41
45	Semi-pelagic Longline and Trammel Net Elasmobranch Catches in Southern Portugal: Catch Composition, Catch Rates and Discards. <i>Journal of Northwest Atlantic Fishery Science</i> , 0, 35, 531-537.	1.4	41
46	Life history of a wide-ranging deepwater lantern shark in the north-east Atlantic, <i>Etmopterus spinax</i> (Chondrichthyes: Etmopteridae), with implications for conservation. <i>Journal of Fish Biology</i> , 2008, 73, 1419-1443.	1.6	40
47	Size selectivity of diamond and square mesh cod ends for four by-catch species in the crustacean fishery off the Portuguese south coast. <i>Fisheries Research</i> , 2003, 60, 79-97.	1.7	39
48	An application of two techniques for the analysis of short, multivariate non-stationary time-series of Mauritanian trawl survey data. <i>ICES Journal of Marine Science</i> , 2005, 62, 353-359.	2.5	38
49	Reserve effect™ within a temperate marine protected area in the north-eastern Atlantic (Arrábida) Tj ETQq1 1 0.784314 rgBT / 1.9 38	1.9	38
50	Aspects of the biology and gillnet selectivity of the axillary seabream ( <i>Pagellus acarne</i> , Risso) and common pandora ( <i>Pagellus erythrinus</i> , Linnaeus) from the Algarve (south Portugal). <i>Fisheries Research</i> , 1995, 23, 223-236.	1.7	37
51	Feeding ecology and trophic relationships of fish species in the lower Guadiana River Estuary and Castro Marim e Vila Real de Santo Ant3nio Salt Marsh. <i>Estuarine, Coastal and Shelf Science</i> , 2006, 70, 19-26.	2.1	35
52	Fishing simulation experiments for predicting the effects of purse-seine capture on sardine ( <i>Sardina</i> ) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 2.5 35	2.5	35
53	Reconstructed catches and trends for mainland Portugal fisheries between 1938 and 2009: implications for sustainability, domestic fish supply and imports. <i>Fisheries Research</i> , 2014, 155, 33-50.	1.7	35
54	Combining multispecies home range and distribution models aids assessment of MPA effectiveness. <i>Marine Ecology - Progress Series</i> , 2014, 513, 155-169.	1.9	35

#	ARTICLE	IF	CITATIONS
55	Weight-length relationships for 54 species of the Arade estuary, southern Portugal. <i>Journal of Applied Ichthyology</i> , 2009, 25, 493-496.	0.7	34
56	Reproductive aspects of the undulate ray, <i>Raja undulata</i> , from the south coast of Portugal. <i>Fisheries Research</i> , 2006, 81, 80-85.	1.7	33
57	From a traditionally open access fishery to modern restrictions: Portuguese anglers' perceptions about newly implemented recreational fishing regulations. <i>Marine Policy</i> , 2013, 40, 53-63.	3.2	33
58	Early reserve effects linked to small home ranges of a commercial fish, <i>Diplodus sargus</i> , Sparidae. <i>Marine Ecology - Progress Series</i> , 2015, 518, 255-266.	1.9	33
59	Is Europe ready for a results-based approach to fisheries management? The voice of stakeholders. <i>Marine Policy</i> , 2015, 56, 86-97.	3.2	32
60	Age and growth, mortality, reproduction and relative yield per recruit of the bogue, <i>Boops boops</i> Linn�, 1758 (Sparidae), from the Algarve (south of Portugal) longline fishery. <i>Journal of Applied Ichthyology</i> , 2006, 22, 345-352.	0.7	31
61	A conservation trade-off? Interspecific differences in seahorse responses to experimental changes in fishing effort. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2007, 17, 468-484.	2.0	31
62	Maturation and gill-net selectivity of two small sea breams (genus <i>Diplodus</i> ) from the Algarve coast (south Portugal). <i>Fisheries Research</i> , 1998, 36, 185-194.	1.7	30
63	Gill net selectivity for European hake <i>Merluccius merluccius</i> from southern Portugal: implications for fishery management. <i>Fisheries Science</i> , 2003, 69, 873-882.	1.6	30
64	A multi-model approach to evaluate the role of environmental variability and fishing pressure in sardine fisheries. <i>Journal of Marine Systems</i> , 2014, 139, 128-138.	2.1	30
65	�How� and �what� matters: Sampling method affects biodiversity estimates of reef fishes. <i>Ecology and Evolution</i> , 2017, 7, 4891-4906.	1.9	30
66	Gastric evacuation and feeding in the gilthead sea bream reared under semi-intensive conditions. <i>Aquaculture International</i> , 1996, 4, 129-141.	2.2	28
67	The hake deepwater semi-pelagic (�pedra-bola�) longline fishery in the Algarve (southern Portugal). <i>Fisheries Research</i> , 2001, 51, 327-336.	1.7	28
68	Reduction of elasmobranch by-catch in the hake semipelagic near-bottom longline fishery in the Algarve (Southern Portugal). <i>Fisheries Science</i> , 2003, 69, 293-299.	1.6	28
69	reproductive biology of the blackmouth catshark, <i>Galeus melastomus</i> (chondrichthyes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 11 United Kingdom, 2005, 85, 1173-1183.	0.8	28
70	Feeding habits of the deep-snouted pipefish <i>Syngnathus typhle</i> in a temperate coastal lagoon. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 72, 337-347.	2.1	28
71	The effect of predation on artificial reef juvenile demersal fish species. <i>Marine Biology</i> , 2008, 153, 1233-1244.	1.5	28
72	Environmental influence on commercial fishery landings of small pelagic fish in Portugal. <i>Regional Environmental Change</i> , 2016, 16, 709-716.	2.9	28

#	ARTICLE	IF	CITATIONS
73	Effects of fishing methods on deep water shark species caught as by-catch off southern Portugal. <i>Hydrobiologia</i> , 2008, 606, 187-193.	2.0	27
74	Fish assemblages of shallow intertidal habitats of the Ria Formosa lagoon (South Portugal): influence of habitat and season. <i>Marine Ecology - Progress Series</i> , 2012, 446, 259-273.	1.9	26
75	Fishers' perceptions of the European Union discards ban: perspective from south European fisheries. <i>Marine Policy</i> , 2018, 89, 147-153.	3.2	26
76	First Assessment of the Impacts of the COVID-19 Pandemic on Global Marine Recreational Fisheries. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	26
77	Semi-pelagic longline selectivity for two demersal species from the Azores: the black spot sea bream ( <i>Pagellus bogaraveo</i> ) and the bluemouth rockfish ( <i>Helicolenus dactylopterus dactylopterus</i> ). <i>Fisheries Research</i> , 1999, 41, 25-35.	1.7	25
78	length at first maturity of two species of lantern sharks ( <i>etmopterus spinax</i> and <i>etmopterus pusillus</i> ) off southern portugal. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1163-1165.	0.8	25
79	Can small MPAs protect local populations of a coastal flatfish, <i>Solea senegalensis</i> ? <i>Fisheries Management and Ecology</i> , 2014, 21, 175-185.	2.0	25
80	Age and growth of the undulate ray, <i>Raja undulata</i> , in the Algarve (southern Portugal). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 987-990.	0.8	24
81	Use of different intertidal habitats by faunal communities in a temperate coastal lagoon. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 80, 357-364.	2.1	24
82	Sample size and grouping of data for length-frequency analysis. <i>Fisheries Research</i> , 1990, 9, 355-366.	1.7	23
83	Population parameters of the smooth lantern shark, <i>Etmopterus pusillus</i> , in southern Portugal (NE). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1163-1165.	1.7	22
84	The use of caudal thorns for ageing <i>Raja undulata</i> from the Portuguese continental shelf, with comments on its reproductive cycle. <i>Marine and Freshwater Research</i> , 2007, 58, 983.	1.3	22
85	Insights into population structure of <i>Diplodus vulgaris</i> along the SW Portuguese coast from otolith elemental signatures. <i>Fisheries Research</i> , 2011, 111, 82-91.	1.7	22
86	Effect of light-sticks and electrolume attractors on surface-longline catches of swordfish ( <i>Xiphias</i> ). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1163-1165.	1.7	21
87	Identification of Potential Essential Fish Habitats for Skates Based on Fishers' Knowledge. <i>Environmental Management</i> , 2014, 53, 985-998.	2.7	21
88	Trap modification opens new gates to achieve sustainable coral reef fisheries. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 680-695.	2.0	21
89	Food availability and the feeding ecology of ichthyofauna of a Ria Formosa (South Portugal) water reservoir. <i>Estuaries and Coasts</i> , 2003, 26, 938-948.	1.7	20
90	Developing self-guided scuba dive routes in the Algarve (Portugal) and analysing visitors' perceptions. <i>Marine Policy</i> , 2014, 45, 194-203.	3.2	20

#	ARTICLE	IF	CITATIONS
91	Comparative Behavior of Wild and Hatchery Reared White Sea Bream ( <i>Diplodus sargus</i> ) Released on Artificial Reefs Off the Algarve (Southern Portugal). <i>Reviews: Methods and Technologies in Fish Biology and Fisheries</i> , 2009, , 23-34.	0.6	19
92	Participatory assessment of management measures for octopus vulgaris pot and trap fishery from southern Portugal. <i>Marine Policy</i> , 2017, 75, 133-142.	3.2	19
93	Assessing microplastic uptake and impact on omnivorous juvenile white seabream <i>Diplodus sargus</i> (Linnaeus, 1758) under laboratory conditions. <i>Marine Pollution Bulletin</i> , 2020, 157, 111162.	5.0	19
94	Climate change vulnerability assessment of the main marine commercial fish and invertebrates of Portugal. <i>Scientific Reports</i> , 2021, 11, 2958.	3.3	19
95	Depth distribution of the velvet belly, <i>Etmopterus spinax</i> , in relation to growth and reproductive cycle: The case study of a deep-water lantern shark with a wide-ranging critical habitat. <i>Marine Biology Research</i> , 2010, 6, 381-389.	0.7	18
96	Influence of Environmental Variables and Fishing Pressure on Bivalve Fisheries in an Inshore Lagoon and Adjacent Nearshore Coastal Area. <i>Estuaries and Coasts</i> , 2014, 37, 191-205.	2.2	18
97	Trophic signatures of small-scale fishing gears: implications for conservation and management. <i>Marine Ecology - Progress Series</i> , 2007, 333, 117-128.	1.9	18
98	Short-term hooking mortality of three marine fish species (Sparidae) caught by recreational angling in the south Portugal. <i>Fisheries Research</i> , 2011, 108, 58-64.	1.7	17
99	The short-term impacts of a cyclone on seagrass communities in Southwest Madagascar. <i>Continental Shelf Research</i> , 2017, 138, 132-141.	1.8	17
100	The reproductive biology of <i>Spondyliosoma cantharus</i> (L.) from the SW Coast of Portugal. <i>Scientia Marina</i> , 2000, 64, 403-411.	0.6	17
101	Capturas incidentales de las pesquerías de arrastre de fondo de crustáceos y peces al sur de Portugal (Algarve). <i>Scientia Marina</i> , 2008, 72, 801-814.	0.6	17
102	Non-commercial invertebrate discards in an experimental trammel net fishery. <i>Fisheries Management and Ecology</i> , 2008, 15, 199-210.	2.0	16
103	Population structure of the black seabream <i>Spondyliosoma cantharus</i> along the south-west Portuguese coast inferred from otolith chemistry. <i>Journal of Fish Biology</i> , 2012, 80, 427-443.	1.6	16
104	Environmental and fishery-driven dynamics of the common octopus ( <i>Octopus vulgaris</i> ) based on time-series analyses from leeward Algarve, southern Portugal. <i>ICES Journal of Marine Science</i> , 2014, 71, 2231-2241.	2.5	16
105	Age and growth of megrim <i>Lepidorhombus boscii</i> , Risso of the Portuguese continental coast. <i>Fisheries Research</i> , 1993, 16, 339-346.	1.7	15
106	Reducing discards in a demersal purse-seine fishery. <i>Aquatic Living Resources</i> , 2008, 21, 135-144.	1.2	15
107	Life history of the common pandora, <i>Pagellus erythrinus</i> (Linnaeus, 1758) (Actinopterygii: Sparidae) from southern Portugal. <i>Brazilian Journal of Oceanography</i> , 2010, 58, 233-245.	0.6	15
108	Behavioural responses of sardines <i>Sardina pilchardus</i> to simulated purse-seine capture and slipping. <i>Journal of Fish Biology</i> , 2013, 83, 480-500.	1.6	15



#	ARTICLE	IF	CITATIONS
109	Using biological variables and reproductive strategy of the undulate ray <i>Raja undulata</i> to evaluate productivity and susceptibility to exploitation. <i>Journal of Fish Biology</i> , 2015, 86, 1471-1490.	1.6	15
110	Effects of different slipping methods on the mortality of sardine, <i>Sardina pilchardus</i> , after purse-seine capture off the Portuguese Southern coast (Algarve). <i>PLoS ONE</i> , 2018, 13, e0195433.	2.5	15
111	Identifying Persistent Hot Spot Areas of Undersized Fish and Crustaceans in Southern European Waters: Implication for Fishery Management Under the Discard Ban Regulation. <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	15
112	Bycatch and discard survival rate in a small-scale bivalve dredge fishery along the Algarve coast (southern Portugal). <i>Scientia Marina</i> , 2018, 82, 75.	0.6	15
113	Composition and temporal dynamics of a temperate rocky cryptobenthic fish assemblage. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 1221-1228.	0.8	14
114	Assessing swordfish distribution in the South Atlantic from spatial predictions. <i>Fisheries Research</i> , 2008, 90, 45-55.	1.7	14
115	Small MPAs do not protect cuttlefish ( <i>Sepia officinalis</i> ). <i>Fisheries Research</i> , 2013, 147, 196-201.	1.7	14
116	Biomares, a LIFE project to restore and manage the biodiversity of Prof. Luiz Saldanha Marine Park. <i>Journal of Coastal Conservation</i> , 2014, 18, 643-655.	1.6	14
117	Assessment of catches, landings and fishing effort as useful tools for MPA management. <i>Fisheries Research</i> , 2015, 172, 197-208.	1.7	14
118	Linking size-based trophodynamics and morphological traits in marine fishes. <i>Fish and Fisheries</i> , 2019, 20, 355-367.	5.3	14
119	Fisher's perceptions about a marine protected area over time. <i>Aquaculture and Fisheries</i> , 2020, 5, 273-281.	2.2	14
120	Influence of environmental and fishery parameters on loggerhead sea turtle by-catch in the longline fishery in the Azores archipelago and implications for conservation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 1697-1705.	0.8	13
121	Movements of <i>Sarpa salpa</i> (Linnaeus, 1758) (Sparidae) in a coastal lagoon (Ria Formosa, Portugal). <i>Journal of Applied Ichthyology</i> , 2012, 28, 126-129.	0.7	13
122	Eco-touristic snorkelling routes at Marinha beach (Algarve): Environmental education and human impacts. <i>Marine Policy</i> , 2015, 60, 62-69.	3.2	13
123	Marine spatial closures as a supplementary tool to reduce discards in bottom trawl fisheries: Examples from southern European waters. <i>Fisheries Research</i> , 2020, 232, 105714.	1.7	13
124	An alternative methodology for fitting selectivity curves to pre-defined distributions. <i>Fisheries Research</i> , 1998, 34, 307-313.	1.7	12
125	Analysis of size spectra off northwest Africa: a useful indicator in tropical areas?. <i>ICES Journal of Marine Science</i> , 2005, 62, 424-429.	2.5	12
126	Species composition and bycatches of a new crustacean trawl in Chile. <i>Fisheries Research</i> , 2011, 110, 149-159.	1.7	12



#	ARTICLE	IF	CITATIONS
127	What is the impact of kelp forest density and/or area on fisheries?. <i>Environmental Evidence</i> , 2013, 2, 15.	2.7	12
128	Changes in movements of white seabream ( <i>Diplodus sargus</i> ) during the reproductive season. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 499-503.	2.1	12
129	Comparing Atlantic and Mediterranean populations of the velvet belly lanternshark, <i>Etmopterus spinax</i> , with comments on the efficiency of density-dependent compensatory mechanisms. <i>Marine Biology Research</i> , 2010, 6, 373-380.	0.7	11
130	Age and growth of the bigeye thresher shark, <i>Alopias superciliosus</i> , from the pelagic longline fisheries in the tropical northeastern Atlantic Ocean, determined by vertebral band counts. <i>Aquatic Living Resources</i> , 2011, 24, 359-368.	1.2	11
131	Effects of environmental conditions and fishing operations on the performance of a bottom trawl. <i>ICES Journal of Marine Science</i> , 2012, 69, 293-302.	2.5	11
132	Reduccion de la captura secundaria y los descartes en la pesqueria costera de pequena escala del Algarve utilizando una red de trasmallo de monofilamento equipada con una red de proteccion. <i>Scientia Marina</i> , 2018, 82, 121.	0.6	11
133	Soft-bottom fishes and spatial protection: findings from a temperate marine protected area. <i>PeerJ</i> , 2018, 6, e4653.	2.0	11
134	Dynamics of black spot sea bream ( <i>Pagellus bogaraveo</i> ) mean length: evaluating the influence of life history parameters, recruitment, size selectivity and exploitation rates. <i>Journal of Applied Ichthyology</i> , 2006, 22, 183-188.	0.7	10
135	Identification of deep water lantern sharks (Chondrichthyes: Etmopteridae) using morphometric data and multivariate analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 199-204.	0.8	10
136	First record of the Mediterranean parrotfish, <i>Sparisoma cretense</i> in Ria Formosa (south Portugal). <i>Marine Biodiversity Records</i> , 2008, 1, .	1.2	10
137	How is the morphology of the oviducal gland and of the resulting egg capsule associated with the egg laying habitats of Rajidae species?. <i>Environmental Biology of Fishes</i> , 2015, 98, 2037-2048.	1.0	10
138	Toward adaptive management of coastal MPAs: The influence of different conservation targets and costs on the design of no-take areas. <i>Ecological Informatics</i> , 2015, 30, 263-270.	5.2	10
139	Do fisher associations really represent their members' needs and opinions? The case study of the octopus fishery in the Algarve (south Portugal). <i>Marine Policy</i> , 2019, 101, 276-284.	3.2	10
140	Marine Recreational Fishing in Portugal: Current Knowledge, Challenges, and Future Perspectives. <i>Reviews in Fisheries Science and Aquaculture</i> , 2020, 28, 536-560.	9.1	10
141	Molluscan diversity caught by trawling fisheries: a case study in southern Portugal. <i>Fisheries Management and Ecology</i> , 2006, 13, 39-45.	2.0	9
142	Age and growth, mortality and reproduction of the striped sea bream, <i>Lithognathus mormyrus</i> Linnaeus 1758, from the south coast of Portugal (Algarve). <i>Marine Biology Research</i> , 2010, 6, 53-65.	0.7	9
143	Diet of the blue marlin, <i>Makaira nigricans</i> , off the south coast of Portugal. <i>Marine Biology Research</i> , 2011, 7, 820-825.	0.7	9
144	Alternative codends to reduce bycatch in Chilean crustacean trawl fisheries. <i>Fisheries Research</i> , 2011, 110, 18-28.	1.7	9

#	ARTICLE	IF	CITATIONS
145	Behaviour of fish by-catch in the mouth of a crustacean trawl. <i>Journal of Fish Biology</i> , 2012, 80, 2517-2527.	1.6	9
146	Seagrass feeding choices and digestive strategies of the herbivorous fish <i>Sarpa salpa</i> . <i>Journal of Fish Biology</i> , 2014, 84, 1474-1489.	1.6	9
147	Demography of a deep-sea lantern shark ( <i>Etmopterus spinax</i> ) caught in trawl fisheries of the northeastern Atlantic: Application of Leslie matrices with incorporated uncertainties. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 115, 64-72.	1.4	9
148	Ecotourism Snorkelling Routes at Marinha Beach (Algarve). <i>Journal of Coastal Research</i> , 2011, 61, 274-281.	0.3	8
149	Effect of landings data disaggregation on ecological indicators. <i>Marine Ecology - Progress Series</i> , 2014, 509, 27-38.	1.9	8
150	Diel and seasonal changes in the spatial behaviour of a soft-sediment fish ( <i>Solea senegalensis</i> ) inside a marine reserve. <i>Marine Environmental Research</i> , 2018, 135, 82-92.	2.5	8
151	Discard practices in the gulf of Cadiz multispecies trawl fishery. Implications for the EU "landing obligation". <i>Marine Policy</i> , 2020, 118, 104008.	3.2	8
152	Empirical Approach to Multispecies Stock Assessment. <i>Transactions of the American Fisheries Society</i> , 1987, 116, 601-611.	1.4	7
153	Preliminary insights into the spatial ecology and movement patterns of a regionally critically endangered skate ( <i>Rostroraja alba</i> ) associated with a marine protected area. <i>Marine and Freshwater Behaviour and Physiology</i> , 2019, 52, 283-299.	0.9	7
154	Catches of the Sport Fishing Competitions Along the Algarve Coast (Portugal): Species, Sizes, Catch Rates, and Trends. <i>Acta Ichthyologica Et Piscatoria</i> , 2011, 41, 165-169.	0.7	7
155	Marinas as habitats for nearshore fish assemblages: comparative analysis of underwater visual census, baited cameras and fish traps. <i>Scientia Marina</i> , 2017, 81, 159.	0.6	7
156	Age and growth of Ray's bream ( <i>Brama brama</i> ) from the south of Portugal. <i>Fisheries Research</i> , 2001, 51, 343-347.	1.7	6
157	Limited mid-water scavenging of trawl discards. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 731-734.	0.8	6
158	Assessing mackerel scad, <i>Decapterus macarellus</i> , in Cape Verde: Using a Bayesian approach to biomass dynamic modelling in a data-limited situation. <i>Fisheries Research</i> , 2006, 82, 194-203.	1.7	6
159	Deep water longline selectivity for black spot seabream ( <i>Pagellus bogaraveo</i> ) in the Strait of Gibraltar. <i>Fisheries Science</i> , 2009, 75, 285-294.	1.6	6
160	Reproductive biology of cuckoo ray <i>Leucoraja naevus</i> . <i>Journal of Fish Biology</i> , 2012, 81, 1285-1296.	1.6	6
161	Robustness of the Estuarine Fish Assessment Index (EFAI) regarding water body definition criteria. <i>Ecological Indicators</i> , 2012, 20, 1-8.	6.3	6
162	Gillnet selectivity for freshwater fish species in three lentic systems of Greece. <i>Journal of Applied Ichthyology</i> , 2014, 30, 1016-1027.	0.7	6

#	ARTICLE	IF	CITATIONS
163	A framework for results-based management in fisheries. <i>Fish and Fisheries</i> , 2018, 19, 363-376.	5.3	6
164	Categorizing ocean conservation targets to avoid a potential false sense of protection to society: Portugal as a case-study. <i>Marine Policy</i> , 2019, 108, 103553.	3.2	6
165	The African hind's ( <i>Cephalopholis taeniodon</i> , serranidae) use of artificial reefs off sal island (Cape Tj ETQq1 1 0.784314 rgBT /Overlock 69-76.	0.6	6
166	Development of a responsive fisheries management system for the Portuguese crustacean bottom trawl fishery: Lessons learnt. <i>Marine Policy</i> , 2015, 52, 19-25.	3.2	5
167	The impact of trammel nets as an MPA soft bottom monitoring method. <i>Ecological Indicators</i> , 2021, 120, 106877.	6.3	5
168	Competition between static gear of the small-scale fisheries in Algarve waters (southern Portugal). <i>Mediterranean Marine Science</i> , 2012, 11, 225.	1.6	5
169	Testing NordmÃre grids on the target and by-catch species of the commercial bottom trawl fishery in the Gulf of Cadiz. <i>Scientia Marina</i> , 2015, 79, 465-477.	0.6	5
170	Reconstructing discards profiles of unreported catches. <i>Scientia Marina</i> , 2018, 82, 39.	0.6	5
171	A new probabilistic approach to estimating marine gastropod densities from baited traps. <i>Marine Ecology</i> , 2018, 39, e12509.	1.1	4
172	Preliminary results from project MAST/AM-advanced tracking and telemetry methodologies to study marine animals. , 2011, , .		3
173	The effects of subsampling and between haul variation on the size selectivity estimation of Chilean hake ( <i>Merluccius gayi gayi</i> ). <i>Latin American Journal of Aquatic Research</i> , 2012, 40, 345-357.	0.6	3
174	An ecological framework for the development of a national MPA network. <i>Aquatic Living Resources</i> , 2017, 30, 14.	1.2	3
175	â€Solo datasetsâ€™: unexpected behavioural patterns uncovered by acoustic monitoring of single individuals. <i>Marine and Freshwater Behaviour and Physiology</i> , 2018, 51, 183-201.	0.9	3
176	One device does not fit all: Limited results of using a Sortâ€X grid in the multiâ€species trawl fishery in the Gulf of CÃdz. <i>Fisheries Management and Ecology</i> , 2018, 25, 409-416.	2.0	3
177	The MINOUWApp: a web-based tool in support of by-catch and discards management. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 754.	2.7	3
178	Identifying MÃtiers Using Landings Profiles: An Octopus-Driven Multi-Gear Coastal Fleet. <i>Journal of Marine Science and Engineering</i> , 2021, 9, 1022.	2.6	3
179	Site fidelity of fish on a rocky intertidal in the south of Portugal. <i>Journal of Sea Research</i> , 2022, 183, 102202.	1.6	3
180	Alternative codends to improve the size selectivity for nylon shrimp ( <i>Heterocarpus reedi</i> ) and yellow squat lobster ( <i>Cervimunida johni</i> ) off the Chilean coast. <i>Journal of Applied Ichthyology</i> , 2012, 28, 537-544.	0.7	2

#	ARTICLE	IF	CITATIONS
181	Biology, abundance and distribution of Pennant's swimming crab, <i>Portunus latipes</i> (Pennant, 1777) along the coast of Portugal. <i>Crustaceana</i> , 2017, 90, 49-68.	0.3	2
182	Interspecific differences in habitat selection of syngnathids in the Ria Formosa lagoon, Portugal. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 189, 235-242.	2.1	2
183	Are we ready to implement a discard ban in the gulf of Cádiz? Stakeholders' perceptions. <i>Marine Policy</i> , 2020, 116, 103711.	3.2	2
184	Weight-length relationships for five fish species from a temperate coastal lagoon of southern Europe. <i>Journal of Applied Ichthyology</i> , 2013, 29, 292-293.	0.7	1
185	Description of burrowing behaviour of the pipefish <i>Syngnathus abaster</i> Risso, 1827 in the Ria Formosa lagoon, Portugal. <i>Journal of Applied Ichthyology</i> , 2016, 32, 973-975.	0.7	1
186	A regulation-based classification system for marine protected areas: A response to Dudley et al. [9]. <i>Marine Policy</i> , 2017, 77, 193-195.	3.2	1
187	Estimating the density of Pennant's swimming crab, <i>Portunus latipes</i> (Pennant, 1777) in the swash zone using baited stakes and area of attraction. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 887-890.	0.8	1
188	Editorial: Marine protected areas and small-scale fisheries. <i>Aquaculture and Fisheries</i> , 2020, 5, 211-212.	2.2	1
189	Reserve effect of a small North-East Atlantic marine protected area (Arrábida, Portugal) on soft-sediment fish species. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 1584-1595.	2.0	1
190	Can the Diving Industry Promote Marine Conservation and Enhance Environmental Awareness? (Sal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	1
191	Erratum to "Age and growth, maturity, mortality and yield-per-recruit for two banded bream ( <i>Diplodus vulgaris</i> Geoffr.) from the south coast of Portugal". <i>Fisheries Research</i> , 2003, 63, 299.	1.7	0
192	Effects of fishing methods on deep water shark species caught as by-catch off southern Portugal. , 2008, , 187-193.		0
193	Estimation of gillnet and hook selectivity for <i>Carangoides fulvoguttatus</i> (Forsskal, 1775) captured off Kanyakumari coast of India. <i>Indian Journal of Fisheries</i> , 2016, 63, .	0.3	0
194	Incorporación de ventanas de escape en nasas para jaiba, Ciénaga Grande de Santa Marta, Colombia. <i>Produccion Y Limpia</i> , 2018, 13, 55-66.	0.2	0