List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3070945/publications.pdf Version: 2024-02-01



KADIM EDZINI

#	Article	IF	CITATIONS
1	Site fidelity of fish on a rocky intertidal in the south of Portugal. Journal of Sea Research, 2022, 183, 102202.	1.6	3
2	The impact of trammel nets as an MPA soft bottom monitoring method. Ecological Indicators, 2021, 120, 106877.	6.3	5
3	Identifying Persistent Hot Spot Areas of Undersized Fish and Crustaceans in Southern European Waters: Implication for Fishery Management Under the Discard Ban Regulation. Frontiers in Marine Science, 2021, 8, .	2.5	15
4	Climate change vulnerability assessment of the main marine commercial fish and invertebrates of Portugal. Scientific Reports, 2021, 11, 2958.	3.3	19
5	Reserve effect of a small Northâ€East Atlantic marine protected area (Arrábida, Portugal) on softâ€sediment fish species. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 1584-1595.	2.0	1
6	Identifying Métiers Using Landings Profiles: An Octopus-Driven Multi-Gear Coastal Fleet. Journal of Marine Science and Engineering, 2021, 9, 1022.	2.6	3
7	First Assessment of the Impacts of the COVID-19 Pandemic on Global Marine Recreational Fisheries. Frontiers in Marine Science, 2021, 8, .	2.5	26
8	Are we ready to implement a discard ban in the gulf of Cádiz? Stakeholders' perceptions. Marine Policy, 2020, 116, 103711.	3.2	2
9	Marine spatial closures as a supplementary tool to reduce discards in bottom trawl fisheries: Examples from southern European waters. Fisheries Research, 2020, 232, 105714.	1.7	13
10	The MINOUWApp: a web-based tool in support of by-catch and discards management. Environmental Monitoring and Assessment, 2020, 192, 754.	2.7	3
11	Editorial: Marine protected areas and small-scale fisheries. Aquaculture and Fisheries, 2020, 5, 211-212.	2.2	1
12	Discard practices in the gulf of Cadiz multispecies trawl fishery. Implications for the EU †landing obligation'. Marine Policy, 2020, 118, 104008.	3.2	8
13	Marine Recreational Fishing in Portugal: Current Knowledge, Challenges, and Future Perspectives. Reviews in Fisheries Science and Aquaculture, 2020, 28, 536-560.	9.1	10
14	Fisher's perceptions about a marine protected area over time. Aquaculture and Fisheries, 2020, 5, 273-281.	2.2	14
15	Assessing microplastic uptake and impact on omnivorous juvenile white seabream Diplodus sargus (Linnaeus, 1758) under laboratory conditions. Marine Pollution Bulletin, 2020, 157, 111162.	5.0	19
16	Categorizing ocean conservation targets to avoid a potential false sense of protection to society: Portugal as a case-study. Marine Policy, 2019, 108, 103553.	3.2	6
17	Preliminary insights into the spatial ecology and movement patterns of a regionally critically endangered skate (<i>Rostroraja alba</i>) associated with a marine protected area. Marine and Freshwater Behaviour and Physiology, 2019, 52, 283-299.	0.9	7
18	Do fisher associations really represent their members' needs and opinions? The case study of the octopus fishery in the Algarve (south Portugal). Marine Policy, 2019, 101, 276-284.	3.2	10

#	Article	IF	CITATIONS
19	Linking sizeâ€based trophodynamics and morphological traits in marine fishes. Fish and Fisheries, 2019, 20, 355-367.	5.3	14
20	Estimating the density of Pennant's swimming crab, <i>Portumnus latipes</i> (Pennant, 1777) in the swash zone using baited stakes and area of attraction. Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 887-890.	0.8	1
21	Diel and seasonal changes in the spatial behaviour of a soft-sediment fish (Solea senegalensis) inside a marine reserve. Marine Environmental Research, 2018, 135, 82-92.	2.5	8
22	Fishers' perceptions of the European Union discards ban: perspective from south European fisheries. Marine Policy, 2018, 89, 147-153.	3.2	26
23	Small-scale coastal fisheries in European Seas are not what they were: Ecological, social and economic changes. Marine Policy, 2018, 98, 176-186.	3.2	93
24	A framework for resultsâ€based management in fisheries. Fish and Fisheries, 2018, 19, 363-376.	5.3	6
25	â€~Solo datasets': unexpected behavioural patterns uncovered by acoustic monitoring of single individuals. Marine and Freshwater Behaviour and Physiology, 2018, 51, 183-201.	0.9	3
26	One device does not fit all: Limited results of using a Sortâ€X grid in the multiâ€species trawl fishery in the Gulf of Cádiz. Fisheries Management and Ecology, 2018, 25, 409-416.	2.0	3
27	A new probabilistic approach to estimating marine gastropod densities from baited traps. Marine Ecology, 2018, 39, e12509.	1.1	4
28	Marine partially protected areas: drivers of ecological effectiveness. Frontiers in Ecology and the Environment, 2018, 16, 381-387.	4.0	100
29	Effects of different slipping methods on the mortality of sardine, Sardina pilchardus, after purse-seine capture off the Portuguese Southern coast (Algarve). PLoS ONE, 2018, 13, e0195433.	2.5	15
30	Reconstructing discards profiles of unreported catches. Scientia Marina, 2018, 82, 39.	0.6	5
31	Reducción de la captura secundaria y los descartes en la pesquerÃa costera de pequeña escala del Algarve utilizando una red de trasmallo de monofilamento equipada con una red de protección. Scientia Marina, 2018, 82, 121.	0.6	11
32	Bycatch and discard survival rate in a small-scale bivalve dredge fishery along the Algarve coast (southern Portugal). Scientia Marina, 2018, 82, 75.	0.6	15
33	Soft-bottom fishes and spatial protection: findings from a temperate marine protected area. PeerJ, 2018, 6, e4653.	2.0	11
34	Incorporación de ventanas de escape en nasas para jaiba, Ciénaga Grande de Santa Marta, Colombia. Produccion Y Limpia, 2018, 13, 55-66.	0.2	0
35	Can the Diving Industry Promote Marine Conservation and Enhance Environmental Awareness? (Sal) Tj ETQq1	1 0.784314 0.2	rgBT /Overic
36	Biology, abundance and distribution of Pennant's swimming crab, Portumnus latipes (Pennant, 1777) alongAtheÂcoast of Portugal. Crustaceana, 2017, 90, 49-68.	0.3	2

#	Article	IF	CITATIONS
37	Interspecific differences in habitat selection of syngnathids in the Ria Formosa lagoon, Portugal. Estuarine, Coastal and Shelf Science, 2017, 189, 235-242.	2.1	2
38	The short-term impacts of a cyclone on seagrass communities in Southwest Madagascar. Continental Shelf Research, 2017, 138, 132-141.	1.8	17
39	A regulation-based classification system for marine protected areas: A response to Dudley et al. [9]. Marine Policy, 2017, 77, 193-195.	3.2	1
40	"How―and "what―matters: Sampling method affects biodiversity estimates of reef fishes. Ecology and Evolution, 2017, 7, 4891-4906.	1.9	30
41	Participatory assessment of management measures for octopus vulgaris pot and trap fishery from southern Portugal. Marine Policy, 2017, 75, 133-142.	3.2	19
42	An ecological framework for the development of a national MPA network. Aquatic Living Resources, 2017, 30, 14.	1.2	3
43	Marinas as habitats for nearshore fish assemblages: comparative analysis of underwater visual census, baited cameras and fish traps. Scientia Marina, 2017, 81, 159.	0.6	7
44	A regulation-based classification system for Marine Protected Areas (MPAs). Marine Policy, 2016, 72, 192-198.	3.2	123
45	Description of burrowing behaviour of the pipefish Syngnathus abaster Risso, 1827 in the Ria Formosa lagoon, Portugal. Journal of Applied Ichthyology, 2016, 32, 973-975.	0.7	1
46	The EU landing obligation and European small-scale fisheries: What are the odds for success?. Marine Policy, 2016, 64, 64-71.	3.2	62
47	Environmental influence on commercial fishery landings of small pelagic fish in Portugal. Regional Environmental Change, 2016, 16, 709-716.	2.9	28
48	Estimation of gillnet and hook selectivity for Carangoides fulvoguttatus (Forsskal, 1775) captured off Kanyakumari coast of India. Indian Journal of Fisheries, 2016, 63, .	0.3	0
49	Early reserve effects linked to small home ranges of a commercial fish, Diplodus sargus, Sparidae. Marine Ecology - Progress Series, 2015, 518, 255-266.	1.9	33
50	Changes in movements of white seabream (Diplodus sargus) during the reproductive season. Estuarine, Coastal and Shelf Science, 2015, 167, 499-503.	2.1	12
51	Eco-touristic snorkelling routes at Marinha beach (Algarve): Environmental education and human impacts. Marine Policy, 2015, 60, 62-69.	3.2	13
52	Is Europe ready for a results-based approach to fisheries management? The voice of stakeholders. Marine Policy, 2015, 56, 86-97.	3.2	32
53	Assessment of catches, landings and fishing effort as useful tools for MPA management. Fisheries Research, 2015, 172, 197-208.	1.7	14
54	Using biological variables and reproductive strategy of the undulate ray <i>Raja undulata</i> to evaluate productivity and susceptibility to exploitation. Journal of Fish Biology, 2015, 86, 1471-1490.	1.6	15

#	Article	IF	CITATIONS
55	How is the morphology of the oviducal gland and of the resulting egg capsule associated with the egg laying habitats of Rajidae species?. Environmental Biology of Fishes, 2015, 98, 2037-2048.	1.0	10
56	Toward adaptive management of coastal MPAs: The influence of different conservation targets and costs on the design of no-take areas. Ecological Informatics, 2015, 30, 263-270.	5.2	10
57	Demography of a deep-sea lantern shark (Etmopterus spinax) caught in trawl fisheries of the northeastern Atlantic: Application of Leslie matrices with incorporated uncertainties. Deep-Sea Research Part II: Topical Studies in Oceanography, 2015, 115, 64-72.	1.4	9
58	Development of a responsive fisheries management system for the Portuguese crustacean bottom trawl fishery: Lessons learnt. Marine Policy, 2015, 52, 19-25.	3.2	5
59	Testing NordmÃ,re grids on the target and by-catch species of the commercial bottom trawl fishery in the Gulf of Cadiz. Scientia Marina, 2015, 79, 465-477.	0.6	5
60	Seagrass feeding choices and digestive strategies of the herbivorous fish <i>Sarpa salpa</i> . Journal of Fish Biology, 2014, 84, 1474-1489.	1.6	9
61	Gillnet selectivity for freshwater fish species in three lentic systems of Greece. Journal of Applied Ichthyology, 2014, 30, 1016-1027.	0.7	6
62	Effect of landings data disaggregation on ecological indicators. Marine Ecology - Progress Series, 2014, 509, 27-38.	1.9	8
63	Tropicalization of fish assemblages in temperate biogeographic transition zones. Marine Ecology - Progress Series, 2014, 504, 241-252.	1.9	71
64	Trends in landings of fish species potentially affected by climate change in Portuguese fisheries. Regional Environmental Change, 2014, 14, 657-669.	2.9	44
65	Influence of Environmental Variables and Fishing Pressure on Bivalve Fisheries in an Inshore Lagoon and Adjacent Nearshore Coastal Area. Estuaries and Coasts, 2014, 37, 191-205.	2.2	18
66	Identification of Potential Essential Fish Habitats for Skates Based on Fishers' Knowledge. Environmental Management, 2014, 53, 985-998.	2.7	21
67	Reconstructed catches and trends for mainland Portugal fisheries between 1938 and 2009: implications for sustainability, domestic fish supply and imports. Fisheries Research, 2014, 155, 33-50.	1.7	35
68	Can small MPAs protect local populations of a coastal flatfish, <i>Solea senegalensis</i> ?. Fisheries Management and Ecology, 2014, 21, 175-185.	2.0	25
69	Biomares, a LIFE project to restore and manage the biodiversity of Prof. Luiz Saldanha Marine Park. Journal of Coastal Conservation, 2014, 18, 643-655.	1.6	14
70	Trap modification opens new gates to achieve sustainable coral reef fisheries. Aquatic Conservation: Marine and Freshwater Ecosystems, 2014, 24, 680-695.	2.0	21
71	Developing self-guided scuba dive routes in the Algarve (Portugal) and analysing visitors' perceptions. Marine Policy, 2014, 45, 194-203.	3.2	20
72	Environmental and fishery-driven dynamics of the common octopus (Octopus vulgaris) based on time-series analyses from leeward Algarve, southern Portugal. ICES Journal of Marine Science, 2014, 71, 2231-2241.	2.5	16

#	Article	IF	CITATIONS
73	A multi-model approach to evaluate the role of environmental variability and fishing pressure in sardine fisheries. Journal of Marine Systems, 2014, 139, 128-138.	2.1	30
74	Combining multispecies home range and distribution models aids assessment of MPA effectiveness. Marine Ecology - Progress Series, 2014, 513, 155-169.	1.9	35
75	Small MPAs do not protect cuttlefish (Sepia officinalis). Fisheries Research, 2013, 147, 196-201.	1.7	14
76	Behavioural responses of sardines <i>Sardina pilchardus</i> to simulated purseâ€seine capture and slipping. Journal of Fish Biology, 2013, 83, 480-500.	1.6	15
77	What is the impact of kelp forest density and/or area on fisheries?. Environmental Evidence, 2013, 2, 15.	2.7	12
78	Residency, movements and habitat use of adult white seabream (Diplodus sargus) between natural and artificial reefs. Estuarine, Coastal and Shelf Science, 2013, 118, 80-85.	2.1	57
79	Weight-length relationships for five fish species from a temperate coastal lagoon of southern Europe. Journal of Applied Ichthyology, 2013, 29, 292-293.	0.7	1
80	From a traditionally open access fishery to modern restrictions: Portuguese anglers' perceptions about newly implemented recreational fishing regulations. Marine Policy, 2013, 40, 53-63.	3.2	33
81	â€~Reserve effect' within a temperate marine protected area in the north-eastern Atlantic (Arrábida) Tj ETQ	91 1 0.78 1.9	4314 rgBT /0
82	Fishers' Behaviour in Response to the Implementation of a Marine Protected Area. PLoS ONE, 2013, 8, e65057.	2.5	50
83	The effects of subsampling and between haul variation on the size selectivity estimation of Chilean hake (Merluccius gayi gayi). Latin American Journal of Aquatic Research, 2012, 40, 345-357.	0.6	3
84	Effects of environmental conditions and fishing operations on the performance of a bottom trawl. ICES Journal of Marine Science, 2012, 69, 293-302.	2.5	11
85	Reproductive biology of cuckoo ray <i>Leucoraja naevus</i> . Journal of Fish Biology, 2012, 81, 1285-1296.	1.6	6
86	Ecological quality assessment of transitional waters based on fish assemblages in Portuguese estuaries: The Estuarine Fish Assessment Index (EFAI). Ecological Indicators, 2012, 19, 144-153.	6.3	64
87	Robustness of the Estuarine Fish Assessment Index (EFAI) regarding water body definition criteria. Ecological Indicators, 2012, 20, 1-8.	6.3	6
88	Fish assemblages of shallow intertidal habitats of the Ria Formosa lagoon (South Portugal): influence of habitat and season. Marine Ecology - Progress Series, 2012, 446, 259-273.	1.9	26
89	Movements of Sarpa salpa (Linnaeus, 1758) (Sparidae) in a coastal lagoon (Ria Formosa, Portugal). Journal of Applied Ichthyology, 2012, 28, 126-129.	0.7	13
90	Alternative codends to improve the size selectivity for nylon shrimp (Heterocarpus reedi) and yellow squat lobster (Cervimunida johni) off the Chilean coast. Journal of Applied Ichthyology, 2012, 28, 537-544.	0.7	2

#	Article	IF	CITATIONS
91	Population structure of the black seabream <i>Spondyliosoma cantharus</i> along the southâ€west Portuguese coast inferred from otolith chemistry. Journal of Fish Biology, 2012, 80, 427-443.	1.6	16
92	Behaviour of fish byâ€catch in the mouth of a crustacean trawl. Journal of Fish Biology, 2012, 80, 2517-2527.	1.6	9
93	Competition between static gear of the small-scale fisheries in Algarve waters (southern Portugal). Mediterranean Marine Science, 2012, 11, 225.	1.6	5
94	Preliminary results from project MAST/AM-advanced tracking and telemetry methodologies to study marine animals. , 2011, , .		3
95	Age and growth of the bigeye thresher shark, <i>Alopias superciliosus</i> , from the pelagic longline fisheries in the tropical northeastern Atlantic Ocean, determined by vertebral band counts. Aquatic Living Resources, 2011, 24, 359-368.	1.2	11
96	Ecotourism Snorkelling Routes at Marinha Beach (Algarve). Journal of Coastal Research, 2011, 61, 274-281.	0.3	8
97	Diet of the blue marlin, <i>Makaira nigricans,</i> off the south coast of Portugal. Marine Biology Research, 2011, 7, 820-825.	0.7	9
98	Short-term hooking mortality of three marine fish species (Sparidae) caught by recreational angling in the south Portugal. Fisheries Research, 2011, 108, 58-64.	1.7	17
99	Alternative codends to reduce bycatch in Chilean crustacean trawl fisheries. Fisheries Research, 2011, 110, 18-28.	1.7	9
100	Species composition and bycatches of a new crustacean trawl in Chile. Fisheries Research, 2011, 110, 149-159.	1.7	12
101	Insights into population structure of Diplodus vulgaris along the SW Portuguese coast from otolith elemental signatures. Fisheries Research, 2011, 111, 82-91.	1.7	22
102	Influence of environmental and fishery parameters on loggerhead sea turtle by-catch in the longline fishery in the Azores archipelago and implications for conservation. Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 1697-1705.	0.8	13
103	The African hind's (Cephalopholis taeniops, serranidae) use of artificial reefs off sal island (Cape) Tj ETQq1 1 0.78 69-76.	4314 rgB 0.6	T /Overlock
104	Catches of the Sport Fishing Competitions Along the Algarve Coast (Portugal): Species, Sizes, Catch Rates, and Trends. Acta Ichthyologica Et Piscatoria, 2011, 41, 165-169.	0.7	7
105	Quantifying recreational shore angling catch and harvest in southern Portugal (northâ€east Atlantic) Tj ETQq1 1 2010, 76, 2216-2237.	0.784314 1.6	rgBT /Overl 99
106	Life history of the common pandora, Pagellus erythrinus (Linnaeus, 1758) (Actinopterygii: Sparidae) from southern Portugal. Brazilian Journal of Oceanography, 2010, 58, 233-245.	0.6	15
107	Fishing simulation experiments for predicting the effects of purse-seine capture on sardine (Sardina) Tj ETQq1 1	0.784314 2.5	rgǥŢ /Overlo
108	Comparing Atlantic and Mediterranean populations of the velvet belly lanternshark, <i>Etmopterus spinax</i> , with comments on the efficiency of density-dependent compensatory mechanisms. Marine Biology Research, 2010, 6, 373-380.	0.7	11

#	Article	IF	CITATIONS
109	Depth distribution of the velvet belly, <i>Etmopterus spinax</i> , in relation to growth and reproductive cycle: The case study of a deep-water lantern shark with a wide-ranging critical habitat. Marine Biology Research, 2010, 6, 381-389.	0.7	18
110	Age and growth, mortality and reproduction of the striped sea bream, <i>Lithognathus mormyrus</i> Linnaeus 1758, from the south coast of Portugal (Algarve). Marine Biology Research, 2010, 6, 53-65.	0.7	9
111	Home range, residency and movements of Diplodus sargus and Diplodus vulgaris in a coastal lagoon: Connectivity between nursery and adult habitats. Estuarine, Coastal and Shelf Science, 2009, 85, 525-529.	2.1	92
112	Deep water longline selectivity for black spot seabream (Pagellus bogaraveo) in the Strait of Gibraltar. Fisheries Science, 2009, 75, 285-294.	1.6	6
113	<i>Diplodus</i> spp. assemblages on artificial reefs: importance for near shore fisheries. Fisheries Management and Ecology, 2009, 16, 88-99.	2.0	41
114	Weight-length relationships for 54 species of the Arade estuary, southern Portugal. Journal of Applied Ichthyology, 2009, 25, 493-496.	0.7	34
115	Comparative Behavior of Wild and Hatchery Reared White Sea Bream (Diplodus sargus) Released on Artificial Reefs Off the Algarve (Southern Portugal). Reviews: Methods and Technologies in Fish Biology and Fisheries, 2009, , 23-34.	0.6	19
116	Effects of fishing methods on deep water shark species caught as by-catch off southern Portugal. Hydrobiologia, 2008, 606, 187-193.	2.0	27
117	The effect of predation on artificial reef juvenile demersal fish species. Marine Biology, 2008, 153, 1233-1244.	1.5	28
118	Life history of a wideâ€ranging deepwater lantern shark in the northâ€east Atlantic, <i>Etmopterus spinax </i> (Chondrichthyes: Etmopteridae), with implications for conservation. Journal of Fish Biology, 2008, 73, 1419-1443.	1.6	40
119	Fish assemblages and rapid colonization after enlargement of an artificial reef off the Algarve coast (Southern Portugal). Marine Ecology, 2008, 29, 435-448.	1.1	44
120	Non-commercial invertebrate discards in an experimental trammel net fishery. Fisheries Management and Ecology, 2008, 15, 199-210.	2.0	16
121	Long-term changes in fish communities of the Ria Formosa coastal lagoon (southern Portugal) based on two studies made 20years apart. Estuarine, Coastal and Shelf Science, 2008, 76, 57-68.	2.1	70
122	Site fidelity and movements of gilthead sea bream (Sparus aurata) in a coastal lagoon (Ria Formosa,) Tj ETQqO O	0 rgBT /O	verlock 10 Tf
123	Use of different intertidal habitats by faunal communities in a temperate coastal lagoon. Estuarine, Coastal and Shelf Science, 2008, 80, 357-364.	2.1	24
124	Effects of fishing methods on deep water shark species caught as by-catch off southern Portugal. , 2008, , 187-193.		0
125	Ageing seabreams: A comparative study between scales and otoliths. Fisheries Research, 2008, 89, 37-48.	1.7	61
126	Assessing swordfish distribution in the South Atlantic from spatial predictions. Fisheries Research, 2008, 90, 45-55.	1.7	14

8

#	Article	IF	CITATIONS
127	Identification of deep water lantern sharks (Chondrichthyes: Etmopteridae) using morphometric data and multivariate analysis. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 199-204.	0.8	10
128	Reducing discards in a demersal purse-seine fishery. Aquatic Living Resources, 2008, 21, 135-144.	1.2	15
129	First record of the Mediterranean parrotfish, Sparisoma cretense in Ria Formosa (south Portugal). Marine Biodiversity Records, 2008, 1, .	1.2	10
130	Capturas incidentales de las pesquerÃas de arrastre de fondo de crustáceos y peces al sur de Portugal (Algarve). Scientia Marina, 2008, 72, 801-814.	0.6	17
131	Population parameters of the smooth lantern shark, Etmopterus pusillus, in southern Portugal (NE) Tj ETQq1 1 C).784314 r 1.7	gBT_/Overloo
132	Discards from experimental trammel nets in southern European small-scale fisheries. Fisheries Research, 2007, 88, 5-14.	1.7	54
133	The use of caudal thorns for ageing Raja undulata from the Portuguese continental shelf, with comments on its reproductive cycle. Marine and Freshwater Research, 2007, 58, 983.	1.3	22
134	A conservation trade-off? Interspecific differences in seahorse responses to experimental changes in fishing effort. Aquatic Conservation: Marine and Freshwater Ecosystems, 2007, 17, 468-484.	2.0	31
135	An assessment of catches and harvest of recreational shore angling in the north of Portugal. Fisheries Management and Ecology, 2007, 14, 343-352.	2.0	46
136	Feeding habits of the deep-snouted pipefish Syngnathus typhle in a temperate coastal lagoon. Estuarine, Coastal and Shelf Science, 2007, 72, 337-347.	2.1	28
137	Trophic signatures of small-scale fishing gears: implications for conservation and management. Marine Ecology - Progress Series, 2007, 333, 117-128.	1.9	18
138	Conservation and management of exploited shark populations based on reproductive value. Canadian Journal of Fisheries and Aquatic Sciences, 2006, 63, 931-942.	1.4	59
139	Trammel net catch species composition, catch rates and métiers in southern European waters: A multivariate approach. Fisheries Research, 2006, 79, 170-182.	1.7	77
140	Size selectivity of trammel nets in southern European small-scale fisheries. Fisheries Research, 2006, 79, 183-201.	1.7	72
141	Reproductive aspects of the undulate ray, Raja undulata, from the south coast of Portugal. Fisheries Research, 2006, 81, 80-85.	1.7	33
142	Assessing mackerel scad, Decapterus macarellus, in Cape Verde: Using a Bayesian approach to biomass dynamic modelling in a data-limited situation. Fisheries Research, 2006, 82, 194-203.	1.7	6
143	Dynamics of black spot sea bream (Pagellus bogaraveo) mean length: evaluating the influence of life history parameters, recruitment, size selectivity and exploitation rates. Journal of Applied Ichthyology, 2006, 22, 183-188.	0.7	10
144	Age and growth, mortality, reproduction and relative yield per recruit of the bogue,Boops boopsLinné, 1758 (Sparidae), from the Algarve (south of Portugal) longline fishery. Journal of Applied Ichthyology, 2006, 22, 345-352.	0.7	31

KARIM ERZINI

#	Article	IF	CITATIONS
145	Molluscan diversity caught by trawling fisheries: a case study in southern Portugal. Fisheries Management and Ecology, 2006, 13, 39-45.	2.0	9
146	Seasonal, tidal and diurnal changes in fish assemblages in the Ria Formosa lagoon (Portugal). Estuarine, Coastal and Shelf Science, 2006, 67, 461-474.	2.1	98
147	Structure and temporal variations of fish assemblages of the Castro Marim salt marsh, southern Portugal. Estuarine, Coastal and Shelf Science, 2006, 70, 27-38.	2.1	59
148	Feeding ecology and trophic relationships of fish species in the lower Guadiana River Estuary and Castro Marim e Vila Real de Santo António Salt Marsh. Estuarine, Coastal and Shelf Science, 2006, 70, 19-26.	2.1	35
149	Composition and temporal dynamics of a temperate rocky cryptobenthic fish assemblage. Journal of the United Kingdom, 2006, 86, 1221-1228.	0.8	14
150	Feeding habits of the velvet belly lanternshark Etmopterus spinax (Chondrichthyes: Etmopteridae) off the Algarve, southern Portugal. Journal of the Marine Biological Association of the United Kingdom, 2006, 86, 835-841.	0.8	44
151	Trends in NE Atlantic landings (southern Portugal): identifying the relative importance of fisheries and environmental variables. Fisheries Oceanography, 2005, 14, 195-209.	1.7	95
152	Trophic food web and ecosystem attributes of a water reservoir of the Ria Formosa (south Portugal). Ecological Modelling, 2005, 181, 509-520.	2.5	41
153	An application of two techniques for the analysis of short, multivariate non-stationary time-series of Mauritanian trawl survey data. ICES Journal of Marine Science, 2005, 62, 353-359.	2.5	38
154	Analysis of size spectra off northwest Africa: a useful indicator in tropical areas?. ICES Journal of Marine Science, 2005, 62, 424-429.	2.5	12
155	reproductive biology of the blackmouth catshark, galeus melastomus (chondrichthyes:) Tj ETQq1 1 0.784314 rgB United Kingdom, 2005, 85, 1173-1183.	T /Overloc 0.8	ck 10 Tf 50 28
156	length at first maturity of two species of lantern sharks (etmopterus spinax and etmopterus pusillus) off southern portugal. Journal of the Marine Biological Association of the United Kingdom, 2005, 85, 1163-1165.	0.8	25
157	Using a modified NordmÃ,re grid for by-catch reduction in the Portuguese crustacean-trawl fishery. Fisheries Research, 2005, 71, 223-239.	1.7	61
158	Effect of light-sticks and electralume attractors on surface-longline catches of swordfish (Xiphias) Tj ETQq0 0 0 rg	BŢ_ĮOverlo	pck_{21} 10 Tf 50
159	Food availability and the feeding ecology of ichthyofauna of a Ria Formosa (South Portugal) water reservoir. Estuaries and Coasts, 2003, 26, 938-948.	1.7	20
160	Reduction of elasmobranch by-catch in the hake semipelagicnear-bottom longline fishery in the Algarve (Southern Portugal). Fisheries Science, 2003, 69, 293-299.	1.6	28
161	Gill net selectivity for European hake Merluccius merluccius from southern Portugal: implications for fishery management. Fisheries Science, 2003, 69, 873-882.	1.6	30
162	Weight-length relationships for fish species discarded in commercial fisheries of the Algarve (southern Portugal). Journal of Applied Ichthyology, 2003, 19, 394-396.	0.7	64

#	Article	IF	CITATIONS
163	Size selectivity of diamond and square mesh cod ends for four by-catch species in the crustacean fishery off the Portuguese south coast. Fisheries Research, 2003, 60, 79-97.	1.7	39

Age and growth, maturity, mortality and yield-per-recruit for two banded bream (Diplodus vulgaris) Tj ETQq0 0 0 rg $\frac{BT}{1.7}$ /Overlock 10 Tf 50

165	Erratum to "Age and growth, maturity, mortality and yield-per-recruit for two banded bream (Diplodus vulgaris Geoffr.) from the south coast of Portugal― Fisheries Research, 2003, 63, 299.	1.7	0
166	Limited mid-water scavenging of trawl discards. Journal of the Marine Biological Association of the United Kingdom, 2003, 83, 731-734.	0.8	6
167	Quantifying the roles of competing static gears: comparative selectivity of longlines and monofilament gill nets in a multi-species fishery of the Algarve (southern Portugal). Scientia Marina, 2003, 67, 341-352.	0.6	49
168	Age and growth of the undulate ray, Raja undulata, in the Algarve (southern Portugal). Journal of the Marine Biological Association of the United Kingdom, 2002, 82, 987-990.	0.8	24
169	Gill net and longlines fisheries in Cyclades waters (Aegean Sea): species composition and gear competition. Fisheries Research, 2002, 57, 25-37.	1.7	52
170	Comparative fixed gear studies in the Cyclades (Aegean Sea): size selectivity of small-hook longlines and monofilament gill nets. Fisheries Research, 2002, 58, 25-40.	1.7	42
171	Size selectivity of diamond and square mesh cod ends for rose shrimp (Parapenaeus longirostris) and Norway lobster (Nephrops norvegicus) off the Portuguese south coast. Fisheries Research, 2002, 58, 281-301.	1.7	47
172	A comparative study of the species composition of discards from five fisheries from the Algarve (southern Portugal). Fisheries Management and Ecology, 2002, 9, 31-40.	2.0	46
173	Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq1 1 C	.78 64.3 14 r	gB & ‡Overlo
173 174	 Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq1 1 0 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. 	.78∉.3°14 r 1.7	gBī≵‡Overlo 28
173 174 175	 Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq110 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. Age and growth of Ray's bream (Brama brama) from the south of Portugal. Fisheries Research, 2001, 51, 343-347. 	.789.314 r 1.7 1.7	gBī≵⊅verlo 28 6
173 174 175 176	 Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq110 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. Age and growth of Ray's bream (Brama brama) from the south of Portugal. Fisheries Research, 2001, 51, 343-347. Discards of the Algarve (southern Portugal) crustacean trawl fishery. Hydrobiologia, 2001, 449, 267-277. 	.789.314 r 1.7 1.7 2.0	gBT‡Overlo 28 6 55
173 174 175 176 177	Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq1 10 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. Age and growth of Ray's bream (Brama brama) from the south of Portugal. Fisheries Research, 2001, 51, 343-347. Discards of the Algarve (southern Portugal) crustacean trawl fishery. Hydrobiologia, 2001, 449, 267-277. By-catch and discarding practices in five Algarve (southern Portugal) metiers. Journal of Applied Ichthyology, 2001, 17, 104-114.	.784.314 r 1.7 1.7 2.0 0.7	gB&‡Overlo 28 6 55 85
173 174 175 176 177 178	Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq1 1 0 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. Age and growth of Ray's bream (Brama brama) from the south of Portugal. Fisheries Research, 2001, 51, 343-347. Discards of the Algarve (southern Portugal) crustacean trawl fishery. Hydrobiologia, 2001, 449, 267-277. By-catch and discarding practices in five Algarve (southern Portugal) metiers. Journal of Applied Ichthyology, 2001, 17, 104-114. The reproductive biology of the two-banded sea bream (Diplodus vulgaris) from the southwest coast of Portugal. Journal of Applied Ichthyology, 2000, 16, 110-116.	.784.314 r 1.7 1.7 2.0 0.7 0.7	gB&‡Overlo 28 6 55 85 54
173 174 175 176 177 178	Feeding habits of the gilthead seabream (Sparus aurata) from the Ria Formosa (southern Portugal) as compared to the black seabream (Spondyliosoma cantharus) and the annular seabream (Diplodus) Tj ETQq1 10 The hake deepwater semi-pelagic ("pedra-bolaâ€) longline fishery in the Algarve (southern Portugal). Fisheries Research, 2001, 51, 327-336. Age and growth of Ray's bream (Brama brama) from the south of Portugal. Fisheries Research, 2001, 51, 343-347. Discards of the Algarve (southern Portugal) crustacean trawl fishery. Hydrobiologia, 2001, 449, 267-277. By-catch and discarding practices in five Algarve (southern Portugal) metiers. Journal of Applied Ichthyology, 2001, 17, 104-114. The reproductive biology of the two-banded sea bream (Diplodus vulgaris) from the southwest coast of Portugal. Journal of Applied Ichthyology, 2000, 16, 110-116. The reproductive biology of &Iti>Spondyliosoma cantharus&It/i> (L.) from the SW Coast of Portugal. Scientia Marina, 2000, 64, 403-411.	.784.314 r 1.7 1.7 2.0 0.7 0.7	gB&‡Overlo 28 6 55 85 54 17

#	Article	IF	CITATIONS
181	Species and size selectivity in a ?red? sea bream longline ?m�tier? in the Algarve (southern Portugal). Aquatic Living Resources, 1998, 11, 1-11.	1.2	57
182	An alternative methodology for fitting selectivity curves to pre-defined distributions. Fisheries Research, 1998, 34, 307-313.	1.7	12
183	Maturation and gill-net selectivity of two small sea breams (genus Diplodus) from the Algarve coast (south Portugal). Fisheries Research, 1998, 36, 185-194.	1.7	30
184	Weight-length relationships for selected fish species of the small-scale demersal fisheries of the south and south-west coast of Portugal. Fisheries Research, 1997, 30, 253-256.	1.7	252
185	Fish mouth dimensions and size selectivity in a Portuguese longline fishery. Journal of Applied Ichthyology, 1997, 13, 41-44.	0.7	45
186	An experimental study of gill net and trammel net 'ghost fishing' in the Algarve (southern Portugal). Marine Ecology - Progress Series, 1997, 158, 257-265.	1.9	83
187	Gastric evacuation and feeding in the gilthead sea bream reared under semi-intensive conditions. Aquaculture International, 1996, 4, 129-141.	2.2	28
188	Species and size selectivity in a Portuguese multispecies artisanal long-line fishery. ICES Journal of Marine Science, 1996, 53, 811-819.	2.5	70
189	Aspects of the biology and gillnet selectivity of the axillary seabream (Pagellus acarne, Risso) and common pandora (Pagellus erythrinus, Linnaeus) from the Algarve (south Portugal). Fisheries Research, 1995, 23, 223-236.	1.7	37
190	An empirical study of variability in length-at-age of marine fishes. Journal of Applied Ichthyology, 1994, 10, 17-41.	0.7	53
191	Age and growth of megrim Lepidorhombus boscii, Risso of the Portuguese continental coast. Fisheries Research, 1993, 16, 339-346.	1.7	15
192	Sample size and grouping of data for length-frequency analysis. Fisheries Research, 1990, 9, 355-366.	1.7	23
193	Empirical Approach to Multispecies Stock Assessment. Transactions of the American Fisheries Society, 1987, 116, 601-611.	1.4	7
194	Semi-pelagic Longline and Trammel Net Elasmobranch Catches in Southern Portugal: Catch Composition, Catch Rates and Discards. Journal of Northwest Atlantic Fishery Science, 0, 35, 531-537.	1.4	41