

Ralph Huebner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3071223/ralph-huebner-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35
papers

529
citations

15
h-index

22
g-index

38
ext. papers

651
ext. citations

5.8
avg, IF

3.53
L-index

#	Paper	IF	Citations
35	Reversible Intramolecular Single-Electron Oxidative Addition Involving a Hemilabile Noninnocent Ligand. <i>Organometallics</i> , 2011 , 30, 1414-1418	3.8	50
34	Stabilising a quinonoid-bridged dicopper(I) complex by use of a dppf (dppf = (diphenylphosphino)ferrocene) backbone. <i>Chemical Communications</i> , 2010 , 46, 1497-9	5.8	47
33	Energy-level tailoring in a series of redox-rich quinonoid-bridged diruthenium complexes containing tris(2-pyridylmethyl)amine as a co-ligand. <i>Chemistry - A European Journal</i> , 2011 , 17, 5727-36	4.8	40
32	First structurally characterized mono- and dinuclear ruthenium complexes derived from zwitterionic quinonoid ligands. <i>Chemical Communications</i> , 2009 , 4387-9	5.8	38
31	Quantum spin liquids unveil the genuine Mott state. <i>Nature Materials</i> , 2018 , 17, 773-777	27	36
30	Combining two non-innocent ligands in isomeric complexes [Pt(pap)(m)Q(n)](0) (pap = phenylazopyridine, Q = 3,5-di-tert-butyl-benzoquinone). <i>Dalton Transactions</i> , 2009 , 4653-5	4.3	33
29	Anion effects on electronic structure and electrodynamic properties of the Mott insulator $\text{[BEDT-TTF]}_2\text{Ag}_2(\text{CN})_3$. <i>Physical Review B</i> , 2016 , 94,	3.3	32
28	Double redox-activity in azobenzene-quinonoid palladium(II) complexes: a combined structural, electrochemical and spectroscopic study. <i>Dalton Transactions</i> , 2011 , 40, 431-6	4.3	27
27	Spectroelectrochemical evidence for the nitrosyl redox siblings NO^+ , NO^* , and NO^- coordinated to a strongly electron-accepting Fe(II) porphyrin: DFT calculations suggest the presence of high-spin states after reduction of the Fe(II)- NO^- complex. <i>Chemistry - A European Journal</i> , 2011 , 17, 7868-74	4.8	23
26	Electronic, charge and magnetic interactions in three-centre systems. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 4801-4809	7.1	21
25	Phosphide-tetrahedrite $\text{Ag}_6\text{Ge}_{10}\text{P}_{12}$: Thermoelectric Performance of a Long-Forgotten Silver-Cluster Compound. <i>Chemistry of Materials</i> , 2017 , 29, 6956-6965	9.6	21
24	Optical conductivity of the Weyl semimetal NbP. <i>Physical Review B</i> , 2018 , 98,	3.3	21
23	Metal(IV) Complexes $[\text{M}(\text{LN},\text{O},\text{S})_2]_n$ (M = Ru, Os) of a Redox-Active o-Amidophenolate Ligand $(\text{LN},\text{O},\text{S})_2$ with Coordinating Thioether Appendix. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 3569-3576	2.3	20
22	Filling gaps in the series of noninnocent hetero-1,3-diene chelate ligands: ruthenium complexes of redox-active π -azocarbonyl and π -thiocarbonyl ligands $\text{RNNC}(\text{R})\text{E}$, E = O or S. <i>Inorganic Chemistry</i> , 2012 , 51, 6237-44	5.1	18
21	UV-vis-NIR and EPR characterisation of the redox series $[\text{MQ}(3)](2+,+,0,-,2-)$, M = Ru or Os, and Q = o-quinone derivative. <i>Dalton Transactions</i> , 2012 , 41, 8913-21	4.3	16
20	Gapped magnetic ground state in quantum spin liquid candidate $[\text{BEDT-TTF}]\text{Cu}(\text{CN})$. <i>Science</i> , 2021 , 372, 276-279	33.3	10
19	Probing the Intramolecular Metal-Selenoether Interaction in a Bis(iminosemiquinone)copper(II) Compound. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2017 , 643, 1621-1627	1.3	8

18	Photoswitchable stable charge-distributed states in a new cobalt complex exhibiting photo-induced valence tautomerism. <i>Faraday Discussions</i> , 2015 , 185, 347-59	3.6	8
17	Functional Hybrid Molecules for the Visualization of Cancer: PESIN-Homodimers Combined with Multimodal Molecular Imaging Probes for Positron Emission Tomography and Optical Imaging: Suited for Tracking of GRPR-Positive Malignant Tissue*. <i>Chemistry - A European Journal</i> , 2020 , 26, 16349-16356	4.8	7
16	Electrocrystallisation and single crystal structure determination of Bis(2,2'-bipyridyl)silver(II) perchlorate [Ag(bipy) ₂](ClO ₄) ₂ . <i>Polyhedron</i> , 2012 , 48, 68-71	2.7	7
15	Low-temperature dielectric anomaly arising from electronic phase separation at the Mott insulator-metal transition. <i>Npj Quantum Materials</i> , 2021 , 6,	5	7
14	Free-carrier dynamics in AuPb probed by optical conductivity measurements. <i>Journal of Physics Condensed Matter</i> , 2018 , 30, 485403	1.8	6
13	Probing two PESIN-indocyanine-dye-conjugates: significance of the used fluorophore. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 1302-1309	7.3	5
12	The metal-insulator transition in the organic conductor κ (BEDT-TTF)Hg(SCN)Cl. <i>Journal of Chemical Physics</i> , 2017 , 147, 064503	3.9	5
11	Conduction mechanism of nitronyl-nitroxide molecular magnetic compounds. <i>Physical Review B</i> , 2016 , 93,	3.3	4
10	Phase coexistence at the first-order Mott transition revealed by pressure-dependent dielectric spectroscopy of κ (BEDT-TTF) ₂ Cu ₂ (CN) ₃ . <i>Physical Review B</i> , 2021 , 103,	3.3	4
9	Hybrid Multimodal Imaging Synthons for Chemoselective and Efficient Biomolecule Modification with Chelator and Near-Infrared Fluorescent Cyanine Dye. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	3
8	Design, Synthesis, In Vitro and In Vivo Evaluation of Heterobivalent SiFA-Modified Peptidic Radioligands Targeting Both Integrin $\alpha_5\beta_1$ and the MC1 Receptor-Suitable for the Specific Visualization of Melanomas?. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
7	Side-by-Side Comparison of Five Chelators for Zr-Labeling of Biomolecules: Investigation of Chemical/Radiochemical Properties and Complex Stability.. <i>Cancers</i> , 2021 , 13,	6.6	3
6	Structural Reassessment of [W(CO) ₅ (TCNE)]: N (η ²) Coordination Instead of an Olefin (η ²) Complex. <i>Organometallics</i> , 2012 , 31, 6305-6311	3.8	2
5	Synthesis, characterization and optimization of in vitro properties of NIR-fluorescent cyclic ϵ MSH peptides for melanoma imaging. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10602-10608	7.3	2
4	Electron Transfer-Induced Coordination Changes in Organometallic Complexes with Noninnocent Hemilabile Ligands 2013 , 667-675		1
3	Are heterobivalent GRPR- and VPACR-bispecific radiopeptides suitable for efficient in vivo tumor imaging of prostate carcinomas?. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 48, 128241	2.9	1
2	Metal-induced progressive alteration of conducting states in memristors for implementing an efficient analog memory: a DFT-supported experimental approach. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3136-3144	7.1	0
1	Non-Planar Lithium-Phthalocyanine in the Double Salt (nBu ₄ N) ₂ [Lipc]PF ₆ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012 , 638, 1478-1481	1.3	

