## Simcha Yagel

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3071666/simcha-yagel-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178 6,705 41 80 g-index

196 7,902 4.8 5.5 ext. papers ext. citations avg, IF L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 178 | Trial of Labor After Cesarean in Twin Gestation with no prior vaginal delivery - Evidence from largest cohort reported <i>International Journal of Gynecology and Obstetrics</i> , <b>2022</b> ,   | 4   | 1         |
| 177 | Prediction of neonatal subgaleal hemorrhage using first stage of labor data: a machine-learning based model <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , <b>2022</b> , 102320  | 1.9 |           |
| 176 | Trial of labor of vertex/non-vertex twins following a previous cesarean delivery <i>American Journal of Obstetrics &amp; American Gynecology MFM</i> , <b>2022</b> , 100640  | 7.4 | O         |
| 175 | Chorioamnionitis and its association with neonatal and maternal adverse outcomes in women with and without epidural analgesia administration <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2022</b> , 273, 33-37           | 2.4 |           |
| 174 | Neonatal caudal regression syndrome. <i>Prenatal Diagnosis</i> , <b>2021</b> , 41, 1475  | 3.2 |           |
| 173 | Trial of labor after cesarean in primiparous women with fetal macrosomia. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 1   | 2.5 | 1         |
| 172 | Fetal Head Station at Second-Stage Dystocia and Subsequent Trial of Labor After Cesarean Delivery Success Rate. <i>Obstetrics and Gynecology</i> , <b>2021</b> , 137, 147-155  | 4.9 |           |
| 171 | Length of the Second Stage of Labor in Women Delivering Twins. <i>Obstetrics and Gynecology</i> , <b>2021</b> , 137, 664-669   | 4.9 | 3         |
| 170 | Prediction of severe adverse neonatal outcomes at the second stage of labour using machine learning: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 1824-1832                        | 3.7 | 1         |
| 169 | Homeostasis of mucosal glial cells in human gut is independent of microbiota. <i>Scientific Reports</i> , <b>2021</b> , 11, 12796  | 4.9 | 2         |
| 168 | It takes two great vessels to tango: fetal nutcracker phenomenon. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2021</b> , 57, 1017-1019   | 5.8 |           |
| 167 | The many etiologies of nonimmune hydrops fetalis diagnosed by exome sequencing. <i>Prenatal Diagnosis</i> , <b>2021</b> ,  | 3.2 | 1         |
| 166 | Rescue antenatal corticosteroids and neonatal outcomes in twin gestation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-7   | 2   | О         |
| 165 | Trial of Labor After Cesarean of Small for Gestational Age Neonates Among Women with No Prior Vaginal Delivery - a Retrospective Study. <i>Reproductive Sciences</i> , <b>2021</b> , 1   | 3   |           |
| 164 | Universal chromosomal microarray analysis reveals high proportion of copy-number variants in low-risk pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2021</b> , 57, 813-820  | 5.8 | 14        |
| 163 | Successful vaginal birth after cesarean in the second delivery is not associated with the stage of labor of the primary unplanned cesarean delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2021</b> , 256, 109-113 | 2.4 | 1         |
| 162 | An integrated model of preeclampsia: a multifaceted syndrome of the maternal cardiovascular-placental-fetal array. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> ,  | 6.4 | 10        |

### (2020-2021)

| 161 | Missed opportunities for optimal antenatal corticosteroid timing in medically indicated preterm births. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 34, 2522-2528  | 2                | 1  |
|-----|---|------------------|----|
| 160 | Integration of nuchal translucency screening into the first-trimester fetal anatomy scan: the time has come. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2021</b> , 57, 29-31   | 5.8              | 1  |
| 159 | Re: ISUOG Practice Guidelines (updated): sonographic examination of the fetal central nervous system. Part 1: performance of screening examination and indications for targeted neurosonography. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2021</b> , 57, 173-174 | 5.8              | 0  |
| 158 | The role of sonographic head circumference in the occurrence of subgaleal hemorrhage following vacuum delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-6  | 2                |    |
| 157 | Neonatal morbidity in a low volume forceps practice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2021</b> , 1-6   | 2                |    |
| 156 | Efficient maternal to neonatal transfer of antibodies against SARS-CoV-2 and BNT162b2 mRNA COVID-19 vaccine. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,  | 15.9             | 49 |
| 155 | Ovarian follicular function is not altered by SARS-CoV-2 infection or BNT162b2 mRNA COVID-19 vaccination. <i>Human Reproduction</i> , <b>2021</b> , 36, 2506-2513   | 5.7              | 19 |
| 154 | Normal labor curve in twin gestation. American Journal of Obstetrics and Gynecology, 2021, 225, 546.e1-   | 5∕4.6∤.e1        | 12 |
| 153 | Bi-allelic PAGR1 variants are associated with microcephaly and a severe neurodevelopmental disorder: Genetic evidence from two families. <i>American Journal of Medical Genetics, Part A</i> , <b>2021</b> ,  | 2.5              | 2  |
| 152 | Vaginal birth after cesarean in women with no prior vaginal delivery carrying a large for gestational age baby. <i>Birth</i> , <b>2021</b> ,  | 3.1              | 1  |
| 151 | Prediction of successful preterm vaginal birth after cesarean among women who never delivered vaginally. <i>Archives of Gynecology and Obstetrics</i> , <b>2021</b> , 1   | 2.5              | О  |
| 150 | Second stage expedite delivery of low birth weight neonates: Emergent cesarean delivery versus vacuum assisted delivery. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , <b>2021</b> , 50, 102136  | 1.9              | 1  |
| 149 | Transporting an Artificial Intelligence Model to Predict Emergency Cesarean Delivery: Overcoming Challenges Posed by Interfacility Variation. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e28120  | 7.6              |    |
| 148 | Neonatal outcome of second-stage cesarean delivery versus vacuum extraction among neonates .<br>Journal of Maternal-Fetal and Neonatal Medicine, <b>2020</b> , 1-8  | 2                | 2  |
| 147 | The length of the second stage of labor in nulliparous, multiparous, grand-multiparous, and grand-grand multiparous women in a large modern cohort. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 253, 273-277                 | 2.4              | 3  |
| 146 | Real-time data analysis using a machine learning model significantly improves prediction of successful vaginal deliveries. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 223, 437.e1-437.e15   | 6.4              | 10 |
| 145 | Which way is better to deliver the very heavy baby: mode of delivery, maternal and neonatal outcome. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 301, 941-948  | 2.5              | 1  |
| 144 | Recurrence risk of preterm birth in a subsequent singleton pregnancy after a spontaneous preterm triplet delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 246, 123-128  | 3 <sup>2.4</sup> |    |

| 143 | Cervical dilation at the time of epidural catheter insertion is not associated with the degree of prolongation of the first or second stages of labor, or the rate of instrumental vaginal delivery. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2020</b> , 99, 1039-1049 | 3.8              | 2  |
|-----|---|------------------|----|
| 142 | Trial of Labor After Cesarean in Adolescents - A Multicenter Study. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2020</b> , 33, 398-402   | 2                | 9  |
| 141 | Factors associated with postcesarean blood transfusion: a case control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 1-8  | 2                | 1  |
| 140 | Unplanned Cesarean Delivery in the Second Stage of Labor Holds Higher Odds of Complications than in the First Stage, while Similar in Primiparas and Multiparas. <i>Fetal Diagnosis and Therapy</i> , <b>2020</b> , 47, 565-571   | 2.4              | 2  |
| 139 | Role of placenta in development of pre-eclampsia: revisited. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2020</b> , 56, 803-808   | 5.8              | 1  |
| 138 | Low volume forceps practice and anal sphincter injury rate. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 301, 1133-1138   | 2.5              | 5  |
| 137 | Planned induction versus spontaneous delivery among women using prophylactic anticoagulation therapy: a retrospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 1241-1248   | 3.7              | 5  |
| 136 | Prediction of vaginal birth after cesarean deliveries using machine learning. <i>American Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 222, 613.e1-613.e12  | 6.4              | 23 |
| 135 | Factors associated with the severity of neonatal subgaleal haemorrhage following vacuum assisted delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 245, 205-209  | 2.4              | 3  |
| 134 | Trial of labor after cesarean in older women who never delivered vaginally. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 245, 89-93   | 2.4              | 2  |
| 133 | External cephalic version in fetal isolated mild ventriculomegaly. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2020</b> , 55, 140   | 5.8              |    |
| 132 | Neonatal subgaleal hemorrhage unrelated to assisted vaginal delivery: clinical course and outcomes. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 301, 93-99   | 2.5              | 1  |
| 131 | Trophoblast lineage specific expression of the alternative splicing factor RBFOX2 suggests a role in placental development. <i>Placenta</i> , <b>2020</b> , 100, 142-149  | 3.4              | 1  |
| 130 | Perinatal Outcome of Twin Pregnancies Complicated by Rupture of Membranes at 13-20 Weeks: Is Selective Termination an Appropriate Management Option?. <i>Ultraschall in Der Medizin</i> , <b>2020</b> , 41, e17-e   | 22 <sup>.8</sup> |    |
| 129 | Is real-time dynamic cervical shortening predictive of preterm birth?- A case control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 1-8   | 2                | O  |
| 128 | Deep microbial analysis of multiple placentas shows no evidence for a placental microbiome. <i>BJOG:</i> an International Journal of Obstetrics and Gynaecology, <b>2020</b> , 127, 159-169   | 3.7              | 60 |
| 127 | Wireless, remote solution for home fetal and maternal heart rate monitoring. <i>American Journal of Obstetrics &amp; Company Gynecology MFM</i> , <b>2020</b> , 2, 100101   | 7.4              | 8  |
| 126 | Single-nucleotide polymorphism-based chromosomal microarray analysis provides clues and insights into disease mechanisms. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2019</b> , 54, 655-660  | 5.8              | 3  |

| 125 | Risk factors associated with subgaleal hemorrhage in neonates exposed to vacuum extraction. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2019</b> , 98, 1464-1472  | 3.8  | 12  |
|-----|---|------|-----|
| 124 | The effects of valproic acid on early pregnancy human placentas: Pilot ex vivo analysis in cultured placental villi. <i>Epilepsia</i> , <b>2019</b> , 60, e47-e51   | 6.4  | 6   |
| 123 | Learning from experience: cellular and molecular bases for improved outcome in subsequent pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 221, 183-193  | 6.4  | 15  |
| 122 | Fetal exome sequencing: yield and limitations in a tertiary referral center. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2019</b> , 53, 80-86   | 5.8  | 31  |
| 121 | Vacuum extraction failure is associated with a large head circumference. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2019</b> , 32, 3325-3330   | 2    | 9   |
| 120 | The role of repeat misoprostol dose in the management of early pregnancy failure. <i>Archives of Gynecology and Obstetrics</i> , <b>2019</b> , 300, 1287-1293   | 2.5  | О   |
| 119 | Uterine and fetal placental Doppler indices are associated with maternal cardiovascular function. <i>American Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 221, 290-291   | 6.4  |     |
| 118 | Ultrasonography in Pelvic Floor Dysfunction. <i>Obstetrics and Gynecology Clinics of North America</i> , <b>2019</b> , 46, 715-732  | 3.3  | 5   |
| 117 | Subsequent Pregnancy Outcomes After Failed Vacuum-Assisted Delivery. <i>Obstetrics and Gynecology</i> , <b>2019</b> , 134, 1245-1251  | 4.9  | 4   |
| 116 | Vaginal microbiome transplantation in women with intractable bacterial vaginosis. <i>Nature Medicine</i> , <b>2019</b> , 25, 1500-1504  | 50.5 | 105 |
| 115 | Role of late amniocentesis in the era of modern genomic technologies. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2019</b> , 53, 676-685  | 5.8  | 11  |
| 114 | History-indicated cervical cerclage in management of twin pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2019</b> , 54, 517-523   | 5.8  | 10  |
| 113 | The Accuracy of Sonographic Assessment for Fetal Weight: Technicians versus Ultrasound-Certified Physicians. <i>Israel Medical Association Journal</i> , <b>2019</b> , 21, 801-805  | 0.9  |     |
| 112 | Ultrasound findings provide clues to investigate founder mutations expressed as runs of homozygosity in chromosomal microarray studies. <i>Prenatal Diagnosis</i> , <b>2018</b> , 38, 135-139   | 3.2  | 5   |
| 111 | Sonographic large fetal head circumference and risk of cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , <b>2018</b> , 218, 339.e1-339.e7   | 6.4  | 29  |
| 110 | Higher Rates of Operative Delivery and Maternal and Neonatal Complications in Persistent Occiput Posterior Position with a Large Head Circumference: A Retrospective Cohort Study. <i>Fetal Diagnosis and Therapy</i> , <b>2018</b> , 44, 51-58 | 2.4  | 9   |
| 109 | Xenotransplantation of human intestine into mouse abdomen or subcutaneous tissue: Novel platforms for the study of the human enteric nervous system. <i>Neurogastroenterology and Motility</i> , <b>2018</b> , 30, e13212                       | 4    | 8   |
| 108 | Patterns of use and optimal timing of antenatal corticosteroids in twin compared with singleton pregnancies. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2018</b> , 97, 1508-1514   | 3.8  | 7   |

| 107 | The effect on thrombin generation and anti-Xa levels of thromboprophylaxis dose adjustment in post-cesarean obese patients - A prospective cohort study. <i>Thrombosis Research</i> , <b>2018</b> , 170, 69-74                                     | 8.2   | 3   |
|-----|--|-------|-----|
| 106 | Is an Isolated Aberrant Right Subclavian Artery an Easy-to-Diagnose Normal Variant?. <i>Journal of Ultrasound in Medicine</i> , <b>2018</b> , 37, 811  | 2.9   |     |
| 105 | Re: Effectiveness of 12-13-week scan for early diagnosis of fetal congenital anomalies in the cell-free DNA era. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2018</b> , 52, 550  | 5.8   | 2   |
| 104 | Trained Memory of Human Uterine NK Cells Enhances Their Function in Subsequent Pregnancies. <i>Immunity</i> , <b>2018</b> , 48, 951-962.e5   | 32.3  | 142 |
| 103 | Triple paternal contribution to a normal/complete molar chimeric singleton placenta. <i>Human Reproduction</i> , <b>2017</b> , 32, 993-998   | 5.7   | 1   |
| 102 | Pelvic floor trauma and maternal age. American Journal of Obstetrics and Gynecology, 2017, 217, 384-38   | 856.4 |     |
| 101 | Elevated circulating micro-ribonucleic acid (miRNA)-200b and miRNA-429 levels[in anovulatory women. <i>Fertility and Sterility</i> , <b>2017</b> , 107, 269-275  | 4.8   | 23  |
| 100 | Evaluating Spatiotemporal Image Correlation Technology as a Tool for Training Nonexpert Sonographers to Perform Examinations of the Fetal Heart. <i>Journal of Ultrasound in Medicine</i> , <b>2016</b> , 35, 111-9                                | 2.9   | 10  |
| 99  | A comparison of methods for construction of fetal reference charts. <i>Statistics in Medicine</i> , <b>2016</b> , 35, 12   | 26-40 | О   |
| 98  | Third- or Fourth-Degree Intrapartum Anal Sphincter Tears Are Associated With Levator Ani Avulsion in Primiparas. <i>Journal of Ultrasound in Medicine</i> , <b>2016</b> , 35, 709-15   | 2.9   | 22  |
| 97  | Noninvasive prenatal testing and fetal sonographic screening: roundtable discussion. <i>Journal of Ultrasound in Medicine</i> , <b>2015</b> , 34, 363-9  | 2.9   | 3   |
| 96  | Degree of bother from pelvic floor dysfunction in women one year after first delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2015</b> , 191, 90-4  | 2.4   | 38  |
| 95  | A large head circumference is more strongly associated with unplanned cesarean or instrumental delivery and neonatal complications than high birthweight. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 833.e1-833.e12 | 6.4   | 45  |
| 94  | Systematic examination of the fetal abdominal precordial veins: a cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2015</b> , 45, 578-83  | 5.8   | 16  |
| 93  | Persistence of levator ani sonographic defect detected by three-dimensional transperineal sonography in primiparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2015</b> , 46, 724-9  | 5.8   | 9   |
| 92  | Detailed transabdominal fetal anatomic scanning in the late first trimester versus the early second trimester of pregnancy. <i>Journal of Ultrasound in Medicine</i> , <b>2015</b> , 34, 143-9   | 2.9   | 13  |
| 91  | Sonographic finding of postpartum levator ani muscle injury correlates with pelvic floor clinical examination. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2014</b> , 44, 700-3  | 5.8   | 5   |
| 90  | The fetal larynx and pharynx: structure and development on two- and three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2013</b> , 42, 140-8   | 5.8   | 19  |

### (2011-2013)

| 89 | snRNAs are reduced in the syncytiotrophoblast: a possible mechanism for regulation of human placental protein production. <i>Molecular Human Reproduction</i> , <b>2013</b> , 19, 737-44   | 4.4 | 6   |
|----|--|-----|-----|
| 88 | Human trophectoderm apposition is regulated by interferon Enduced protein 10 (IP-10) during early implantation. <i>Placenta</i> , <b>2013</b> , 34, 222-30   | 3.4 | 16  |
| 87 | ISUOG Practice Guidelines (updated): sonographic screening examination of the fetal heart. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2013</b> , 41, 348-59   | 5.8 | 354 |
| 86 | Non-invasive prenatal testing: more questions than answers. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2013</b> , 42, 369-72  | 5.8 | 6   |
| 85 | Fetal tricuspid annular plane systolic excursion (f-TAPSE): evaluation of fetal right heart systolic function with conventional M-mode ultrasound and spatiotemporal image correlation (STIC) M-mode. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2013</b> , 42, 182-8 | 5.8 | 39  |
| 84 | Three-dimensional transperineal ultrasound findings associated with anal incontinence after intrapartum sphincter tears in primiparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2012</b> , 39, 83-90   | 5.8 | 37  |
| 83 | Do we really need a screening test for open spina bifida?. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2012</b> , 39, 600-1  | 5.8 | 4   |
| 82 | Prenatal diagnosis of a pulmonary arteriovenous malformation. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2012</b> , 39, 235-7   | 5.8 | 7   |
| 81 | Functional assessment of the fetal heart: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2012</b> , 39, 131-44  | 5.8 | 65  |
| 80 | Fetal cardiac function: M-mode and 4D spatiotemporal image correlation. <i>Fetal Diagnosis and Therapy</i> , <b>2012</b> , 32, 17-21   | 2.4 | 24  |
| 79 | Angiogenesis in gestational vascular complications. <i>Thrombosis Research</i> , <b>2011</b> , 127 Suppl 3, S64-6  | 8.2 | 11  |
| 78 | Shunt diameter in agenesis of the ductus venosus with extrahepatic portosystemic shunt impacts on prognosis. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 37, 184-90   | 5.8 | 37  |
| 77 | Added value of three-/four-dimensional ultrasound in offline analysis and diagnosis of congenital heart disease. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 37, 432-7  | 5.8 | 60  |
| 76 | Fetal heart ventricular mass obtained by STIC acquisition combined with inversion mode and VOCAL. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 38, 191-7   | 5.8 | 24  |
| 75 | Four-vessel umbilical cord. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 38, 604-6   | 5.8 | 5   |
| 74 | OP14.09: Congenital CMV infection new approach to prenatal follow up. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 38, 97-97   | 5.8 |     |
| 73 | OP14.10: Congenital CMV infection: prenatal predictors and outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2011</b> , 38, 97-97   | 5.8 |     |
| 72 | Antibiotic prophylaxis before amniocentesis. <i>Prenatal Diagnosis</i> , <b>2011</b> , 31, 1213-4; author reply 1215   | 3.2 | 2   |

| 71 | Inhibitory NK receptor recognition of HLA-G: regulation by contact residues and by cell specific expression at the fetal-maternal interface. <i>PLoS ONE</i> , <b>2010</b> , 5, e8941  | 3.7  | 50  |
|----|--|------|-----|
| 70 | Application of 3-dimensional ultrasonography to imaging the fetal anal canal. <i>Journal of Ultrasound in Medicine</i> , <b>2010</b> , 29, 1195-201  | 2.9  | 10  |
| 69 | Collaborative study on 4-dimensional echocardiography for the diagnosis of fetal heart defects: the COFEHD study. <i>Journal of Ultrasound in Medicine</i> , <b>2010</b> , 29, 1573-80   | 2.9  | 44  |
| 68 | The added value of 3D/4D ultrasound imaging in fetal cardiology: has the promise been fulfilled?. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2010</b> , 35, 260-2   | 5.8  | 13  |
| 67 | The fetal venous system, part I: normal embryology, anatomy, hemodynamics, ultrasound evaluation and Doppler investigation. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2010</b> , 35, 741-50  | 5.8  | 47  |
| 66 | The fetal venous system, Part II: ultrasound evaluation of the fetus with congenital venous system malformation or developing circulatory compromise. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2010</b> , 36, 93-111  | 5.8  | 80  |
| 65 | 3D and 4D ultrasound in fetal cardiac screening and the evaluation of congenital heart defects. <i>Expert Review of Obstetrics and Gynecology</i> , <b>2009</b> , 4, 261-271   |      | 2   |
| 64 | Preeclampsiaa placenta developmental biology perspective. <i>Journal of Reproductive Immunology</i> , <b>2009</b> , 82, 96-9   | 4.2  | 17  |
| 63 | The developmental role of natural killer cells at the fetal-maternal interface. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 344-50   | 6.4  | 46  |
| 62 | Fetal head circumference and length of second stage of labor are risk factors for levator ani muscle injury, diagnosed by 3-dimensional transperineal ultrasound in primiparous women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, 91.e1-7 | 6.4  | 141 |
| 61 | OC06.01: Contraction fraction (CF) to evaluate cardiac contractility. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2009</b> , 34, 9-9   | 5.8  | 2   |
| 60 | OP04.08: Direct 4D-MPI in fetuses with evolving cardiac compromise. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2009</b> , 34, 74-75   | 5.8  | 1   |
| 59 | OP19.09: The importance of portal system evaluation and shunt dimensions in cases of agenesis of ductus venosus. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2009</b> , 34, 123-123  | 5.8  | О   |
| 58 | OP33.09: Does 3D/4DUS improve diagnostic accuracy in congenital heart malformations?. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2009</b> , 34, 170-170   | 5.8  | 1   |
| 57 | Three-dimensional and four-dimensional ultrasound applications in fetal medicine. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2009</b> , 21, 167-74   | 2.4  | 14  |
| 56 | NK cells and pre-eclampsia. <i>Reproductive BioMedicine Online</i> , <b>2008</b> , 16, 227-31  | 4    | 18  |
| 55 | Endometrial NK cells are special immature cells that await pregnancy. <i>Journal of Immunology</i> , <b>2008</b> , 181, 1869-76  | 5.3  | 178 |
| 54 | A novel human-specific soluble vascular endothelial growth factor receptor 1: cell-type-specific splicing and implications to vascular endothelial growth factor homeostasis and preeclampsia. <i>Circulation Research</i> , <b>2008</b> , 102, 1566-74                  | 15.7 | 166 |

#### (2007-2008)

| 53 | Ectopic pregnancies of unusual location: management dilemmas. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2008</b> , 31, 245-51  | 5.8 | 12  |
|----|--|-----|-----|
| 52 | From anatomy to function: the developing image of ultrasound evaluation. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2008</b> , 31, 615-7  | 5.8 | 5   |
| 51 | OP08.10: 3D/4D ultrasound for fetal cardiac ventricle mass measurement in the second half of gestation in normal and anomalous cases. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2008</b> , 32, 335-335   | 5.8 | 3   |
| 50 | OP08.15: Fetal myocardium: Compressible or noncompressible?. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2008</b> , 32, 337-337  | 5.8 | 2   |
| 49 | ISUOG consensus statement: what constitutes a fetal echocardiogram?. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2008</b> , 32, 239-42   | 5.8 | 114 |
| 48 | Placental implantation and development. Series in Maternal-fetal Medicine, 2008, 27-39   |     |     |
| 47 | First and early second trimester fetal heart screening. Series in Maternal-fetal Medicine, 2008, 185-196   |     | 3   |
| 46 | Rectus sheath hematoma as a rare complication of genetic amniocentesis. <i>Journal of Ultrasound in Medicine</i> , <b>2007</b> , 26, 371-2   | 2.9 | 4   |
| 45 | Examination of distinct fetal and maternal molecular pathways suggests a mechanism for the development of preeclampsia. <i>Journal of Reproductive Immunology</i> , <b>2007</b> , 76, 54-60  | 4.2 | 31  |
| 44 | The use of 3D rendering, VCI-C, 3D power Doppler and B-flow in the evaluation of interstitial pregnancy with arteriovenous malformation treated by selective uterine artery embolization. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 29, 352-5                                 | 5.8 | 24  |
| 43 | 3D and 4D ultrasound in fetal cardiac scanning: a new look at the fetal heart. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 29, 81-95  | 5.8 | 123 |
| 42 | Postpartum evaluation of the anal sphincter by transperineal three-dimensional ultrasound in primiparous women after vaginal delivery and following surgical repair of third-degree tears by the overlapping technique. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 29, 195-204 | 5.8 | 55  |
| 41 | Fetal cardiac ventricle volumetry in the second half of gestation assessed by 4D ultrasound using STIC combined with inversion mode. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 142-51   | 5.8 | 76  |
| 40 | OP13.01: 3D ultrasound of the fetal vermis at 19 to 30 weeks of gestationFlormal length and time of appearance of the primary fissure. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 497-497  | 5.8 |     |
| 39 | OP23.05: Post-procedure 3D transperineal ultrasound evaluation of tension-free vaginal tape placement. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 536-537  | 5.8 | 1   |
| 38 | OP23.07: Rate and possible risk factors for levator ani muscle trauma in primiparae after term vaginal birth. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 537-537   | 5.8 | 1   |
| 37 | P28.08: Pregnancies implanted in a Cesarean scar: diagnostic modalities and management dilemmas. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 559-559  | 5.8 |     |
| 36 | P28.09: Repeated heterotopic pregnancy following bilateral salpingectomy. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 559-559   | 5.8 |     |

| 35 | P44.22: Reversal of mirror syndrome after prenatal treatment of diamond-blackfan anemia. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 30, 623-623   | 5.8  |      |
|----|---|------|------|
| 34 | Risk factors for unsuccessful medical abortion with mifepristone and misoprostol. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2007</b> , 86, 462-6  | 3.8  | 28   |
| 33 | Three-dimensional transperineal ultrasonography of the pelvic floor: improving visualization for new clinical applications and better functional assessment. <i>Journal of Ultrasound in Medicine</i> , <b>2007</b> , 26, 1373-87 | 2.9  | 25   |
| 32 | First and early second trimester fetal heart screening. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2007</b> , 19, 183-90  | 2.4  | 33   |
| 31 | Decidual NK cells regulate key developmental processes at the human fetal-maternal interface. <i>Nature Medicine</i> , <b>2006</b> , 12, 1065-74  | 50.5 | 1185 |
| 30 | Rendering in fetal cardiac scanning: the intracardiac septa and the coronal atrioventricular valve planes. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2006</b> , 28, 266-74  | 5.8  | 59   |
| 29 | OC133: 3D inversion mode combined with STIC: a novel technique for fetal heart ventricle volumetry in congenital heart disease. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2006</b> , 28, 397-397                        | 5.8  | 3    |
| 28 | Three-dimensional power Doppler (3DPD) ultrasound in the diagnosis and follow-up of fetal vascular anomalies. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 274-81                                    | 6.4  | 39   |
| 27 | Detailed assessment of fetal ventricular septal defect with 4D color Doppler ultrasound using spatio-temporal image correlation technology. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2005</b> , 25, 97-8               | 5.8  | 41   |
| 26 | Mild tricuspid regurgitation: a benign fetal finding at various stages of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2005</b> , 26, 606-9; discussion 610   | 5.8  | 23   |
| 25 | The CD85J/leukocyte inhibitory receptor-1 distinguishes between conformed and beta 2-microglobulin-free HLA-G molecules. <i>Journal of Immunology</i> , <b>2005</b> , 175, 4866-74  | 5.3  | 92   |
| 24 | Eph and ephrin expression in normal placental development and preeclampsia. <i>Placenta</i> , <b>2004</b> , 25, 623-  | -394 | 31   |
| 23 | Application of free-hand three-dimensional echocardiography in the evaluation of fetal cardiac ejection fraction: a preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2004</b> , 23, 546-51                  | 5.8  | 44   |
| 22 | Adverse outcome of isolated fetal intra-abdominal umbilical vein varix despite close monitoring. <i>Prenatal Diagnosis</i> , <b>2004</b> , 24, 451-4  | 3.2  | 41   |
| 21 | Complexes of HLA-G protein on the cell surface are important for leukocyte Ig-like receptor-1 function. <i>Journal of Immunology</i> , <b>2003</b> , 171, 1343-51   | 5.3  | 124  |
| 20 | CXCL12 expression by invasive trophoblasts induces the specific migration of CD16- human natural killer cells. <i>Blood</i> , <b>2003</b> , 102, 1569-77  | 2.2  | 268  |
| 19 | Uterine artery embolization to control hemorrhage after termination of pregnancy implanted in a cesarean delivery scar. <i>Journal of Ultrasound in Medicine</i> , <b>2003</b> , 22, 1111-5                                       | 2.9  | 18   |
| 18 | Fetal supraventricular tachycardia diagnosed and treated at 13 weeks of gestation: a case report. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2003</b> , 21, 302-5  | 5.8  | 16   |

#### LIST OF PUBLICATIONS

| 17 | Conservative management of two ectopic pregnancies implanted in previous uterine scars. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2002</b> , 19, 616-9   | 5.8  | 56  |
|----|--|------|-----|
| 16 | The three vessels and trachea view (3VT) in fetal cardiac scanning. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2002</b> , 20, 340-5   | 5.8  | 176 |
| 15 | Localization of heparanase in normal and pathological human placenta. <i>Molecular Human Reproduction</i> , <b>2002</b> , 8, 566-73  | 4.4  | 42  |
| 14 | The human fetal venous system: normal embryologic, anatomic, and physiologic characteristics and developmental abnormalities. <i>Journal of Ultrasound in Medicine</i> , <b>2002</b> , 21, 1145-58   | 2.9  | 57  |
| 13 | Regulation of trophoblast invasion: from normal implantation to pre-eclampsia. <i>Molecular and Cellular Endocrinology</i> , <b>2002</b> , 187, 233-8  | 4.4  | 193 |
| 12 | Noonan syndrome: a cryptic condition in early gestation. <i>American Journal of Medical Genetics Part A</i> , <b>2000</b> , 92, 159-65   |      | 46  |
| 11 | WS01-04Fetal lung abnormalities a spectrum of disease: reclassification system based on embryology, 2-D and Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2000</b> , 16, 5-5   | 5.8  |     |
| 10 | Abnormalities of the fetal central veins and umbilico-portal system: prenatal ultrasonographic diagnosis and proposed classification. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2000</b> , 16, 539-48                                  | 5.8  | 60  |
| 9  | HLA-G expression in extravillous trophoblasts is an intrinsic property of cell differentiation: a lesson learned from ectopic pregnancies. <i>Molecular Human Reproduction</i> , <b>2000</b> , 6, 535-40   | 4.4  | 47  |
| 8  | Tie-2 and angiopoietin-2 expression at the fetal-maternal interface: a receptor ligand model for vascular remodelling. <i>Molecular Human Reproduction</i> , <b>2000</b> , 6, 81-7   | 4.4  | 75  |
| 7  | Lack of human leukocyte antigen-G expression in extravillous trophoblasts is associated with pre-eclampsia. <i>Molecular Human Reproduction</i> , <b>2000</b> , 6, 88-95   | 4.4  | 160 |
| 6  | Congenital heart defects: natural course and in utero development. <i>Circulation</i> , <b>1997</b> , 96, 550-5  | 16.7 | 173 |
| 5  | Prenatal diagnosis of persistent right umbilical vein. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>1996</b> , 8, 31-3  | 5.8  | 32  |
| 4  | Transvaginal ultrasonography at early pregnancy cannot be used alone for targeted organ ultrasonographic examination in a high-risk population. <i>American Journal of Obstetrics and Gynecology</i> , <b>1995</b> , 172, 971-5                  | 6.4  | 50  |
| 3  | Renal anomalies in Marden-Walker syndrome: a clue for prenatal diagnosis. <i>American Journal of Medical Genetics Part A</i> , <b>1995</b> , 57, 417-9   |      | 6   |
| 2  | Developmental regulation of the expression of 72 and 92 kd type IV collagenases in human trophoblasts: a possible mechanism for control of trophoblast invasion. <i>American Journal of Obstetrics and Gynecology</i> , <b>1994</b> , 171, 832-8 | 6.4  | 169 |
| 1  | Extended fetal echocardiographic examination for detecting cardiac malformations in low risk pregnancies. <i>BMJ: British Medical Journal</i> , <b>1992</b> , 304, 671-4   |      | 179 |