

Giuseppe Gorini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3072150/publications.pdf>

Version: 2024-02-01

173
papers

20,302
citations

81743

39
h-index

13727

129
g-index

218
all docs

218
docs citations

218
times ranked

21205
citing authors

#	ARTICLE	IF	CITATIONS
1	Electronic Cigarette Use in 12 European Countries: Results From the TackSHS Survey. <i>Journal of Epidemiology</i> , 2023, 33, 276-284.	1.1	6
2	Impact of COVID-19 lockdown on smoking consumption in a large representative sample of Italian adults. <i>Tobacco Control</i> , 2022, 31, 615-622.	1.8	79
3	Use and Awareness of Heated Tobacco Products in Europe. <i>Journal of Epidemiology</i> , 2022, 32, 139-144.	1.1	28
4	The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Oncology</i> , The, 2022, 23, 27-52.	5.1	90
5	Gender effect in the ITALUNG screening trial. A comparison with UKLS and other trials. <i>Lancet Regional Health - Europe</i> , The, 2022, 13, 100300.	3.0	7
6	Use of electronic cigarettes and heated tobacco products during the Covid-19 pandemic. <i>Scientific Reports</i> , 2022, 12, 702.	1.6	20
7	Implementation of a centralized HPV-based cervical cancer screening programme in Tuscany: First round results and comparison with the foregoing Pap-based screening programme. <i>Journal of Medical Screening</i> , 2022, 29, 110-122.	1.1	3
8	COVID-19 lockdown: The relationship between trait impulsivity and addictive behaviors in a large representative sample of Italian adults. <i>Journal of Affective Disorders</i> , 2022, 302, 424-427.	2.0	2
9	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. <i>JAMA Oncology</i> , 2022, 8, 420.	3.4	719
10	Burden of non-communicable diseases among adolescents aged 10â€“24 years in the EU, 1990â€“2019: a systematic analysis of the Global Burden of Diseases Study 2019. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 367-383.	2.7	48
11	COVID-19 lockdown impact on familial relationships and mental health in a large representative sample of Italian adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1543-1555.	1.6	8
12	Global, regional, and national burden of colorectal cancer and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 627-647.	3.7	177
13	Eâ€“cigarette use and conventional cigarette smoking among European students: findings from the 2019 ESPAD survey. <i>Addiction</i> , 2022, 117, 2918-2932.	1.7	8
14	Burden of disease from exposure to secondhand smoke in children in Europe. <i>Pediatric Research</i> , 2021, 90, 216-222.	1.1	10
15	Who Smokes in Europe? Data From 12 European Countries in the TackSHS Survey (2017â€“2018). <i>Journal of Epidemiology</i> , 2021, 31, 145-151.	1.1	55
16	Secondhand smoke exposure in outdoor childrenâ€™s playgrounds in 11 European countries. <i>Environment International</i> , 2021, 149, 105775.	4.8	16
17	The Role of Novel (Tobacco) Products on Tobacco Control in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1895.	1.2	14
18	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. <i>Preventive Medicine</i> , 2021, 145, 106412.	1.6	15

#	ARTICLE	IF	CITATIONS
19	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	4.7	38
20	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 397, 2337-2360.	6.3	609
21	The impact of COVID-19 lockdown on gambling habit: A cross-sectional study from Italy. <i>Journal of Behavioral Addictions</i> , 2021, 10, 711-721.	1.9	20
22	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 1030-1049.	5.2	86
23	Secondhand smoke exposure assessment in outdoor hospitality venues across 11 European countries. <i>Environmental Research</i> , 2021, 200, 111355.	3.7	5
24	COVID-19 lockdown impact on mental health in a large representative sample of Italian adults. <i>Journal of Affective Disorders</i> , 2021, 292, 398-404.	2.0	97
25	Morbidity Attributable to Second-Hand Smoke in European Children. <i>Archivos De Bronconeumologia</i> , 2021, , .	0.4	1
26	Missing not at random in end of life care studies: multiple imputation and sensitivity analysis on data from the ACTION study. <i>BMC Medical Research Methodology</i> , 2021, 21, 13.	1.4	18
27	Lung function changes in patients with chronic obstructive pulmonary disease (COPD) and asthma exposed to secondhand smoke in outdoor areas. <i>Journal of Asthma</i> , 2021, 58, 1169-1175.	0.9	10
28	Italians Do It – Less. COVID-19 Lockdown Impact on Sexual Activity: Evidence From a Large Representative Sample of Italian Adults. <i>Journal of Epidemiology</i> , 2021, 31, 648-652.	1.1	6
29	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 398, 1593-1618.	6.3	92
30	Intervention-related Deaths in the European Randomized Study of Screening for Prostate Cancer. <i>European Urology Open Science</i> , 2021, 34, 27-32.	0.2	1
31	The –Polonium In Vivo–Study: Polonium-210 in Bronchial Lavages of Patients with Suspected Lung Cancer. <i>Biomedicines</i> , 2021, 9, 4.	1.4	2
32	Global, regional and national burden of bladder cancer and its attributable risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease study 2019. <i>BMJ Global Health</i> , 2021, 6, e004128.	2.0	41
33	Moderate-severe coronary calcification predicts long-term cardiovascular death in CT lung cancer screening: The ITALUNG trial. <i>European Journal of Radiology</i> , 2021, 145, 110040.	1.2	11
34	Smoking prevalence among healthcare workers in Italy, PASSI surveillance system data, 2014-2018. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2021, 57, 151-160.	0.2	1
35	Electronic cigarettes in Italy: a tool for harm reduction or a gateway to smoking tobacco?. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054726.	1.8	29
36	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. <i>Gaceta Sanitaria</i> , 2020, 34, 77-82.	0.6	30

#	ARTICLE	IF	CITATIONS
37	The global, regional, and national burden of stomach cancer in 195 countries, 1990â€“2017: a systematic analysis for the Global Burden of Disease study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 42-54.	3.7	390
38	Content analysis of Advance Directives completed by patients with advanced cancer as part of an Advance Care Planning intervention: insights gained from the ACTION trial. <i>Supportive Care in Cancer</i> , 2020, 28, 1513-1522.	1.0	14
39	Smoking Cessation in the ITALUNG Lung Cancer Screening: What Does â€œTeachable Momentâ€ Mean?. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1484-1491.	1.4	38
40	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 37-59.	4.6	104
41	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 60-79.	4.6	95
42	Passive exposure of non-smokers to E-Cigarette aerosols: Sensory irritation, timing and association with volatile organic compounds. <i>Environmental Research</i> , 2020, 182, 108963.	3.7	29
43	Prevalence of tobacco smoking and electronic cigarette use among adolescents in Italy: Global Youth Tobacco Surveys (GYTS), 2010, 2014, 2018. <i>Preventive Medicine</i> , 2020, 131, 105903.	1.6	23
44	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1204-1222.	6.3	7,664
45	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1223-1249.	6.3	3,928
46	Five insights from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1135-1159.	6.3	335
47	What is the face of new nicotine users? 2012â€“2018 e-cigarettes and tobacco use among young students in Italy. <i>International Journal of Drug Policy</i> , 2020, 86, 102941.	1.6	14
48	Secondhand smoke exposure and other signs of tobacco consumption at outdoor entrances of primary schools in 11 European countries. <i>Science of the Total Environment</i> , 2020, 743, 140743.	3.9	9
49	No double-edged sword and no doubt about the relation between smoking and COVID-19 severity. <i>European Journal of Internal Medicine</i> , 2020, 77, 33-35.	1.0	23
50	Measuring for change: A multi-centre pre-post trial of an air quality feedback intervention to promote smoke-free homes. <i>Environment International</i> , 2020, 140, 105738.	4.8	10
51	Burden of disease from breast cancer attributable to smoking and secondâ€“hand smoke exposure in Europe. <i>International Journal of Cancer</i> , 2020, 147, 2387-2393.	2.3	15
52	The global, regional, and national burden of oesophageal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 582-597.	3.7	241
53	National burden of cancer in Italy, 1990â€“2017: a systematic analysis for the global burden of disease study 2017. <i>Scientific Reports</i> , 2020, 10, 22099.	1.6	19
54	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. <i>PLoS Medicine</i> , 2020, 17, e1003422.	3.9	68

#	ARTICLE	IF	CITATIONS
55	Tobacco smoking and COVID-19 pandemic: old and new issues. A summary of the evidence from the scientific literature. <i>Acta Biomedica</i> , 2020, 91, 106-112.	0.2	47
56	COVID-19 lockdown impact on lifestyle habits of Italian adults. <i>Acta Biomedica</i> , 2020, 91, 87-89.	0.2	71
57	Italian pool of asbestos workers cohorts: asbestos related mortality by industrial sector and cumulative exposure. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2020, 56, 292-302.	0.2	2
58	Covid-19 and the role of smoking: the protocol of the multicentric prospective study COSMO-IT (COvid19 and SMOking in ITaly). <i>Acta Biomedica</i> , 2020, 91, e2020062.	0.2	3
59	Title is missing!. , 2020, 17, e1003422.		0
60	Title is missing!. , 2020, 17, e1003422.		0
61	Title is missing!. , 2020, 17, e1003422.		0
62	Title is missing!. , 2020, 17, e1003422.		0
63	Title is missing!. , 2020, 17, e1003422.		0
64	Title is missing!. , 2020, 17, e1003422.		0
65	Title is missing!. , 2020, 17, e1003422.		0
66	A long way to go: 20-year trends from multiple surveillance systems show a still huge use of tobacco in minors in Italy. <i>European Journal of Public Health</i> , 2019, 29, 164-169.	0.1	11
67	Cumulative asbestos exposure and mortality from asbestos related diseases in a pooled analysis of 21 asbestos cement cohorts in Italy. <i>Environmental Health</i> , 2019, 18, 71.	1.7	40
68	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 913-933.	3.7	259
69	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	13.7	161
70	Trained facilitatorsâ€™ experiences with structured advance care planning conversations in oncology: an international focus group study within the ACTION trial. <i>BMC Cancer</i> , 2019, 19, 1026.	1.1	6
71	The global, regional, and national burden of pancreatic cancer and its attributable risk factors in 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 934-947.	3.7	372
72	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. <i>JAMA Oncology</i> , 2019, 5, 1749.	3.4	1,691

#	ARTICLE	IF	CITATIONS
73	Burden of disease attributable to second-hand smoke exposure: A systematic review. <i>Preventive Medicine</i> , 2019, 129, 105833.	1.6	84
74	Response regarding the methodological approach used to calculate the burden of respiratory disease attributable to secondhand smoke exposure in children in Spain for the year 2015. <i>Preventive Medicine</i> , 2019, 129, 105723.	1.6	0
75	Effects of a prevention program on multiple health-compromising behaviours in adolescence: A cluster randomized controlled trial. <i>Preventive Medicine</i> , 2019, 124, 1-10.	1.6	2
76	Burden of respiratory disease attributable to secondhand smoke exposure at home in children in Spain (2015). <i>Preventive Medicine</i> , 2019, 123, 34-40.	1.6	12
77	Role of asbestos clearance in explaining long-term risk of pleural and peritoneal cancer: a pooled analysis of cohort studies. <i>Occupational and Environmental Medicine</i> , 2019, 76, 611-616.	1.3	11
78	Italy's health performance, 1990â€“2017: findings from the Global Burden of Disease Study 2017. <i>Lancet Public Health</i> , The, 2019, 4, e645-e657.	4.7	54
79	Vatican beats Italy 1â€™0 in the tobacco endgame. <i>Tobacco Control</i> , 2019, 28, 239-240.	1.8	1
80	Trend in electronic cigarettes and smokeless tobacco in Italian adolescents, <i>Global Youth Tobacco Smoke (GYTS)</i> , 2014, 2018. <i>Tobacco Prevention and Cessation</i> , 2019, 5, .	0.2	2
81	Socioeconomic disparities in quitting smoking and in steps on the smoking cessation pathway among smokers in Italy: findings from the SIDRIAT cohort study. <i>Addiction Research and Theory</i> , 2018, 26, 63-70.	1.2	4
82	Are smokers less likely to seek preventive healthcare measures in Italy?. <i>European Journal of Cancer Prevention</i> , 2018, 27, 507-513.	0.6	7
83	Issues in implementing lung cancer screening in United States and Europe. <i>Annals of Translational Medicine</i> , 2018, 6, S54-S54.	0.7	0
84	The Regulatory Environment and Cost of Electronic Cigarettes in Italy, 2014-2015, Influenced their Use for Quitting. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1029-1030.	1.4	0
85	Heat-Not-Burn Tobacco Products Are Getting Hot in Italy. <i>Journal of Epidemiology</i> , 2018, 28, 274-275.	1.1	31
86	Occupational exposure to organic solvents and risk of male breast cancer: a European multicenter case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 310-322.	1.7	18
87	Italian pool of asbestos workers cohorts: mortality trends of asbestos-related neoplasms after long time since first exposure. <i>Occupational and Environmental Medicine</i> , 2017, 74, 887-898.	1.3	55
88	Electronic cigarette use as an aid to quit smoking in the representative Italian population PASSI survey. <i>Preventive Medicine</i> , 2017, 102, 1-5.	1.6	16
89	Smoking in Italy in 2015-2016: Prevalence, Trends, Roll-your-own Cigarettes, and Attitudes towards Incoming Regulations. <i>Tumori</i> , 2017, 103, 353-359.	0.6	47
90	Challenges of quitting smoking and lung cancer screening. <i>Annals of Translational Medicine</i> , 2017, 5, 488-488.	0.7	4

#	ARTICLE	IF	CITATIONS
91	Voluntary home smoking ban: prevalence, trend and determinants in Italy: Table 1. <i>European Journal of Public Health</i> , 2016, 26, 841-844.	0.1	12
92	Mediating factors of a school-based multi-component smoking prevention intervention: the LdP cluster randomized controlled trial. <i>Health Education Research</i> , 2016, 31, 439-449.	1.0	6
93	Advance care planning "a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. <i>BMC Cancer</i> , 2016, 16, 264.	1.1	43
94	Smoke-Free Homes and Youth Smoking Behavior in Italy: Findings From the SIDRIAT Longitudinal Study. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2075-2082.	1.4	11
95	Reduction of Risk of Dying from Tobacco-related Diseases after Quitting Smoking in Italy. <i>Tumori</i> , 2015, 101, 657-663.	0.6	8
96	Impact of National Smoke-Free Legislation on Educational Disparities in Smoke-Free Homes: Findings from the SIDRIAT Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 8705-8716.	1.2	4
97	Causation, Confounding, and Contrast-Enhanced Computed Tomography. <i>Annals of Emergency Medicine</i> , 2015, 66, 275-276.	0.3	1
98	A prevention program for multiple health-compromising behaviors in adolescence: Baseline results from a cluster randomized controlled trial. <i>Preventive Medicine</i> , 2015, 71, 20-26.	1.6	8
99	Time Trends of Italian Former Smokers 1980-2009 and 2010-2030 Projections Using a Bayesian Age Period Cohort Model. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 1-12.	1.2	12
100	Life Gain in Italian Smokers Who Quit. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 2395-2406.	1.2	7
101	Effectiveness of a school-based multi-component smoking prevention intervention: The LdP cluster randomized controlled trial. <i>Preventive Medicine</i> , 2014, 61, 6-13.	1.6	23
102	Breast cancer mortality trends in Italy by region and screening programme, 1980-2008. <i>Journal of Medical Screening</i> , 2014, 21, 189-193.	1.1	3
103	Compliance with the smoking ban in Italy 8 years after its application. <i>International Journal of Public Health</i> , 2014, 59, 549-554.	1.0	49
104	Decennial trends of social differences in smoking habits in Italy: a 30-year update. <i>Cancer Causes and Control</i> , 2013, 24, 1385-1391.	0.8	19
105	Sales of different tobacco products in Italy, 2004-2012. <i>Preventive Medicine</i> , 2013, 56, 422-423.	1.6	7
106	Is 20% of a loaf enough?. <i>Cancer</i> , 2013, 119, 3420-3420.	2.0	0
107	The "Don't Smoke in Our Home" Randomized Controlled Trial to Protect Children from Second-Hand Smoke Exposure at Home. <i>Tumori</i> , 2013, 99, 23-29.	0.6	7
108	Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 924-931.	0.9	7

#	ARTICLE	IF	CITATIONS
109	A School-Based Peer-Led Smoking Prevention Intervention with Extracurricular Activities: The LILT-LdP Cluster Randomized Controlled Trial Design and Study Population. <i>Tumori</i> , 2013, 99, 572-577.	0.6	7
110	The "Don't smoke in our home" randomized controlled trial to protect children from second-hand smoke exposure at home. <i>Tumori</i> , 2013, 99, 23-9.	0.6	2
111	A school-based peer-led smoking prevention intervention with extracurricular activities: the LILT-LdP cluster randomized controlled trial design and study population. <i>Tumori</i> , 2013, 99, 572-7.	0.6	3
112	Can a National Lung Cancer Screening Program in Combination with Smoking Cessation Policies Cause an Early Decrease in Tobacco Deaths in Italy?. <i>Cancer Prevention Research</i> , 2012, 5, 874-882.	0.7	17
113	Predicting the future prevalence of cigarette smoking in Italy over the next three decades. <i>European Journal of Public Health</i> , 2012, 22, 699-704.	0.1	8
114	Estimating the probabilities of making a smoking quit attempt in Italy: stall in smoking cessation levels, 1986-2009. <i>BMC Public Health</i> , 2012, 12, 183.	1.2	15
115	Italy SimSmoke: the effect of tobacco control policies on smoking prevalence and smoking attributable deaths in Italy. <i>BMC Public Health</i> , 2012, 12, 709.	1.2	19
116	The Pap smear screening as an occasion for smoking cessation and physical activity counselling: effectiveness of the SPRINT randomized controlled trial. <i>BMC Public Health</i> , 2012, 12, 740.	1.2	13
117	Cervical Cancer Screening visit as an Occasion for Counseling Female Smokers to Quit. <i>Tumori</i> , 2012, 98, 27-32.	0.6	3
118	Pesticide exposure in farming and forestry and the risk of uveal melanoma. <i>Cancer Causes and Control</i> , 2012, 23, 141-151.	0.8	13
119	Exposure to Secondhand Smoke in Terraces and Other Outdoor Areas of Hospitality Venues in Eight European Countries. <i>PLoS ONE</i> , 2012, 7, e42130.	1.1	49
120	Occupational exposure to endocrine-disrupting chemicals and the risk of uveal melanoma. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 476-483.	1.7	11
121	Cervical cancer screening visit as an occasion for counseling female smokers to quit. <i>Tumori</i> , 2012, 98, 27-32.	0.6	6
122	Is Cancer Overtaking Cardiovascular Diseases as the Killer Number one in Men in Tuscany?. <i>Tumori</i> , 2011, 97, 14-18.	0.6	1
123	SP1-6 No effect of hormonal exposures on uveal melanoma. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A375-A375.	2.0	0
124	SP1-7 Pesticide exposure in farming and forestry and the risk of uveal melanoma. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A375-A376.	2.0	0
125	The Pap smear screening as an occasion for smoking cessation and physical activity counselling: baseline characteristics of women involved in the SPRINT randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 906.	1.2	10
126	Association Between Genetic Polymorphisms in the XRCC1, XRCC3, XPD, GSTM1, GSTT1, MSH2, MLH1, MSH3, and MGMT Genes and Radiosensitivity in Breast Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 52-58.	0.4	76

#	ARTICLE	IF	CITATIONS
127	Is cancer overtaking cardiovascular diseases as the killer number one in men in Tuscany?. Tumori, 2011, 97, 14-8.	0.6	1
128	Smoke-free policy development in Italy through the legislative process of the ban 2000-2005, and press media review 1998-2008. Annali Dell'Istituto Superiore Di Sanita, 2011, 47, 260-5.	0.2	8
129	Mortality study in an asbestos cement factory in Naples, Italy. Annali Dell'Istituto Superiore Di Sanita, 2011, 47, 296-304.	0.2	20
130	Hormonal exposures and the risk of uveal melanoma. Cancer Causes and Control, 2010, 21, 1625-1634.	0.8	23
131	Breast cancer in priests: follow-up of an observation made 167 years ago. European Journal of Epidemiology, 2010, 25, 219-221.	2.5	5
132	Occupational exposure to electromagnetic fields and sex-differential risk of uveal melanoma. Occupational and Environmental Medicine, 2010, 67, 751-759.	1.3	12
133	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. Occupational and Environmental Medicine, 2010, 67, 837-844.	1.3	70
134	The epidemics of smoking bans in Europe: contributions of Italy and Spain. Epidemiologia E Prevenzione, 2010, 34, 47-51.	1.1	3
135	Lung cancer mortality trend by birth cohort in men, Tuscany, 1971-2006. Tumori, 2010, 96, 680-3.	0.6	0
136	Exposure to Benzene and Risk of Breast Cancer among Shoe Factory Workers in Italy. Tumori, 2009, 95, 8-12.	0.6	31
137	Survival of peritoneal malignant mesothelioma in Italy: A population-based study. International Journal of Cancer, 2009, 124, 194-200.	2.3	37
138	On the relationship between smoking bans and incidence of acute myocardial infarction. European Journal of Epidemiology, 2009, 24, 597-602.	2.5	64
139	Exposure to benzene and risk of breast cancer among shoe factory workers in Italy. Tumori, 2009, 95, 8-12.	0.6	16
140	Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. European Journal of Epidemiology, 2008, 23, 541-546.	2.5	13
141	Italy and Austria before and after study: second-hand smoke exposure in hospitality premises before and after 2 years from the introduction of the Italian smoking ban. Indoor Air, 2008, 18, 328-334.	2.0	55
142	Benzene exposure in a sample of population residing in a district of Florence, Italy. Science of the Total Environment, 2008, 392, 41-49.	3.9	15
143	Secondhand Smoke Exposure in Spanish Adult Non-Smokers Following the Introduction of an Anti-Smoking Law. Revista Espanola De Cardiologia (English Ed), 2008, 61, 687-694.	0.4	18
144	Letter by Gasparrini and Gorini Regarding Article, "Effect of the Italian Smoking Ban on Population Rates of Acute Coronary Events". Circulation, 2008, 118, e139; author reply e140.	1.6	0

#	ARTICLE	IF	CITATIONS
145	Prevalence of Second-Hand Smoke Exposure After Introduction of the Italian Smoking Ban: The Florence and Belluno Survey. <i>Tumori</i> , 2008, 94, 798-802.	0.6	17
146	Secondhand Smoke Exposure in Hospitality Venues in Europe. <i>Environmental Health Perspectives</i> , 2008, 116, 1469-1472.	2.8	36
147	Gastric cancer mortality trends in Tuscany, Italy, 1971-2004. <i>Tumori</i> , 2008, 94, 787-92.	0.6	0
148	Prevalence of second-hand smoke exposure after introduction of the Italian smoking ban: the Florence and Belluno survey. <i>Tumori</i> , 2008, 94, 798-802.	0.6	7
149	Alcohol consumption and risk of Hodgkin's lymphoma and multiple myeloma: a multicentre caseâ€“control study. <i>Annals of Oncology</i> , 2007, 18, 143-148.	0.6	24
150	What happened in Italy? A brief summary of studies conducted in Italy to evaluate the impact of the smoking ban. <i>Annals of Oncology</i> , 2007, 18, 1620-1622.	0.6	49
151	Smoking prevalence in Italy after the smoking ban: Towards a comprehensive evaluation of tobacco control programs in Europe. <i>Preventive Medicine</i> , 2007, 45, 123-124.	1.6	20
152	Analysis of latency time and its determinants in asbestos related malignant mesothelioma cases of the Italian register. <i>European Journal of Cancer</i> , 2007, 43, 2722-2728.	1.3	124
153	Improvements in rearing method for <i>Hyposoter didymator</i> (Hymenoptera: Ichneumonidae), considering sex allocation and sex determination theories used for Hymenoptera. <i>Biological Control</i> , 2007, 43, 271-277.	1.4	9
154	Alcohol consumption and risk of leukemia: A multicenter caseâ€“control study. <i>Leukemia Research</i> , 2007, 31, 379-386.	0.4	28
155	Survey of Feline Giardiasis by ELISA Test in Italy. <i>Veterinary Research Communications</i> , 2007, 31, 297-303.	0.6	10
156	Prostate cancer specific mortality in the Florence screening pilot study cohort 1992â€“1993. <i>European Journal of Cancer</i> , 2006, 42, 1858-1862.	1.3	8
157	Lung Cancer Mortality Patterns in Women Resident in Different Urbanization Areas in Central Italy from 1987â€“2002. <i>Tumori</i> , 2006, 92, 271-275.	0.6	6
158	Retrospective mortality cohort study of Italian workers compensated for silicosis. <i>Occupational and Environmental Medicine</i> , 2006, 63, 762-765.	1.3	14
159	Cigarette smoking and alcohol consumption as determinants of survival in non-Hodgkin's lymphoma: a population-based study. <i>Annals of Oncology</i> , 2006, 17, 1283-1289.	0.6	29
160	Lung cancer mortality patterns in women resident in different urbanization areas in central Italy from 1987-2002. <i>Tumori</i> , 2006, 92, 271-5.	0.6	2
161	Survival of malignant pleural mesothelioma cases in the Tuscan Mesothelioma Register, 1988â€“2000: a population-based study. <i>European Journal of Cancer Prevention</i> , 2005, 14, 195-199.	0.6	22
162	Environmental Tobacco Smoke (ETS) Exposure in Florence Hospitality Venues Before and After the Smoking Ban in Italy. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 1208-1210.	0.9	20

#	ARTICLE	IF	CITATIONS
163	Survey on giardiasis in shelter dog populations. <i>Veterinary Parasitology</i> , 2005, 128, 333-339.	0.7	42
164	Predictions of mortality from pleural mesothelioma in Italy: A model based on asbestos consumption figures supports results from age-period-cohort models. <i>International Journal of Cancer</i> , 2005, 115, 142-147.	2.3	106
165	Mesothelioma of the Tunica Vaginalis Testis: Report of 2 Cases with Asbestos Occupational Exposure. <i>International Journal of Surgical Pathology</i> , 2005, 13, 211-214.	0.4	19
166	Environmental tobacco smoke exposure in public places of European cities. <i>Tobacco Control</i> , 2005, 14, 60-63.	1.8	83
167	Epidemiologic surveillance for primary prevention of malignant mesothelioma: the Italian experience. <i>Medicina Del Lavoro</i> , 2005, 96, 338-46.	0.3	10
168	Breast cancer mortality trends in two areas of the province of Florence, Italy, where screening programmes started in the 1970s and 1990s. <i>British Journal of Cancer</i> , 2004, 90, 1780-1783.	2.9	22
169	Malignant mesothelioma in Italy, 1997. <i>American Journal of Industrial Medicine</i> , 2004, 45, 55-62.	1.0	36
170	Analysis of survival of mesothelioma cases in the Italian register (ReNaM). <i>European Journal of Cancer</i> , 2003, 39, 1290-1295.	1.3	46
171	Ras gene mutations in patients with acute myeloid leukaemia and exposure to chemical agents. <i>Carcinogenesis</i> , 2003, 25, 749-755.	1.3	23
172	Is the ratio of pleural mesothelioma mortality to pleural cancer mortality approximately unity for Italy? Considerations from the oldest regional mesothelioma register in Italy. <i>British Journal of Cancer</i> , 2002, 86, 1970-1971.	2.9	14
173	The importance of smoking and medical history for development of small bowel carcinoid tumor: a European population-based case-control study. <i>Cancer Causes and Control</i> , 2002, 13, 27-34.	0.8	42