

Shunsuke Tamaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/307249/publications.pdf>

Version: 2024-02-01

37
papers

959
citations

516215

16
h-index

454577

30
g-index

38
all docs

38
docs citations

38
times ranked

1063
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiac Iodine-123 Metaiodobenzylguanidine Imaging Predicts Sudden Cardiac Death Independently of Left Ventricular Ejection Fraction in Patients With Chronic Heart Failure and Left Ventricular Systolic Dysfunction. <i>Journal of the American College of Cardiology</i> , 2009, 53, 426-435.	1.2	219
2	Sex Differences in Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2021, 10, e018574.	1.6	85
3	Interleukin-16 Promotes Cardiac Fibrosis and Myocardial Stiffening in Heart Failure with Preserved Ejection Fraction. <i>PLoS ONE</i> , 2013, 8, e68893.	1.1	72
4	Prediction of sudden death in patients with mild-to-moderate chronic heart failure by using cardiac iodine-123 metaiodobenzylguanidine imaging. <i>Heart</i> , 2007, 93, 1213-1218.	1.2	71
5	Ca ²⁺ entry mode of Na ⁺ /Ca ²⁺ exchanger as a new therapeutic target for heart failure with preserved ejection fraction. <i>European Heart Journal</i> , 2012, 33, 1408-1416.	1.0	41
6	Prognostic Significance of Serum Cholinesterase Level in Patients With Acute Decompensated Heart Failure With Preserved Ejection Fraction: Insights From the PURSUIT-HFpEF Registry. <i>Journal of the American Heart Association</i> , 2020, 9, e014100.	1.6	37
7	Effect of Empagliflozin as an Add-On Therapy on Decongestion and Renal Function in Patients With Diabetes Hospitalized for Acute Decompensated Heart Failure. <i>Circulation: Heart Failure</i> , 2021, 14, e007048.	1.6	36
8	Prognostic Importance of Right Ventricular-Vascular Uncoupling in Acute Decompensated Heart Failure With Preserved Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e011430.	1.3	35
9	Tolvaptan Reduces the Risk of Worsening Renal Function in Patients With Acute Decompensated Heart Failure and Preserved Left Ventricular Ejection Fraction—A Prospective Randomized Controlled Study. <i>Circulation Journal</i> , 2017, 81, 740-747.	0.7	34
10	A novel heart failure mice model of hypertensive heart disease by angiotensin II infusion, nephrectomy, and salt loading. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H1658-H1667.	1.5	29
11	Serial Change in Serum Chloride During Hospitalization Could Predict Heart Failure Death in Acute Decompensated Heart Failure Patients. <i>Circulation Journal</i> , 2018, 82, 1041-1050.	0.7	28
12	Usefulness of Cardiac Iodine-123 Meta-Iodobenzylguanidine Imaging to Improve Prognostic Power of Seattle Heart Failure Model in Patients With Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2011, 107, 1185-1190.	0.7	27
13	Prognostic significance of serum cholinesterase in patients with acute decompensated heart failure: a prospective comparative study with other nutritional indices. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 330-339.	2.2	25
14	Prognostic impact of Clinical Frailty Scale in patients with heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2021, 8, 3316-3326.	1.4	21
15	Are cardiac sympathetic nerve activity and epicardial adipose tissue associated with atrial fibrillation recurrence after catheter ablation in patients without heart failure?. <i>International Journal of Cardiology</i> , 2020, 303, 41-48.	0.8	19
16	Long-term Î²-blocker therapy improves diastolic function even without the therapeutic effect on systolic function in patients with reduced ejection fraction. <i>Journal of Cardiology</i> , 2010, 56, 176-182.	0.8	18
17	Prognostic Value of Calculated Plasma Volume Status in Patients Admitted for Acute Decompensated Heart Failure—A Prospective Comparative Study With Other Indices of Plasma Volume. <i>Circulation Reports</i> , 2019, 1, 361-371.	0.4	16
18	Prognostic significance of cardiac I-123-metaiodobenzylguanidine imaging in patients with reduced, mid-range, and preserved left ventricular ejection fraction admitted for acute decompensated heart failure: a prospective study in Osaka Prefectural Acute Heart Failure Registry (OPAR). <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 58-66.	0.5	16

#	ARTICLE	IF	CITATIONS
19	Prediction of sudden cardiac death in patients with chronic heart failure by regional washout rate in cardiac MIBG SPECT imaging. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 109-117.	1.4	15
20	Usefulness of Cardiac Meta-Iodobenzylguanidine Imaging to Identify Patients With Chronic Heart Failure and Left Ventricular Ejection Fraction <35% at Low Risk for Sudden Cardiac Death. <i>American Journal of Cardiology</i> , 2015, 115, 1549-1554.	0.7	14
21	Prognostic value of impaired hepato-renal function and liver fibrosis in patients admitted for acute heart failure. <i>ESC Heart Failure</i> , 2021, 8, 1274-1283.	1.4	12
22	Prognostic Significance of Cardiac 123I-MIBG SPECT Imaging in Heart Failure Patients With Preserved Ejection Fraction. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 655-668.	2.3	11
23	Usefulness of Cardiac Meta-Iodobenzylguanidine Imaging to Improve Prognostic Power of the Model for End-Stage Liver Disease Scoring System in Patients With Mild-to-Moderate Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2016, 117, 1947-1952.	0.7	10
24	Phenotyping of acute decompensated heart failure with preserved ejection fraction. <i>Heart</i> , 2022, 108, 1553-1561.	1.2	8
25	Prognostic value of cardiac metaiodobenzylguanidine imaging and QRS duration in implantable cardioverter defibrillator patients with and without heart failure. <i>International Journal of Cardiology</i> , 2019, 296, 164-171.	0.8	7
26	Prediction of sudden cardiac death in chronic heart failure patients with reduced ejection fraction by ADMIRE-HF risk score and early repolarization pattern. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 992-1001.	1.4	7
27	Prognostic Impact of Echocardiographic Congestion Grade in HFpEF With and Without Atrial Fibrillation. <i>JACC Asia</i> , 2022, 2, 73-84.	0.5	7
28	Prognostic significance of serum chloride level in heart failure patients with preserved ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 1444-1453.	1.4	6
29	Risk stratification of patients with chronic heart failure using cardiac iodine-123 metaiodobenzylguanidine imaging: incremental prognostic value over right ventricular ejection fraction. <i>ESC Heart Failure</i> , 2015, 2, 116-121.	1.4	5
30	Incremental prognostic value of cardiac metaiodobenzylguanidine imaging over the comorbid burden in acute decompensated heart failure. <i>ESC Heart Failure</i> , 2021, 8, 1167-1177.	1.4	5
31	Distinctive prognostic factor of heart failure with preserved ejection fraction stratified with admission blood pressure. <i>ESC Heart Failure</i> , 2021, 8, 3145-3155.	1.4	5
32	Prognostic Importance of Pulmonary Arterial Capacitance in Acute Decompensated Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2021, 10, e023043.	1.6	4
33	Minimal subphenotyping model for acute heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2022, 9, 2738-2746.	1.4	4
34	Impact of adjunctive tolvaptan on sympathetic activity in acute heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 933-937.	1.4	3
35	Usefulness of the 2-year iodine-123 metaiodobenzylguanidine-based risk model for post-discharge risk stratification of patients with acute decompensated heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1906-1917.	3.3	3
36	Balloon type elasticity sensing for left ventricle of small laboratory animal. , 2011, 2011, 904-7.		2

#	ARTICLE	IF	CITATIONS
37	Association between prognosis and the use of angiotensin-converting enzyme inhibitors and/or angiotensin II receptor blockers in frail patients with heart failure with preserved ejection fraction. ESC Heart Failure, 2022, 9, 1801-1811.	1.4	2