
## **Catherine Lalande**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3073628/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Export of Algal Biomass from the Melting Arctic Sea Ice. Science, 2013, 339, 1430-1432.	12.6	383
2	Natural variability or anthropogenically-induced variation? Insights from 15 years of multidisciplinary observations at the arctic marine LTER site HAUSGARTEN. Ecological Indicators, 2016, 65, 89-102.	6.3	129
3	Summertime plankton ecology in Fram Strait—a compilation of long- and short-term observations. Polar Research, 2015, 34, 23349.	1.6	122
4	Impact of a warm anomaly on export fluxes of biogenic matter in the eastern Fram Strait. Progress in Oceanography, 2013, 109, 70-77.	3.2	78
5	Variability in underâ€ice export fluxes of biogenic matter in the Arctic Ocean. Global Biogeochemical Cycles, 2014, 28, 571-583.	4.9	75
6	Variability in the annual cycle of vertical particulate organic carbon export on Arctic shelves: Contrasting the Laptev Sea, Northern Baffin Bay and the Beaufort Sea. Continental Shelf Research, 2009, 29, 2157-2165.	1.8	66
7	Export fluxes of biogenic matter in the presence and absence of seasonal sea ice cover in the Chukchi Sea. Continental Shelf Research, 2007, 27, 2051-2065.	1.8	61
8	Impact of a decreasing sea ice cover on the vertical export of particulate organic carbon in the northern Laptev Sea, Siberian Arctic Ocean. Geophysical Research Letters, 2009, 36, .	4.0	51
9	Algal Export in the Arctic Ocean in Times of Global Warming. Geophysical Research Letters, 2019, 46, 5959-5967.	4.0	51
10	Three-year assessment of particulate organic carbon fluxes in Amundsen Gulf (Beaufort Sea): Satellite observations and sediment trap measurements. Deep-Sea Research Part I: Oceanographic Research Papers, 2010, 57, 125-142.	1.4	50
11	Lateral supply and downward export of particulate matter from upper waters to the seafloor in the deep eastern Fram Strait. Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 114, 78-89.	1.4	41
12	Spatial and temporal variability in export fluxes of biogenic matter in Kongsfjorden. Polar Biology, 2016, 39, 1725-1738.	1.2	39
13	Export fluxes of particulate organic carbon in the Chukchi Sea: A comparative study using 234Th/238U disequilibria and drifting sediment traps. Marine Chemistry, 2007, 103, 185-196.	2.3	36
14	Mismatch between microalgae and herbivorous copepods due to the record sea ice minimum extent of 2012 and the late sea ice break-up of 2013 in the Beaufort Sea. Progress in Oceanography, 2019, 173, 66-77.	3.2	33
15	Annual cycle of export fluxes of biogenic matter near Hanna Shoal in the northeast Chukchi Sea. Deep-Sea Research Part II: Topical Studies in Oceanography, 2020, 177, 104730.	1.4	33
16	Green Edge ice camp campaigns: understanding the processes controlling the under-ice Arctic phytoplankton spring bloom. Earth System Science Data, 2020, 12, 151-176.	9.9	32
17	234Th-derived particulate organic carbon fluxes in the northern Barents Sea with comparison to drifting sediment trap fluxes. Journal of Marine Systems, 2008, 73, 103-113.	2.1	31
18	Seasonal and latitudinal variations in sea ice algae deposition in the Northern Bering and Chukchi Seas determined by algal biomarkers. PLoS ONE, 2020, 15, e0231178.	2.5	27

CATHERINE LALANDE

#	Article	IF	CITATIONS
19	Summertime Chlorophyll a and Particulate Organic Carbon Standing Stocks in Surface Waters of the Fram Strait and the Arctic Ocean (1991–2015). Frontiers in Marine Science, 2020, 7, .	2.5	26
20	Seasonal and decadal shifts in particulate organic matter processing and sedimentation in the Bering Strait Shelf region. Deep-Sea Research Part II: Topical Studies in Oceanography, 2009, 56, 1316-1325.	1.4	25
21	Annual cycle of downward particle fluxes on each side of the Gakkel Ridge in the central Arctic Ocean. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190368.	3.4	16
22	Downward particulate organic carbon export and jellyfish blooms in southeastern Hudson Bay. Journal of Marine Systems, 2011, 88, 446-450.	2.1	15
23	From sea ice to seals: aÂmoored marine ecosystem observatory in the Arctic. Ocean Science, 2018, 14, 1423-1433.	3.4	15
24	Early snowmelt and sea ice breakup enhance algal export in the Beaufort Sea. Progress in Oceanography, 2021, 190, 102479.	3.2	14
25	Seasonal variations in downward particle fluxes in Norwegian fjords. Estuarine, Coastal and Shelf Science, 2020, 241, 106811.	2.1	12
26	Impact of a warm anomaly in the Pacific Arctic region derived from time-series export fluxes. PLoS ONE, 2021, 16, e0255837.	2.5	10
27	Use of palmitoleic acid and its oxidation products for monitoring the degradation of ice algae in Arctic waters and bottom sediments. Organic Geochemistry, 2018, 124, 88-102.	1.8	9
28	Extraordinary Carbon Fluxes on the Shallow Pacific Arctic Shelf During a Remarkably Warm and Low Sea Ice Period. Frontiers in Marine Science, 2020, 7, .	2.5	9
29	Seasonal and interannual variability of the Queen Maud Gulf ecosystem derived from sediment trap measurements. Limnology and Oceanography, 2021, 66, S411.	3.1	7
30	Carbon biomass, elemental ratios (C:N) and stable isotopic composition (d13C, d15N) of dominant calanoid copepods during the winter-to-summer transition in the Amundsen Gulf (Arctic Ocean). Journal of Plankton Research, 2011, 33, 547-547.	1.8	4
31	Annual cycle of biogenic carbon export in the Gulf of St. Lawrence. Continental Shelf Research, 2021, 221, 104418.	1.8	4