

Si Young Song

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3073937/si-young-song-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202
papers

5,088
citations

38
h-index

60
g-index

215
ext. papers

5,770
ext. citations

3.8
avg, IF

5.21
L-index

#	Paper	IF	Citations
202	CD44-positive cells are responsible for gemcitabine resistance in pancreatic cancer cells. <i>International Journal of Cancer</i> , 2009 , 125, 2323-31	7.5	223
201	Prognostic Value of Metabolic Tumor Volume and Total Lesion Glycolysis on Preoperative ¹⁸ F-FDG PET/CT in Patients with Pancreatic Cancer. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 898-904	8.9	142
200	The clinical usefulness of 18-fluorodeoxyglucose positron emission tomography in the differential diagnosis, staging, and response evaluation after concurrent chemoradiotherapy for pancreatic cancer. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 923-9	3	134
199	Endoscopic enucleation of upper-GI submucosal tumors by using an insulated-tip electro-surgical knife. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 409-15	5.2	127
198	Perfusion CT: noninvasive surrogate marker for stratification of pancreatic cancer response to concurrent chemo- and radiation therapy. <i>Radiology</i> , 2009 , 250, 110-7	20.5	123
197	First clinical trial of the "MiRo" capsule endoscope by using a novel transmission technology: electric-field propagation. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 253-9	5.2	102
196	Oct4 and Nanog expression is associated with early stages of pancreatic carcinogenesis. <i>Pancreas</i> , 2010 , 39, 622-6	2.6	101
195	Active locomotion of a paddling-based capsule endoscope in an in vitro and in vivo experiment (with videos). <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 381-7	5.2	98
194	[6]-Gingerol induces cell cycle arrest and cell death of mutant p53-expressing pancreatic cancer cells. <i>Yonsei Medical Journal</i> , 2006 , 47, 688-97	3	98
193	Clinicopathologic factors influence accurate endosonographic assessment for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 901-8	5.2	97
192	Suppression of human selenium-binding protein 1 is a late event in colorectal carcinogenesis and is associated with poor survival. <i>Proteomics</i> , 2006 , 6, 3466-76	4.8	89
191	Capecitabine combined with gemcitabine (CapGem) as first-line treatment in patients with advanced/metastatic biliary tract carcinoma. <i>Cancer</i> , 2005 , 104, 2753-8	6.4	86
190	A haplotype-based molecular analysis of CFTR mutations associated with respiratory and pancreatic diseases. <i>Human Molecular Genetics</i> , 2003 , 12, 2321-32	5.6	85
189	Human plasma carboxylesterase 1, a novel serologic biomarker candidate for hepatocellular carcinoma. <i>Proteomics</i> , 2009 , 9, 3989-99	4.8	77
188	Clinical application of self-expandable metallic stent for treatment of colorectal obstruction caused by extrinsic invasive tumors. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 578-83	3.1	74
187	Long-term follow up of gallbladder polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 219-22	4	71
186	CXCL5 overexpression is associated with late stage gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 835-40	4.9	67

185	The clinicopathologic significance of the expression of vascular endothelial growth factor-C in intrahepatic cholangiocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 138-42	2.7	67
184	Potential contribution of preoperative neoadjuvant concurrent chemoradiation therapy on margin-negative resection in borderline resectable pancreatic cancer. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 509-17	3.3	65
183	Magnetic poly epsilon-caprolactone nanoparticles containing Fe ₃ O ₄ and gemcitabine enhance anti-tumor effect in pancreatic cancer xenograft mouse model. <i>Journal of Drug Targeting</i> , 2007 , 15, 445-53	5.4	61
182	Clinical features and outcomes of primary hepatic neuroendocrine carcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1306-11	4	59
181	Phase II clinical trial of ex vivo-expanded cytokine-induced killer cells therapy in advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 939-46	7.4	57
180	Differential diagnosis between gallbladder adenomas and cholesterol polyps on contrast-enhanced harmonic endoscopic ultrasonography. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1414-21	5.2	57
179	Identification of a ligand for glucocorticoid-induced tumor necrosis factor receptor constitutively expressed in dendritic cells. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 310, 433-8	3.4	57
178	Serum CA 19-9 and CEA levels as a prognostic factor in pancreatic adenocarcinoma. <i>Yonsei Medical Journal</i> , 2013 , 54, 643-9	3	51
177	Usefulness of 18F-fluorodeoxyglucose positron emission tomography in differential diagnosis and staging of cholangiocarcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 759-65	6.4	51
176	Differentially expressed microRNAs in pancreatic cancer stem cells. <i>Pancreas</i> , 2011 , 40, 1180-7	2.6	50
175	Pancreatic adenocarcinoma up-regulated factor (PAUF), a novel up-regulated secretory protein in pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2009 , 100, 828-36	6.9	48
174	A novel HDAC inhibitor, CG200745, inhibits pancreatic cancer cell growth and overcomes gemcitabine resistance. <i>Scientific Reports</i> , 2017 , 7, 41615	4.9	47
173	Endoscopic papillary large balloon dilatation alone is safe and effective for the treatment of difficult choledocholithiasis in cases of Billroth II gastrectomy: a single center experience. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 1737-43	4	46
172	Early gastric cancer of signet ring cell carcinoma is more amenable to endoscopic treatment than is early gastric cancer of poorly differentiated tubular adenocarcinoma in select tumor conditions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3087-93	5.2	46
171	Endoscopic papillary balloon dilation with large balloon after limited sphincterotomy for retrieval of choledocholithiasis. <i>Yonsei Medical Journal</i> , 2006 , 47, 805-10	3	46
170	Hypoechoic foci on EUS are simple and strong predictive factors for neoplastic gallbladder polyps. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 1244-50	5.2	45
169	A prospective randomized study of gemcitabine with doxifluridine versus paclitaxel with doxifluridine in concurrent chemoradiotherapy for locally advanced pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 1494-501	4	43
168	Aberrant Hedgehog ligands induce progressive pancreatic fibrosis by paracrine activation of myofibroblasts and ductular cells in transgenic zebrafish. <i>PLoS ONE</i> , 2011 , 6, e27941	3.7	39

167	Enhancement of antitumor immunity of dendritic cells pulsed with heat-treated tumor lysate in murine pancreatic cancer. <i>Immunology Letters</i> , 2006 , 103, 142-8	4.1	39
166	MR cholangiography in symptomatic gallstones: diagnostic accuracy according to clinical risk group. <i>Radiology</i> , 2002 , 224, 410-6	20.5	39
165	Molecular cloning and functional analysis of a novel oncogene, cancer-upregulated gene 2 (CUG2). <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 633-9	3.4	38
164	CA 19-9 as a predictor for response and survival in advanced pancreatic cancer patients treated with chemoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1148-54	4	37
163	Three-dimensional power receiver for in vivo robotic capsules. <i>Medical and Biological Engineering and Computing</i> , 2007 , 45, 997-1002	3.1	37
162	The Significance of the Prognostic Nutritional Index for All Stages of Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2017 , 69, 512-519	2.8	36
161	Clinical usefulness of 18 F-fluorodeoxyglucose-positron emission tomography in patients with locally advanced pancreatic cancer planned to undergo concurrent chemoradiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 126-33	4	36
160	CG200745, an HDAC inhibitor, induces anti-tumour effects in cholangiocarcinoma cell lines via miRNAs targeting the Hippo pathway. <i>Scientific Reports</i> , 2017 , 7, 10921	4.9	36
159	Serum high mobility group box-1 is a powerful diagnostic and prognostic biomarker for pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2012 , 103, 1714-21	6.9	36
158	Statin Use and Its Impact on Survival in Pancreatic Cancer Patients. <i>Medicine (United States)</i> , 2016 , 95, e3607	1.8	36
157	Endoscopic snare resection for tumors of the ampulla of Vater. <i>Yonsei Medical Journal</i> , 2000 , 41, 213-8	3	33
156	Phase II study of gemcitabine and cisplatin in advanced biliary tract cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 999-1003	4	32
155	Prospective Study for Comparison of Endoscopic Ultrasound-Guided Tissue Acquisition Using 25- and 22-Gauge Core Biopsy Needles in Solid Pancreatic Masses. <i>PLoS ONE</i> , 2016 , 11, e0154401	3.7	32
154	Identification of human complement factor B as a novel biomarker candidate for pancreatic ductal adenocarcinoma. <i>Journal of Proteome Research</i> , 2014 , 13, 4878-88	5.6	31
153	Bile acid analysis in biliary tract cancer. <i>Yonsei Medical Journal</i> , 2006 , 47, 817-25	3	31
152	K-Ras-independent effects of the farnesyl transferase inhibitor L-744,832 on cyclin B1/Cdc2 kinase activity, G2/M cell cycle progression and apoptosis in human pancreatic ductal adenocarcinoma cells. <i>Neoplasia</i> , 2000 , 2, 261-72	6.4	31
151	A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200	4.8	31
150	Best options for preoperative biliary drainage in patients with Klatskin tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 422-429	5.2	30

149	Abundance-ratio-based semiquantitative analysis of site-specific N-linked glycopeptides present in the plasma of hepatocellular carcinoma patients. <i>Journal of Proteome Research</i> , 2014 , 13, 2328-38	5.6	30
148	Prognostic significance of volume-based FDG PET/CT parameters in patients with locally advanced pancreatic cancer treated with chemoradiation therapy. <i>Yonsei Medical Journal</i> , 2014 , 55, 1498-506	3	30
147	Prognostic Validity of the American Joint Committee on Cancer and the European Neuroendocrine Tumors Staging Classifications for Pancreatic Neuroendocrine Tumors: A Retrospective Nationwide Multicenter Study in South Korea. <i>Pancreas</i> , 2016 , 45, 941-6	2.6	30
146	Proteomic analysis of pancreatic juice for the identification of biomarkers of pancreatic cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 1229-38	4.9	29
145	Phase II study of 5-fluorouracil and paclitaxel in patients with gemcitabine-refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 529-33	3.5	28
144	The relationship of anatomic variation of pancreatic ductal system and pancreaticobiliary diseases. <i>Yonsei Medical Journal</i> , 2006 , 47, 243-8	3	28
143	Notch pathway activation is associated with pancreatic cancer treatment failure. <i>Pancreatology</i> , 2014 , 14, 48-53	3.8	27
142	Comprehensive genome-wide proteomic analysis of human placental tissue for the Chromosome-Centric Human Proteome Project. <i>Journal of Proteome Research</i> , 2013 , 12, 2458-66	5.6	27
141	Old age and male sex are associated with increased risk of asymptomatic erosive esophagitis: analysis of data from local health examinations by the Korean National Health Insurance Corporation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 1034-8	4	27
140	Comparison of outcomes among secondary covered metallic, uncovered metallic, and plastic biliary stents in treating occluded primary metallic stents in malignant distal biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 475-82	5.2	27
139	Frequent mutations of human Mad2, but not Bub1, in gastric cancers cause defective mitotic spindle checkpoint. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005 , 578, 187-201	3.3	27
138	Hepatoid carcinoma of the pancreas combined with neuroendocrine carcinoma. <i>Gut and Liver</i> , 2010 , 4, 98-102	4.8	27
137	Prognostic value of 18F-fluorodeoxyglucose positron emission tomography in patients with resectable pancreatic cancer. <i>Yonsei Medical Journal</i> , 2013 , 54, 1377-83	3	26
136	Outcome of adjuvant therapy for gallbladder cancer. <i>Oncology</i> , 2010 , 79, 168-73	3.6	26
135	Barbed micro-spikes for micro-scale biopsy. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 1279-1284	2	26
134	Primary intestinal lymphangiectasia diagnosed by capsule endoscopy and double balloon enteroscopy. <i>World Journal of Gastrointestinal Endoscopy</i> , 2011 , 3, 235-40	2.2	26
133	Can metformin change the prognosis of pancreatic cancer? Retrospective study for pancreatic cancer patients with pre-existing diabetes mellitus type 2. <i>Digestive and Liver Disease</i> , 2016 , 48, 435-40	3.3	25
132	Phase II trial of S-1 and concurrent radiotherapy in patients with locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 535-41	3.5	25

131	Human liver carboxylesterase 1 outperforms alpha-fetoprotein as biomarker to discriminate hepatocellular carcinoma from other liver diseases in Korean patients. <i>International Journal of Cancer</i> , 2013 , 133, 408-15	7.5	24
130	Preoperative serum CA 19-9 level as a predictive factor for recurrence after curative resection in biliary tract cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1651-6	3.1	24
129	Benefit of neoadjuvant concurrent chemoradiotherapy for locally advanced perihilar cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3301-3308	5.6	23
128	Clinical advantages of a metal stent with an S-shaped anti-reflux valve in malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2013 , 25, 308-12	3.7	23
127	Comparison of the sixth and seventh editions of the AJCC TNM classification for gallbladder cancer. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 925-30	3.3	23
126	Comparison of the validity of three biomarkers for gastric cancer screening: carcinoembryonic antigen, pepsinogens, and high sensitive C-reactive protein. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 19-26	3	23
125	Differences in immune cells engaged in cell-mediated immunity after chemotherapy for far advanced pancreatic cancer. <i>Pancreas</i> , 2006 , 32, 29-36	2.6	23
124	FOLFIRINOX gemcitabine/nab-paclitaxel for treatment of metastatic pancreatic cancer: Single-center cohort study. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 182-194	3.4	23
123	Clinicopathologic features and outcomes of pancreatic cysts during a 12-year period. <i>Pancreas</i> , 2013 , 42, 230-8	2.6	22
122	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 286-92	4	22
121	Differential features of pancreatobiliary- and intestinal-type ampullary carcinomas at MR imaging. <i>Radiology</i> , 2010 , 257, 384-93	20.5	21
120	Prospective phase II trial of gemcitabine in combination with irinotecan as first-line chemotherapy in patients with advanced biliary tract cancer. <i>Chemotherapy</i> , 2011 , 57, 236-43	3.2	21
119	Gemcitabine-induced hemolytic uremic syndrome in pancreatic cancer: a case report and review of the literature. <i>Gut and Liver</i> , 2014 , 8, 109-12	4.8	21
118	Using kinematic MR cholangiopancreatography to evaluate biliary dilatation. <i>American Journal of Roentgenology</i> , 2002 , 178, 909-14	5.4	20
117	Clinical Value of Contrast-Enhanced Harmonic Endoscopic Ultrasonography in the Differential Diagnosis of Pancreatic and Gallbladder Masses. <i>Clinical Endoscopy</i> , 2018 , 51, 80-88	2.5	20
116	Intramuscular diclofenac for the prevention of post-ERCP pancreatitis: a randomized trial. <i>Endoscopy</i> , 2015 , 47, 33-9	3.4	19
115	Immunohistochemical analysis of claudin expression in pancreatic cystic tumors. <i>Oncology Reports</i> , 2011 , 25, 971-8	3.5	19
114	Radiosensitization effect of STI-571 on pancreatic cancer cells in vitro. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 862-9	4	19

113	Paclitaxel augments cytotoxic effect of photodynamic therapy using verteporfin in gastric and bile duct cancer cells. <i>Photochemical and Photobiological Sciences</i> , 2008 , 7, 769-74	4.2	19
112	Combined use of CEMIP and CA 19-9 enhances diagnostic accuracy for pancreatic cancer. <i>Scientific Reports</i> , 2018 , 8, 3383	4.9	18
111	Endoscopic management of afferent loop syndrome after a pylorus preserving pancreatoduodenectomy presenting with obstructive jaundice and ascending cholangitis. <i>Clinical Endoscopy</i> , 2011 , 44, 59-64	2.5	18
110	Development and Clinical Validation of a Blood Test Based on 29-Gene Expression for Early Detection of Colorectal Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 4604-11	12.9	18
109	Comparison of efficacy and safety between standard-dose and modified-dose FOLFIRINOX as a first-line treatment of pancreatic cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 421-430	3.4	18
108	Novel Gastric Cancer Stem Cell-Related Marker LINGO2 Is Associated with Cancer Cell Phenotype and Patient Outcome. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
107	Urgent endoscopic retrograde cholangiopancreatography is not superior to early ERCP in acute biliary pancreatitis with biliary obstruction without cholangitis. <i>PLoS ONE</i> , 2018 , 13, e0190835	3.7	17
106	Gemcitabine based neoadjuvant chemoradiotherapy therapy in patients with borderline resectable pancreatic cancer. <i>Pancreatology</i> , 2013 , 13, 539-43	3.8	17
105	Safety of capsule endoscopy using human body communication in patients with cardiac devices. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1719-23	4	17
104	Cholecystectomy for Prevention of Recurrence after Endoscopic Clearance of Bile Duct Stones in Korea. <i>Yonsei Medical Journal</i> , 2016 , 57, 132-7	3	17
103	The DNA aptamer binds stemness-enriched cancer cells in pancreatic cancer. <i>Journal of Molecular Recognition</i> , 2017 , 30, e2591	2.6	16
102	Concomitant Statin Use Has a Favorable Effect on Gemcitabine-Erlotinib Combination Chemotherapy for Advanced Pancreatic Cancer. <i>Yonsei Medical Journal</i> , 2016 , 57, 1124-30	3	16
101	Prognostic factors and characteristics of pancreatic neuroendocrine tumors: single center experience. <i>Yonsei Medical Journal</i> , 2012 , 53, 944-51	3	15
100	Pathological Complete Remission of Pancreatic Cancer Following Neoadjuvant Chemoradiation Therapy; Not the End of Battles. <i>Medicine (United States)</i> , 2015 , 94, e2168	1.8	14
99	Comparison of procedural sequences in same-day bidirectional endoscopy without benzodiazepine and propofol sedation: starting at the bottom or the top. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 899-904	4	14
98	BRCA2 mutations as a universal risk factor for pancreatic cancer has a limited role in Korean ethnic group. <i>Pancreas</i> , 2008 , 36, 337-40	2.6	14
97	Hepatic artery pseudoaneurysm associated with plastic biliary stent. <i>Yonsei Medical Journal</i> , 2007 , 48, 546-8	3	14
96	A randomized, multicenter, phase III study of gemcitabine combined with capecitabine versus gemcitabine alone as first-line chemotherapy for advanced pancreatic cancer in South Korea. <i>Medicine (United States)</i> , 2017 , 96, e5702	1.8	13

95	Which should go first during same-day upper and lower gastrointestinal endoscopy? A randomized prospective study focusing on colonoscopy performance. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2209-15	5.2	13
94	Long-term clinical outcomes of self-expanding metal stents for treatment of malignant gastroesophageal junction obstructions and prognostic factors for stent patency: effects of anticancer treatments. <i>Digestive and Liver Disease</i> , 2010 , 42, 436-40	3.3	13
93	Concurrent chemoradiotherapy with doxifluridine and paclitaxel for extrahepatic bile duct cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 240-5	2.7	13
92	Suppression of pancreatic adenocarcinoma upregulated factor (PAUF) increases the sensitivity of pancreatic cancer to gemcitabine and 5FU, and inhibits the formation of pancreatic cancer stem like cells. <i>Oncotarget</i> , 2017 , 8, 76398-76407	3.3	12
91	Efficacy and treatment-related adverse events of gemcitabine plus nab-paclitaxel for treatment of metastatic pancreatic cancer "in a Korean" population: A single-center cohort study. <i>Seminars in Oncology</i> , 2017 , 44, 420-427	5.5	12
90	Efficacy of concurrent chemoradiotherapy with 5-fluorouracil or gemcitabine in locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 191-8	3.5	12
89	High-dose helical tomotherapy with concurrent full-dose chemotherapy for locally advanced pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1448-54	4	12
88	ATP-based chemotherapy response assay in patients with unresectable gastric cancer. <i>Oncology</i> , 2007 , 73, 439-40	3.6	12
87	A case of complete resolution of mediastinal pseudocyst and pleural effusion by endoscopic stenting of pancreatic duct. <i>Yonsei Medical Journal</i> , 2003 , 44, 727-31	3	12
86	Strategies to improve dendritic cell-based immunotherapy against cancer. <i>Yonsei Medical Journal</i> , 2004 , 45 Suppl, 48-52	3	12
85	Phase II Trial of Erlotinib Plus Gemcitabine Chemotherapy in Korean Patients with Advanced Pancreatic Cancer and Prognostic Factors for Chemotherapeutic Response. <i>Gut and Liver</i> , 2013 , 7, 611-5 ^{4.8}	4.8	12
84	The Current Main Types of Capsule Endoscopy 2014 , 5-45		11
83	Clinical implications and risk factors of acute pancreatitis after cardiac valve surgery. <i>Yonsei Medical Journal</i> , 2013 , 54, 154-9	3	11
82	Embigin is overexpressed in pancreatic ductal adenocarcinoma and regulates cell motility through epithelial to mesenchymal transition via the TGF- β pathway. <i>Molecular Carcinogenesis</i> , 2016 , 55, 633-45	5	10
81	Gastrojejunostomy by pure natural orifice transluminal endoscopic surgery using a newly designed anastomosing metal stent in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1439-46	5.2	10
80	Multifocality in early gastric cancer does not increase the risk of lymph node metastasis in a single-center study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1251-6	3.1	10
79	EUS finding of geographic hyperechoic area is an early predictor for severe acute pancreatitis. <i>Pancreatology</i> , 2012 , 12, 495-501	3.8	10
78	The T2-shortening effect of gadolinium and the optimal conditions for maximizing the CNR for evaluating the biliary system: a phantom study. <i>Korean Journal of Radiology</i> , 2011 , 12, 358-64	6.9	10

77	The sonic hedgehog pathway as a treatment target for extrahepatic biliary tract cancer. <i>Molecular Medicine Reports</i> , 2012 , 5, 12-6	2.9	10
76	Endoscopic resection of a large leiomyoma of the esophagus. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 129-332	3.3	10
75	Identification of potential biomarkers for diagnosis of pancreatic and biliary tract cancers by sequencing of serum microRNAs. <i>BMC Medical Genomics</i> , 2019 , 12, 62	3.7	9
74	High serum CA19-9 levels are associated with an increased risk of cholangiocarcinoma in patients with intrahepatic duct stones: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 4210-6	5.2	9
73	Reversal of diabetes in rats using GLP-1-expressing adult pancreatic duct-like precursor cells transformed from acinar to ductal cells. <i>Stem Cells and Development</i> , 2009 , 18, 991-1002	4.4	9
72	A pilot study of concurrent chemoradiotherapy with gemcitabine and cisplatin in patients with locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 78, 841-6	3.5	9
71	Diagnostic Value of Endoscopic Ultrasonography in Symptomatic Patients with High and Intermediate Probabilities of Common Bile Duct Stones and a Negative Computed Tomography Scan. <i>Gut and Liver</i> , 2017 , 11, 290-297	4.8	8
70	Clinical characteristics of long-term survivors of inoperable pancreatic cancer: an 8-year cohort analysis in Korea. <i>Pancreas</i> , 2014 , 43, 1022-31	2.6	8
69	Expression of nonsteroidal anti-inflammatory drug-activated gene-1 (NAG-1) inversely correlates with tumor progression in gastric adenomas and carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1029-35	4.9	8
68	Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2002 , 56, 756-758	5.2	8
67	Radiotherapy prolongs biliary metal stent patency in malignant pancreatobiliary obstructions. <i>Gut and Liver</i> , 2013 , 7, 480-5	4.8	8
66	A Comparison of Gastrointestinal Toxicities between Intensity-Modulated Radiotherapy and Three-Dimensional Conformal Radiotherapy for Pancreatic Cancer. <i>Gut and Liver</i> , 2016 , 10, 303-9	4.8	8
65	Efficacy and safety of palliative endobiliary radiofrequency ablation using a novel temperature-controlled catheter for malignant biliary stricture: a single-center prospective randomized phase II TRIAL. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 63-73	5.2	8
64	Peripheral natural killer cell activity is associated with poor clinical outcomes in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 516-522	4	8
63	Sorafenib inhibits 5-fluorouracil-resistant gastric cancer cell growth. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 577-584	2.4	7
62	A novel lumen-apposing metal stent with an anti-reflux valve for endoscopic ultrasound-guided drainage of pseudocysts and walled-off necrosis: A pilot study. <i>PLoS ONE</i> , 2019 , 14, e0221812	3.7	7
61	Establishment of pancreatic cancer cell lines with endoscopic ultrasound-guided biopsy via conditionally reprogrammed cell culture. <i>Cancer Medicine</i> , 2019 , 8, 3339-3348	4.8	7
60	Bleeding Complications and Clinical Safety of Endoscopic Retrograde Cholangiopancreatography in Patients with Liver Cirrhosis. <i>Yonsei Medical Journal</i> , 2019 , 60, 440-445	3	7

59	Visceral Obesity is Associated with Poor Prognosis in Pancreatic Adenocarcinoma. <i>Nutrition and Cancer</i> , 2016 , 68, 201-7	2.8	7
58	Clinical outcomes of everolimus in patients with advanced, nonfunctioning pancreatic neuroendocrine tumors: a multicenter study in Korea. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 799-805	3.5	7
57	Conventional versus Analgesia-Oriented Combination Sedation on Recovery Profiles and Satisfaction after ERCP: A Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0138422	3.7	7
56	The farnesyltransferase inhibitor, LB42708, inhibits growth and induces apoptosis irreversibly in H-ras and K-ras-transformed rat intestinal epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2006 , 215, 317-29	4.6	7
55	Non-alcoholic duct-destructive chronic pancreatitis: recognition before definitive treatment. <i>Yonsei Medical Journal</i> , 1999 , 40, 518-22	3	7
54	Evaluation of therapeutic regimens for the treatment of Helicobacter pylori infection. <i>Yonsei Medical Journal</i> , 1996 , 37, 270-7	3	7
53	Risk Factors Associated with Loco-Regional Failure after Surgical Resection in Patients with Resectable Pancreatic Cancer. <i>PLoS ONE</i> , 2016 , 11, e0157196	3.7	7
52	Skeletal Muscle Mass Predicts Poor Prognosis in Patients with Advanced Pancreatic Cancer Undergoing Second-Line FOLFIRINOX Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 1100-1107	2.8	6
51	Combination Therapy with Capecitabine and Cisplatin as Second-Line Chemotherapy for Advanced Biliary Tract Cancer. <i>Chemotherapy</i> , 2017 , 62, 361-366	3.2	6
50	Clinicopathologic characteristics associated with complications and long-term outcomes of endoscopic papillectomy for adenoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 644-50	3	6
49	The efficacy of endoscopic palliation of obstructive jaundice in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1267-72	3	6
48	Micro capsule endoscope for gastro intestinal tract. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 2823-6		6
47	A case of minute intraductal papillary mucinous tumor of the pancreas presenting with recurrent acute pancreatitis. <i>Yonsei Medical Journal</i> , 2000 , 41, 528-32	3	6
46	p53 protein expression in extrahepatic bile duct cancer. <i>Yonsei Medical Journal</i> , 1996 , 37, 112-7	3	6
45	Gastrointestinal hemorrhage after concurrent chemoradiotherapy in locally advanced pancreatic cancer. <i>Gut and Liver</i> , 2013 , 7, 106-11	4.8	6
44	Pancreatic-cancer-cell-derived trefoil factor 2 impairs maturation and migration of human monocyte-derived dendritic cells. <i>Animal Cells and Systems</i> , 2018 , 22, 368-381	2.3	6
43	Clinical characteristics of second primary pancreatic cancer. <i>PLoS ONE</i> , 2017 , 12, e0179784	3.7	5
42	Efficacy of Adjuvant Chemotherapy and Prognostic Factors for Patients with Extrahepatic Bile Duct Cancer. <i>Chemotherapy</i> , 2016 , 61, 152-8	3.2	5

41	NSAID is inversely associated with asymptomatic gastric ulcer: local health examination data from the Korean National Health Insurance Corporation. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 1371-6	2.4	5
40	Phase II study of cisplatin combined with weekly gemcitabine in the treatment of patients with metastatic pancreatic carcinoma. <i>Pancreatology</i> , 2006 , 6, 635-41	3.8	5
39	A pilot study of single-use endoscopy in screening acute gastrointestinal bleeding. <i>World Journal of Gastroenterology</i> , 2013 , 19, 103-7	5.6	5
38	Comparison of the diagnostic yield of "MiroCam" and "PillCam SB" capsule endoscopy. <i>Hepato-Gastroenterology</i> , 2012 , 59, 778-81		5
37	Single-center risk factor analysis for FOLFIRINOX associated febrile neutropenia in patients with pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 651-659	3.5	4
36	A prospective randomized study for efficacy of an uncovered double bare metal stent compared to a single bare metal stent in malignant biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 3159-3167	5.2	4
35	Full-dose gemcitabine is a more effective chemotherapeutic agent than 5-fluorouracil for concurrent chemoradiotherapy as first-line treatment in locally advanced pancreatic cancer. <i>Chemotherapy</i> , 2014 , 60, 191-9	3.2	4
34	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.7	4
33	Pancreatoduodenectomy following neoadjuvant chemoradiation therapy in uncinate process pancreatic cancer. <i>Pancreas</i> , 2012 , 41, 467-73	2.6	4
32	Multimedia manuscript. Dual-scope guided (simultaneous thoraco-laparoscopic) transthoracic transdiaphragmatic intraoperative radiofrequency ablation for hepatocellular carcinoma located beneath the diaphragm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 541	5.2	4
31	Tuberculous mesenteric lymphadenitis involving the gastric wall: case report. <i>Gastrointestinal Endoscopy</i> , 2005 , 62, 799-802	5.2	4
30	Percutaneous transhepatic choledochoscopic injection of ethanol with OK-432 mixture for palliation of malignant biliary obstruction. <i>Gastrointestinal Endoscopy</i> , 2003 , 57, 769-73	5.2	4
29	Validation of group B borderline resectable pancreatic cancer: retrospective analysis. <i>Gut and Liver</i> , 2014 , 8, 557-62	4.8	4
28	Assessment of the Risk of Colorectal Cancer Survivors Developing a Second Primary Pancreatic Cancer. <i>Gut and Liver</i> , 2017 , 11, 728-732	4.8	4
27	Analysis of Clinical Predictive Factors Affecting the Outcome of Second-Line Chemotherapy for Gemcitabine-Refractory Advanced Pancreatic Cancer. <i>Gut and Liver</i> , 2020 , 14, 135-143	4.8	3
26	A pilot study of S-1-based concurrent chemoradiotherapy in patients with biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 861-5	3.5	2
25	Comparative study of bentiromide test and endoscopic retrograde pancreatography in patients with chronic pancreatitis. <i>Yonsei Medical Journal</i> , 1998 , 39, 45-9	3	2
24	Healthcare Providers' Opinions on Digital Healthcare Services. <i>Journal of Health Informatics and Statistics</i> , 2018 , 43, 54-63	0.4	2

23	Analysis of the effects of stent insertion and the factors related to stent retrieval in chronic pancreatitis accompanying main pancreatic duct obstruction. <i>Gut and Liver</i> , 2007 , 1, 63-7	4.8	2
22	KML001, an arsenic compound, as salvage chemotherapy in refractory biliary tract cancers: A prospective study. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019 , 18, 62-66	2.1	2
21	Preoperative prediction of futile surgery in patients with radiologically resectable or borderline resectable pancreatic adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 499-507	4	2
20	Gastrointestinal cancer risk in patients with a family history of gastrointestinal cancer. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2018 , 71, 338-348	0.6	2
19	Identification of Circulating Serum miRNAs as Novel Biomarkers in Pancreatic Cancer Using a Penalized Algorithm. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
18	A Novel Micro-Biopsy Actuator for Capsular Endoscope using LIGA Process 2007 ,		1
17	Three-dimensional silicon-micromachined microbiopsy tool and in-vivo experiment		1
16	A disposable MEMS-based micro-biopsy catheter for the minimally invasive tissue sampling 2005 ,		1
15	Endoscopic treatment of upper gastrointestinal tumors. <i>Yonsei Medical Journal</i> , 1999 , 40, 559-68	3	1
14	Duodenal adenocarcinoma following a neuroendocrine tumor in the duodenum. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 96-100	2.5	1
13	Placement of a fully covered self-expandable metal stent in a young patient with chronic pancreatitis. <i>World Journal of Gastrointestinal Endoscopy</i> , 2010 , 2, 375-8	2.2	1
12	Clinicopathologic Characteristics of Left-Sided Colon Cancers with High Microsatellite Instability. <i>Korean Journal of Pathology</i> , 2009 , 43, 428		1
11	A Case of Actinomyces in a Patient Treated with Chemotherapy Due to Recurrent Pancreatic Cancer. <i>Korean Journal of Medicine</i> , 2013 , 85, 401	0.5	1
10	Radiographic portal or superior mesenteric vein invasion is an independent prognostic factor in non-metastatic pancreatic ductal adenocarcinoma: A missing block of clinical T staging?. <i>Pancreatology</i> , 2020 , 20, 952-959	3.8	1
9	Lewis Antigen Phenotype and Survival of Patients With Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 1348-1354.	4.6	1
8	Profiling of conditionally reprogrammed cell lines for in vitro chemotherapy response prediction of pancreatic cancer. <i>EBioMedicine</i> , 2021 , 65, 103218	8.8	1
7	Long-term outcomes of fully covered self-expandable metal stents versus plastic stents in chronic pancreatitis. <i>Scientific Reports</i> , 2021 , 11, 15637	4.9	1
6	Usefulness of Smartphone Apps for Improving Nutritional Status of Pancreatic Cancer Patients: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e21088	5.5	1

5	GLRX3, a novel cancer stem cell-related secretory biomarker of pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2021 , 21, 1241	4.8	o
4	Optimal drainage of anastomosis stricture after living donor liver transplantation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6307-6317	5.2	o
3	KG 4/2015: A randomized, controlled, multicenter, open-label phase III clinical trial of GV1001 with gemcitabine/capecitabine in previous untreated, eotaxin-high patients with advanced pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4020-4020	2.2	o
2	Endoscopic Mucosal Resection of Early Esophageal Cancers: Our Method. <i>Digestive Endoscopy</i> , 2003 , 15, S22-S25	3.7	
1	The Effect of Omega-3 Enriched Oral Nutrition Supplement on Nutritional Indices and Quality of Life in Gastrointestinal Cancer Patients: A Randomized Clinical Trial.. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022 , 23, 485-494	1.7	