

Si Young Song

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3073937/si-young-song-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202
papers

5,088
citations

38
h-index

60
g-index

215
ext. papers

5,770
ext. citations

3.8
avg, IF

5.21
L-index

#	Paper	IF	Citations
202	The Effect of Omega-3 Enriched Oral Nutrition Supplement on Nutritional Indices and Quality of Life in Gastrointestinal Cancer Patients: A Randomized Clinical Trial.. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022 , 23, 485-494	1.7	
201	GLRX3, a novel cancer stem cell-related secretory biomarker of pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2021 , 21, 1241	4.8	0
200	Optimal drainage of anastomosis stricture after living donor liver transplantation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6307-6317	5.2	0
199	KG 4/2015: A randomized, controlled, multicenter, open-label phase III clinical trial of GV1001 with gemcitabine/capecitabine in previous untreated, eotaxin-high patients with advanced pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4020-4020	2.2	0
198	Efficacy and safety of palliative endobiliary radiofrequency ablation using a novel temperature-controlled catheter for malignant biliary stricture: a single-center prospective randomized phase II TRIAL. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 63-73	5.2	8
197	Peripheral natural killer cell activity is associated with poor clinical outcomes in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 516-522	4	8
196	Profiling of conditionally reprogrammed cell lines for in vitro chemotherapy response prediction of pancreatic cancer. <i>EBioMedicine</i> , 2021 , 65, 103218	8.8	1
195	Long-term outcomes of fully covered self-expandable metal stents versus plastic stents in chronic pancreatitis. <i>Scientific Reports</i> , 2021 , 11, 15637	4.9	1
194	Usefulness of Smartphone Apps for Improving Nutritional Status of Pancreatic Cancer Patients: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e21088	5.5	1
193	Identification of Circulating Serum miRNAs as Novel Biomarkers in Pancreatic Cancer Using a Penalized Algorithm. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
192	Single-center risk factor analysis for FOLFIRINOX associated febrile neutropenia in patients with pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 651-659	3.5	4
191	FOLFIRINOX gemcitabine/nab-paclitaxel for treatment of metastatic pancreatic cancer: Single-center cohort study. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 182-194	3.4	23
190	Analysis of Clinical Predictive Factors Affecting the Outcome of Second-Line Chemotherapy for Gemcitabine-Refractory Advanced Pancreatic Cancer. <i>Gut and Liver</i> , 2020 , 14, 135-143	4.8	3
189	Radiographic portal or superior mesenteric vein invasion is an independent prognostic factor in non-metastatic pancreatic ductal adenocarcinoma: A missing block of clinical T staging?. <i>Pancreatology</i> , 2020 , 20, 952-959	3.8	1
188	Lewis Antigen Phenotype and Survival of Patients With Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 1348-1354.6	4.6	1
187	Preoperative prediction of futile surgery in patients with radiologically resectable or borderline resectable pancreatic adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 499-507	4	2
186	A novel lumen-apposing metal stent with an anti-reflux valve for endoscopic ultrasound-guided drainage of pseudocysts and walled-off necrosis: A pilot study. <i>PLoS ONE</i> , 2019 , 14, e0221812	3.7	7

185	Identification of potential biomarkers for diagnosis of pancreatic and biliary tract cancers by sequencing of serum microRNAs. <i>BMC Medical Genomics</i> , 2019 , 12, 62	3.7	9
184	Establishment of pancreatic cancer cell lines with endoscopic ultrasound-guided biopsy via conditionally reprogrammed cell culture. <i>Cancer Medicine</i> , 2019 , 8, 3339-3348	4.8	7
183	Skeletal Muscle Mass Predicts Poor Prognosis in Patients with Advanced Pancreatic Cancer Undergoing Second-Line FOLFIRINOX Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 1100-1107	2.8	6
182	Bleeding Complications and Clinical Safety of Endoscopic Retrograde Cholangiopancreatography in Patients with Liver Cirrhosis. <i>Yonsei Medical Journal</i> , 2019 , 60, 440-445	3	7
181	Novel Gastric Cancer Stem Cell-Related Marker LINGO2 Is Associated with Cancer Cell Phenotype and Patient Outcome. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
180	KML001, an arsenic compound, as salvage chemotherapy in refractory biliary tract cancers: A prospective study. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019 , 18, 62-66	2.1	2
179	Combined use of CEMIP and CA 19-9 enhances diagnostic accuracy for pancreatic cancer. <i>Scientific Reports</i> , 2018 , 8, 3383	4.9	18
178	Urgent endoscopic retrograde cholangiopancreatography is not superior to early ERCP in acute biliary pancreatitis with biliary obstruction without cholangitis. <i>PLoS ONE</i> , 2018 , 13, e0190835	3.7	17
177	Healthcare Providers' Opinions on Digital Healthcare Services. <i>Journal of Health Informatics and Statistics</i> , 2018 , 43, 54-63	0.4	2
176	Clinical Value of Contrast-Enhanced Harmonic Endoscopic Ultrasonography in the Differential Diagnosis of Pancreatic and Gallbladder Masses. <i>Clinical Endoscopy</i> , 2018 , 51, 80-88	2.5	20
175	Comparison of efficacy and safety between standard-dose and modified-dose FOLFIRINOX as a first-line treatment of pancreatic cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 421-430	3.4	18
174	Gastrointestinal cancer risk in patients with a family history of gastrointestinal cancer. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2018 , 71, 338-348	0.6	2
173	Pancreatic-cancer-cell-derived trefoil factor 2 impairs maturation and migration of human monocyte-derived dendritic cells. <i>Animal Cells and Systems</i> , 2018 , 22, 368-381	2.3	6
172	Best options for preoperative biliary drainage in patients with Klatskin tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 422-429	5.2	30
171	A novel HDAC inhibitor, CG200745, inhibits pancreatic cancer cell growth and overcomes gemcitabine resistance. <i>Scientific Reports</i> , 2017 , 7, 41615	4.9	47
170	Sorafenib inhibits 5-fluorouracil-resistant gastric cancer cell growth. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 577-584	2.4	7
169	The DNA aptamer binds stemness-enriched cancer cells in pancreatic cancer. <i>Journal of Molecular Recognition</i> , 2017 , 30, e2591	2.6	16
168	A randomized, multicenter, phase III study of gemcitabine combined with capecitabine versus gemcitabine alone as first-line chemotherapy for advanced pancreatic cancer in South Korea. <i>Medicine (United States)</i> , 2017 , 96, e5702	1.8	13

167	The Significance of the Prognostic Nutritional Index for All Stages of Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2017 , 69, 512-519	2.8	36
166	Benefit of neoadjuvant concurrent chemoradiotherapy for locally advanced perihilar cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3301-3308	5.6	23
165	Clinical characteristics of second primary pancreatic cancer. <i>PLoS ONE</i> , 2017 , 12, e0179784	3.7	5
164	Diagnostic Value of Endoscopic Ultrasonography in Symptomatic Patients with High and Intermediate Probabilities of Common Bile Duct Stones and a Negative Computed Tomography Scan. <i>Gut and Liver</i> , 2017 , 11, 290-297	4.8	8
163	Suppression of pancreatic adenocarcinoma upregulated factor (PAUF) increases the sensitivity of pancreatic cancer to gemcitabine and 5FU, and inhibits the formation of pancreatic cancer stem like cells. <i>Oncotarget</i> , 2017 , 8, 76398-76407	3.3	12
162	CG200745, an HDAC inhibitor, induces anti-tumour effects in cholangiocarcinoma cell lines via miRNAs targeting the Hippo pathway. <i>Scientific Reports</i> , 2017 , 7, 10921	4.9	36
161	Clinical outcomes of everolimus in patients with advanced, nonfunctioning pancreatic neuroendocrine tumors: a multicenter study in Korea. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 799-805	3.5	7
160	Combination Therapy with Capecitabine and Cisplatin as Second-Line Chemotherapy for Advanced Biliary Tract Cancer. <i>Chemotherapy</i> , 2017 , 62, 361-366	3.2	6
159	A prospective randomized study for efficacy of an uncovered double bare metal stent compared to a single bare metal stent in malignant biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 3159-3167	5.2	4
158	Efficacy and treatment-related adverse events of gemcitabine plus nab-paclitaxel for treatment of metastatic pancreatic cancer "in a Korean" population: A single-center cohort study. <i>Seminars in Oncology</i> , 2017 , 44, 420-427	5.5	12
157	Assessment of the Risk of Colorectal Cancer Survivors Developing a Second Primary Pancreatic Cancer. <i>Gut and Liver</i> , 2017 , 11, 728-732	4.8	4
156	Embigin is overexpressed in pancreatic ductal adenocarcinoma and regulates cell motility through epithelial to mesenchymal transition via the TGF- β pathway. <i>Molecular Carcinogenesis</i> , 2016 , 55, 633-45	5	10
155	Efficacy of Adjuvant Chemotherapy and Prognostic Factors for Patients with Extrahepatic Bile Duct Cancer. <i>Chemotherapy</i> , 2016 , 61, 152-8	3.2	5
154	Visceral Obesity is Associated with Poor Prognosis in Pancreatic Adenocarcinoma. <i>Nutrition and Cancer</i> , 2016 , 68, 201-7	2.8	7
153	Can metformin change the prognosis of pancreatic cancer? Retrospective study for pancreatic cancer patients with pre-existing diabetes mellitus type 2. <i>Digestive and Liver Disease</i> , 2016 , 48, 435-40	3.3	25
152	Prospective Study for Comparison of Endoscopic Ultrasound-Guided Tissue Acquisition Using 25- and 22-Gauge Core Biopsy Needles in Solid Pancreatic Masses. <i>PLoS ONE</i> , 2016 , 11, e0154401	3.7	32
151	A Comparison of Gastrointestinal Toxicities between Intensity-Modulated Radiotherapy and Three-Dimensional Conformal Radiotherapy for Pancreatic Cancer. <i>Gut and Liver</i> , 2016 , 10, 303-9	4.8	8
150	Cholecystectomy for Prevention of Recurrence after Endoscopic Clearance of Bile Duct Stones in Korea. <i>Yonsei Medical Journal</i> , 2016 , 57, 132-7	3	17

149	Concomitant Statin Use Has a Favorable Effect on Gemcitabine-Erlotinib Combination Chemotherapy for Advanced Pancreatic Cancer. <i>Yonsei Medical Journal</i> , 2016 , 57, 1124-30	3	16
148	Risk Factors Associated with Loco-Regional Failure after Surgical Resection in Patients with Resectable Pancreatic Cancer. <i>PLoS ONE</i> , 2016 , 11, e0157196	3.7	7
147	Prognostic Validity of the American Joint Committee on Cancer and the European Neuroendocrine Tumors Staging Classifications for Pancreatic Neuroendocrine Tumors: A Retrospective Nationwide Multicenter Study in South Korea. <i>Pancreas</i> , 2016 , 45, 941-6	2.6	30
146	Statin Use and Its Impact on Survival in Pancreatic Cancer Patients. <i>Medicine (United States)</i> , 2016 , 95, e3607	1.8	36
145	Development and Clinical Validation of a Blood Test Based on 29-Gene Expression for Early Detection of Colorectal Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 4604-11	12.9	18
144	A pilot study of concurrent chemoradiotherapy with gemcitabine and cisplatin in patients with locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 78, 841-6	3.5	9
143	Pathological Complete Remission of Pancreatic Cancer Following Neoadjuvant Chemoradiation Therapy; Not the End of Battles. <i>Medicine (United States)</i> , 2015 , 94, e2168	1.8	14
142	Conventional versus Analgesia-Oriented Combination Sedation on Recovery Profiles and Satisfaction after ERCP: A Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0138422	3.7	7
141	Intramuscular diclofenac for the prevention of post-ERCP pancreatitis: a randomized trial. <i>Endoscopy</i> , 2015 , 47, 33-9	3.4	19
140	Notch pathway activation is associated with pancreatic cancer treatment failure. <i>Pancreatology</i> , 2014 , 14, 48-53	3.8	27
139	Identification of human complement factor B as a novel biomarker candidate for pancreatic ductal adenocarcinoma. <i>Journal of Proteome Research</i> , 2014 , 13, 4878-88	5.6	31
138	Abundance-ratio-based semiquantitative analysis of site-specific N-linked glycopeptides present in the plasma of hepatocellular carcinoma patients. <i>Journal of Proteome Research</i> , 2014 , 13, 2328-38	5.6	30
137	Prognostic Value of Metabolic Tumor Volume and Total Lesion Glycolysis on Preoperative 18 F-FDG PET/CT in Patients with Pancreatic Cancer. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 898-904	8.9	142
136	Clinical usefulness of 18 F-fluorodeoxyglucose-positron emission tomography in patients with locally advanced pancreatic cancer planned to undergo concurrent chemoradiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 126-33	4	36
135	Phase II clinical trial of ex vivo-expanded cytokine-induced killer cells therapy in advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 939-46	7.4	57
134	Gastrojejunostomy by pure natural orifice transluminal endoscopic surgery using a newly designed anastomosing metal stent in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1439-46	5.2	10
133	Clinicopathologic characteristics associated with complications and long-term outcomes of endoscopic papillectomy for adenoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 644-50	3	6
132	Prognostic significance of volume-based FDG PET/CT parameters in patients with locally advanced pancreatic cancer treated with chemoradiation therapy. <i>Yonsei Medical Journal</i> , 2014 , 55, 1498-506	3	30

131	The efficacy of endoscopic palliation of obstructive jaundice in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1267-72	3	6
130	Full-dose gemcitabine is a more effective chemotherapeutic agent than 5-fluorouracil for concurrent chemoradiotherapy as first-line treatment in locally advanced pancreatic cancer. <i>Chemotherapy</i> , 2014 , 60, 191-9	3.2	4
129	The Current Main Types of Capsule Endoscopy 2014 , 5-45		11
128	Clinical characteristics of long-term survivors of inoperable pancreatic cancer: an 8-year cohort analysis in Korea. <i>Pancreas</i> , 2014 , 43, 1022-31	2.6	8
127	A pilot study of S-1-based concurrent chemoradiotherapy in patients with biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 861-5	3.5	2
126	Efficacy of concurrent chemoradiotherapy with 5-fluorouracil or gemcitabine in locally advanced biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 191-8	3.5	12
125	Duodenal adenocarcinoma following a neuroendocrine tumor in the duodenum. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 96-100	2.5	1
124	Gemcitabine-induced hemolytic uremic syndrome in pancreatic cancer: a case report and review of the literature. <i>Gut and Liver</i> , 2014 , 8, 109-12	4.8	21
123	Validation of group B borderline resectable pancreatic cancer: retrospective analysis. <i>Gut and Liver</i> , 2014 , 8, 557-62	4.8	4
122	High serum CA19-9 levels are associated with an increased risk of cholangiocarcinoma in patients with intrahepatic duct stones: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 4210-6	5.2	9
121	Which should go first during same-day upper and lower gastrointestinal endoscopy? A randomized prospective study focusing on colonoscopy performance. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2209-15	5.2	13
120	Differential diagnosis between gallbladder adenomas and cholesterol polyps on contrast-enhanced harmonic endoscopic ultrasonography. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1414-21	5.2	57
119	Endoscopic papillary large balloon dilatation alone is safe and effective for the treatment of difficult choledocholithiasis in cases of Billroth II gastrectomy: a single center experience. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 1737-43	4	46
118	Gemcitabine based neoadjuvant chemoradiotherapy therapy in patients with borderline resectable pancreatic cancer. <i>Pancreatology</i> , 2013 , 13, 539-43	3.8	17
117	NSAID is inversely associated with asymptomatic gastric ulcer: local health examination data from the Korean National Health Insurance Corporation. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 1371-6	2.4	5
116	Clinical advantages of a metal stent with an S-shaped anti-reflux valve in malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2013 , 25, 308-12	3.7	23
115	Comparison of the sixth and seventh editions of the AJCC TNM classification for gallbladder cancer. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 925-30	3.3	23
114	Comprehensive genome-wide proteomic analysis of human placental tissue for the Chromosome-Centric Human Proteome Project. <i>Journal of Proteome Research</i> , 2013 , 12, 2458-66	5.6	27

113	Clinicopathologic features and outcomes of pancreatic cysts during a 12-year period. <i>Pancreas</i> , 2013 , 42, 230-8	2.6	22
112	Human liver carboxylesterase 1 outperforms alpha-fetoprotein as biomarker to discriminate hepatocellular carcinoma from other liver diseases in Korean patients. <i>International Journal of Cancer</i> , 2013 , 133, 408-15	7.5	24
111	Prognostic value of 18F-fluorodeoxyglucose positron emission tomography in patients with resectable pancreatic cancer. <i>Yonsei Medical Journal</i> , 2013 , 54, 1377-83	3	26
110	Serum CA 19-9 and CEA levels as a prognostic factor in pancreatic adenocarcinoma. <i>Yonsei Medical Journal</i> , 2013 , 54, 643-9	3	51
109	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.7	4
108	Clinical implications and risk factors of acute pancreatitis after cardiac valve surgery. <i>Yonsei Medical Journal</i> , 2013 , 54, 154-9	3	11
107	A pilot study of single-use endoscopy in screening acute gastrointestinal bleeding. <i>World Journal of Gastroenterology</i> , 2013 , 19, 103-7	5.6	5
106	Gastrointestinal hemorrhage after concurrent chemoradiotherapy in locally advanced pancreatic cancer. <i>Gut and Liver</i> , 2013 , 7, 106-11	4.8	6
105	Radiotherapy prolongs biliary metal stent patency in malignant pancreatobiliary obstructions. <i>Gut and Liver</i> , 2013 , 7, 480-5	4.8	8
104	Phase II Trial of Erlotinib Plus Gemcitabine Chemotherapy in Korean Patients with Advanced Pancreatic Cancer and Prognostic Factors for Chemotherapeutic Response. <i>Gut and Liver</i> , 2013 , 7, 611-5	4.8	12
103	A Case of Actinomyces in a Patient Treated with Chemotherapy Due to Recurrent Pancreatic Cancer. <i>Korean Journal of Medicine</i> , 2013 , 85, 401	0.5	1
102	Clinical features and outcomes of primary hepatic neuroendocrine carcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1306-11	4	59
101	Multifocality in early gastric cancer does not increase the risk of lymph node metastasis in a single-center study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1251-6	3.1	10
100	Potential contribution of preoperative neoadjuvant concurrent chemoradiation therapy on margin-negative resection in borderline resectable pancreatic cancer. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 509-17	3.3	65
99	High-dose helical tomotherapy with concurrent full-dose chemotherapy for locally advanced pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1448-54	4	12
98	EUS finding of geographic hyperechoic area is an early predictor for severe acute pancreatitis. <i>Pancreatology</i> , 2012 , 12, 495-501	3.8	10
97	Serum high mobility group box-1 is a powerful diagnostic and prognostic biomarker for pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2012 , 103, 1714-21	6.9	36
96	Prognostic factors and characteristics of pancreatic neuroendocrine tumors: single center experience. <i>Yonsei Medical Journal</i> , 2012 , 53, 944-51	3	15

95	Safety of capsule endoscopy using human body communication in patients with cardiac devices. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1719-23	4	17
94	The sonic hedgehog pathway as a treatment target for extrahepatic biliary tract cancer. <i>Molecular Medicine Reports</i> , 2012 , 5, 12-6	2.9	10
93	Pancreatoduodenectomy following neoadjuvant chemoradiation therapy in uncinate process pancreatic cancer. <i>Pancreas</i> , 2012 , 41, 467-73	2.6	4
92	Comparison of the diagnostic yield of "MiroCam" and "PillCam SB" capsule endoscopy. <i>Hepato-Gastroenterology</i> , 2012 , 59, 778-81		5
91	The T2-shortening effect of gadolinium and the optimal conditions for maximizing the CNR for evaluating the biliary system: a phantom study. <i>Korean Journal of Radiology</i> , 2011 , 12, 358-64	6.9	10
90	Aberrant Hedgehog ligands induce progressive pancreatic fibrosis by paracrine activation of myofibroblasts and ductular cells in transgenic zebrafish. <i>PLoS ONE</i> , 2011 , 6, e27941	3.7	39
89	Differentially expressed microRNAs in pancreatic cancer stem cells. <i>Pancreas</i> , 2011 , 40, 1180-7	2.6	50
88	Immunohistochemical analysis of claudin expression in pancreatic cystic tumors. <i>Oncology Reports</i> , 2011 , 25, 971-8	3.5	19
87	Old age and male sex are associated with increased risk of asymptomatic erosive esophagitis: analysis of data from local health examinations by the Korean National Health Insurance Corporation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 1034-8	4	27
86	Preoperative serum CA 19-9 level as a predictive factor for recurrence after curative resection in biliary tract cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1651-6	3.1	24
85	Comparison of outcomes among secondary covered metallic, uncovered metallic, and plastic biliary stents in treating occluded primary metallic stents in malignant distal biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 475-82	5.2	27
84	Early gastric cancer of signet ring cell carcinoma is more amenable to endoscopic treatment than is early gastric cancer of poorly differentiated tubular adenocarcinoma in select tumor conditions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3087-93	5.2	46
83	Proteomic analysis of pancreatic juice for the identification of biomarkers of pancreatic cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 1229-38	4.9	29
82	Prospective phase II trial of gemcitabine in combination with irinotecan as first-line chemotherapy in patients with advanced biliary tract cancer. <i>Chemotherapy</i> , 2011 , 57, 236-43	3.2	21
81	Primary intestinal lymphangiectasia diagnosed by capsule endoscopy and double balloon enteroscopy. <i>World Journal of Gastrointestinal Endoscopy</i> , 2011 , 3, 235-40	2.2	26
80	Endoscopic management of afferent loop syndrome after a pylorus preserving pancreatoduodenectomy presenting with obstructive jaundice and ascending cholangitis. <i>Clinical Endoscopy</i> , 2011 , 44, 59-64	2.5	18
79	Intraductal ultrasonography combined with percutaneous transhepatic cholangioscopy for the preoperative evaluation of longitudinal tumor extent in hilar cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 286-92	4	22
78	Comparison of procedural sequences in same-day bidirectional endoscopy without benzodiazepine and propofol sedation: starting at the bottom or the top. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 899-904	4	14

77	Outcome of adjuvant therapy for gallbladder cancer. <i>Oncology</i> , 2010 , 79, 168-73	3.6	26
76	Differential features of pancreatobiliary- and intestinal-type ampullary carcinomas at MR imaging. <i>Radiology</i> , 2010 , 257, 384-93	20.5	21
75	Long-term clinical outcomes of self-expanding metal stents for treatment of malignant gastroesophageal junction obstructions and prognostic factors for stent patency: effects of anticancer treatments. <i>Digestive and Liver Disease</i> , 2010 , 42, 436-40	3.3	13
74	Active locomotion of a paddling-based capsule endoscope in an in vitro and in vivo experiment (with videos). <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 381-7	5.2	98
73	Oct4 and Nanog expression is associated with early stages of pancreatic carcinogenesis. <i>Pancreas</i> , 2010 , 39, 622-6	2.6	101
72	Placement of a fully covered self-expandable metal stent in a young patient with chronic pancreatitis. <i>World Journal of Gastrointestinal Endoscopy</i> , 2010 , 2, 375-8	2.2	1
71	Hepatoid carcinoma of the pancreas combined with neuroendocrine carcinoma. <i>Gut and Liver</i> , 2010 , 4, 98-102	4.8	27
70	A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200	4.8	31
69	Reversal of diabetes in rats using GLP-1-expressing adult pancreatic duct-like precursor cells transformed from acinar to ductal cells. <i>Stem Cells and Development</i> , 2009 , 18, 991-1002	4.4	9
68	Perfusion CT: noninvasive surrogate marker for stratification of pancreatic cancer response to concurrent chemo- and radiation therapy. <i>Radiology</i> , 2009 , 250, 110-7	20.5	123
67	CD44-positive cells are responsible for gemcitabine resistance in pancreatic cancer cells. <i>International Journal of Cancer</i> , 2009 , 125, 2323-31	7.5	223
66	Radiosensitization effect of STI-571 on pancreatic cancer cells in vitro. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 862-9	4	19
65	Phase II study of 5-fluorouracil and paclitaxel in patients with gemcitabine-refractory pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 529-33	3.5	28
64	Phase II trial of S-1 and concurrent radiotherapy in patients with locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 535-41	3.5	25
63	Human plasma carboxylesterase 1, a novel serologic biomarker candidate for hepatocellular carcinoma. <i>Proteomics</i> , 2009 , 9, 3989-99	4.8	77
62	Pancreatic adenocarcinoma up-regulated factor (PAUF), a novel up-regulated secretory protein in pancreatic ductal adenocarcinoma. <i>Cancer Science</i> , 2009 , 100, 828-36	6.9	48
61	Long-term follow up of gallbladder polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 219-22	4	71
60	CA 19-9 as a predictor for response and survival in advanced pancreatic cancer patients treated with chemoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1148-54	4	37

59	First clinical trial of the "MiRo" capsule endoscope by using a novel transmission technology: electric-field propagation. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 253-9	5.2	102
58	Hypoechoic foci on EUS are simple and strong predictive factors for neoplastic gallbladder polyps. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 1244-50	5.2	45
57	Comparison of the validity of three biomarkers for gastric cancer screening: carcinoembryonic antigen, pepsinogens, and high sensitive C-reactive protein. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 19-26	3	23
56	Clinicopathologic Characteristics of Left-Sided Colon Cancers with High Microsatellite Instability. <i>Korean Journal of Pathology</i> , 2009 , 43, 428		1
55	Usefulness of 18F-fluorodeoxyglucose positron emission tomography in differential diagnosis and staging of cholangiocarcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 759-65 ⁴		5 ¹
54	Paclitaxel augments cytotoxic effect of photodynamic therapy using verteporfin in gastric and bile duct cancer cells. <i>Photochemical and Photobiological Sciences</i> , 2008 , 7, 769-74	4.2	19
53	BRCA2 mutations as a universal risk factor for pancreatic cancer has a limited role in Korean ethnic group. <i>Pancreas</i> , 2008 , 36, 337-40	2.6	14
52	Clinical application of self-expandable metallic stent for treatment of colorectal obstruction caused by extrinsic invasive tumors. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 578-83	3.1	74
51	Multimedia manuscript. Dual-scope guided (simultaneous thoraco-laparoscopic) transthoracic transdiaphragmatic intraoperative radiofrequency ablation for hepatocellular carcinoma located beneath the diaphragm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 541	5.2	4
50	Expression of nonsteroidal anti-inflammatory drug-activated gene-1 (NAG-1) inversely correlates with tumor progression in gastric adenomas and carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1029-35	4.9	8
49	Clinicopathologic factors influence accurate endosonographic assessment for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 901-8	5.2	97
48	Magnetic poly epsilon-caprolactone nanoparticles containing Fe ₃ O ₄ and gemcitabine enhance anti-tumor effect in pancreatic cancer xenograft mouse model. <i>Journal of Drug Targeting</i> , 2007 , 15, 445-53 ⁴	5.4	6 ¹
47	Hepatic artery pseudoaneurysm associated with plastic biliary stent. <i>Yonsei Medical Journal</i> , 2007 , 48, 546-8	3	14
46	CXCL5 overexpression is associated with late stage gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 835-40	4.9	67
45	Three-dimensional power receiver for in vivo robotic capsules. <i>Medical and Biological Engineering and Computing</i> , 2007 , 45, 997-1002	3.1	37
44	A Novel Micro-Biopsy Actuator for Capsular Endoscope using LIGA Process 2007 ,		1
43	ATP-based chemotherapy response assay in patients with unresectable gastric cancer. <i>Oncology</i> , 2007 , 73, 439-40	3.6	12
42	Micro capsule endoscope for gastro intestinal tract. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 2823-6		6

41	Molecular cloning and functional analysis of a novel oncogene, cancer-upregulated gene 2 (CUG2). <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 633-9	3.4	38
40	Analysis of the effects of stent insertion and the factors related to stent retrieval in chronic pancreatitis accompanying main pancreatic duct obstruction. <i>Gut and Liver</i> , 2007 , 1, 63-7	4.8	2
39	Enhancement of antitumor immunity of dendritic cells pulsed with heat-treated tumor lysate in murine pancreatic cancer. <i>Immunology Letters</i> , 2006 , 103, 142-8	4.1	39
38	The farnesyltransferase inhibitor, LB42708, inhibits growth and induces apoptosis irreversibly in H-ras and K-ras-transformed rat intestinal epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2006 , 215, 317-29	4.6	7
37	Phase II study of cisplatin combined with weekly gemcitabine in the treatment of patients with metastatic pancreatic carcinoma. <i>Pancreatology</i> , 2006 , 6, 635-41	3.8	5
36	Bile acid analysis in biliary tract cancer. <i>Yonsei Medical Journal</i> , 2006 , 47, 817-25	3	31
35	The relationship of anatomic variation of pancreatic ductal system and pancreaticobiliary diseases. <i>Yonsei Medical Journal</i> , 2006 , 47, 243-8	3	28
34	Endoscopic papillary balloon dilation with large balloon after limited sphincterotomy for retrieval of choledocholithiasis. <i>Yonsei Medical Journal</i> , 2006 , 47, 805-10	3	46
33	[6]-Gingerol induces cell cycle arrest and cell death of mutant p53-expressing pancreatic cancer cells. <i>Yonsei Medical Journal</i> , 2006 , 47, 688-97	3	98
32	Differences in immune cells engaged in cell-mediated immunity after chemotherapy for far advanced pancreatic cancer. <i>Pancreas</i> , 2006 , 32, 29-36	2.6	23
31	The clinicopathologic significance of the expression of vascular endothelial growth factor-C in intrahepatic cholangiocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 138-42	2.7	67
30	Concurrent chemoradiotherapy with doxifluridine and paclitaxel for extrahepatic bile duct cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2006 , 29, 240-5	2.7	13
29	The clinical usefulness of 18-fluorodeoxyglucose positron emission tomography in the differential diagnosis, staging, and response evaluation after concurrent chemoradiotherapy for pancreatic cancer. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 923-9	3	134
28	Suppression of human selenium-binding protein 1 is a late event in colorectal carcinogenesis and is associated with poor survival. <i>Proteomics</i> , 2006 , 6, 3466-76	4.8	89
27	Phase II study of gemcitabine and cisplatin in advanced biliary tract cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 999-1003	4	32
26	Tuberculous mesenteric lymphadenitis involving the gastric wall: case report. <i>Gastrointestinal Endoscopy</i> , 2005 , 62, 799-802	5.2	4
25	Frequent mutations of human Mad2, but not Bub1, in gastric cancers cause defective mitotic spindle checkpoint. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005 , 578, 187-201	3.3	27
24	Capecitabine combined with gemcitabine (CapGem) as first-line treatment in patients with advanced/metastatic biliary tract carcinoma. <i>Cancer</i> , 2005 , 104, 2753-8	6.4	86

23	Barbed micro-spikes for micro-scale biopsy. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 1279-1284	2	26
22	A disposable MEMS-based micro-biopsy catheter for the minimally invasive tissue sampling 2005 ,		1
21	Strategies to improve dendritic cell-based immunotherapy against cancer. <i>Yonsei Medical Journal</i> , 2004 , 45 Suppl, 48-52	3	12
20	A prospective randomized study of gemcitabine with doxifluridine versus paclitaxel with doxifluridine in concurrent chemoradiotherapy for locally advanced pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 1494-501	4	43
19	Endoscopic resection of a large leiomyoma of the esophagus. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 129-332		10
18	Endoscopic enucleation of upper-GI submucosal tumors by using an insulated-tip electrosurgical knife. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 409-15	5.2	127
17	A case of complete resolution of mediastinal pseudocyst and pleural effusion by endoscopic stenting of pancreatic duct. <i>Yonsei Medical Journal</i> , 2003 , 44, 727-31	3	12
16	Endoscopic Mucosal Resection of Early Esophageal Cancers: Our Method. <i>Digestive Endoscopy</i> , 2003 , 15, S22-S25	3.7	
15	Percutaneous transhepatic cholecholescopic injection of ethanol with OK-432 mixture for palliation of malignant biliary obstruction. <i>Gastrointestinal Endoscopy</i> , 2003 , 57, 769-73	5.2	4
14	Identification of a ligand for glucocorticoid-induced tumor necrosis factor receptor constitutively expressed in dendritic cells. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 310, 433-8	3.4	57
13	A haplotype-based molecular analysis of CFTR mutations associated with respiratory and pancreatic diseases. <i>Human Molecular Genetics</i> , 2003 , 12, 2321-32	5.6	85
12	Using kinematic MR cholangiopancreatography to evaluate biliary dilatation. <i>American Journal of Roentgenology</i> , 2002 , 178, 909-14	5.4	20
11	MR cholangiography in symptomatic gallstones: diagnostic accuracy according to clinical risk group. <i>Radiology</i> , 2002 , 224, 410-6	20.5	39
10	Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2002 , 56, 756-758	5.2	8
9	Endoscopic snare resection for tumors of the ampulla of Vater. <i>Yonsei Medical Journal</i> , 2000 , 41, 213-8	3	33
8	A case of minute intraductal papillary mucinous tumor of the pancreas presenting with recurrent acute pancreatitis. <i>Yonsei Medical Journal</i> , 2000 , 41, 528-32	3	6
7	K-Ras-independent effects of the farnesyl transferase inhibitor L-744,832 on cyclin B1/Cdc2 kinase activity, G2/M cell cycle progression and apoptosis in human pancreatic ductal adenocarcinoma cells. <i>Neoplasia</i> , 2000 , 2, 261-72	6.4	31
6	Endoscopic treatment of upper gastrointestinal tumors. <i>Yonsei Medical Journal</i> , 1999 , 40, 559-68	3	1

5	Non-alcoholic duct-destructive chronic pancreatitis: recognition before definitive treatment. <i>Yonsei Medical Journal</i> , 1999 , 40, 518-22	3	7
4	Comparative study of bentiromide test and endoscopic retrograde pancreatography in patients with chronic pancreatitis. <i>Yonsei Medical Journal</i> , 1998 , 39, 45-9	3	2
3	p53 protein expression in extrahepatic bile duct cancer. <i>Yonsei Medical Journal</i> , 1996 , 37, 112-7	3	6
2	Evaluation of therapeutic regimens for the treatment of <i>Helicobacter pylori</i> infection. <i>Yonsei Medical Journal</i> , 1996 , 37, 270-7	3	7
1	Three-dimensional silicon-micromachined microbiopsy tool and in-vivo experiment		1