

Elisabeth Schramm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3074651/publications.pdf>

Version: 2024-02-01

66
papers

2,719
citations

201658

27
h-index

189881

50
g-index

76
all docs

76
docs citations

76
times ranked

3124
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Psychological Interventions in the Maintenance Treatment of Depression. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 212-213.	8.8	3
2	Precuneus connectivity and symptom severity in chronic depression ^o . <i>Psychiatry Research - Neuroimaging</i> , 2022, 322, 111471.	1.8	2
3	Why one answer is not always enough: Reply to "CBASP may not be superior to other treatments for chronic depression". <i>Journal of Affective Disorders</i> , 2022, , .	4.1	0
4	Modular-based psychotherapy (MoBa) versus cognitive-behavioural therapy (CBT) for patients with depression, comorbidities and a history of childhood maltreatment: study protocol for a randomised controlled feasibility trial. <i>BMJ Open</i> , 2022, 12, e057672.	1.9	7
5	Weitere wissenschaftlich fundierte Psychotherapiemethoden und -verfahren. , 2021, , 577-623.		0
6	Effects of alliance ruptures and repairs on outcomes. <i>Psychotherapy Research</i> , 2021, 31, 977-987.	1.8	1
7	Time for a paradigm shift for psychotherapies?. <i>Evidence-Based Mental Health</i> , 2021, 24, 1-1.	4.5	2
8	Do interpersonal fears mediate the association between childhood maltreatment and interpersonal skills deficits? A matched cross-sectional analysis. <i>Psychotherapy Research</i> , 2020, 30, 267-278.	1.8	15
9	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020, 50, 1020-1031.	4.5	59
10	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020, 76, 7-19.	1.9	9
11	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020, 124, 103512.	3.1	9
12	Review of dysthymia and persistent depressive disorder: history, correlates, and clinical implications. <i>Lancet Psychiatry</i> , 2020, 7, 801-812.	7.4	94
13	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 607300.	2.6	5
14	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020, 272, 152-157.	4.1	4
15	Cognitive behavioural therapy for insomnia does not appear to have a substantial impact on early markers of cardiovascular disease: A preliminary randomized controlled trial. <i>Journal of Sleep Research</i> , 2020, 29, e13102.	3.2	16
16	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 261-262.	8.8	10
17	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020, 265, 395-401.	4.1	253
18	Interpersonal Psychotherapy vs. Treatment as Usual for Major Depression Related to Work Stress: A Pilot Randomized Controlled Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 193.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Patients' interpersonal problems as moderators of depression outcomes in a randomized controlled trial comparing mindfulness-based cognitive therapy and a group version of the cognitive-behavioral analysis system of psychotherapy in chronic depression. <i>Journal of Clinical Psychology</i> , 2020, 76, 1241-1254.	1.9	9
20	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 154-164.	8.8	26
21	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	2.6	11
22	Affektive Störungen. , 2019, , 363-444.e8.		1
23	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 229, 262-268.	4.1	15
24	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 46-48.	8.8	26
25	Childhood Maltreatment in Women with Borderline Personality Disorder, Chronic Depression, and Episodic Depression, and in Healthy Controls. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 49-51.	8.8	29
26	The German version of the helping alliance questionnaire: psychometric properties in patients with persistent depressive disorder. <i>BMC Psychiatry</i> , 2018, 18, 107.	2.6	11
27	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. <i>Depression and Anxiety</i> , 2018, 35, 1001-1008.	4.1	14
28	Cognitive-Behavioral Analysis System of Psychotherapy, Drug, or Their Combination for Persistent Depressive Disorder: Personalizing the Treatment Choice Using Individual Participant Data Network Metaregression. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 140-153.	8.8	68
29	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. <i>JAMA Psychiatry</i> , 2017, 74, 233.	11.0	87
30	Identification of Childhood Abuse in Patients with Late-Life Depression May Help to Optimize Treatment. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 644-645.	1.2	0
31	The impact of childhood maltreatment on the differential efficacy of CBASP versus escitalopram in patients with chronic depression: A secondary analysis. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1155-1162.	2.7	14
32	Childhood adversity impacts on brain subcortical structures relevant to depression. <i>Journal of Psychiatric Research</i> , 2017, 86, 58-65.	3.1	81
33	Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Patients with Chronic Depression: Results from a Naturalistic Long-Term Follow-Up. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 308-310.	8.8	4
34	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavioral Analysis System of Psychotherapy (CBASP). , 2017, , 1029-1037.		0
35	Cognitive-Behavioural Analysis System of Psychotherapy (CBASP), a drug, or their combination: differential therapeutics for persistent depressive disorder: a study protocol of an individual participant data network meta-analysis. <i>BMJ Open</i> , 2016, 6, e011769.	1.9	15
36	Functional Correlates of childhood maltreatment and symptom severity during affective theory of mind tasks in chronic depression. <i>Psychiatry Research - Neuroimaging</i> , 2016, 250, 1-11.	1.8	27

#	ARTICLE	IF	CITATIONS
37	The Effects of Mindfulness-Based Cognitive Therapy and Cognitive Behavioral Analysis System of Psychotherapy added to Treatment as Usual on suicidal ideation in chronic depression: Results of a randomized-clinical trial. <i>Journal of Affective Disorders</i> , 2016, 200, 51-57.	4.1	30
38	Mindfulness-Based Cognitive Therapy and a Group Version of the Cognitive Behavioral Analysis System of Psychotherapy for Chronic Depression: Follow-Up Data of a Randomized Controlled Trial and the Moderating Role of Childhood Adversities. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 378-380.	8.8	17
39	Sleep quality changes in chronically depressed patients treated with Mindfulness-based Cognitive Therapy or the Cognitive Behavioral Analysis System of Psychotherapy: a pilot study. <i>Sleep Medicine</i> , 2016, 17, 57-63.	1.6	14
40	Mindfulness-based cognitive therapy for depression. <i>Lancet</i> , The, 2016, 387, 1054.	13.7	25
41	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavioral Analysis System of Psychotherapy (CBASP). , 2016, , 1-9.		0
42	A randomized controlled trial on the efficacy of mindfulness-based cognitive therapy and a group version of cognitive behavioral analysis system of psychotherapy for chronically depressed patients.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 951-963.	2.0	66
43	Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Chronic Major Depression. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 227-240.	8.8	45
44	Overcoming Treatment Resistance in Chronic Depression: A Pilot Study on Outcome and Feasibility of the Cognitive Behavioral Analysis System of Psychotherapy as an Inpatient Treatment Program. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 51-56.	8.8	73
45	Behavioral Evidence for an Impairment of Affective Theory of Mind Capabilities in Chronic Depression. <i>Psychopathology</i> , 2015, 48, 240-250.	1.5	43
46	Quality of Life Improvements after Acceptance and Commitment Therapy in Nonresponders to Cognitive Behavioral Therapy for Primary Insomnia. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 371-373.	8.8	45
47	Allgemeine Wirkfaktoren bei der Behandlung chronisch depressiver Patienten – Vergleich zweier Psychotherapieansätze. <i>Verhaltenstherapie</i> , 2012, 22, 228-235.	0.4	8
48	Sensitivity to detect change and the correlation of clinical factors with the Hamilton Depression Rating Scale and the Beck Depression Inventory in depressed inpatients. <i>Psychiatry Research</i> , 2012, 198, 62-67.	3.3	52
49	The factor structure of the Social Interaction Anxiety Scale and the Social Phobia Scale. <i>Journal of Anxiety Disorders</i> , 2011, 25, 579-583.	3.2	33
50	The Significant Other History: An Interpersonal-Emotional History Procedure Used with the Early-onset Chronically Depressed Patient. <i>American Journal of Psychotherapy</i> , 2011, 65, 225-248.	1.2	25
51	Cognitive behavioral analysis system of psychotherapy versus interpersonal psychotherapy for early-onset chronic depression: A randomized pilot study. <i>Journal of Affective Disorders</i> , 2011, 129, 109-116.	4.1	110
52	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. <i>BMC Psychiatry</i> , 2011, 11, 134.	2.6	38
53	Feasibility and Outcome of Cognitive Behavioral Analysis System of Psychotherapy (CBASP) for Chronically Depressed Inpatients: A Pilot Study. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 191-194.	8.8	45
54	Maximizing Skills Acquisition in Dialectical Behavioral Therapy with a CD-ROM-Based Self-Help Program: Results from a Pilot Study. <i>Psychopathology</i> , 2011, 44, 133-135.	1.5	4

#	ARTICLE	IF	CITATIONS
55	Exploring preoperational features in chronic depression. <i>Journal of Affective Disorders</i> , 2010, 124, 262-269.	4.1	91
56	Theory of mind deficits in chronically depressed patients. <i>Depression and Anxiety</i> , 2010, 27, 821-828.	4.1	103
57	Time course of response to antidepressants: Predictive value of early improvement and effect of additional psychotherapy. <i>Journal of Affective Disorders</i> , 2009, 114, 243-253.	4.1	69
58	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. <i>Journal of Affective Disorders</i> , 2008, 109, 65-73.	4.1	70
59	Effects of coping-oriented couples therapy on depression: A randomized clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 944-954.	2.0	152
60	Cross-Cultural Study of Conviction Subtype Taijin Kyofu. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 307-313.	1.0	18
61	An Intensive Treatment Program of Interpersonal Psychotherapy Plus Pharmacotherapy for Depressed Inpatients: Acute and Long-Term Results. <i>American Journal of Psychiatry</i> , 2007, 164, 768-777.	7.2	139
62	Shame and Implicit Self-Concept in Women With Borderline Personality Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 500-508.	7.2	218
63	Self-Stigma in Women With Borderline Personality Disorder and Women With Social Phobia. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 766-773.	1.0	128
64	Complementary therapeutic relationship: Therapist behavior, interpersonal patterns, and therapeutic effects. <i>Psychotherapy Research</i> , 2005, 15, 91-102.	1.8	87
65	Effectiveness of a Multicomponent Group Treatment for Insomnia. <i>Behavioural and Cognitive Psychotherapy</i> , 1995, 23, 109-127.	1.2	13
66	Effectiveness of Nature- and Animal Assisted Mindfulness for Relapse Prevention in Depressed Patients With a History of Childhood Maltreatment. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	1