

Elisabeth Schramm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3074651/publications.pdf>

Version: 2024-02-01

66
papers

2,719
citations

201674
27
h-index

189892
50
g-index

76
all docs

76
docs citations

76
times ranked

3124
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Psychological Interventions in the Maintenance Treatment of Depression. Psychotherapy and Psychosomatics, 2022, 91, 212-213.	8.8	3
2	Precuneus connectivity and symptom severity in chronic depression. Psychiatry Research - Neuroimaging, 2022, 322, 111471.	1.8	2
3	Why one answer is not always enough: Reply to "CBASP may not be superior to other treatments for chronic depression". Journal of Affective Disorders, 2022, , .	4.1	0
4	Modular-based psychotherapy (MoBa) versus cognitive-behavioural therapy (CBT) for patients with depression, comorbidities and a history of childhood maltreatment: study protocol for a randomised controlled feasibility trial. BMJ Open, 2022, 12, e057672.	1.9	7
5	Weitere wissenschaftlich fundierte Psychotherapiemethoden und -verfahren. , 2021, , 577-623.		0
6	Effects of alliance ruptures and repairs on outcomes. Psychotherapy Research, 2021, 31, 977-987.	1.8	1
7	Time for a paradigm shift for psychotherapies?. Evidence-Based Mental Health, 2021, 24, 1-1.	4.5	2
8	Do interpersonal fears mediate the association between childhood maltreatment and interpersonal skills deficits? A matched cross-sectional analysis. Psychotherapy Research, 2020, 30, 267-278.	1.8	15
9	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. Psychological Medicine, 2020, 50, 1020-1031.	4.5	59
10	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. Journal of Clinical Psychology, 2020, 76, 7-19.	1.9	9
11	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. Behaviour Research and Therapy, 2020, 124, 103512.	3.1	9
12	Review of dysthymia and persistent depressive disorder: history, correlates, and clinical implications. Lancet Psychiatry, the, 2020, 7, 801-812.	7.4	94
13	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. Frontiers in Psychiatry, 2020, 11, 607300.	2.6	5
14	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. Journal of Affective Disorders, 2020, 272, 152-157.	4.1	4
15	Cognitive behavioural therapy for insomnia does not appear to have a substantial impact on early markers of cardiovascular disease: A preliminary randomized controlled trial. Journal of Sleep Research, 2020, 29, e13102.	3.2	16
16	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 261-262.	8.8	10
17	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). Journal of Affective Disorders, 2020, 265, 395-401.	4.1	253
18	Interpersonal Psychotherapy vs. Treatment as Usual for Major Depression Related to Work Stress: A Pilot Randomized Controlled Study. Frontiers in Psychiatry, 2020, 11, 193.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Patients' interpersonal problems as moderators of depression outcomes in a randomized controlled trial comparing mindfulness-based cognitive therapy and a group version of the cognitive-behavioral analysis system of psychotherapy in chronic depression. Journal of Clinical Psychology, 2020, 76, 1241-1254.	1.9	9
20	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. Psychotherapy and Psychosomatics, 2019, 88, 154-164.	8.8	26
21	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). BMC Psychiatry, 2019, 19, 423.	2.6	11
22	Affektive Störungen. , 2019, , 363-444.e8.		1
23	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	4.1	15
24	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. Psychotherapy and Psychosomatics, 2018, 87, 46-48.	8.8	26
25	Childhood Maltreatment in Women with Borderline Personality Disorder, Chronic Depression, and Episodic Depression, and in Healthy Controls. Psychotherapy and Psychosomatics, 2018, 87, 49-51.	8.8	29
26	The German version of the helping alliance questionnaire: psychometric properties in patients with persistent depressive disorder. BMC Psychiatry, 2018, 18, 107.	2.6	11
27	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	4.1	14
28	Cognitive-Behavioral Analysis System of Psychotherapy, Drug, or Their Combination for Persistent Depressive Disorder: Personalizing the Treatment Choice Using Individual Participant Data Network Metaregression. Psychotherapy and Psychosomatics, 2018, 87, 140-153.	8.8	68
29	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. JAMA Psychiatry, 2017, 74, 233.	11.0	87
30	Identification of Childhood Abuse in Patients with Late-Life Depression May Help to Optimize Treatment. American Journal of Geriatric Psychiatry, 2017, 25, 644-645.	1.2	0
31	The impact of childhood maltreatment on the differential efficacy of CBASP versus escitalopram in patients with chronic depression: A secondary analysis. Clinical Psychology and Psychotherapy, 2017, 24, 1155-1162.	2.7	14
32	Childhood adversity impacts on brain subcortical structures relevant to depression. Journal of Psychiatric Research, 2017, 86, 58-65.	3.1	81
33	Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Patients with Chronic Depression: Results from a Naturalistic Long-Term Follow-Up. Psychotherapy and Psychosomatics, 2017, 86, 308-310.	8.8	4
34	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavioral Analysis System of Psychotherapy (CBASP). , 2017, , 1029-1037.		0
35	Cognitive-Behavioural Analysis System of Psychotherapy (CBASP), a drug, or their combination: differential therapeutics for persistent depressive disorder: a study protocol of an individual participant data network meta-analysis. BMJ Open, 2016, 6, e011769.	1.9	15
36	Functional Correlates of childhood maltreatment and symptom severity during affective theory of mind tasks in chronic depression. Psychiatry Research - Neuroimaging, 2016, 250, 1-11.	1.8	27

#	ARTICLE	IF	CITATIONS
37	The Effects of Mindfulness-Based Cognitive Therapy and Cognitive Behavioral Analysis System of Psychotherapy added to Treatment as Usual on suicidal ideation in chronic depression: Results of a randomized-clinical trial. Journal of Affective Disorders, 2016, 200, 51-57.	4.1	30
38	Mindfulness-Based Cognitive Therapy and a Group Version of the Cognitive Behavioral Analysis System of Psychotherapy for Chronic Depression: Follow-Up Data of a Randomized Controlled Trial and the Moderating Role of Childhood Adversities. Psychotherapy and Psychosomatics, 2016, 85, 378-380.	8.8	17
39	Sleep quality changes in chronically depressed patients treated with Mindfulness-based Cognitive Therapy or the Cognitive Behavioral Analysis System of Psychotherapy: a pilot study. Sleep Medicine, 2016, 17, 57-63.	1.6	14
40	Mindfulness-based cognitive therapy for depression. Lancet, The, 2016, 387, 1054.	13.7	25
41	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavioral Analysis System of Psychotherapy (CBASP). , 2016, , 1-9.		0
42	A randomized controlled trial on the efficacy of mindfulness-based cognitive therapy and a group version of cognitive behavioral analysis system of psychotherapy for chronically depressed patients.. Journal of Consulting and Clinical Psychology, 2015, 83, 951-963.	2.0	66
43	Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Chronic Major Depression. Psychotherapy and Psychosomatics, 2015, 84, 227-240.	8.8	45
44	Overcoming Treatment Resistance in Chronic Depression: A Pilot Study on Outcome and Feasibility of the Cognitive Behavioral Analysis System of Psychotherapy as an Inpatient Treatment Program. Psychotherapy and Psychosomatics, 2015, 84, 51-56.	8.8	73
45	Behavioral Evidence for an Impairment of Affective Theory of Mind Capabilities in Chronic Depression. Psychopathology, 2015, 48, 240-250.	1.5	43
46	Quality of Life Improvements after Acceptance and Commitment Therapy in Nonresponders to Cognitive Behavioral Therapy for Primary Insomnia. Psychotherapy and Psychosomatics, 2014, 83, 371-373.	8.8	45
47	Allgemeine Wirkfaktoren bei der Behandlung chronisch depressiver Patienten – Vergleich zweier Psychotherapieansätze. Verhaltenstherapie, 2012, 22, 228-235.	0.4	8
48	Sensitivity to detect change and the correlation of clinical factors with the Hamilton Depression Rating Scale and the Beck Depression Inventory in depressed inpatients. Psychiatry Research, 2012, 198, 62-67.	3.3	52
49	The factor structure of the Social Interaction Anxiety Scale and the Social Phobia Scale. Journal of Anxiety Disorders, 2011, 25, 579-583.	3.2	33
50	The Significant Other History: An Interpersonal-Emotional History Procedure Used with the Early-onset Chronically Depressed Patient. American Journal of Psychotherapy, 2011, 65, 225-248.	1.2	25
51	Cognitive behavioral analysis system of psychotherapy versus interpersonal psychotherapy for early-onset chronic depression: A randomized pilot study. Journal of Affective Disorders, 2011, 129, 109-116.	4.1	110
52	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. BMC Psychiatry, 2011, 11, 134.	2.6	38
53	Feasibility and Outcome of Cognitive Behavioral Analysis System of Psychotherapy (CBASP) for Chronically Depressed Inpatients: A Pilot Study. Psychotherapy and Psychosomatics, 2011, 80, 191-194.	8.8	45
54	Maximizing Skills Acquisition in Dialectical Behavioral Therapy with a CD-ROM-Based Self-Help Program: Results from a Pilot Study. Psychopathology, 2011, 44, 133-135.	1.5	4

#	ARTICLE	IF	CITATIONS
55	Exploring preoperational features in chronic depression. Journal of Affective Disorders, 2010, 124, 262-269.	4.1	91
56	Theory of mind deficits in chronically depressed patients. Depression and Anxiety, 2010, 27, 821-828.	4.1	103
57	Time course of response to antidepressants: Predictive value of early improvement and effect of additional psychotherapy. Journal of Affective Disorders, 2009, 114, 243-253.	4.1	69
58	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. Journal of Affective Disorders, 2008, 109, 65-73.	4.1	70
59	Effects of coping-oriented couples therapy on depression: A randomized clinical trial.. Journal of Consulting and Clinical Psychology, 2008, 76, 944-954.	2.0	152
60	Cross-Cultural Study of Conviction Subtype Taijin Kyofu. Journal of Nervous and Mental Disease, 2008, 196, 307-313.	1.0	18
61	An Intensive Treatment Program of Interpersonal Psychotherapy Plus Pharmacotherapy for Depressed Inpatients: Acute and Long-Term Results. American Journal of Psychiatry, 2007, 164, 768-777.	7.2	139
62	Shame and Implicit Self-Concept in Women With Borderline Personality Disorder. American Journal of Psychiatry, 2007, 164, 500-508.	7.2	218
63	Self-Stigma in Women With Borderline Personality Disorder and Women With Social Phobia. Journal of Nervous and Mental Disease, 2006, 194, 766-773.	1.0	128
64	Complementary therapeutic relationship: Therapist behavior, interpersonal patterns, and therapeutic effects. Psychotherapy Research, 2005, 15, 91-102.	1.8	87
65	Effectiveness of a Multicomponent Group Treatment for Insomnia. Behavioural and Cognitive Psychotherapy, 1995, 23, 109-127.	1.2	13
66	Effectiveness of Nature- and Animal Assisted Mindfulness for Relapse Prevention in Depressed Patients With a History of Childhood Maltreatment. Frontiers in Psychiatry, 0, 13, .	2.6	1