

# Hai-Lian Shen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3074899/publications.pdf>

Version: 2024-02-01

15  
papers

350  
citations

933447

10  
h-index

996975

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

688  
citing authors

#	ARTICLE	IF	CITATIONS
1	Zeb1 is important for proper cleavage plane orientation of dividing progenitors and neuronal migration in the mouse neocortex. <i>Cell Death and Differentiation</i> , 2019, 26, 2479-2492.	11.2	14
2	Oncogenic exon 2 mutations in Mediator subunit MED12 disrupt allosteric activation of cyclin C-CDK8/19. <i>Journal of Biological Chemistry</i> , 2018, 293, 4870-4882.	3.4	44
3	Mediator Kinase Disruption in MED12-Mutant Uterine Fibroids From Hispanic Women of South Texas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4283-4292.	3.6	20
4	The European GWAS-identified risk SNP rs457717 within IQGAP2 is not associated with age-related hearing impairment in Han male Chinese population. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1677-1687.	1.6	4
5	GIT1 enhances neurite outgrowth by stimulating microtubule assembly. <i>Neural Regeneration Research</i> , 2016, 11, 427.	3.0	10
6	Exacerbation of Charcotâ€™Marieâ€™Tooth type 2E neuropathy following traumatic nerve injury. <i>Brain Research</i> , 2015, 1627, 143-153.	2.2	8
7	OIT3 deficiency impairs uric acid reabsorption in renal tubule. <i>FEBS Letters</i> , 2012, 586, 760-765.	2.8	11
8	The spinal muscular atrophy mouse model, SMA <sup>Δ7</sup> , displays altered axonal transport without global neurofilament alterations. <i>Acta Neuropathologica</i> , 2011, 122, 331-341.	7.7	31
9	Muscle pathology without severe nerve pathology in a new mouse model of Charcotâ€™Marieâ€™Tooth disease type 2E. <i>Human Molecular Genetics</i> , 2011, 20, 2535-2548.	2.9	26
10	Insulin Receptor Tyrosine Kinase Substrate Enhances Low Levels of MDM2-Mediated p53 Ubiquitination. <i>PLoS ONE</i> , 2011, 6, e23571.	2.5	14
11	Liver-specific ZP domain-containing protein (LZP) as a new partner of Tamm-Horsfall protein harbors on renal tubules. <i>Molecular and Cellular Biochemistry</i> , 2009, 321, 73-83.	3.1	12
12	Protein expression pattern of CDK11p58 during testicular development in the mouse. <i>Molecular and Cellular Biochemistry</i> , 2005, 270, 99-106.	3.1	5
13	Elevated Î²1,4-Galactosyltransferase I in Highly Metastatic Human Lung Cancer Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 12503-12516.	3.4	88
14	Overexpression of small glutamine-rich TPR-containing protein promotes apoptosis in 7721 cells. <i>FEBS Letters</i> , 2005, 579, 1279-1284.	2.8	32
15	Cyclin D3 interacts with human activating transcription factor 5 and potentiates its transcription activity. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 954-960.	2.1	31