

Vikas Gupta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3075078/publications.pdf>

Version: 2024-02-01

224
papers

13,751
citations

28242

55
h-index

23514

111
g-index

225
all docs

225
docs citations

225
times ranked

12185
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A Double-Blind, Placebo-Controlled Trial of Ruxolitinib for Myelofibrosis. <i>New England Journal of Medicine</i> , 2012, 366, 799-807. | 13.9 | 1,738 |
| 2 | Identification of pre-leukaemic haematopoietic stem cells in acute leukaemia. <i>Nature</i> , 2014, 506, 328-333. | 13.7 | 1,241 |
| 3 | Risk factors for acute GVHD and survival after hematopoietic cell transplantation. <i>Blood</i> , 2012, 119, 296-307. | 0.6 | 559 |
| 4 | Effect of Age on Outcome of Reduced-Intensity Hematopoietic Cell Transplantation for Older Patients With Acute Myeloid Leukemia in First Complete Remission or With Myelodysplastic Syndrome. <i>Journal of Clinical Oncology</i> , 2010, 28, 1878-1887. | 0.8 | 459 |
| 5 | Hematopoietic Stem-Cell Transplantation for Acute Leukemia in Relapse or Primary Induction Failure. <i>Journal of Clinical Oncology</i> , 2010, 28, 3730-3738. | 0.8 | 386 |
| 6 | Long-term treatment with ruxolitinib for patients with myelofibrosis: 5-year update from the randomized, double-blind, placebo-controlled, phase 3 COMFORT-I trial. <i>Journal of Hematology and Oncology</i> , 2017, 10, 55. | 6.9 | 302 |
| 7 | Pacritinib vs Best Available Therapy, Including Ruxolitinib, in Patients With Myelofibrosis. <i>JAMA Oncology</i> , 2018, 4, 652. | 3.4 | 261 |
| 8 | Efficacy, safety, and survival with ruxolitinib in patients with myelofibrosis: results of a median 3-year follow-up of COMFORT-I. <i>Haematologica</i> , 2015, 100, 479-488. | 1.7 | 246 |
| 9 | Outcome of Transplantation for Myelofibrosis. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 358-367. | 2.0 | 245 |
| 10 | Nonpermissive HLA-DPB1 mismatch increases mortality after myeloablative unrelated allogeneic hematopoietic cell transplantation. <i>Blood</i> , 2014, 124, 2596-2606. | 0.6 | 228 |
| 11 | Momelotinib versus best available therapy in patients with myelofibrosis previously treated with ruxolitinib (SIMPLIFY 2): a randomised, open-label, phase 3 trial. <i>Lancet Haematology</i> , 2018, 5, e73-e81. | 2.2 | 211 |
| 12 | Long-term survival in patients treated with ruxolitinib for myelofibrosis: COMFORT-I and -II pooled analyses. <i>Journal of Hematology and Oncology</i> , 2017, 10, 156. | 6.9 | 210 |
| 13 | A pooled analysis of overall survival in COMFORT-I and COMFORT-II, 2 randomized phase III trials of ruxolitinib for the treatment of myelofibrosis. <i>Haematologica</i> , 2015, 100, 1139-1145. | 1.7 | 203 |
| 14 | A Phase I Study of the Pan Bcl-2 Family Inhibitor Obatoclox Mesylate in Patients with Advanced Hematologic Malignancies. <i>Clinical Cancer Research</i> , 2008, 14, 8295-8301. | 3.2 | 183 |
| 15 | The outcome of full-intensity and reduced-intensity conditioning matched sibling or unrelated donor transplantation in adults with Philadelphia chromosome-negative acute lymphoblastic leukemia in first and second complete remission. <i>Blood</i> , 2010, 116, 366-374. | 0.6 | 178 |
| 16 | Reducing the Risk for Transplantation-Related Mortality After Allogeneic Hematopoietic Cell Transplantation: How Much Progress Has Been Made?. <i>Journal of Clinical Oncology</i> , 2011, 29, 805-813. | 0.8 | 178 |
| 17 | Effect of Ruxolitinib Therapy on Myelofibrosis-Related Symptoms and Other Patient-Reported Outcomes in COMFORT-I: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 1285-1292. | 0.8 | 171 |
| 18 | Comparable survival after HLA-well-matched unrelated or matched sibling donor transplantation for acute myeloid leukemia in first remission with unfavorable cytogenetics at diagnosis. <i>Blood</i> , 2010, 116, 1839-1848. | 0.6 | 168 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Allogeneic hematopoietic cell transplantation for adults with acute myeloid leukemia: myths, controversies, and unknowns. <i>Blood</i> , 2011, 117, 2307-2318. | 0.6 | 161 |
| 20 | Risk Factors for Acute Graft-Versus-Host Disease After Human Leukocyte Antigen-Identical Sibling Transplants for Adults With Leukemia. <i>Journal of Clinical Oncology</i> , 2008, 26, 5728-5734. | 0.8 | 159 |
| 21 | Alemtuzumab with fludarabine and cyclophosphamide reduces chronic graft-versus-host disease after allogeneic stem cell transplantation for acquired aplastic anemia. <i>Blood</i> , 2011, 118, 2351-2357. | 0.6 | 148 |
| 22 | The graft-versus-leukemia effect using matched unrelated donors is not superior to HLA-identical siblings for hematopoietic stem cell transplantation. <i>Blood</i> , 2009, 113, 3110-3118. | 0.6 | 147 |
| 23 | Evaluation of mycophenolate mofetil for initial treatment of chronic graft-versus-host disease. <i>Blood</i> , 2009, 113, 5074-5082. | 0.6 | 143 |
| 24 | Efficacy, safety and survival with ruxolitinib in patients with myelofibrosis: results of a median 2-year follow-up of COMFORT-I. <i>Haematologica</i> , 2013, 98, 1865-1871. | 1.7 | 143 |
| 25 | Treatment of adults with BCR-ABL negative acute lymphoblastic leukaemia with a modified paediatric regimen. <i>British Journal of Haematology</i> , 2009, 146, 76-85. | 1.2 | 137 |
| 26 | Impact of age on outcomes after bone marrow transplantation for acquired aplastic anemia using HLA-matched sibling donors. <i>Haematologica</i> , 2010, 95, 2119-2125. | 1.7 | 137 |
| 27 | MPD-RC 101 prospective study of reduced-intensity allogeneic hematopoietic stem cell transplantation in patients with myelofibrosis. <i>Blood</i> , 2014, 124, 1183-1191. | 0.6 | 135 |
| 28 | Reduced-Intensity Hematopoietic Cell Transplantation for Patients with Primary Myelofibrosis: A Cohort Analysis from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 89-97. | 2.0 | 130 |
| 29 | Safety and efficacy of ruxolitinib in an open-label, multicenter, single-arm phase 3b expanded-access study in patients with myelofibrosis: a snapshot of 1144 patients in the JUMP trial. <i>Haematologica</i> , 2016, 101, 1065-1073. | 1.7 | 130 |
| 30 | Impact of prior imatinib mesylate on the outcome of hematopoietic cell transplantation for chronic myeloid leukemia. <i>Blood</i> , 2008, 112, 3500-3507. | 0.6 | 127 |
| 31 | Outcomes of Allogeneic Hematopoietic Cell Transplantation in Patients with Myelofibrosis with Prior Exposure to Janus Kinase 1/2 Inhibitors. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 432-440. | 2.0 | 127 |
| 32 | Allogeneic, but not autologous, hematopoietic cell transplantation improves survival only among younger adults with acute lymphoblastic leukemia in first remission: an individual patient data meta-analysis. <i>Blood</i> , 2013, 121, 339-350. | 0.6 | 123 |
| 33 | Treatment outcomes following leukemic transformation in Philadelphia-negative myeloproliferative neoplasms. <i>Blood</i> , 2013, 121, 2725-2733. | 0.6 | 119 |
| 34 | Unrelated Donor Reduced-Intensity Allogeneic Hematopoietic Stem Cell Transplantation for Relapsed and Refractory Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 109-117. | 2.0 | 98 |
| 35 | Allogeneic hematopoietic cell transplantation for myelofibrosis in the era of JAK inhibitors. <i>Blood</i> , 2012, 120, 1367-1379. | 0.6 | 95 |
| 36 | Disease biology rather than age is the most important determinant of survival of patients \geq 60 years with acute myeloid leukemia treated with uniform intensive therapy. <i>Cancer</i> , 2005, 103, 2082-2090. | 2.0 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Primary analysis of a phase II open-label trial of INCB039110, a selective JAK1 inhibitor, in patients with myelofibrosis. <i>Haematologica</i> , 2017, 102, 327-335. | 1.7 | 87 |
| 38 | The clinical benefit of ruxolitinib across patient subgroups: analysis of a placebo-controlled, Phase III study in patients with myelofibrosis. <i>British Journal of Haematology</i> , 2013, 161, 508-516. | 1.2 | 83 |
| 39 | Classifying Cytogenetics in Patients with Acute Myelogenous Leukemia in Complete Remission Undergoing Allogeneic Transplantation: A Center for International Blood and Marrow Transplant Research Study. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 280-288. | 2.0 | 81 |
| 40 | Unrelated donor transplants in adults with Philadelphia-negative acute lymphoblastic leukemia in first complete remission. <i>Blood</i> , 2008, 112, 426-434. | 0.6 | 80 |
| 41 | Second Unrelated Donor Hematopoietic Cell Transplantation for Primary Graft Failure. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1099-1106. | 2.0 | 80 |
| 42 | A phase 1/2, open-label study evaluating twice-daily administration of momelotinib in myelofibrosis. <i>Haematologica</i> , 2017, 102, 94-102. | 1.7 | 80 |
| 43 | Oral ciclopirox olamine displays biological activity in a phase I study in patients with advanced hematologic malignancies. <i>American Journal of Hematology</i> , 2014, 89, 363-368. | 2.0 | 79 |
| 44 | ACVR1/JAK1/JAK2 inhibitor momelotinib reverses transfusion dependency and suppresses hepcidin in myelofibrosis phase 2 trial. <i>Blood Advances</i> , 2020, 4, 4282-4291. | 2.5 | 77 |
| 45 | Similar Outcomes of Cryopreserved Allogeneic Peripheral Stem Cell Transplants (PBSCT) Compared to Fresh Allografts. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1233-1243. | 2.0 | 69 |
| 46 | Nonmyeloablative Stem Cell Transplantation for Myelodysplastic Syndrome or Acute Myeloid Leukemia in Patients 60 Years or Older. <i>Biology of Blood and Marrow Transplantation</i> , 2005, 11, 764-772. | 2.0 | 67 |
| 47 | Prior rituximab correlates with less acute graft-versus-host disease and better survival in B-cell lymphoma patients who received allogeneic peripheral blood stem cell transplantation. <i>British Journal of Haematology</i> , 2009, 145, 816-824. | 1.2 | 66 |
| 48 | Clinical relevance of cytogenetic abnormalities at diagnosis of acquired aplastic anaemia in adults. <i>British Journal of Haematology</i> , 2006, 134, 95-99. | 1.2 | 64 |
| 49 | Obesity Does Not Preclude Safe and Effective Myeloablative Hematopoietic Cell Transplantation (HCT) for Acute Myelogenous Leukemia (AML) in Adults. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1442-1450. | 2.0 | 64 |
| 50 | Alemtuzumab is safe and effective as immunosuppressive treatment for aplastic anaemia and single-lineage marrow failure: a pilot study and a survey from the EBMT WPSAA. <i>British Journal of Haematology</i> , 2010, 148, 791-796. | 1.2 | 63 |
| 51 | Effects of Ruxolitinib Treatment on Metabolic and Nutritional Parameters in Patients With Myelofibrosis From COMFORT-I. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 214-221.e1. | 0.2 | 63 |
| 52 | Survival following allogeneic transplant in patients with myelofibrosis. <i>Blood Advances</i> , 2020, 4, 1965-1973. | 2.5 | 63 |
| 53 | The impact of acute myeloid leukemia and its treatment on quality of life and functional status in older adults. <i>Critical Reviews in Oncology/Hematology</i> , 2007, 64, 19-30. | 2.0 | 62 |
| 54 | Quality of life and physical function in adults treated with intensive chemotherapy for acute myeloid leukemia improve over time independent of age. <i>Journal of Geriatric Oncology</i> , 2015, 6, 262-271. | 0.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Primary analysis of JUMP, a phase 3b, expanded access study evaluating the safety and efficacy of ruxolitinib in patients with myelofibrosis, including those with low platelet counts. <i>British Journal of Haematology</i> , 2020, 189, 888-903. | 1.2 | 61 |
| 56 | Comparison of Outcomes after Transplantation of G-CSF Stimulated Bone Marrow Grafts versus Bone Marrow or Peripheral Blood Grafts from HLA-Matched Sibling Donors for Patients with Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1018-1024. | 2.0 | 60 |
| 57 | Allogeneic Hematopoietic Cell Transplantation in Human Immunodeficiency Virus Positive Patients with Hematologic Disorders: A Report from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 864-871. | 2.0 | 58 |
| 58 | One-Antigen Mismatched Related versus HLA-Matched Unrelated Donor Hematopoietic Stem Cell Transplantation in Adults with Acute Leukemia: Center for International Blood and Marrow Transplant Research Results in the Era of Molecular HLA Typing. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 640-648. | 2.0 | 55 |
| 59 | The prognostic value of serum C-reactive protein, ferritin, and albumin prior to allogeneic transplantation for acute myeloid leukemia and myelodysplastic syndromes. <i>Haematologica</i> , 2016, 101, 1426-1433. | 1.7 | 53 |
| 60 | Autologous blood cell transplantation versus HLA-identical sibling transplantation for acute myeloid leukemia in first complete remission: a registry study from the Center for International Blood and Marrow Transplantation Research. <i>Haematologica</i> , 2013, 98, 185-192. | 1.7 | 50 |
| 61 | The impact of anemia on overall survival in patients with myelofibrosis treated with ruxolitinib in the COMFORT studies. <i>Haematologica</i> , 2016, 101, e482-e484. | 1.7 | 50 |
| 62 | Quality of life beyond 6 months after diagnosis in older adults with acute myeloid leukemia. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 69, 168-174. | 2.0 | 49 |
| 63 | Impact of genomic alterations on outcomes in myelofibrosis patients undergoing JAK1/2 inhibitor therapy. <i>Blood Advances</i> , 2017, 1, 1729-1738. | 2.5 | 48 |
| 64 | Impact of High-Molecular-Risk Mutations on Transplantation Outcomes in Patients with Myelofibrosis. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1142-1151. | 2.0 | 48 |
| 65 | Favorable effect on acute and chronic graft-versus-host disease with cyclophosphamide and in vivo anti-CD52 monoclonal antibodies for marrow transplantation from HLA-identical sibling donors for acquired aplastic anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 867-876. | 2.0 | 47 |
| 66 | Reduced intensity conditioning is superior to nonmyeloablative conditioning for older chronic myelogenous leukemia patients undergoing hematopoietic cell transplant during the tyrosine kinase inhibitor era. <i>Blood</i> , 2012, 119, 4083-4090. | 0.6 | 47 |
| 67 | The mutational landscape of accelerated- and blast-phase myeloproliferative neoplasms impacts patient outcomes. <i>Blood Advances</i> , 2018, 2, 2658-2671. | 2.5 | 47 |
| 68 | Ruxolitinib Therapy Followed by Reduced-Intensity Conditioning for Hematopoietic Cell Transplantation for Myelofibrosis: Myeloproliferative Disorders Research Consortium 114 Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 256-264. | 2.0 | 47 |
| 69 | Management of cytopenias in patients with myelofibrosis treated with ruxolitinib and effect of dose modifications on efficacy outcomes. <i>OncoTargets and Therapy</i> , 2013, 7, 13. | 1.0 | 46 |
| 70 | A Phase 1 study of intravenous infusions of tigecycline in patients with acute myeloid leukemia. <i>Cancer Medicine</i> , 2016, 5, 3031-3040. | 1.3 | 46 |
| 71 | Comparing Outcomes with Bone Marrow or Peripheral Blood Stem Cells as Graft Source for Matched Sibling Transplants in Severe Aplastic Anemia across Different Economic Regions. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 932-940. | 2.0 | 43 |
| 72 | MANIFEST, a Phase 2 Study of CPI-0610, a Bromodomain and Extraterminal Domain Inhibitor (BETi), As Monotherapy or "Add-on" to Ruxolitinib, in Patients with Refractory or Intolerant Advanced Myelofibrosis. <i>Blood</i> , 2019, 134, 670-670. | 0.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Blastic plasmacytoid dendritic cell neoplasm with leukemic presentation: 10â€Color flow cytometry diagnosis and HyperCVAD therapy. <i>American Journal of Hematology</i> , 2016, 91, 283-286. | 2.0 | 40 |
| 74 | Validation of National Institutes of Health Global Scoring System for Chronic Graft-Versus-Host Disease (GVHD) According to Overall and GVHD-Specific Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 556-563. | 2.0 | 38 |
| 75 | Comparison of placebo and best available therapy for the treatment of myelofibrosis in the phase 3 COMFORT studies. <i>Haematologica</i> , 2014, 99, 292-298. | 1.7 | 38 |
| 76 | Allogeneic Hematopoietic Cell Transplant for Prolymphocytic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 543-547. | 2.0 | 37 |
| 77 | A third course of anti-thymocyte globulin in aplastic anaemia is only beneficial in previous responders. <i>British Journal of Haematology</i> , 2005, 129, 110-117. | 1.2 | 36 |
| 78 | Ruxolitinib, an oral JAK1 and JAK2 inhibitor, in myelofibrosis. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 2397-2407. | 0.9 | 36 |
| 79 | Influence of FLT3â€internal tandem duplication allele burden and white blood cell count on the outcome in patients with intermediateâ€risk karyotype acute myeloid leukemia. <i>Cancer</i> , 2012, 118, 6110-6117. | 2.0 | 36 |
| 80 | A retrospective observational study of leucoreductive strategies to manage patients with acute myeloid leukaemia presenting with hyperleucocytosis. <i>British Journal of Haematology</i> , 2015, 168, 384-394. | 1.2 | 36 |
| 81 | Hematopoietic Cell Transplantation as Curative Therapy forâ€Patients with Myelofibrosis: Long-Term Success in all Ageâ€Groups. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1883-1887. | 2.0 | 36 |
| 82 | Myelofibrosis: to transplant or not to transplant?. <i>Hematology American Society of Hematology Education Program</i> , 2016, 2016, 543-551. | 0.9 | 36 |
| 83 | Incidence and Risk Factors for Early Hepatotoxicity and Its Impact on Survival in Patients with Myelofibrosis Undergoing Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1589-1599. | 2.0 | 34 |
| 84 | A phase I trial of two sequence-specific schedules of decitabine and vorinostat in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 2793-2802. | 0.6 | 33 |
| 85 | Hematopoietic Cell Transplantation Outcomes in Monosomal Karyotype Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 248-257. | 2.0 | 33 |
| 86 | Critical illness in patients with hematologic malignancy: a population-based cohort study. <i>Intensive Care Medicine</i> , 2021, 47, 1104-1114. | 3.9 | 32 |
| 87 | A Prospective Study Comparing the Outcomes and Health-Related Quality of Life in Adult Patients with Myeloid Malignancies Undergoing Allogeneic Transplantation Using Myeloablative or Reduced-Intensity Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 113-124. | 2.0 | 31 |
| 88 | MOMENTUM: momelotinib vs danazol in patients with myelofibrosis previously treated with JAKi who are symptomatic and anemic. <i>Future Oncology</i> , 2021, 17, 1449-1458. | 1.1 | 31 |
| 89 | Late Effects in Hematopoietic Cell Transplant Recipients with Acquired Severe Aplastic Anemia: A Report from the Late Effects Working Committee of the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1776-1784. | 2.0 | 30 |
| 90 | Laboratory Investigation of Myeloproliferative Neoplasms (MPNs). <i>American Journal of Clinical Pathology</i> , 2016, 146, 408-422. | 0.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Outcomes of older patients (≥60 years) with acquired aplastic anaemia treated with immunosuppressive therapy. <i>British Journal of Haematology</i> , 2008, 143, 738-743. | 1.2 | 29 |
| 92 | Genetic factors rather than blast reduction determine outcomes of allogeneic HCT in BCR-ABL ⁻ negative MPN in blast phase. <i>Blood Advances</i> , 2020, 4, 5562-5573. | 2.5 | 28 |
| 93 | Clinical efficacy of prophylactic strategy of long-term low-dose acyclovir for Varicella-Zoster virus infection after allogeneic peripheral blood stem cell transplantation*. <i>Clinical Transplantation</i> , 2008, 22, 770-779. | 0.8 | 27 |
| 94 | Treatment of elderly patients with acute lymphoblastic leukaemia using a paediatric-based protocol. <i>British Journal of Haematology</i> , 2013, 163, 458-464. | 1.2 | 27 |
| 95 | Alternative donor transplantation for myelodysplastic syndromes: haploidentical relative and matched unrelated donors. <i>Blood Advances</i> , 2021, 5, 975-983. | 2.5 | 27 |
| 96 | Comparison of Short-Term Response and Long-Term Outcomes after Initial Systemic Treatment of Chronic Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 124-132. | 2.0 | 26 |
| 97 | Allogeneic blood or marrow transplantation with haploidentical donor and post-transplantation cyclophosphamide in patients with myelofibrosis: a multicenter study. <i>Leukemia</i> , 2022, 36, 856-864. | 3.3 | 26 |
| 98 | Childhood Obesity and Outcomes after Bone Marrow Transplantation for Patients with Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 737-744. | 2.0 | 25 |
| 99 | Peripheral Blood Eosinophilia Has a Favorable Prognostic Impact on Transplant Outcomes after Allogeneic Peripheral Blood Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 471-482. | 2.0 | 24 |
| 100 | Defining disease modification in myelofibrosis in the era of targeted therapy. <i>Cancer</i> , 2022, 128, 2420-2432. | 2.0 | 24 |
| 101 | Predictors of response to reinduction chemotherapy for patients with acute myeloid leukemia who do not achieve complete remission with frontline induction chemotherapy. <i>American Journal of Hematology</i> , 2008, 83, 54-58. | 2.0 | 23 |
| 102 | The Effect of Smoking on Allogeneic Transplant Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1277-1287. | 2.0 | 23 |
| 103 | Treatment of Philadelphia chromosome-positive acute lymphoblastic leukaemia with imatinib combined with a paediatric-based protocol. <i>British Journal of Haematology</i> , 2012, 158, 506-514. | 1.2 | 23 |
| 104 | A phase I trial of the aurora kinase inhibitor, ENMD-2076, in patients with relapsed or refractory acute myeloid leukemia or chronic myelomonocytic leukemia. <i>Investigational New Drugs</i> , 2016, 34, 614-624. | 1.2 | 23 |
| 105 | Prognostic significance of trisomy 4 as the sole cytogenetic abnormality in acute myeloid leukemia. <i>Leukemia Research</i> , 2003, 27, 983-991. | 0.4 | 22 |
| 106 | Outcome of patients who develop acute leukemia or myelodysplasia as a second malignancy after solid tumors treated surgically or with strategies that include chemotherapy and/or radiation. <i>Cancer</i> , 2008, 112, 1513-1521. | 2.0 | 22 |
| 107 | Favorable Overall Survival with Fully Myeloablative Allogeneic Stem Cell Transplantation for Follicular Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 775-782. | 2.0 | 22 |
| 108 | Allogeneic Hematopoietic Cell Transplantation for Advanced Polycythemia Vera and Essential Thrombocythemia. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1446-1454. | 2.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Social Media and Myeloproliferative Neoplasms (MPN)â€™Focus on Twitter and the Development of a Disease-specific Community: #MPNSM. <i>Current Hematologic Malignancy Reports</i> , 2015, 10, 413-420. | 1.2 | 22 |
| 110 | Clinical Features of Patients With Philadelphia-Negative Myeloproliferative Neoplasms Complicated by Portal Hypertension. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e1-e5. | 0.2 | 22 |
| 111 | A Comparison of Long-Term Outcomes of Donor Lymphocyte Infusions and Tyrosine Kinase Inhibitors in Patients With Relapsed CML After Allogeneic Hematopoietic Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, 87-92. | 0.2 | 21 |
| 112 | Benefit of Allogeneic Transplantation in Patients Age â‰¥ 60 Years with Acute Myeloid Leukemia Is Limited to Those in First Complete Remission at Time of Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 474-479. | 2.0 | 21 |
| 113 | Early lymphocyte recovery at 28 days post-transplant is predictive of reduced risk of relapse in patients with acute myeloid leukemia transplanted with peripheral blood stem cell grafts. <i>European Journal of Haematology</i> , 2014, 93, 273-280. | 1.1 | 21 |
| 114 | Impaired T Cell Responsiveness to Interleukin-6 in Hematological Patients with Invasive Aspergillosis. <i>PLoS ONE</i> , 2015, 10, e0123171. | 1.1 | 21 |
| 115 | Preliminary Report of MANIFEST, a Phase 2 Study of CPI-0610, a Bromodomain and Extraterminal Domain Inhibitor (BETi), in Combination with Ruxolitinib, in JAK Inhibitor (JAKi) Treatment Naïve Myelofibrosis Patients. <i>Blood</i> , 2019, 134, 4164-4164. | 0.6 | 21 |
| 116 | Long-Term Outcomes Of Ruxolitinib Therapy In Patients With Myelofibrosis: 3-Year Update From COMFORT-I. <i>Blood</i> , 2013, 122, 396-396. | 0.6 | 21 |
| 117 | Improved survival using an intensive, pediatric-based chemotherapy regimen in adults with T-cell acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2010, 51, 61-65. | 0.6 | 20 |
| 118 | Multiple Single-Nucleotide Polymorphism-Based Risk Model for Clinical Outcomes After Allogeneic Stem-Cell Transplantation, Especially for Acute Graft-Versus-Host Disease. <i>Transplantation</i> , 2012, 94, 1250-1257. | 0.5 | 19 |
| 119 | Clinical Utility of Next-Generation Sequencing in the Management of Myeloproliferative Neoplasms: A Single-Center Experience. <i>HemaSphere</i> , 2018, 2, e44. | 1.2 | 19 |
| 120 | Analysis of predictors of response to ruxolitinib in patients with myelofibrosis in the phase 3b expanded-access JUMP study. <i>Leukemia and Lymphoma</i> , 2021, 62, 918-926. | 0.6 | 19 |
| 121 | Long-Term Outcome of Ruxolitinib Treatment in Patients with Myelofibrosis: Durable Reductions in Spleen Volume, Improvements in Quality of Life, and Overall Survival Advantage in COMFORT-I. <i>Blood</i> , 2012, 120, 800-800. | 0.6 | 19 |
| 122 | Janus Kinase Inhibitors and Allogeneic Stem Cell Transplantation for Myelofibrosis. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1274-1281. | 2.0 | 18 |
| 123 | Feasibility of outpatient consolidation chemotherapy in older versus younger patients with acute myeloid leukemia. <i>American Journal of Hematology</i> , 2012, 87, 323-326. | 2.0 | 17 |
| 124 | Unrelated Donor Allogeneic Transplantation after Failure of Autologous Transplantation for Acute Myelogenous Leukemia: A Study from the Center for International Blood and Marrow Transplantation Research. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1102-1108. | 2.0 | 17 |
| 125 | Mycophenolate-based graft versus host disease prophylaxis is not inferior to methotrexate in myeloablative-related donor stem cell transplantation. <i>American Journal of Hematology</i> , 2015, 90, 392-399. | 2.0 | 17 |
| 126 | Myeloablative versus Reduced-Intensity Conditioning in Patients with Myeloid Malignancies: A Propensity Score-Matched Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 2270-2275. | 2.0 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Mobilization of Leukemic Cells Using Plerixafor as Part of a Myeloablative Preparative Regimen for Patients with Acute Myelogenous Leukemia Undergoing Allografting: Assessment of Safety and Tolerability. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1158-1163. | 2.0 | 17 |
| 128 | Patterns of Ruxolitinib Therapy Failure and Its Management in Myelofibrosis: Perspectives of the Canadian Myeloproliferative Neoplasm Group. <i>JCO Oncology Practice</i> , 2020, 16, 351-359. | 1.4 | 17 |
| 129 | An Expanded Multicenter Phase I/II Study of CYT387, a JAK- 1/2 Inhibitor for the Treatment of Myelofibrosis,. <i>Blood</i> , 2011, 118, 3849-3849. | 0.6 | 16 |
| 130 | Incidence, Risk Factors, and Long-Term Outcomes of Sclerotic Graft-versus-Host Disease after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1751-1757. | 2.0 | 15 |
| 131 | Anticoagulation prophylaxis reduces venous thromboembolism rate in adult acute lymphoblastic leukaemia treated with asparaginase-based therapy. <i>British Journal of Haematology</i> , 2020, 191, 748-754. | 1.2 | 15 |
| 132 | Allogeneic Peripheral Blood Stem Cell Transplantation Significantly Increases Risk of Chronic Graft-versus-Host Disease of Lung Compared with Bone Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1905-1910. | 2.0 | 14 |
| 133 | How we manage <sc>JAK</sc> inhibition in allogeneic transplantation for myelofibrosis. <i>European Journal of Haematology</i> , 2015, 94, 115-119. | 1.1 | 14 |
| 134 | Cytogenetic risk determines outcomes after allogeneic transplantation in older patients with acute myeloid leukemia in their second complete remission: A Center for International Blood and Marrow Transplant Research cohort analysis. <i>Cancer</i> , 2017, 123, 2035-2042. | 2.0 | 14 |
| 135 | Comparison of outcomes of HCT in blast phase of <i>BCR-ABL1</i> MPN with de novo AML and with AML following MDS. <i>Blood Advances</i> , 2020, 4, 4748-4757. | 2.5 | 14 |
| 136 | Consistent Benefit of Ruxolitinib Over Placebo in Spleen Volume Reduction and Symptom Improvement Across Subgroups and Overall Survival Advantage: Results From COMFORT-I. <i>Blood</i> , 2011, 118, 278-278. | 0.6 | 14 |
| 137 | Cardiovascular Disease Among Patients With AML and CHIP-Related Mutations. <i>JACC: CardioOncology</i> , 2022, 4, 38-49. | 1.7 | 14 |
| 138 | Clinico-Biological Features and Prognostic Significance of PML/RAR± Isoforms in Adult Patients with Acute Promyelocytic Leukemia Treated with All Trans Retinoic Acid (ATRA) and Chemotherapy. <i>Leukemia and Lymphoma</i> , 2004, 45, 469-480. | 0.6 | 13 |
| 139 | Role of all-trans-retinoic acid (ATRA) in the consolidation therapy of acute promyelocytic leukaemia (APL). <i>Leukemia Research</i> , 2005, 29, 113-114. | 0.4 | 13 |
| 140 | Outcomes of adult patients with relapsed acute lymphoblastic leukemia following frontline treatment with a pediatric regimen. <i>Leukemia Research</i> , 2012, 36, 1517-1520. | 0.4 | 13 |
| 141 | Providing Personalized Prognostic Information for Adult Leukemia Survivors. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1600-1607. | 2.0 | 13 |
| 142 | Outcomes of Hematopoietic Cell Transplantation in Adult Patients with Acquired Aplastic Anemia Using Intermediate-Dose Alemtuzumab-Based Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1722-1728. | 2.0 | 13 |
| 143 | Tacrolimus versus Cyclosporine after Hematopoietic Cell Transplantation for Acquired Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1776-1782. | 2.0 | 13 |
| 144 | Investigational non-JAK inhibitors for chronic phase myelofibrosis. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 461-474. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Efficacy and Safety Of Fedratinib (SAR302503/JC101348) In Patients With Intermediate- Or High-Risk Myelofibrosis (MF), Post-Polycythemia Vera (PV) MF, Or Post-Essential Thrombocythemia (ET) MF Previously Treated With Ruxolitinib: Interim Results From a Phase II Study (JAKARTA-2). <i>Blood</i> , 2013, 122, 661-661. | 0.6 | 13 |
| 146 | Acute Lung Injury during Antithymocyte Globulin Therapy for Aplastic Anemia. <i>Canadian Respiratory Journal</i> , 2009, 16, e3-e5. | 0.8 | 12 |
| 147 | Improved prognostic stratification power of CIBMTR risk score with the addition of absolute lymphocyte and eosinophil counts at the onset of chronic GVHD. <i>Annals of Hematology</i> , 2017, 96, 805-815. | 0.8 | 12 |
| 148 | Impact of preleukemic mutations and their persistence on hematologic recovery after induction chemotherapy for AML. <i>Blood Advances</i> , 2019, 3, 2307-2311. | 2.5 | 12 |
| 149 | A Phase I Trial of Two Sequence-Specific Schedules of Decitabine and Vorinostat in Patients with Acute Myeloid Leukemia (AML).. <i>Blood</i> , 2007, 110, 908-908. | 0.6 | 12 |
| 150 | Limited benefit of pentostatin salvage therapy for steroidâ€refractory grade <sc>III</sc>â€<sc>IV</sc> acute graftâ€versusâ€host disease. <i>Clinical Transplantation</i> , 2013, 27, 930-937. | 0.8 | 11 |
| 151 | Effect of Red Blood Cell Transfusion Dependence on the Natural History of Myeloproliferative Neoplasm-Associated Myelofibrosis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e151-e156. | 0.2 | 11 |
| 152 | Modified EBMT Pretransplant Risk Score Can Identify Favorable-risk Patients Undergoing Allogeneic Hematopoietic Cell Transplantation for AML, Not Identified by the HCT-CI Score. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e73-e81. | 0.2 | 11 |
| 153 | Comparing the safety and efficacy of ruxolitinib in patients with Dynamic International Prognostic Scoring System lowâ€; intermediateâ€1â€, intermediateâ€2â€, and highâ€risk myelofibrosis in JUMP, a Phase 3b, expandedâ€access study. <i>Hematological Oncology</i> , 2021, 39, 558-566. | 0.8 | 11 |
| 154 | Improvement in Weight and Total Cholesterol and Their Association with Survival in Ruxolitinib-Treated Patients with Myelofibrosis From COMFORT-I. <i>Blood</i> , 2012, 120, 1733-1733. | 0.6 | 11 |
| 155 | Prognostic impact of the adverse molecular-genetic profile on long-term outcomes following allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Bone Marrow Transplantation</i> , 2021, 56, 1908-1918. | 1.3 | 10 |
| 156 | Enasidenib in Combination with Venetoclax in <i>IDH2</i>-Mutated Myeloid Malignancies: Preliminary Results of the Phase Ib/II Enaven-AML Trial. <i>Blood</i> , 2021, 138, 1263-1263. | 0.6 | 10 |
| 157 | The MDM2 antagonist idasanutlin in patients with polycythemia vera: results from a single-arm phase 2 study. <i>Blood Advances</i> , 2022, 6, 1162-1174. | 2.5 | 10 |
| 158 | Healthcare resource utilization in myeloproliferative neoplasms: a population-based study from Ontario, Canada. <i>Leukemia and Lymphoma</i> , 2020, 61, 1908-1919. | 0.6 | 9 |
| 159 | Momelotinib reduces transfusion requirements in patients with myelofibrosis. <i>Leukemia and Lymphoma</i> , 2022, 63, 1718-1722. | 0.6 | 8 |
| 160 | Superstition but not distrust in the medical system predicts the use of complementary and alternative medicine in a group of patients with acute leukemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 339-341. | 0.6 | 7 |
| 161 | High-dose cytarabine-based consolidation shows superior results for older AML patients with intermediate risk cytogenetics in first complete remission. <i>Leukemia Research</i> , 2013, 37, 556-560. | 0.4 | 7 |
| 162 | Evolving Therapeutic Options for Polycythemia Vera: Perspectives of the Canadian Myeloproliferative Neoplasms Group. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 715-727. | 0.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | AML refractory to primary induction with Ida-FLAG has a poor clinical outcome. <i>Leukemia Research</i> , 2018, 68, 22-28. | 0.4 | 7 |
| 164 | Safety and efficacy of the combination of sonidegib and ruxolitinib in myelofibrosis: a phase 1b/2 dose-finding study. <i>Blood Advances</i> , 2020, 4, 3063-3071. | 2.5 | 7 |
| 165 | Management of Hyperleukocytosis in Acute Myelogenous Leukemia Using Hydroxyurea Rather Than Leukopheresis.. <i>Blood</i> , 2006, 108, 2007-2007. | 0.6 | 7 |
| 166 | Novel therapies vs hematopoietic cell transplantation in myelofibrosis: who, when, how?. <i>Hematology American Society of Hematology Education Program</i> , 2021, 2021, 453-462. | 0.9 | 7 |
| 167 | HLA-Matched Sibling Transplantation for Severe Aplastic Anemia: Impact of HLA DR15 Antigen Status on Engraftment, Graft-versus-Host Disease, and Overall Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1401-1406. | 2.0 | 6 |
| 168 | Birth Order and Transplantation Outcome in HLA-Identical Sibling Stem Cell Transplantation: An Analysis on Behalf of the Center for International Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 741-745. | 2.0 | 6 |
| 169 | Predictors of outcome in adults with BCR-ABL negative acute lymphoblastic leukemia treated with a pediatric-based regimen. <i>Leukemia Research</i> , 2014, 38, 532-536. | 0.4 | 6 |
| 170 | Establishing an autologous versus allogeneic hematopoietic cell transplant program in nations with emerging economies. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2017, 10, 173-177. | 0.6 | 6 |
| 171 | Distribution and Impact of Comorbidities on Survival and Leukemic Transformation in Myeloproliferative Neoplasm-Associated Myelofibrosis: A Retrospective Cohort Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 774-781. | 0.2 | 6 |
| 172 | A case of secondary acute myeloid leukemia on a background of glycogen storage disease with chronic neutropenia treated with granulocyte colony stimulating factor. <i>JIMD Reports</i> , 2019, 49, 37-42. | 0.7 | 6 |
| 173 | Application of Stem Cell Therapy in Myelofibrosis. <i>Hematology/Oncology Clinics of North America</i> , 2021, 35, 391-407. | 0.9 | 6 |
| 174 | Association of frailty with clinical outcomes in myelofibrosis: a retrospective cohort study. <i>British Journal of Haematology</i> , 2021, 194, 557-567. | 1.2 | 6 |
| 175 | Trisomy 4 as the sole cytogenetic abnormality in a patient with T-cell acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2004, 152, 158-162. | 1.0 | 5 |
| 176 | Alternative donor transplants for high-risk acute myeloid leukemia. <i>Current Opinion in Hematology</i> , 2008, 15, 115-120. | 1.2 | 5 |
| 177 | Association of Factors Influencing Selection of Upfront Hematopoietic Cell Transplantation versus Nontransplantation Therapies in Myelofibrosis. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 600.e1-600.e8. | 0.6 | 5 |
| 178 | Associations Between Improvements in Myelofibrosis (MF) Symptoms and Quality of Life Measures with Splenomegaly Reduction in COMFORT-I: A Randomized, Double-Blind, Phase III Trial of the JAK1 and JAK2 Inhibitor Ruxolitinib Versus Placebo in Patients with MF,. <i>Blood</i> , 2011, 118, 3842-3842. | 0.6 | 5 |
| 179 | Natural killer-like T-cell leukaemia/lymphoma. <i>British Journal of Haematology</i> , 2001, 115, 490-490. | 1.2 | 4 |
| 180 | Risk of hepatitis B virus reactivation in HBsAg-negative, anti-HBc-positive patients with myeloproliferative neoplasms treated with ruxolitinib. <i>Leukemia and Lymphoma</i> , 2021, 62, 495-497. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Shared-care model for complex chronic haematological malignancies. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2021, 31, 165-174. | 0.1 | 4 |
| 182 | Haploidentical Allogeneic Hematopoietic Cell Transplantation with Post-Transplant Cyclophosphamide in Patients with Myelofibrosis: A Multi-Institutional Experience. Blood, 2020, 136, 33-34. | 0.6 | 4 |
| 183 | Clinical and molecular correlates of JAK-inhibitor therapy failure in myelofibrosis: long-term data from a molecularly annotated cohort. Leukemia, 2022, 36, 1689-1692. | 3.3 | 4 |
| 184 | Quality of life independently predicts overall survival in myelofibrosis: Key insights from the COntrolled MyeloFibrosis Study with ORal Janus kinase inhibitor Treatment (COMFORT) study. British Journal of Haematology, 2022, 198, 1065-1068. | 1.2 | 4 |
| 185 | Cavernous sinus thrombosis presenting with diplopia in an allogeneic bone marrow transplant recipient. American Journal of Hematology, 2004, 77, 77-81. | 2.0 | 3 |
| 186 | Predictive value of karyotype on outcome of autotransplants for acute myeloid leukemia in second remission. Leukemia and Lymphoma, 2005, 46, 525-531. | 0.6 | 3 |
| 187 | Relationship Between Ruxolitinib Dose and Improvements in Spleen Volume and Symptoms in Patients With Myelofibrosis: Results From COMFORT-I. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, S371-S372. | 0.2 | 3 |
| 188 | Controversies and dilemmas in allogeneic transplantation for myelofibrosis. Best Practice and Research in Clinical Haematology, 2014, 27, 165-174. | 0.7 | 3 |
| 189 | A phase II open-label study of aprepitant as anti-emetic prophylaxis in patients with acute myeloid leukemia (AML) undergoing induction chemotherapy. Supportive Care in Cancer, 2019, 27, 2295-2300. | 1.0 | 3 |
| 190 | Impact of Genetic Mutations on the Outcomes of Allogeneic Hematopoietic Cell Transplantation in Patients with Acute Myeloid Leukemia with Antecedent Myeloproliferative Neoplasm. Biology of Blood and Marrow Transplantation, 2020, 26, S12. | 2.0 | 3 |
| 191 | Adverse events (AEs) and the return of myelofibrosis (MF)-related symptoms after interruption or discontinuation of ruxolitinib (RUX) therapy.. Journal of Clinical Oncology, 2012, 30, 6624-6624. | 0.8 | 3 |
| 192 | Emerging therapeutic options for myelofibrosis: a Canadian perspective. American Journal of Blood Research, 2012, 2, 170-86. | 0.6 | 3 |
| 193 | CPX351 Has Short Remission Duration but Is an Effective Bridge to Allogeneic Transplant in High Risk AML: Results from Canadian Real-World Multi-Centre Study. Blood, 2020, 136, 6-7. | 0.6 | 3 |
| 194 | Acute Promyelocytic Leukemia: A Case-based Review. Hematology, 2003, 8, 105-113. | 0.7 | 2 |
| 195 | Acquired aplastic anemia and Fanconi anemia. , 2009, , 165-176. | | 2 |
| 196 | Predictive value of molecular remissions postconsolidation chemotherapy in patients with Core Binding Factor Acute Myeloid Leukemia (CBF-AML) – a single center analysis. Hematological Oncology, 2017, 35, 810-813. | 0.8 | 2 |
| 197 | Remissions after third induction chemotherapy for primary non-responders with acute myeloid leukemia (AML) are uncommon and short-lived. Leukemia and Lymphoma, 2018, 59, 237-240. | 0.6 | 2 |
| 198 | Management of Polycythemia Vera: A Survey of Canadian Physician Practice Patterns. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e37-e42. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Azacitidine and venetoclax for the treatment of accelerated and blast phase myeloproliferative neoplasms and chronic myelomonocytic leukemia: a case series. <i>Leukemia and Lymphoma</i> , 2021, 62, 1525-1527. | 0.6 | 2 |
| 200 | Effect of pre-transplant JAK1/2 inhibitors and CD34 dose on transplant outcomes in myelofibrosis. <i>European Journal of Haematology</i> , 2021, 107, 517-528. | 1.1 | 2 |
| 201 | Preliminary Results from a Phase 1 Study of Cfi-400495, a PLK4 Inhibitor, in Patients with Acute Myeloid Leukemia and High Risk MDS. <i>Blood</i> , 2020, 136, 1-2. | 0.6 | 2 |
| 202 | Results of Phase II Clinical Trial MPD-RC 101: Allogeneic Hematopoietic Stem Cell Transplantation Conditioned with Fludarabine/Melphalan in Patients with Myelofibrosis. <i>Blood</i> , 2011, 118, 1750-1750. | 0.6 | 2 |
| 203 | Clinical Relevance of Cytogenetics Abnormalities in Adult Patients with Acquired Aplastic Anaemia.. <i>Blood</i> , 2005, 106, 3748-3748. | 0.6 | 2 |
| 204 | Management of Cytopenias With Ruxolitinib Treatment in Patients With Myelofibrosis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, S371. | 0.2 | 1 |
| 205 | Molecular relapse after allogeneic hematopoietic cell transplant for chronic myeloid leukemia: some long-term survivors appear to tolerate even lack of major molecular response. <i>Leukemia and Lymphoma</i> , 2014, 55, 2398-2401. | 0.6 | 1 |
| 206 | Myelofibrosisâ€”When Do We Select Transplantation or Non-transplantation Therapeutic Options?. <i>Current Hematologic Malignancy Reports</i> , 2016, 11, 6-11. | 1.2 | 1 |
| 207 | Buried Barrett's Adenocarcinoma Clearly Demonstrated with Acetic Acid Chromoendoscopy. <i>American Journal of Gastroenterology</i> , 2018, 113, 1580. | 0.2 | 1 |
| 208 | Feasibility of Outpatient Consolidation Chemotherapy and Toxicity in Elderly Patients with AML.. <i>Blood</i> , 2009, 114, 1036-1036. | 0.6 | 1 |
| 209 | Clinical Burden and Progression of Myelofibrosis in a Controlled Study Population of Placebo-Treated Patients (COMFORT-I). <i>Blood</i> , 2011, 118, 5146-5146. | 0.6 | 1 |
| 210 | Long-term outcomes of ruxolitinib (RUX) therapy in patients (pts) with myelofibrosis (MF): 5-year update from COMFORT-I.. <i>Journal of Clinical Oncology</i> , 2016, 34, 7012-7012. | 0.8 | 1 |
| 211 | Risk of Thrombosis in Adult Philadelphia-Positive ALL Treated with an Asparaginase-Free ALL Regimen. <i>Current Oncology</i> , 2021, 28, 128-137. | 0.9 | 1 |
| 212 | Role of Allogeneic Hematopoietic Cell Transplant in Patients with Myelofibrosis in the JAK Inhibitor Era. <i>Blood</i> , 2020, 136, 52-53. | 0.6 | 1 |
| 213 | Hematopoietic cell transplantation for myelofibrosis: who and when?. , 0, , 86-96. | | 0 |
| 214 | Hematopoietic Cell Transplantation for Myeloproliferative Neoplasms. , 2019, , 173-183. | | 0 |
| 215 | Hydroxycarbamideâ€”related cutaneous ulcer complicated byâ€”osteomyelitis. <i>EJHaem</i> , 0, , . | 0.4 | 0 |
| 216 | Prognostic Power of Chronic Gvhd Risk Score Model by Ibmtr Can Be Improved with Addition of Absolute Lymphocyte Counts and Eosinophil Counts At the Onset of Chronic Gvhd. <i>Blood</i> , 2012, 120, 4184-4184. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | High-Dose Cytarabine-Based Consolidation Shows Superior Results for Elderly AML Patients with Intermediate Risk Cytogenetics in First Complete Remission. Blood, 2012, 120, 3574-3574. | 0.6 | 0 |
| 218 | Comparison of the Impact of Two Different Definitions of Red-Cell Transfusion Dependence on the Natural History of Myeloproliferative Neoplasm (MPN)-Associated Myelofibrosis (MF). Blood, 2014, 124, 3180-3180. | 0.6 | 0 |
| 219 | Myelofibrosis Is Initiated and Sustained By Rare Multipotent Stem Cells. Blood, 2018, 132, 1790-1790. | 0.6 | 0 |
| 220 | HSCs Fated to Progress to Blast Phase Can be Detected in Myelofibrosis Patients Several Years Prior to Leukemic Transformation. Blood, 2019, 134, 1676-1676. | 0.6 | 0 |
| 221 | Inferior Outcomes with a High LSC17 Score Can be Improved with Flag-IDA. Blood, 2020, 136, 35-36. | 0.6 | 0 |
| 222 | Geographical Distance from Quaternary Treatment Center Does Not Impact Choice of Upfront Therapy, Clinical Trial Participation and Outcomes in Patients with Newly Diagnosed AML. Blood, 2020, 136, 15-16. | 0.6 | 0 |
| 223 | Prognostic Role of Multiparameter Flow Cytometry-Based Measurable Residual Disease Assessment in Patients with Acute Myeloid Leukemia Harboring DNMT3A/TET2/ASXL1 Mutation. Blood, 2020, 136, 8-9. | 0.6 | 0 |
| 224 | Clinical Significance of Emergent Leukocytosis in Patients with Myelofibrosis Receiving JAK Inhibitor Therapy. Blood, 2020, 136, 22-22. | 0.6 | 0 |