
Andrew John Lawrence

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3075289/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impulsivity and response inhibition in alcohol dependence and problem gambling. Psychopharmacology, 2009, 207, 163-172.	1.5	279
2	Structural network efficiency is associated with cognitive impairment in small-vessel disease. Neurology, 2014, 83, 304-311.	1.5	242
3	Problem gamblers share deficits in impulsive decisionâ€making with alcoholâ€dependent individuals. Addiction, 2009, 104, 1006-1015.	1.7	236
4	Mechanisms of Cognitive Impairment in Cerebral Small Vessel Disease: Multimodal MRI Results from the St George's Cognition and Neuroimaging in Stroke (SCANS) Study. PLoS ONE, 2013, 8, e61014.	1.1	104
5	The innovative brain. Nature, 2008, 456, 168-169.	13.7	83
6	Lacunar Infarcts, but Not Perivascular Spaces, Are Predictors of Cognitive Decline in Cerebral Small-Vessel Disease. Stroke, 2018, 49, 586-593.	1.0	80
7	Change in multimodal MRI markers predicts dementia risk in cerebral small vessel disease. Neurology, 2017, 89, 1869-1876.	1.5	76
8	Depression in small-vessel disease relates to white matter ultrastructural damage, not disability. Neurology, 2014, 83, 1417-1423.	1.5	48
9	Pattern and Rate of Cognitive Decline in Cerebral Small Vessel Disease: A Prospective Study. PLoS ONE, 2015, 10, e0135523.	1.1	46
10	Longitudinal decline in structural networks predicts dementia in cerebral small vessel disease. Neurology, 2018, 90, e1898-e1910.	1.5	45
11	Texture Analysis of T1-Weighted and Fluid-Attenuated Inversion Recovery Images Detects Abnormalities That Correlate With Cognitive Decline in Small Vessel Disease. Stroke, 2018, 49, 1656-1661.	1.0	31
12	Involvement of the reward network is associated with apathy in cerebral small vessel disease. Journal of Affective Disorders, 2018, 232, 116-121.	2.0	13
13	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. Schizophrenia Bulletin, 2021, 47, 444-455.	2.3	9
14	Silent myelin-weighted magnetic resonance imaging. Wellcome Open Research, 2020, 5, 74.	0.9	9
15	Dissociative identity state-dependent working memory in dissociative identity disorder: a controlled functional magnetic resonance imaging study. BJPsych Open, 2022, 8, e82.	0.3	9
16	Maladaptive blame-related action tendencies are associated with vulnerability to major depressive disorder. Journal of Psychiatric Research, 2022, 145, 70-76.	1.5	8
17	Altered dynamics of the prefrontal networks are associated with the risk for postpartum psychosis: a functional magnetic resonance imaging study. Translational Psychiatry, 2021, 11, 238.	2.4	6
18	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study. Psychological Medicine, 2023, 53, 3471-3479.	2.7	6

#	Article	IF	CITATIONS
19	Predicting clinical outcome to specialist multimodal inpatient treatment in patients with treatment resistant depression. Journal of Affective Disorders, 2021, 291, 188-197.	2.0	5
20	Neurocognitive Measures of Self-blame and Risk Prediction Models of Recurrence in Major Depressive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2022, 7, 256-264.	1.1	3
21	Study protocol for the development and internal validation of Schizophrenia Prediction of Resistance to Treatment (SPIRIT): a clinical tool for predicting risk of treatment resistance to antipsychotics in first-episode schizophrenia. BMJ Open, 2022, 12, e056420.	0.8	1
22	Using quantitative MRI to study brain responses to immune challenge with interferon-α. Brain, Behavior, & Immunity - Health, 2021, 18, 100376.	1.3	0