

# Jianfei Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3075314/publications.pdf>

Version: 2024-02-01

33  
papers

1,023  
citations

430874

18  
h-index

414414

32  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1564  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sb- and O- Co-substituted $\text{Li}_{10}\text{SnP}_2\text{S}_{12}$ with High Electrochemical and Air Stability for All-Solid-State Lithium Batteries. <i>ChemElectroChem</i> , 2022, 9, .	3.4	6
2	Dilute Electrolyte to Mitigate Capacity Decay and Voltage Fading of Co-Free Li-Rich Cathode for Next-Generation Li-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 12264-12275.	8.0	11
3	Multichalcogen-Integrated Cathodes for Novel Lithium-Chalcogenide Batteries in Ether and Ester Electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 32112-32123.	8.0	3
4	In Situ Ion-Conducting Protective Layer Strategy to Stable Lithium Metal Anode for All-Solid-State Sulfide-Based Lithium Metal Batteries. <i>Advanced Materials Interfaces</i> , 2021, 8, .	3.7	32
5	Mitigated voltage decay and improved electrochemical properties of $0.5\text{Li}_2\text{MnO}_3^{\text{TM}}0.5\text{LiNixCoyMn}_{1-x-y}\text{O}_2$ cathode via composition optimizing. <i>Ionics</i> , 2021, 27, 2889-2900.	2.4	1
6	Enhancement of the Oxygen Reduction Reaction Activity of Pt by Tuning Its <i>d</i> -Band Center via Transition Metal Oxide Support Interactions. <i>ACS Catalysis</i> , 2021, 11, 9317-9332.	11.2	87
7	The effect of cooling process on the structure and charge/discharge capacities of Li-rich solid-solution layered oxide cathode materials for the Li-ion battery. <i>RSC Advances</i> , 2021, 11, 1715-1728.	3.6	2
8	Designing conductive networks of hybrid carbon enables stable and long-lifespan cotton-fiber-based lithium-sulfur batteries. <i>RSC Advances</i> , 2021, 11, 34955-34962.	3.6	6
9	Surface coating of a $\text{LiNi}_x\text{Co}_y\text{Al}_{1-x-y}\text{O}_2$ ( $x > 0.85$ ) cathode with $\text{Li}_3\text{PO}_4$ for applying a water-based hybrid polymer binder during Li-ion battery preparation. <i>RSC Advances</i> , 2021, 11, 37150-37161.	3.6	3
10	High-Efficiency Electrolyte for Li-Rich Cathode Materials Achieving Enhanced Cycle Stability and Suppressed Voltage Fading Capable of Practical Applications on a Li-Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 49666-49679.	8.0	15
11	Frontispiece: Perylene Diimide-Based Conjugated Polymers for All-Polymer Solar Cells. <i>Chemistry - A European Journal</i> , 2020, 26, .	3.3	0
12	Review of the Design of Current Collectors for Improving the Battery Performance in Lithium-Ion and Post-Lithium-Ion Batteries. <i>Electrochem</i> , 2020, 1, 124-159.	3.3	53
13	Perylene Diimide-Based Conjugated Polymers for All-Polymer Solar Cells. <i>Chemistry - A European Journal</i> , 2020, 26, 12510-12522.	3.3	29
14	Surface double coating of a $\text{LiNi}_a\text{Co}_b\text{Al}_{1-a-b}\text{O}_2$ ( $a > 0.85$ ) cathode with $\text{TiO}_x$ and $\text{Li}_2\text{CO}_3$ to apply a water-based hybrid polymer binder to Li-ion batteries. <i>RSC Advances</i> , 2020, 10, 13642-13654.	3.6	9
15	Microwave-Assisted Classic Ullmann C-C Coupling Polymerization for Acceptor-Acceptor Homopolymers. <i>Polymers</i> , 2019, 11, 1741.	4.5	3
16	Combination of noncovalent conformational locks and side chain engineering to tune the crystallinity of nonfullerene acceptors for high-performance P3HT based organic solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 64-69.	5.9	24
17	Improvement of superior cycle performance of $\text{LiNi}_0.8\text{Co}_0.15\text{Al}_0.05\text{O}_2$ cathode for lithium-ion batteries by multiple compound modifications. <i>Journal of Electroanalytical Chemistry</i> , 2019, 838, 178-185.	3.8	15
18	Reliable Interlayer Based on Hybrid Nanocomposites and Carbon Nanotubes for Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 15607-15615.	8.0	30

#	ARTICLE	IF	CITATIONS
19	Significant enhancement of responsivity of organic photodetectors upon molecular engineering. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5739-5747.	5.5	28
20	Simultaneous Enhancement of Three Parameters of P3HT-Based Organic Solar Cells with One Oxygen Atom. <i>Advanced Energy Materials</i> , 2019, 9, 1803012.	19.5	54
21	A robust and low-cost biomass carbon fiber@SiO <sub>2</sub> interlayer for reliable lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2019, 295, 684-692.	5.2	56
22	Multiply depolarized composite cathode of Li <sub>1.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> O <sub>2</sub> embedded in a combinatory conductive network for lithium-ion battery with superior overall performances. <i>Journal of Alloys and Compounds</i> , 2018, 744, 41-50.	5.5	12
23	Analysis of the relationship between vertical impurity distribution of conductive additive and electrochemical behaviors in lithium ion batteries. <i>Electrochimica Acta</i> , 2018, 269, 422-428.	5.2	17
24	Triplet Tellurophene-Based Acceptors for Organic Solar Cells. <i>Angewandte Chemie</i> , 2018, 130, 1108-1114.	2.0	26
25	Triplet Tellurophene-Based Acceptors for Organic Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1096-1102.	13.8	125
26	A lightweight and binder-free electrode enabled by lignin fibers@carbon-nanotubes and graphene for ultrastable lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23486-23494.	10.3	45
27	Iris-Like Acceptor with Most PDI Units for Organic Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 28812-28818.	8.0	32
28	Enhanced lithium and electron diffusion of LiFePO <sub>4</sub> cathode with two-dimensional Ti <sub>3</sub> C <sub>2</sub> MXene nanosheets. <i>Journal of Materials Science</i> , 2018, 53, 11078-11090.	3.7	38
29	Effects of graphene with different sizes as conductive additives on the electrochemical performance of a LiFePO <sub>4</sub> cathode. <i>RSC Advances</i> , 2017, 7, 20882-20887.	3.6	33
30	Tuning V <sub>oc</sub> for high performance organic ternary solar cells with non-fullerene acceptor alloys. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19697-19702.	10.3	94
31	Significant enhancement of photovoltaic performance through introducing S <sup>δ-</sup> N conformational locks. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21674-21678.	10.3	87
32	Wide bandgap small molecular acceptors for low energy loss organic solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12591-12596.	5.5	39
33	The influence of deposited potential on the ORR activity of Pt catalysts on glassy carbon electrode. <i>RSC Advances</i> , 2017, 7, 25429-25436.	3.6	7