

Paul Eggleton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3075480/publications.pdf>

Version: 2024-02-01

142
papers

11,535
citations

31949

53
h-index

32815

100
g-index

146
all docs

146
docs citations

146
times ranked

9933
citing authors

#	ARTICLE	IF	CITATIONS
1	Termites have wider thermal limits to cope with environmental conditions in savannas. <i>Journal of Animal Ecology</i> , 2022, 91, 766-779.	1.3	5
2	Clarifying Terrestrial Recycling Pathways. <i>Trends in Ecology and Evolution</i> , 2021, 36, 9-11.	4.2	5
3	Carbon flux and forest dynamics: Increased deadwood decomposition in tropical rainforest treefall canopy gaps. <i>Global Change Biology</i> , 2021, 27, 1601-1613.	4.2	22
4	The Plasticity and Developmental Potential of Termites. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	6
5	Key Roles of Dipterocarpaceae, Bark Type Diversity and Tree Size in Lowland Rainforests of Northeast Borneo—Using Functional Traits of Lichens to Distinguish Plots of Old Growth and Regenerating Logged Forests. <i>Microorganisms</i> , 2021, 9, 541.	1.6	1
6	Tourist species bias estimates of extrapolated species density in dispersive taxa: a case study from a litter beetle assemblage in temperate woodland. <i>Community Ecology</i> , 2021, 22, 107-112.	0.5	1
7	Spatial structure of rainforest termites: Two matched pioneering cross-continental case studies. <i>Biotropica</i> , 2021, 53, 1178-1190.	0.8	3
8	Assessing the Australian Termite Diversity Anomaly: How Habitat and Rainfall Affect Termite Assemblages. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	12
9	The impact of invertebrate decomposers on plants and soil. <i>New Phytologist</i> , 2021, 231, 2142-2149.	3.5	41
10	Earthworm distributions are not driven by measurable soil properties. Do they really indicate soil quality?. <i>PLoS ONE</i> , 2021, 16, e0241945.	1.1	8
11	Darker ants dominate the canopy: Testing macroecological hypotheses for patterns in colour along a microclimatic gradient. <i>Journal of Animal Ecology</i> , 2020, 89, 347-359.	1.3	38
12	Ant-termite interactions: an important but underexplored ecological linkage. <i>Biological Reviews</i> , 2020, 95, 555-572.	4.7	66
13	The State of the World's Insects. <i>Annual Review of Environment and Resources</i> , 2020, 45, 61-82.	5.6	86
14	The ecosystem services provided by social insects: traits, management tools and knowledge gaps. <i>Biological Reviews</i> , 2020, 95, 1418-1441.	4.7	60
15	Drought and presence of ants can influence hemiptera in tropical leaf litter. <i>Biotropica</i> , 2020, 52, 221-229.	0.8	4
16	Invertebrates and the complexity of tropical ecosystems. <i>Biotropica</i> , 2020, 52, 207-214.	0.8	10
17	Tropical terrestrial invertebrates—Where to from here?. <i>Biotropica</i> , 2020, 52, 392-395.	0.8	1
18	Logging of rainforest and conversion to oil palm reduces bioturbator diversity but not levels of bioturbation. <i>Applied Soil Ecology</i> , 2019, 144, 123-133.	2.1	21

#	ARTICLE	IF	CITATIONS
19	The oldest known mastotermitids (Blattodea: Termitoidea) and phylogeny of basal termites. <i>Systematic Entomology</i> , 2019, 44, 612-623.	1.7	27
20	Termites can decompose more than half of deadwood in tropical rainforest. <i>Current Biology</i> , 2019, 29, R118-R119.	1.8	55
21	Termites mitigate the effects of drought in tropical rainforest. <i>Science</i> , 2019, 363, 174-177.	6.0	98
22	Suspended Dead Wood Decomposes Slowly in the Tropics, with Microbial Decay Greater than Termite Decay. <i>Ecosystems</i> , 2019, 22, 1176-1188.	1.6	25
23	Termite environmental tolerances are more linked to desiccation than temperature in modified tropical forests. <i>Insectes Sociaux</i> , 2019, 66, 57-64.	0.7	32
24	Woody encroachment slows decomposition and termite activity in an African savanna. <i>Global Change Biology</i> , 2018, 24, 2597-2606.	4.2	25
25	Ant diversity as a direct and indirect driver of pselaphine rove beetle (Coleoptera: Staphylinidae) functional diversity in tropical rainforests, Sabah, Malaysian Borneo. <i>Journal of Morphology</i> , 2018, 279, 981-996.	0.6	1
26	Strong but taxon-specific responses of termites and wood-nesting ants to forest regeneration in Borneo. <i>Biotropica</i> , 2018, 50, 266-273.	0.8	6
27	Ants are the major agents of resource removal from tropical rainforests. <i>Journal of Animal Ecology</i> , 2018, 87, 293-300.	1.3	88
28	Patterns and drivers of lichen species composition in a NW-European lowland deciduous woodland complex. <i>Biodiversity and Conservation</i> , 2017, 26, 401-419.	1.2	12
29	The database of the <sc>PREDICTS</sc> (Projecting Responses of Ecological Diversity In Changing Tj ETQq1 1 0,784314 rgBT /Overl 186	0.8	186
30	Symbiogenesis: Beyond the endosymbiosis theory?. <i>Journal of Theoretical Biology</i> , 2017, 434, 99-103.	0.8	36
31	Assessing high compositional differences of beetle assemblages across vertical woodland strata in the New Forest, Hampshire, England. <i>Journal of Natural History</i> , 2016, 50, 2477-2485.	0.2	3
32	Suppression of savanna ants alters invertebrate composition and influences key ecosystem processes. <i>Ecology</i> , 2016, 97, 1611-1617.	1.5	32
33	Microhabitat heterogeneity enhances soil macrofauna and plant species diversity in an Ash " Field Maple woodland. <i>European Journal of Soil Biology</i> , 2016, 75, 97-106.	1.4	10
34	Revisiting <i>Coptotermes</i> (Isoptera: Rhinotermitidae): a global taxonomic road map for species validity and distribution of an economically important subterranean termite genus. <i>Systematic Entomology</i> , 2016, 41, 299-306.	1.7	65
35	Detection of Mitochondrial COII DNA Sequences in Ant Guts as a Method for Assessing Termite Predation by Ants. <i>PLoS ONE</i> , 2015, 10, e0122533.	1.1	10
36	Describing termite assemblage structure in a Peruvian lowland tropical rain forest: a comparison of two alternative methods. <i>Insectes Sociaux</i> , 2015, 62, 141-150.	0.7	17

#	ARTICLE	IF	CITATIONS
37	Density-body mass relationships: Inconsistent intercontinental patterns among termite feeding-groups. <i>Acta Oecologica</i> , 2015, 63, 16-21.	0.5	6
38	Experimentally testing and assessing the predictive power of species assembly rules for tropical canopy ants. <i>Ecology Letters</i> , 2015, 18, 254-262.	3.0	35
39	Identifying possible sister groups of Cryptocercidae+Isoptera: A combined molecular and morphological phylogeny of Dictyoptera. <i>Molecular Phylogenetics and Evolution</i> , 2015, 84, 284-303.	1.2	78
40	Seasonal activity patterns of African savanna termites vary across a rainfall gradient. <i>Insectes Sociaux</i> , 2015, 62, 157-165.	0.7	64
41	Logging cuts the functional importance of invertebrates in tropical rainforest. <i>Nature Communications</i> , 2015, 6, 6836.	5.8	127
42	First comparison of quantitative estimates of termite biomass and abundance reveals strong intercontinental differences. <i>Journal of Tropical Ecology</i> , 2014, 30, 143-152.	0.5	37
43	PRIORITISING SOIL QUALITY ASSESSMENT THROUGH THE SCREENING OF SITES: THE USE OF PUBLICLY COLLECTED DATA. <i>Land Degradation and Development</i> , 2014, 25, 251-266.	1.8	35
44	Termites promote soil carbon and nitrogen depletion: Results from an in situ macrofauna exclusion experiment, Peru. <i>Soil Biology and Biochemistry</i> , 2014, 77, 109-111.	4.2	13
45	Functional structure of ant and termite assemblages in old growth forest, logged forest and oil palm plantation in Malaysian Borneo. <i>Biodiversity and Conservation</i> , 2014, 23, 2817-2832.	1.2	111
46	Interactive Effects of Fire, Rainfall, and Litter Quality on Decomposition in Savannas: Frequent Fire Leads to Contrasting Effects. <i>Ecosystems</i> , 2013, 16, 866-880.	1.6	23
47	Differences in nest structure influence the importance of <i>Formica rufa</i> group (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj	0.2	2
48	Assessing the Relative Efficiency of Termite Sampling Methods along a Rainfall Gradient in African Savannas. <i>Biotropica</i> , 2013, 45, 474-479.	0.8	26
49	Order Blattodea. In; Zhang, Z.-Q. (Ed.) <i>Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda)</i> Tj ETQq1 1 0.784314 rgBT /Overlo	0.2	52
50	Biodiversity hanging by a thread: the importance of fungal litter-trapping systems in tropical rainforests. <i>Biology Letters</i> , 2012, 8, 397-400.	1.0	18
51	Biodiversity of soil macrofauna in the New Forest: a benchmark study across a national park landscape. <i>Biodiversity and Conservation</i> , 2012, 21, 3385-3410.	1.2	17
52	Public Participation in Soil Surveys: Lessons from a Pilot Study in England. <i>Environmental Science & Technology</i> , 2012, 46, 3687-3696.	4.6	33
53	The pyrodiversity&€“biodiversity hypothesis: a test with savanna termite assemblages. <i>Journal of Applied Ecology</i> , 2012, 49, 422-430.	1.9	87
54	Public goods, public services and by&€“product mutualism in an ant&€“fern symbiosis. <i>Oikos</i> , 2012, 121, 1279-1286.	1.2	14

#	ARTICLE	IF	CITATIONS
55	Mapping of earthworm distribution for the British Isles and Eire highlights the under-recording of an ecologically important group. <i>Biodiversity and Conservation</i> , 2012, 21, 475-485.	1.2	16
56	Can higher taxa be used as a surrogate for species-level data in biodiversity surveys of litter/soil insects?. <i>Journal of Insect Conservation</i> , 2012, 16, 87-92.	0.8	25
57	From Chemical Risk Assessment to Environmental Quality Management: The Challenge for Soil Protection. <i>Environmental Science & Technology</i> , 2011, 45, 104-110.	4.6	26
58	Establishing the evidence base for maintaining biodiversity and ecosystem function in the oil palm landscapes of South East Asia. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 3277-3291.	1.8	218
59	Order Blattodea Brunner von Wattenwyl, 1882. In: Zhang, Z.-Q. (Ed.) <i>Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness</i> . <i>Zootaxa</i> , 2011, 3148, .	0.2	21
60	Termite Diversity along an Amazon-Andes Elevation Gradient, Peru. <i>Biotropica</i> , 2011, 43, 100-107.	0.8	72
61	Anthropogenic effects on interaction outcomes: examples from insect-microbial symbioses in forest and savanna ecosystems. <i>Symbiosis</i> , 2011, 53, 101-121.	1.2	26
62	Global Biogeography of Termites: A Compilation of Sources. , 2010, , 477-498.		25
63	An Introduction to Termites: Biology, Taxonomy and Functional Morphology. , 2010, , 1-26.		56
64	Oil palm expansion into rain forest greatly reduces ant biodiversity in canopy, epiphytes and leaf-litter. <i>Basic and Applied Ecology</i> , 2010, 11, 337-345.	1.2	155
65	Vertical transmission as the key to the colonization of Madagascar by fungus-growing termites?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 359-365.	1.2	58
66	Termite Phylogenetics and Co-cladogenesis with Symbionts. , 2010, , 27-50.		13
67	A six year study of earthworm (Lumbricidae) populations in pasture woodland in southern England shows their responses to soil temperature and soil moisture. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1857-1865.	4.2	83
68	Plant traits and wood fates across the globe: rotted, burned, or consumed?. <i>Global Change Biology</i> , 2009, 15, 2431-2449.	4.2	318
69	Fragmentation and pre-existing species turnover determine land-snail assemblages of tropical rain forest. <i>Journal of Biogeography</i> , 2009, 36, 1923-1938.	1.4	20
70	The Effect of Rain Forest Canopy Architecture on the Distribution of Epiphytic Ferns (<i>Asplenium</i>) Tj ETQq0 0,0 rGBT /Overlock 10	0.8	37
71	The impact of two arable field margin management schemes on litter decomposition. <i>Applied Soil Ecology</i> , 2009, 41, 90-97.	2.1	11
72	Accelerated Species Inventory on Madagascar Using Coalescent-Based Models of Species Delineation. <i>Systematic Biology</i> , 2009, 58, 298-311.	2.7	641

#	ARTICLE	IF	CITATIONS
73	Can arable field margins be managed to enhance their biodiversity, conservation and functional value for soil macrofauna?. <i>Journal of Applied Ecology</i> , 2008, 45, 269-278.	1.9	101
74	The value of sown grass margins for enhancing soil macrofaunal biodiversity in arable systems. <i>Agriculture, Ecosystems and Environment</i> , 2008, 127, 119-125.	2.5	46
75	Termite soldier defence strategies: a reassessment of Prestwich's classification and an examination of the evolution of defence morphology using extended eigenshape analyses of head morphology. <i>Zoological Journal of the Linnean Society</i> , 2008, 153, 631-650.	1.0	26
76	Structure and conservation of Sri Lankan land snail assemblages in fragmented lowland rainforest and village home gardens. <i>Journal of Applied Ecology</i> , 2008, 45, 1019-1028.	1.9	44
77	Evaluating the efficiency of sampling methods in assessing soil macrofauna communities in arable systems. <i>European Journal of Soil Biology</i> , 2008, 44, 271-276.	1.4	32
78	The role of earthworm communities in soil mineral weathering: a field experiment. <i>Mineralogical Magazine</i> , 2008, 72, 33-36.	0.6	12
79	Earthworm induced mineral weathering: Preliminary results. <i>European Journal of Soil Biology</i> , 2007, 43, S176-S183.	1.4	65
80	Death of an order: a comprehensive molecular phylogenetic study confirms that termites are eusocial cockroaches. <i>Biology Letters</i> , 2007, 3, 331-335.	1.0	434
81	Response to Lo et al. .. <i>Biology Letters</i> , 2007, 3, 564-565.	1.0	42
82	A comprehensive phylogenetic analysis of termites (Isoptera) illuminates key aspects of their evolutionary biology. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 953-967.	1.2	341
83	Scale-specific correlations between habitat heterogeneity and soil fauna diversity along a landscape structure gradient. <i>Oecologia</i> , 2007, 153, 713-725.	0.9	90
84	The Termite Gut Habitat: Its Evolution and Co-Evolution. , 2006, , 373-404.		16
85	Distribution and genetic variation of <i>Reticulitermes</i> (Isoptera: Rhinotermitidae) in Portugal. <i>Heredity</i> , 2006, 96, 403-409.	1.2	17
86	Sampling termites in forest habitats: A reply to Roisin and Leponce. <i>Austral Ecology</i> , 2006, 31, 429-431.	0.7	11
87	Baseline biodiversity surveys of the soil macrofauna of London's green spaces. <i>Urban Ecosystems</i> , 2006, 9, 337-349.	1.1	31
88	Assemblages of soil macrofauna across a Scottish land-use intensification gradient: influences of habitat quality, heterogeneity and area. <i>Journal of Applied Ecology</i> , 2005, 42, 1153-1164.	1.9	47
89	Fungus-Growing Termites Originated in African Rain Forest. <i>Current Biology</i> , 2005, 15, 851-855.	1.8	134
90	Quantitative extraction of macro-invertebrates from temperate and tropical leaf litter and soil: efficiency and time-dependent taxonomic biases of the Winkler extraction. <i>Pedobiologia</i> , 2005, 49, 175-186.	0.5	47

#	ARTICLE	IF	CITATIONS
91	Comparison of Euryarchaea Strains in the Guts and Food-Soil of the Soil-Feeding Termite <i>Cubitermes fungifaber</i> across Different Soil Types. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3884-3892.	1.4	64
92	Spatial separation of Afrotropical dung beetle guilds: a trade-off between competitive superiority and energetic constraints (Coleoptera: Scarabaeidae). <i>Ecography</i> , 2003, 26, 210-222.	2.1	59
93	Termite assemblage collapse along a land-use intensification gradient in lowland central Sumatra, Indonesia. <i>Journal of Applied Ecology</i> , 2003, 40, 380-391.	1.9	185
94	Evolution of termite functional diversity: analysis and synthesis of local ecological and regional influences on local species richness. <i>Journal of Biogeography</i> , 2003, 30, 847-877.	1.4	105
95	Environmental and spatial influences upon species composition of a termite assemblage across neotropical forest islands. <i>Journal of Tropical Ecology</i> , 2003, 19, 509-524.	0.5	87
96	The evolution of fungus-growing termites and their mutualistic fungal symbionts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14887-14892.	3.3	368
97	The termites of the Mayombe Forest Reserve, Congo (Brazzaville): transect sampling reveals an extremely high diversity of ground-nesting soil feeders. <i>Journal of Natural History</i> , 2002, 36, 1239-1246.	0.2	27
98	Termite diversity across an anthropogenic disturbance gradient in the humid forest zone of West Africa. <i>Agriculture, Ecosystems and Environment</i> , 2002, 90, 189-202.	2.5	156
99	Quaternary rainforest refugia in south-east Asia: using termites (Isoptera) as indicators. <i>Biological Journal of the Linnean Society</i> , 2002, 75, 453-466.	0.7	191
100	Species composition of termites of the Nyika plateau forests, northern Malawi, over an altitudinal gradient. <i>African Journal of Ecology</i> , 2002, 40, 379-385.	0.4	25
101	Gut content analysis and a new feeding group classification of termites. <i>Ecological Entomology</i> , 2001, 26, 356-366.	1.1	310
102	The effect of a soil-feeding termite, <i>Cubitermes fungifaber</i> (Isoptera: Termitidae) on soil properties: termites may be an important source of soil microhabitat heterogeneity in tropical forests. <i>Pedobiologia</i> , 2001, 45, 1-11.	0.5	83
103	Feeding groups, lifetypes and the global ecology of termites. <i>Ecological Research</i> , 2001, 16, 941-960.	0.7	148
104	Termites and trees: a review of recent advances in termite phylogenetics. <i>Insectes Sociaux</i> , 2001, 48, 187-193.	0.7	71
105	Molecular phylogenetic profiling of prokaryotic communities in guts of termites with different feeding habits. <i>FEMS Microbiology Ecology</i> , 2001, 35, 27-36.	1.3	110
106	The effects of altitude and rainfall on the composition of the termites (Isoptera) of the Leuser Ecosystem (Sumatra, Indonesia). <i>Journal of Tropical Ecology</i> , 2001, 17, 379-393.	0.5	90
107	Sampling termite assemblages in tropical forests: testing a rapid biodiversity assessment protocol. <i>Journal of Applied Ecology</i> , 2000, 37, 191-203.	1.9	267
108	Global Patterns of Termite Diversity. , 2000, , 25-51.		174

#	ARTICLE	IF	CITATIONS
109	Taxonomy and Phylogeny of Termites. , 2000, , 1-23.		97
110	Termites in Ecosystems. , 2000, , 363-387.		286
111	The diversity of beetle assemblages in different habitat types in Sabah, Malaysia. Bulletin of Entomological Research, 2000, 90, 475-496.	0.5	110
112	Morphological phylogenetics of termites (Isoptera). Biological Journal of the Linnean Society, 2000, 70, 467-513.	0.7	12
113	Impacts of canopy cover on soil termite assemblages in an agrisilvicultural system in southern Cameroon. Bulletin of Entomological Research, 1999, 89, 125-132.	0.5	48
114	Respiratory gas exchanges of termites from the Sabah (Borneo) assemblage. Physiological Entomology, 1999, 24, 11-17.	0.6	18
115	The effect of termite biomass and anthropogenic disturbance on the CH ₄ budgets of tropical forests in Cameroon and Borneo. Global Change Biology, 1999, 5, 869-879.	4.2	22
116	Successional response of a tropical forest termite assemblage to experimental habitat perturbation. Journal of Applied Ecology, 1999, 36, 946-962.	1.9	58
117	Termite species description rates and the state of termite taxonomy. Insectes Sociaux, 1999, 46, 1-5.	0.7	37
118	Termite assemblages, forest disturbance and greenhouse gas fluxes in Sabah, East Malaysia. Philosophical Transactions of the Royal Society B: Biological Sciences, 1999, 354, 1791-1802.	1.8	73
119	Biodiversity inventories, indicator taxa and effects of habitat modification in tropical forest. Nature, 1998, 391, 72-76.	13.7	930
120	Methane emission by termites and oxidation by soils, across a forest disturbance gradient in the Mbalmayo Forest Reserve, Cameroon. Global Change Biology, 1998, 4, 409-418.	4.2	36
121	Body Size and Energy Use in Termites (Isoptera): The Responses of Soil Feeders and Wood Feeders Differ in a Tropical Forest Assemblage. Oikos, 1998, 81, 525.	1.2	43
122	BEETLE SPECIES RESPONSES TO TROPICAL FOREST FRAGMENTATION. Ecological Monographs, 1998, 68, 295-323.	2.4	347
123	Seasonality of soil termites in a humid tropical forest, Mbalmayo, southern Cameroon. Journal of Tropical Ecology, 1998, 14, 841-850.	0.5	33
124	Nitrogen and carbon isotope ratios in termites: an indicator of trophic habit along the gradient from woodâ€feeding to soilâ€feeding. Ecological Entomology, 1997, 22, 343-351.	1.1	126
125	On the respiratory quotient (RQ) of termites (Insecta: Isoptera). Journal of Insect Physiology, 1997, 43, 749-758.	0.9	31
126	The diversity, abundance and biomass of termites under differing levels of disturbance in the Mbalmayo Forest Reserve, southern Cameroon. Philosophical Transactions of the Royal Society B: Biological Sciences, 1996, 351, 51-68.	1.8	241

#	ARTICLE	IF	CITATIONS
127	A pilot analysis of gut contents in termites from the Mbalmayo Forest Reserve, Cameroon. <i>Ecological Entomology</i> , 1996, 21, 279-288.	1.1	54
128	Carbon flux and diversity of nematodes and termites in Cameroon forest soils. <i>Biodiversity and Conservation</i> , 1996, 5, 261-273.	1.2	82
129	On the elevated intestinal pH of higher termites (Isoptera: Termitidae). <i>Insectes Sociaux</i> , 1995, 42, 57-69.	0.7	98
130	The species richness of termites (Isoptera) under differing levels of forest disturbance in the Mbalmayo Forest Reserve, southern Cameroon. <i>Journal of Tropical Ecology</i> , 1995, 11, 85-98.	0.5	171
131	Large scale patterns of biodiversity: spatial variation in family richness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1995, 260, 149-154.	1.2	103
132	Explaining global termite diversity: productivity or history?. <i>Biodiversity and Conservation</i> , 1994, 3, 318-330.	1.2	127
133	Termites live in a pear-shaped world: a response to Platnick. <i>Journal of Natural History</i> , 1994, 28, 1209-1212.	0.2	51
134	Comparisons of dipteran, hymenopteran and coleopteran parasitoids: provisional phylogenetic explanations. <i>Biological Journal of the Linnean Society</i> , 1993, 48, 213-226.	0.7	49
135	Insect parasitoids: an evolutionary overview. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1992, 337, 1-20.	1.8	152
136	Invertebrates as determinants and indicators of soil quality. <i>Renewable Agriculture and Food Systems</i> , 1992, 7, 38-47.	0.6	189
137	Patterns in male mating strategies of the Rhyssini: a holophyletic group of parasitoid wasps (Hymenoptera: Ichneumonidae). <i>Animal Behaviour</i> , 1991, 41, 829-837.	0.8	16
138	"Parasitoid" Species and Assemblages: Convenient Definitions or Misleading Compromises?. <i>Oikos</i> , 1990, 59, 417.	1.2	79
139	Male reproductive behaviour of the parasitoid wasp <i>Lytarmes maculipennis</i> (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.1	13
140	Methods for Sampling Termites. , 0, , 221-253.		19
141	Molecular phylogenetic profiling of prokaryotic communities in guts of termites with different feeding habits. , 0, .		9
142	Termite diversity is resilient to land-use change along a forest-to-cocoa intensification gradient in Ghana, West Africa. <i>Biotropica</i> , 0, , .	0.8	0