

Anna Bjerre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3075597/publications.pdf>

Version: 2024-02-01

39
papers

1,037
citations

516710

16
h-index

434195

31
g-index

44
all docs

44
docs citations

44
times ranked

1475
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney Transplantation in Small Children: Association Between Body Weight and Outcome—A Report From the ESPN/ERA-EDTA Registry. <i>Transplantation</i> , 2022, 106, 607-614.	1.0	2
2	Three-year outcomes from the CRADLE study in de novo pediatric kidney transplant recipients receiving everolimus with reduced tacrolimus and early steroid withdrawal. <i>American Journal of Transplantation</i> , 2021, 21, 123-137.	4.7	12
3	Tacrolimus Measured in Capillary Volumetric Microsamples in Pediatric Patients—A Cross-Validation Study. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 371-375.	2.0	16
4	Prednisolone and Prednisone Pharmacokinetics in Adult Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 247-255.	2.0	6
5	Cardiovascular Risk Factors are Inversely Associated With Omega-3 Polyunsaturated Fatty Acid Plasma Levels in Pediatric Kidney Transplant Recipients. , 2021, 31, 278-285.		4
6	Factor D Inhibition Blocks Complement Activation Induced by Mutant Factor B Associated With Atypical Hemolytic Uremic Syndrome and Membranoproliferative Glomerulonephritis. <i>Frontiers in Immunology</i> , 2021, 12, 690821.	4.8	13
7	Ten-year trends in epidemiology and outcomes of pediatric kidney replacement therapy in Europe: data from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2021, 36, 2337-2348.	1.7	31
8	Measured GFR by Utilizing Population Pharmacokinetic Methods to Determine Iohexol Clearance. <i>Kidney International Reports</i> , 2020, 5, 189-198.	0.8	13
9	Growth Patterns After Kidney Transplantation in European Children Over the Past 25 Years: An ESPN/ERA-EDTA Registry Study. <i>Transplantation</i> , 2020, 104, 137-144.	1.0	21
10	Results in the ESPN/ERA-EDTA Registry suggest disparities in access to kidney transplantation but little variation in graft survival of children across Europe. <i>Kidney International</i> , 2020, 98, 464-475.	5.2	13
11	Rare heterozygous GDF6 variants in patients with renal anomalies. <i>European Journal of Human Genetics</i> , 2020, 28, 1681-1693.	2.8	7
12	Five decades with grandparent donors: The Norwegian strategy and experience. <i>Pediatric Transplantation</i> , 2020, 24, e13751.	1.0	3
13	GDF-15 — A matter of the heart or the kidney?. <i>International Journal of Cardiology</i> , 2020, 313, 47.	1.7	0
14	Growth Differentiation Factor 15 in Children with Chronic Kidney Disease and after Renal Transplantation. <i>Disease Markers</i> , 2020, 2020, 1-8.	1.3	15
15	Early conversion of pediatric kidney transplant patients to everolimus with reduced tacrolimus and steroid elimination: Results of a randomized trial. <i>American Journal of Transplantation</i> , 2019, 19, 811-822.	4.7	18
16	Estimating glomerular filtration rate in children: evaluation of creatinine- and cystatin C-based equations. <i>Pediatric Nephrology</i> , 2019, 34, 301-311.	1.7	23
17	Iohexol plasma clearance in children: validation of multiple formulas and single-point sampling times. <i>Pediatric Nephrology</i> , 2018, 33, 683-696.	1.7	16
18	Clinical and Complement Long-Term Follow-Up of a Pediatric Patient with C3 Mutation-Related Atypical Hemolytic Uremic Syndrome. <i>Case Reports in Nephrology</i> , 2018, 2018, 1-4.	0.4	0

#	ARTICLE	IF	CITATIONS
19	FP771IOHEXOL CLEARANCE IN CHILDREN WITH LOW GFR: COMPARISON OF 24 HOURS SINGLE-POINT GFR AND MULTIPLE-POINT GFR. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i305-i306.	0.7	0
20	Small effort, high impact: Focus on physical activity improves oxygen uptake ($\dot{V}O_{2peak}$), quality of life, and mental health after pediatric renal transplantation. <i>Pediatric Transplantation</i> , 2018, 22, e13242.	1.0	6
21	Mutations in the leukemia inhibitory factor receptor (LIFR) gene and Lifr deficiency cause urinary tract malformations. <i>Human Molecular Genetics</i> , 2017, 26, 1716-1731.	2.9	23
22	Mortality risk disparities in children receiving chronic renal replacement therapy for the treatment of end-stage renal disease across Europe: an ESPN-ERA/EDTA registry analysis. <i>Lancet</i> , 2017, 389, 2128-2137.	13.7	48
23	Infants Requiring Maintenance Dialysis: Outcomes of Hemodialysis and Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2017, 69, 617-625.	1.9	53
24	Iohexol plasma clearance in children: validation of multiple formulas and two-point sampling times. <i>Pediatric Nephrology</i> , 2017, 32, 311-320.	1.7	21
25	Renal Function Influences Diagnostic Markers in Serum and Urine: A Study of Guanidinoacetate, Creatine, Human Epididymis Protein 4, and Neutrophil Gelatinase-Associated Lipocalin in Children. <i>Journal of Applied Laboratory Medicine</i> , 2017, 2, 297-308.	1.3	5
26	The second report of the Nordic Pediatric Renal Transplantation Registry 1997-2012: More infant recipients and improved graft survivals. <i>Pediatric Transplantation</i> , 2016, 20, 364-371.	1.0	19
27	Clinical features, therapeutic interventions and long-term aspects of hemolytic-uremic syndrome in Norwegian children: a nationwide retrospective study from 1999-2008. <i>BMC Infectious Diseases</i> , 2016, 16, 285.	2.9	36
28	Angiotensin II type 1 receptor antibodies in childhood kidney transplantation. <i>Pediatric Transplantation</i> , 2016, 20, 627-632.	1.0	23
29	Timing of renal replacement therapy does not influence survival and growth in children with congenital nephrotic syndrome caused by mutations in NPHS1: data from the ESPN/ERA-EDTA Registry. <i>Pediatric Nephrology</i> , 2016, 31, 2317-2325.	1.7	25
30	Glomerulopathy in patients with distal duplication of chromosome 6p. <i>BMC Nephrology</i> , 2016, 17, 32.	1.8	7
31	An international consensus approach to the management of atypical hemolytic uremic syndrome in children. <i>Pediatric Nephrology</i> , 2016, 31, 15-39.	1.7	445
32	Glomerular filtration rate measured by iohexol clearance: A comparison of venous samples and capillary blood spots. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 710-6.	1.2	11
33	Fourteen-year-old boy with severe hypertension and monosymptomatic nocturnal enuresis (Discussion and Diagnosis). <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 564-565.	1.5	2
34	Fourteen-year-old boy with severe hypertension and monosymptomatic nocturnal enuresis (Case) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.5	1
35	The incidence and aetiology of acute kidney injury in children in Norway between 1999 and 2008. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 1192-1197.	1.5	22
36	Rescue of kidney function in a toddler with anti-GBM nephritis. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 584-586.	2.9	3

#	ARTICLE	IF	CITATIONS
37	Cardiorespiratory fitness in young adults with a history of renal transplantation in childhood. <i>Pediatric Nephrology</i> , 2011, 26, 2041-2049.	1.7	7
38	Cardiorespiratory fitness is a marker of cardiovascular health in renal transplanted children. <i>Pediatric Nephrology</i> , 2010, 25, 2343-2350.	1.7	22
39	Long-term outcome of pediatric renal transplantation: The Norwegian experience in three eras 1970-2006. <i>Pediatric Transplantation</i> , 2008, 12, 762-768.	1.0	44