

Galina K Sukhova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3076039/publications.pdf>

Version: 2024-02-01

51
papers

9,031
citations

126708

33
h-index

182168

51
g-index

51
all docs

51
docs citations

51
times ranked

11389
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Clonal Hematopoiesis and Risk of Atherosclerotic Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017, 377, 111-121. | 13.9 | 1,738 |
| 2 | Reduction of atherosclerosis in mice by inhibition of CD40 signalling. <i>Nature</i> , 1998, 394, 200-203. | 13.7 | 851 |
| 3 | Evidence for Increased Collagenolysis by Interstitial Collagenases-1 and -3 in Vulnerable Human Atheromatous Plaques. <i>Circulation</i> , 1999, 99, 2503-2509. | 1.6 | 623 |
| 4 | PPAR α Activators Inhibit Cytokine-Induced Vascular Cell Adhesion Molecule-1 Expression in Human Endothelial Cells. <i>Circulation</i> , 1999, 99, 3125-3131. | 1.6 | 584 |
| 5 | Expression of Interleukin (IL)-18 and Functional IL-18 Receptor on Human Vascular Endothelial Cells, Smooth Muscle Cells, and Macrophages. <i>Journal of Experimental Medicine</i> , 2002, 195, 245-257. | 4.2 | 455 |
| 6 | Cystatin C deficiency in human atherosclerosis and aortic aneurysms. <i>Journal of Clinical Investigation</i> , 1999, 104, 1191-1197. | 3.9 | 397 |
| 7 | Death of Smooth Muscle Cells and Expression of Mediators of Apoptosis by T Lymphocytes in Human Abdominal Aortic Aneurysms. <i>Circulation</i> , 1999, 99, 96-104. | 1.6 | 367 |
| 8 | PPAR γ Activation in Human Endothelial Cells Increases Plasminogen Activator Inhibitor Type-1 Expression. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 546-551. | 1.1 | 355 |
| 9 | TLR2 and neutrophils potentiate endothelial stress, apoptosis and detachment: implications for superficial erosion. <i>European Heart Journal</i> , 2015, 36, 1394-1404. | 1.0 | 285 |
| 10 | Systemic Delivery of MicroRNA-181b Inhibits Nuclear Factor- κ B Activation, Vascular Inflammation, and Atherosclerosis in Apolipoprotein E-deficient Mice. <i>Circulation Research</i> , 2014, 114, 32-40. | 2.0 | 263 |
| 11 | Regulation of Matrix Metalloproteinase Expression in Human Vascular Smooth Muscle Cells by T Lymphocytes. <i>Circulation Research</i> , 1997, 81, 448-454. | 2.0 | 262 |
| 12 | Evidence for Altered Balance Between Matrix Metalloproteinases and Their Inhibitors in Human Aortic Diseases. <i>Circulation</i> , 1997, 95, 205-212. | 1.6 | 251 |
| 13 | Statins Reduce Inflammation in Atheroma of Nonhuman Primates Independent of Effects on Serum Cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1452-1458. | 1.1 | 215 |
| 14 | Mast cells modulate the pathogenesis of elastase-induced abdominal aortic aneurysms in mice. <i>Journal of Clinical Investigation</i> , 2007, 117, 3359-3368. | 3.9 | 209 |
| 15 | Roles of PAD4 and NETosis in Experimental Atherosclerosis and Arterial Injury. <i>Circulation Research</i> , 2018, 123, 33-42. | 2.0 | 205 |
| 16 | TH2 Predominant Immune Responses Prevail in Human Abdominal Aortic Aneurysm. <i>American Journal of Pathology</i> , 2002, 161, 499-506. | 1.9 | 183 |
| 17 | Augmented Expression and Activity of Extracellular Matrix-Degrading Enzymes in Regions of Low Endothelial Shear Stress Colocalize With Coronary Atheromata With Thin Fibrous Caps in Pigs. <i>Circulation</i> , 2011, 123, 621-630. | 1.6 | 142 |
| 18 | Flow Perturbation Mediates Neutrophil Recruitment and Potentiates Endothelial Injury via TLR2 in Mice. <i>Circulation Research</i> , 2017, 121, 31-42. | 2.0 | 141 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Cysteine protease cathepsins in cardiovascular disease: from basic research to clinical trials. <i>Nature Reviews Cardiology</i> , 2018, 15, 351-370. | 6.1 | 136 |
| 20 | Moderate Hypoxia Potentiates Interleukin-1 β Production in Activated Human Macrophages. <i>Circulation Research</i> , 2014, 115, 875-883. | 2.0 | 123 |
| 21 | Expression of Tissue Inhibitor of Metalloproteinases-3 in Human Atheroma and Regulation in Lesion-Associated Cells. <i>Circulation Research</i> , 1998, 83, 270-278. | 2.0 | 111 |
| 22 | Stage-dependent differential effects of interleukin-1 isoforms on experimental atherosclerosis. <i>European Heart Journal</i> , 2019, 40, 2482-2491. | 1.0 | 102 |
| 23 | Cathepsin K Deficiency Reduces Elastase Perfusion-Induced Abdominal Aortic Aneurysms in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 15-23. | 1.1 | 89 |
| 24 | Molecular Determinants of Atherosclerotic Plaque Vulnerability. <i>Annals of the New York Academy of Sciences</i> , 1997, 811, 134-145. | 1.8 | 81 |
| 25 | Interleukin 18 function in atherosclerosis is mediated by the interleukin 18 receptor and the Na-Cl co-transporter. <i>Nature Medicine</i> , 2015, 21, 820-826. | 15.2 | 81 |
| 26 | Increased Microvascularization and Vessel Permeability Associate With Active Inflammation in Human Atheromata. <i>Circulation: Cardiovascular Imaging</i> , 2014, 7, 920-929. | 1.3 | 74 |
| 27 | Cathepsin L Activity Is Essential to Elastase Perfusion-Induced Abdominal Aortic Aneurysms in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2500-2508. | 1.1 | 71 |
| 28 | Rap1 induces cytokine production in pro-inflammatory macrophages through NF κ B signaling and is highly expressed in human atherosclerotic lesions. <i>Cell Cycle</i> , 2015, 14, 3580-3592. | 1.3 | 66 |
| 29 | Angiotensin II-induced TLR4 mediated abdominal aortic aneurysm in apolipoprotein E knockout mice is dependent on STAT3. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 87, 160-170. | 0.9 | 60 |
| 30 | LncRNA VINAS regulates atherosclerosis by modulating NF κ B and MAPK signaling. <i>JCI Insight</i> , 2020, 5, . | 2.3 | 53 |
| 31 | S100A9-RAGE Axis Accelerates Formation of Macrophage-Mediated Extracellular Vesicle Microcalcification in Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 1838-1853. | 1.1 | 52 |
| 32 | Adipocytes promote interleukin-18 binding to its receptors during abdominal aortic aneurysm formation in mice. <i>European Heart Journal</i> , 2020, 41, 2456-2468. | 1.0 | 42 |
| 33 | IgE Contributes to Atherosclerosis and Obesity by Affecting Macrophage Polarization, Macrophage Protein Network, and Foam Cell Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 597-610. | 1.1 | 41 |
| 34 | Eosinophils Protect Mice From Angiotensin-II Perfusion-Induced Abdominal Aortic Aneurysm. <i>Circulation Research</i> , 2021, 128, 188-202. | 2.0 | 33 |
| 35 | Differential Roles of Cysteiny Cathepsins in TGF β Signaling and Tissue Fibrosis. <i>IScience</i> , 2019, 19, 607-622. | 1.9 | 30 |
| 36 | A Smooth Muscle Cell-Enriched Long Noncoding RNA Regulates Cell Plasticity and Atherosclerosis by Interacting With Serum Response Factor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 2399-2416. | 1.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | CXCR3 Controls T-Cell Accumulation in Fat Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1374-1381. | 1.1 | 29 |
| 38 | Allergic Lung Inflammation Aggravates Angiotensin II-Induced Abdominal Aortic Aneurysms in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 69-77. | 1.1 | 29 |
| 39 | Activation of prostaglandin E2-EP4 signaling reduces chemokine production in adipose tissue. <i>Journal of Lipid Research</i> , 2015, 56, 358-368. | 2.0 | 26 |
| 40 | Targeted delivery of protein arginine deiminase-4 inhibitors to limit arterial intimal NETosis and preserve endothelial integrity. <i>Cardiovascular Research</i> , 2021, 117, 2652-2663. | 1.8 | 24 |
| 41 | Cathepsin K Deficiency Ameliorates Systemic Lupus Erythematosus-like Manifestations in <i>Faslpr</i> Mice. <i>Journal of Immunology</i> , 2017, 198, 1846-1854. | 0.4 | 21 |
| 42 | Loss-of-Function Mutations in <i>Dnmt3a</i> and <i>Tet2</i> Lead to Accelerated Atherosclerosis and Convergent Macrophage Phenotypes in Mice. <i>Blood</i> , 2018, 132, 745-745. | 0.6 | 21 |
| 43 | Asthma Associates With Human Abdominal Aortic Aneurysm and Rupture. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 570-578. | 1.1 | 20 |
| 44 | Redundancy of IL-1 Isoform Signaling and Its Implications for Arterial Remodeling. <i>PLoS ONE</i> , 2016, 11, e0152474. | 1.1 | 16 |
| 45 | CD74 Deficiency Mitigates Systemic Lupus Erythematosus-like Autoimmunity and Pathological Findings in Mice. <i>Journal of Immunology</i> , 2017, 198, 2568-2577. | 0.4 | 13 |
| 46 | Prothymosin Alpha: A Novel Contributor to Estradiol Receptor Alpha-Mediated CD8 ⁺ T-Cell Pathogenic Responses and Recognition of Type 1 Collagen in Rheumatic Heart Valve Disease. <i>Circulation</i> , 2022, 145, 531-548. | 1.6 | 12 |
| 47 | Reduced <i>Nhe1</i> (<i>Na⁺-H⁺ Exchanger-1</i>) Function Protects ApoE-Deficient Mice From Ang II (Angiotensin II)-Induced Abdominal Aortic Aneurysms. <i>Hypertension</i> , 2020, 76, 87-100. | 1.3 | 7 |
| 48 | Deficiency of <i>Fc̳R1</i> Increases Body Weight Gain but Improves Glucose Tolerance in Diet-Induced Obese Mice. <i>Endocrinology</i> , 2015, 156, 4047-4058. | 1.4 | 5 |
| 49 | Tilting at the tilted protease balance in arterial aneurysmal disease. <i>Cardiovascular Research</i> , 2017, 113, 1279-1281. | 1.8 | 4 |
| 50 | Endothelial Activation Potentiates Neointimal Lesion Formation in the Rabbit Aorta after Balloon Injury. <i>Annals of the New York Academy of Sciences</i> , 1997, 811, 448-458. | 1.8 | 2 |
| 51 | Novel Lesional Transcriptional Signature Separates Atherosclerosis With and Without Diabetes in Yorkshire Swine and Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1487-1503. | 1.1 | 1 |