

Masahiro Hosaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3076151/masahiro-hosaka-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

2,457
citations

25
h-index

49
g-index

58
ext. papers

2,642
ext. citations

4.6
avg, IF

4.54
L-index

#	Paper	IF	Citations
57	Differential Expression of Secretogranins II and III in Canine Adrenal Chromaffin Cells and Pheochromocytomas.. <i>Journal of Histochemistry and Cytochemistry</i> , 2022 , 221554221091000	3.4	
56	Expression Pattern of the Reporter in Secretogranin III Gene-trapped Mice. <i>Journal of Histochemistry and Cytochemistry</i> , 2021 , 69, 229-243	3.4	1
55	Culture in 10% O enhances the production of active hormones in neuro-endocrine cells by up-regulating the expression of processing enzymes. <i>Biochemical Journal</i> , 2019 , 476, 827-842	3.8	1
54	The pseudophosphatase phogrin enables glucose-stimulated insulin signaling in pancreatic β cells. <i>Journal of Biological Chemistry</i> , 2018 , 293, 5920-5933	5.4	6
53	Impaired Processing of Prohormones in Secretogranin III-Null Mice Causes Maladaptation to an Inadequate Diet and Stress. <i>Endocrinology</i> , 2018 , 159, 1213-1227	4.8	8
52	Oxygen imaging of living cells and tissues using luminescent molecular probes. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2017 , 30, 71-95	16.4	65
51	Canine Salivary Glands: Analysis of Rab and SNARE Protein Expression and SNARE Complex Formation With Diverse Tissue Properties. <i>Journal of Histochemistry and Cytochemistry</i> , 2017 , 65, 637-653	3.4	1
50	TORC1 activity is partially reduced under nitrogen starvation conditions in sake yeast Kyokai no. 7, <i>Saccharomyces cerevisiae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2016 , 121, 247-52	3.3	4
49	Partial inhibition of differentiation associated with elevated protein levels of pluripotency factors in mouse embryonic stem cells expressing exogenous EGAM1N homeoprotein. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 562-9	3.3	5
48	Mitochondria-targeted oxygen probes based on cationic iridium complexes with a 5-amino-1, 10-phenanthroline ligand. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015 , 299, 172-182	4.7	32
47	Expression of Secretogranin III in Chicken Endocrine Cells: Its Relevance to the Secretory Granule Properties of Peptide Prohormone Processing and Bioactive Amine Content. <i>Journal of Histochemistry and Cytochemistry</i> , 2015 , 63, 350-66	3.4	6
46	Intracellular and in vivo oxygen sensing using phosphorescent Ir(III) complexes with a modified acetylacetonato ligand. <i>Analytical Chemistry</i> , 2015 , 87, 2710-7	7.8	59
45	Silylation improves the photodynamic activity of tetraphenylporphyrin derivatives in vitro and in vivo. <i>Chemistry - A European Journal</i> , 2014 , 20, 6054-60	4.8	22
44	Functional implications of the Golgi and microtubular network in gonadotropes. <i>Molecular and Cellular Endocrinology</i> , 2014 , 385, 88-96	4.4	8
43	Intact structure of EGAM1 homeoproteins and basic amino acid residues in the common homeodomain of EGAM1 and EGAM1C contribute to their nuclear localization in mouse embryonic stem cells. <i>Journal of Bioscience and Bioengineering</i> , 2013 , 116, 141-6	3.3	7
42	Multiple sorting systems for secretory granules ensure the regulated secretion of peptide hormones. <i>Traffic</i> , 2013 , 14, 205-18	5.7	15
41	Chronic exercise enhances insulin secretion ability of pancreatic islets without change in insulin content in non-diabetic rats. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 676-82	3.4	15

40	Sustained treatment with a GnRH agonist (leuprorelin) affects the ultrastructural characteristics of membranous organelles in male rat pituitary gonadotropes. <i>Archives of Histology and Cytology</i> , 2013 , 74, 41-57		4
39	A unique ball-shaped Golgi apparatus in the rat pituitary gonadotrope: its functional implications in relation to the arrangement of the microtubule network. <i>Journal of Histochemistry and Cytochemistry</i> , 2012 , 60, 588-602	3.4	21
38	Ratiometric Molecular Sensor for Monitoring Oxygen Levels in Living Cells. <i>Angewandte Chemie</i> , 2012 , 124, 4224-4227	3.6	33
37	Ratiometric molecular sensor for monitoring oxygen levels in living cells. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 4148-51	16.4	170
36	Iridium complex probes for monitoring of cellular oxygen levels and imaging of hypoxic tissues 2012 ,		1
35	Luminal interaction of phogrin with carboxypeptidase E for effective targeting to secretory granules. <i>Traffic</i> , 2011 , 12, 499-506	5.7	13
34	Cyclophilin C-associated protein regulation of phagocytic functions via NFAT activation in macrophages. <i>Brain Research</i> , 2011 , 1397, 55-65	3.7	16
33	Silylation enhancement of photodynamic activity of tetraphenylporphyrin derivative. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 221, 98-104	4.7	18
32	Phosphorescent light-emitting iridium complexes serve as a hypoxia-sensing probe for tumor imaging in living animals. <i>Cancer Research</i> , 2010 , 70, 4490-8	10.1	282
31	Synthesis and Properties of Fluorescent Biological Molecules Labeled with Novel Silylated Perylene Derivative. <i>Key Engineering Materials</i> , 2010 , 459, 63-66	0.4	2
30	Cholesterol biosynthesis pathway intermediates and inhibitors regulate glucose-stimulated insulin secretion and secretory granule formation in pancreatic beta-cells. <i>Endocrinology</i> , 2010 , 151, 4705-16	4.8	36
29	Phosphorescent light-emitting iridium complexes serve as a hypoxia-sensing probe for tumor imaging in living animals 2010 ,		1
28	Secretogranin III: a bridge between core hormone aggregates and the secretory granule membrane. <i>Endocrine Journal</i> , 2010 , 57, 275-86	2.9	38
27	Secretogranin II binds to secretogranin III and forms secretory granules with orexin, neuropeptide Y, and POMC. <i>Journal of Endocrinology</i> , 2009 , 202, 111-21	4.7	34
26	In vivo phosphorescence imaging of cancer using iridium complexes 2009 ,		6
25	Cholesterol Analogs Labeled with Novel Silylated Fluorescent Compounds. <i>Chemistry Letters</i> , 2009 , 38, 966-967	1.7	9
24	Sorting mechanism of peptide hormones and biogenesis mechanism of secretory granules by secretogranin III, a cholesterol-binding protein, in endocrine cells. <i>Current Diabetes Reviews</i> , 2008 , 4, 31-8	2.7	15
23	Reactive oxygen species-mediated pancreatic beta-cell death is regulated by interactions between stress-activated protein kinases, p38 and c-Jun N-terminal kinase, and mitogen-activated protein kinase phosphatases. <i>Endocrinology</i> , 2008 , 149, 1654-65	4.8	110

22	A large form of secretogranin III functions as a sorting receptor for chromogranin A aggregates in PC12 cells. <i>Molecular Endocrinology</i> , 2008 , 22, 1935-49		29
21	A subset of p23 localized on secretory granules in pancreatic beta-cells. <i>Journal of Histochemistry and Cytochemistry</i> , 2007 , 55, 235-45	3-4	27
20	Effects of a depot formulation of the GnRH agonist leuprorelin on the ultrastructure of male rat pituitary gonadotropes. <i>Archives of Histology and Cytology</i> , 2007 , 70, 79-93		8
19	Molecular probes for sensing the cholesterol composition of subcellular organelle membranes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 1169-81	5	11
18	Addition of phosphotungstic acid to ethanol for dehydration improves both the ultrastructure and antigenicity of pituitary tissue embedded in LR White acrylic resin. <i>Archives of Histology and Cytology</i> , 2005 , 68, 337-47		11
17	Interaction between secretogranin III and carboxypeptidase E facilitates prohormone sorting within secretory granules. <i>Journal of Cell Science</i> , 2005 , 118, 4785-95	5-3	62
16	Secretogranin III binds to cholesterol in the secretory granule membrane as an adapter for chromogranin A. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3627-34	5-4	76
15	Angiogenic endothelium-specific nestin expression is enhanced by the first intron of the nestin gene. <i>Laboratory Investigation</i> , 2004 , 84, 1581-92	5-9	52
14	Functional localization of proprotein-convertase furin and its substrate TGFbeta in EGF receptor-expressing gastric chief cells. <i>Growth Factors</i> , 2004 , 22, 51-9	1.6	8
13	Immunocytochemical localization of secretogranin III in the endocrine pancreas of male rats. <i>Archives of Histology and Cytology</i> , 2004 , 67, 57-64		20
12	Immunocytochemical localization of secretogranin III in the anterior lobe of male rat pituitary glands. <i>Journal of Histochemistry and Cytochemistry</i> , 2003 , 51, 227-38	3-4	25
11	Parathyroid hormone-related protein induces insulin expression through activation of MAP kinase-specific phosphatase-1 that dephosphorylates c-Jun NH2-terminal kinase in pancreatic beta-cells. <i>Diabetes</i> , 2003 , 52, 2720-30	0.9	32
10	The Rab27a/granuphilin complex regulates the exocytosis of insulin-containing dense-core granules. <i>Molecular and Cellular Biology</i> , 2002 , 22, 1858-67	4.8	197
9	Identification of a chromogranin A domain that mediates binding to secretogranin III and targeting to secretory granules in pituitary cells and pancreatic beta-cells. <i>Molecular Biology of the Cell</i> , 2002 , 13, 3388-99	3.5	76
8	Homo- and heterodimerization of synapsins. <i>Journal of Biological Chemistry</i> , 1999 , 274, 16747-53	5-4	72
7	A phospho-switch controls the dynamic association of synapsins with synaptic vesicles. <i>Neuron</i> , 1999 , 24, 377-87	13.9	221
6	Synapsin III, a novel synapsin with an unusual regulation by Ca ²⁺ . <i>Journal of Biological Chemistry</i> , 1998 , 273, 13371-4	5-4	77
5	Synapsins I and II are ATP-binding proteins with differential Ca ²⁺ regulation. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1425-9	5-4	80

4	PACE4A IS A UBIQUITOUS ENDOPROTEASE THAT HAS SIMILAR BUT NOT IDENTICAL SUBSTRATE SPECIFICITY TO OTHER KEX2-LIKE PROCESSING ENDOPROTEASES . <i>Biomedical Research</i> , 1994 , 15, 383-390	1.5	13
3	Identification and functional expression of a new member of the mammalian Kex2-like processing endoprotease family: its striking structural similarity to PACE4. <i>Journal of Biochemistry</i> , 1993 , 113, 132-5	3.1	187
2	CLONING AND SEQUENCE ANALYSIS OF MOUSE cDNAs ENCODING PREPROTACHYKININ A AND B . <i>Biomedical Research</i> , 1993 , 14, 253-259	1.5	9
1	Cloning and functional expression of a novel endoprotease involved in prohormone processing at dibasic sites. <i>Journal of Biochemistry</i> , 1991 , 109, 803-6	3.1	100