

Jesus Pelaez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3076320/publications.pdf>

Version: 2024-02-01

27
papers

492
citations

687220

13
h-index

677027

22
g-index

27
all docs

27
docs citations

27
times ranked

407
citing authors

#	ARTICLE	IF	CITATIONS
1	Digital Impression Taking for Maxillary Full-Arch Restoration With Immediate Loading: A Case Report. <i>Journal of Oral Implantology</i> , 2022, 48, 125-132.	0.4	1
2	Prospective Clinical Evaluation of Posterior Third-Generation Monolithic Zirconia Crowns Fabricated with Complete Digital Workflow: Two-Year Follow-Up. <i>Materials</i> , 2022, 15, 672.	1.3	10
3	Randomized clinical trial comparing monolithic and veneered zirconia three-unit posterior fixed partial dentures in a complete digital flow: three-year follow-up. <i>Clinical Oral Investigations</i> , 2022, 26, 4327-4335.	1.4	6
4	Influence of Digital Technologies and Framework Design on the Load to Fracture of Co-Cr Posterior Fixed Partial Denture Frameworks. <i>Journal of Prosthodontics</i> , 2022, 31, 606-613.	1.7	5
5	Long term follow-up of a full-arch rehabilitation with an implant-supported overdenture on four zirconia implants and a zirconia bar. A case report. <i>Journal of Clinical and Experimental Dentistry</i> , 2022, 14, e371-e375.	0.5	0
6	Accuracy of Digital Dental Implants Impression Taking with Intraoral Scanners Compared with Conventional Impression Techniques: A Systematic Review of In Vitro Studies. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2026.	1.2	17
7	Clinical behavior of posterior fixed partial dentures with a biologically oriented preparation technique: A 5-year randomized controlled clinical trial. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 870-876.	1.1	14
8	Prospective Clinical Evaluation of Posterior Monolithic Zirconia Fixed Partial Dentures Using a Complete Digital Workflow: Two-Year Follow-Up. <i>Journal of Prosthodontics</i> , 2021, 30, 298-304.	1.7	15
9	Evaluation of the marginal fit of monolithic crowns fabricated by direct and indirect digitization. <i>Journal of Prosthodontic Research</i> , 2021, 65, 291-297.	1.1	14
10	Fracture Load of Metal, Zirconia and Polyetheretherketone Posterior CAD-CAM Milled Fixed Partial Denture Frameworks. <i>Materials</i> , 2021, 14, 959.	1.3	12
11	Effect of Digital Technologies on the Marginal Accuracy of Conventional and Cantilever Co-Cr Posterior-Fixed Partial Dentures Frameworks. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 2988.	1.3	1
12	Adhesion to Zirconia: A Systematic Review of Surface Pretreatments and Resin Cements. <i>Materials</i> , 2021, 14, 2751.	1.3	37
13	Long-Term Clinical Behavior and Complications of Intentionally Tilted Dental Implants Compared with Straight Implants Supporting Fixed Restorations: A Systematic Review and Meta-Analysis. <i>Biology</i> , 2021, 10, 509.	1.3	5
14	Allergies to Titanium Dental Implants: What Do We Really Know about Them? A Scoping Review. <i>Biology</i> , 2020, 9, 404.	1.3	30
15	Influence of Implant Connection, Abutment Design and Screw Insertion Torque on Implant-Abutment Misfit. <i>Journal of Clinical Medicine</i> , 2020, 9, 2365.	1.0	18
16	Improvement of aesthetics in a patient with tetracycline stains using the injectable composite resin technique: case report with 24-month follow-up. <i>British Dental Journal</i> , 2020, 229, 774-778.	0.3	1
17	Influence of Low-Pressure Plasma on the Surface Properties of CAD-CAM Leucite-Reinforced Feldspar and Resin Matrix Ceramics. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8856.	1.3	6
18	Evaluation of Milled Titanium versus Laser Sintered Co-Cr Abutments on the Marginal Misfit in Internal Implant-Abutment Connection. <i>Materials</i> , 2020, 13, 4873.	1.3	12

#	ARTICLE	IF	CITATIONS
19	Precision and practical usefulness of intraoral scanners in implant dentistry: A systematic literature review. <i>Journal of Clinical and Experimental Dentistry</i> , 2020, 12, e784-e793.	0.5	22
20	Effect of Thermomechanical and Static Loading on the Load to Fracture of Metal-Ceramic, Monolithic, and Veneered Zirconia Posterior Fixed Partial Dentures. <i>Journal of Prosthodontics</i> , 2019, 28, 171-178.	1.7	25
21	A Randomized Clinical Trial Comparing Zirconia and Metal-Ceramic Three-Unit Posterior Fixed Partial Dentures: A 5-Year Follow-Up. <i>Journal of Prosthodontics</i> , 2019, 28, 750-756.	1.7	28
22	Comparative fracture behavior of monolithic and veneered zirconia posterior fixed dental prostheses. <i>Dental Materials Journal</i> , 2017, 36, 816-821.	0.8	21
23	Fracture Load Before and After Veneering Zirconia Posterior Fixed Dental Prostheses. <i>Journal of Prosthodontics</i> , 2016, 25, 550-556.	1.7	19
24	Marginal Vertical Discrepancies of Monolithic and Veneered Zirconia and Metal-Ceramic Three-Unit Posterior Fixed Dental Prostheses. <i>International Journal of Prosthodontics</i> , 2016, 29, 256-258.	0.7	28
25	Fracture resistance and failure mode of posterior fixed dental prostheses fabricated with two zirconia CAD/CAM systems. <i>Journal of Clinical and Experimental Dentistry</i> , 2015, 7, e250-e253.	0.5	10
26	A prospective evaluation of zirconia posterior fixed dental prostheses: Three-year clinical results. <i>Journal of Prosthetic Dentistry</i> , 2012, 107, 373-379.	1.1	60
27	A four-year prospective clinical evaluation of zirconia and metal-ceramic posterior fixed dental prostheses. <i>International Journal of Prosthodontics</i> , 2012, 25, 451-8.	0.7	75