Anthony F. Jorm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3077238/publications.pdf

Version: 2024-02-01

906 1424 65,023 768 116 221 citations h-index g-index papers 790 790 790 43721 docs citations times ranked citing authors all docs

#	Article	lF	Citations
1	Global prevalence of dementia: a Delphi consensus study. Lancet, The, 2005, 366, 2112-2117.	13.7	4,496
2	Mild cognitive impairment – beyond controversies, towards a consensus: report of the International Working Group on Mild Cognitive Impairment. Journal of Internal Medicine, 2004, 256, 240-246.	6.0	4,039
3	"Mental health literacy― a survey of the public's ability to recognise mental disorders and their beliefs about the effectiveness of treatment. Medical Journal of Australia, 1997, 166, 182-186.	1.7	1,667
4	Mental health literacy. British Journal of Psychiatry, 2000, 177, 396-401.	2.8	1,329
5	The prevalence of dementia: A quantitative integration of the literature. Acta Psychiatrica Scandinavica, 1987, 76, 465-479.	4.5	1,206
6	Mental health literacy: Empowering the community to take action for better mental health American Psychologist, 2012, 67, 231-243.	4.2	1,065
7	A short form of the Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE): development and cross-validation. Psychological Medicine, 1994, 24, 145-153.	4.5	1,006
8	The Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE): socio-demographic correlates, reliability, validity and some norms. Psychological Medicine, 1989, 19, 1015-1022.	4.5	962
9	The incidence of dementia. Neurology, 1998, 51, 728-733.	1.1	784
10	Delivering interventions for depression by using the internet: randomised controlled trial. BMJ: British Medical Journal, 2004, 328, 265-0.	2.3	734
11	The Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE): a review. International Psychogeriatrics, 2004, 16, 275-293.	1.0	623
12	Effect of web-based depression literacy and cognitive–behavioural therapy interventions on stigmatising attitudes to depression. British Journal of Psychiatry, 2004, 185, 342-349.	2.8	618
13	A short form of the Positive and Negative Affect Schedule: evaluation of factorial validity and invariance across demographic variables in a community sample. Personality and Individual Differences, 1999, 27, 405-416.	2.9	575
14	Stigma about Depression and its Impact on Help-Seeking Intentions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 51-54.	2.3	567
15	Head Trauma as a Risk Factor for Alzheimer's Disease: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S28-S35.	1.9	544
16	Parenting Factors Associated with Reduced Adolescent Alcohol Use: A Systematic Review of Longitudinal Studies. Australian and New Zealand Journal of Psychiatry, 2010, 44, 774-783.	2.3	503
17	Does old age reduce the risk of anxiety and depression? A review of epidemiological studies across the adult life span. Psychological Medicine, 2000, 30, 11-22.	4.5	496
18	A caseâ€control study of Alzheimer's disease in Australia. Neurology, 1990, 40, 1698-1698.	1.1	466

#	Article	IF	Citations
19	History of Depression as a Risk Factor for Dementia: An Updated Review. Australian and New Zealand Journal of Psychiatry, 2001, 35, 776-781.	2.3	451
20	Sources of individual differences in reading acquisition Journal of Educational Psychology, 1984, 76, 1309-1324.	2.9	439
21	Parental factors associated with depression and anxiety in young people: A systematic review and meta-analysis. Journal of Affective Disorders, 2014, 156, 8-23.	4.1	439
22	Using the Delphi expert consensus method in mental health research. Australian and New Zealand Journal of Psychiatry, 2015, 49, 887-897.	2.3	421
23	Sexual orientation and mental health: results from a community survey of young and middle – aged adults. British Journal of Psychiatry, 2002, 180, 423-427.	2.8	399
24	Unmet need for treatment in the eating disorders: A systematic review of eating disorder specific treatment seeking among community cases. Clinical Psychology Review, 2011, 31, 727-735.	11.4	378
25	An invited article: Phonological recoding and reading acquisition. Applied Psycholinguistics, 1983, 4, 103-147.	1.1	365
26	Is Telomere Length a Biomarker of Aging? A Review. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 202-213.	3.6	362
27	Is Depression a Risk Factor for Dementia or Cognitive Decline?. Gerontology, 2000, 46, 219-227.	2.8	361
28	Has increased provision of treatment reduced the prevalence of common mental disorders? Review of the evidence from four countries. World Psychiatry, 2017, 16, 90-99.	10.4	352
29	Improving mental health literacy as a strategy to facilitate early intervention for mental disorders. Medical Journal of Australia, 2007, 187, S26-30.	1.7	344
30	Stigma in response to mental disorders: a comparison of Australia and Japan. BMC Psychiatry, 2006, 6, 21.	2.6	328
31	Self-monitoring Using Mobile Phones in the Early Stages of Adolescent Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2012, 14, e67.	4.3	305
32	Predictors of depression stigma. BMC Psychiatry, 2008, 8, 25.	2.6	300
33	Mental health first aid training for the public: evaluation of effects on knowledge, attitudes and helping behavior. BMC Psychiatry, 2002, 2, 10.	2.6	298
34	Performance of the Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE) as a screening test for dementia. Psychological Medicine, 1991, 21, 785-790.	4.5	290
35	Assessment of Cognitive Decline in the Elderly by Informant Interview. British Journal of Psychiatry, 1988, 152, 209-213.	2.8	284
36	Attitudes Towards People with a Mental Disorder: A Survey of the Australian Public and Health Professionals. Australian and New Zealand Journal of Psychiatry, 1999, 33, 77-83.	2.3	282

#	Article	IF	Citations
37	Apolipoprotein E allele ∈4, dementia, and cognitive decline in a population sample. Lancet, The, 1995, 346, 1387-1390.	13.7	274
38	Risk and protective factors for depression that adolescents can modify: A systematic review and meta-analysis of longitudinal studies. Journal of Affective Disorders, 2014, 169, 61-75.	4.1	251
39	Desire for Social Distance from People with Mental Disorders. Australian and New Zealand Journal of Psychiatry, 2009, 43, 183-200.	2.3	248
40	Parental factors associated with childhood anxiety, depression, and internalizing problems: A systematic review and meta-analysis. Journal of Affective Disorders, 2015, 175, 424-440.	4.1	236
41	Memory complaints as a precursor of memory impairment in older people: a longitudinal analysis over 7–8 years. Psychological Medicine, 2001, 31, 441-449.	4.5	228
42	Psychiatric History and Related Exposures as Risk Factors for Alzheimer's Disease: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S43-S47.	1.9	227
43	Age differences in depression and anxiety symptoms: a structural equation modelling analysis of data from a general population sample. Psychological Medicine, 1999, 29, 325-339.	4.5	226
44	Mental health first aid training for high school teachers: a cluster randomized trial. BMC Psychiatry, 2010, 10, 51.	2.6	222
45	Specific reading retardation and working memory: A review. British Journal of Psychology, 1983, 74, 311-342.	2.3	221
46	Helpfulness of interventions for mental disorders: Beliefs of health professionals compared with the general public. British Journal of Psychiatry, 1997, 171, 233-237.	2.8	217
47	Influence of Gender on Mental Health Literacy in Young Australians. Australian and New Zealand Journal of Psychiatry, 2006, 40, 790-796.	2.3	217
48	Stigma about depression and its impact on help-seeking intentions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 51-54.	2.3	216
49	Who Uses Mental Health Services in Australia? An Analysis of Data from the National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2000, 34, 997-1008.	2.3	215
50	The Impact of <i>Beyondblue: The National Depression Initiative</i> on the Australian Public's Recognition of Depression and Beliefs About Treatments. Australian and New Zealand Journal of Psychiatry, 2005, 39, 248-254.	2.3	215
51	Health, cognitive, and psychosocial factors as predictors of mortality in an elderly community sample. Journal of Epidemiology and Community Health, 1999, 53, 83-88.	3.7	214
52	Do cognitive complaints either predict future cognitive decline or reflect past cognitive decline? A longitudinal study of an elderly community sample. Psychological Medicine, 1997, 27, 91-98.	4. 5	212
53	Alcohol and Tobacco Consumption as Risk Factors for Alzheimer's Disease: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S48-S57.	1.9	210
54	Mental health first aid training in a workplace setting: A randomized controlled trial [ISRCTN13249129]. BMC Psychiatry, 2004, 4, 23.	2.6	208

#	Article	lF	Citations
55	The course of depression in the elderly: a longitudinal community-based study in Australia. Psychological Medicine, 1997, 27, 119-129.	4.5	203
56	Association of obesity with anxiety, depression and emotional wellâ€being: a community survey. Australian and New Zealand Journal of Public Health, 2003, 27, 434-440.	1.8	199
57	Investing in youth mental health is a best buy. Medical Journal of Australia, 2007, 187, S5.	1.7	199
58	The Public's Ability to Recognize Mental Disorders and their Beliefs about Treatment: Changes in Australia Over 8 Years. Australian and New Zealand Journal of Psychiatry, 2006, 40, 36-41.	2.3	197
59	Public beliefs about treatment and outcome of mental disorders: a comparison of Australia and Japan. BMC Medicine, 2005, 3, 12.	5.5	196
60	Mental Health First aid Training: Review of Evaluation Studies. Australian and New Zealand Journal of Psychiatry, 2006, 40, 6-8.	2.3	196
61	Cohort Profile: The PATH through life project. International Journal of Epidemiology, 2012, 41, 951-960.	1.9	195
62	Stigmatizing Attitudes towards People with Mental Disorders: Findings from an Australian National Survey of Mental Health Literacy and Stigma. Australian and New Zealand Journal of Psychiatry, 2011, 45, 1086-1093.	2.3	194
63	The prevalence of depressive disorders and the distribution of depressive symptoms in later life: a survey using Draft ICD-10 and DSM-III-R. Psychological Medicine, 1993, 23, 719-729.	4.5	192
64	Modifiable parenting factors associated with adolescent alcohol misuse: a systematic review and meta-analysis of longitudinal studies. Addiction, 2017, 112, 1142-1162.	3.3	188
65	Symptoms of depression and anxiety during adult life: evidence for a decline in prevalence with age. Psychological Medicine, 1998, 28, 1321-1328.	4.5	186
66	Influences on young people's stigmatising attitudes towards peers with mental disorders: National survey of young Australians and their parents. British Journal of Psychiatry, 2008, 192, 144-149.	2.8	183
67	Interventions to reduce stigma towards people with severe mental illness: Systematic review and meta-analysis. Journal of Psychiatric Research, 2018, 103, 120-133.	3.1	182
68	Familial Aggregation of Alzheimer's Disease and Related Disorders: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S13-S20.	1.9	179
69	The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis Psychology and Aging, 2001, 16, 588-599.	1.6	179
70	Age differences in mental health literacy. BMC Public Health, 2008, 8, 125.	2.9	179
71	Recognition of Mental Disorders and Beliefs about Treatment and Outcome: Findings from an Australian National Survey of Mental Health Literacy and Stigma. Australian and New Zealand Journal of Psychiatry, 2011, 45, 947-956.	2.3	179
72	Pet Ownership and Health in Older Adults: Findings from a Survey of 2,551 Community-Based Australians Aged 60–64. Gerontology, 2005, 51, 40-47.	2.8	176

#	Article	IF	CITATIONS
73	The public's stigmatizing attitudes towards people with mental disorders: how important are biomedical conceptualizations?. Acta Psychiatrica Scandinavica, 2008, 118, 315-321.	4.5	173
74	Evidence that therapy works in clincally representative conditions Journal of Consulting and Clinical Psychology, 1997, 65, 355-365.	2.0	172
75	Memory complaints in a community sample aged 60–64 years: associations with cognitive functioning, psychiatric symptoms, medical conditions, APOE genotype, hippocampus and amygdala volumes, and white-matter hyperintensities. Psychological Medicine, 2004, 34, 1495-1506.	4.5	172
76	Age group differences in psychological distress: the role of psychosocial risk factors that vary with age. Psychological Medicine, 2005, 35, 1253-1263.	4.5	172
77	Prevention and early intervention to improve mental health in higher education students: a review. Microbial Biotechnology, 2010, 4, 132-142.	1.7	170
78	Public beliefs about causes and risk factors for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 143-148.	3.1	170
79	Medical History and the Risk of Alzheimer's Disease: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S36-S42.	1.9	168
80	An analysis of diversity in the cognitive performance of elderly community dwellers: Individual differences in change scores as a function of age Psychology and Aging, 1999, 14, 365-379.	1.6	167
81	What's in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 244-250.	3.1	167
82	Where to seek help for a mental disorder?. Medical Journal of Australia, 2007, 187, 556-560.	1.7	165
83	Public Beliefs About the Helpfulness of Interventions for Depression: Effects on Actions Taken When Experiencing Anxiety and Depression Symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 619-626.	2.3	161
84	Suicide and mental health in rural, remote and metropolitan areas in Australia. Medical Journal of Australia, 2004, 181, S10-4.	1.7	160
85	Sex and Age Differences in Depression: A Quantitative Synthesis of Published Research. Australian and New Zealand Journal of Psychiatry, 1987, 21, 46-53.	2.3	159
86	Research on Mental Health Literacy: What we know and what we Still Need to know. Australian and New Zealand Journal of Psychiatry, 2006, 40, 3-5.	2.3	159
87	Effectiveness of complementary and selfâ€help treatments for depression. Medical Journal of Australia, 2002, 176, S84-96.	1.7	155
88	Non-linear relationships in associations of depression and anxiety with alcohol use. Psychological Medicine, 2000, 30, 421-432.	4.5	154
89	Parents in prevention: A meta-analysis of randomized controlled trials of parenting interventions to prevent internalizing problems in children from birth to age 18. Clinical Psychology Review, 2016, 50, 138-158.	11.4	154
90	Complaints of cognitive decline in the elderly: a comparison of reports by subjects and informants in a community survey. Psychological Medicine, 1994, 24, 365-374.	4.5	152

#	Article	IF	CITATIONS
91	Patterns of association between alcohol consumption and symptoms of depression and anxiety in young adults. Addiction, 2002, 97, 583-594.	3.3	152
92	The prevalence and correlates of psychological distress in Australian tertiary students compared to their community peers. Australian and New Zealand Journal of Psychiatry, 2012, 46, 457-467.	2.3	151
93	Beliefs about appropriate first aid for young people with mental disorders: findings from an Australian national survey of youth and parents. Microbial Biotechnology, 2007, 1, 61-70.	1.7	149
94	Screening for Cognitive Impairment in General Practice. Alzheimer Disease and Associated Disorders, 1998, 12, 1-13.	1.3	148
95	Help-Seeking for Substance Use, Anxiety and Affective Disorders Among Young People: Results from the 2007 Australian National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2010, 44, 729-735.	2.3	147
96	The cognitive and neurological basis of developmental dyslexia: A theoretical framework and review. Cognition, 1979, 7, 19-33.	2.2	145
97	Health habits and risk of cognitive impairment and dementia in old age: A prospective study on the effects of exercise, smoking and alcohol consumption. Australian and New Zealand Journal of Public Health, 1998, 22, 621-623.	1.8	145
98	Mental health literacy in higher education students. Microbial Biotechnology, 2012, 6, 45-52.	1.7	144
99	Development and evaluation of a youth mental health community awareness campaign – The Compass Strategy. BMC Public Health, 2006, 6, 215.	2.9	143
100	APOE genotype and cognitive functioning in a large age-stratified population sample Neuropsychology, 2007, 21, 1-8.	1.3	143
101	Mental Health First Aid: an international programme for early intervention. Microbial Biotechnology, 2008, 2, 55-61.	1.7	141
102	Associations of pre-trauma attributes and trauma exposure with screening positive for PTSD: analysis of a community-based study of 2085 young adults. Psychological Medicine, 2006, 36, 387-395.	4.5	139
103	Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms—the Beyond Ageing Project: a randomized controlled trial. American Journal of Clinical Nutrition, 2012, 95, 194-203.	4.7	139
104	Controlled and automatic information processing in senile dementia: a review. Psychological Medicine, 1986, 16, 77-88.	4.5	138
105	The Psychogeriatric Assessment Scales: a multidimensional alternative to categorical diagnoses of dementia and depression in the elderly. Psychological Medicine, 1995, 25, 447-460.	4.5	138
106	Recognition of depression and psychosis by young Australians and their beliefs about treatment. Medical Journal of Australia, 2005, 183, 18-23.	1.7	138
107	White matter hyperintensities are related to physical disability and poor motor function. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 362-367.	1.9	137
108	Participant distress in psychiatric research: a systematic review. Psychological Medicine, 2007, 37, 917-926.	4.5	136

#	Article	IF	Citations
109	Internet-Based Recruitment to a Depression Prevention Intervention: Lessons From the Mood Memos Study. Journal of Medical Internet Research, 2013, 15, e31.	4.3	133
110	A population survey found an association between self-reports of traumatic brain injury and increased psychiatric symptoms. Journal of Clinical Epidemiology, 2004, 57, 1202-1209.	5.0	132
111	Memory Complaints of Elderly People in a Population Survey: Variation According to Dementia Stage and Depression. Journal of the American Geriatrics Society, 1993, 41, 1295-1300.	2.6	128
112	EDUCATION AND DECLINE IN COGNITIVE PERFORMANCE: COMPENSATORY BUT NOT PROTECTIVE. International Journal of Geriatric Psychiatry, 1997, 12, 323-330.	2.7	126
113	An association study of a functional polymorphism of the serotonin transporter gene with personality and psychiatric symptoms. Molecular Psychiatry, 1998, 3, 449-451.	7.9	126
114	Association of adolescent symptoms of depression and anxiety with daily smoking and nicotine dependence in young adulthood: findings from a 10â€year longitudinal study. Addiction, 2010, 105, 1652-1659.	3.3	126
115	Mental health first aid responses of the public: results from an Australian national survey. BMC Psychiatry, 2005, 5, 9.	2.6	125
116	COGNITIVE FACTORS AT SCHOOL ENTRY PREDICTIVE OF SPECIFIC READING RETARDATION AND GENERAL READING BACKWARDNESS: A RESEARCH NOTE. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1986, 27, 45-54.	5.2	123
117	Gender differences in cognitive abilities: The mediating role of health state and health habits. Intelligence, 2004, 32, 7-23.	3.0	120
118	Mental health of Indigenous Australians: a review of findings from community surveys. Medical Journal of Australia, 2012, 196, 118-121.	1.7	118
119	Beliefs of Young People and Their Parents about the Effectiveness of Interventions for Mental Disorders. Australian and New Zealand Journal of Psychiatry, 2007, 41, 656-666.	2.3	116
120	A mental health training program for community health workers in India: impact on knowledge and attitudes. International Journal of Mental Health Systems, 2011, 5, 17.	2.7	116
121	Stigmatising attitudes towards people with mental disorders: A comparison of Australian health professionals with the general community. Australian and New Zealand Journal of Psychiatry, 2014, 48, 433-441.	2.3	115
122	Educational level differences on the Mini-Mental State: the role of test bias. Psychological Medicine, 1988, 18, 727-731.	4.5	114
123	Homocysteine and the Brain in Midadult Life. Archives of Neurology, 2004, 61, 1369.	4.5	114
124	Trends in psychological distress, depressive episodes and mental health treatment-seeking in the United States: 2001–2012. Journal of Affective Disorders, 2015, 174, 556-561.	4.1	112
125	Mental health literacy of resettled Iraqi refugees in Australia: knowledge about posttraumatic stress disorder and beliefs about helpfulness of interventions. BMC Psychiatry, 2014, 14, 320.	2.6	111
126	BEHAVIOUR PROBLEMS IN SPECIFIC READING RETARDED AND GENERAL READING BACKWARD CHILDREN: A LONGITUDINAL STUDY. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1986, 27, 33-43.	5.2	110

#	Article	IF	Citations
127	Factors associated with the Wish to Die in Elderly People. Age and Ageing, 1995, 24, 389-392.	1.6	110
128	Providing information about the effectiveness of treatment options to depressed people in the community: a randomized controlled trial of effects on mental health literacy, help-seeking and symptoms. Psychological Medicine, 2003, 33, 1071-1079.	4.5	110
129	Relationship of homocysteine, folic acid and vitamin B ₁₂ with depression in a middle-aged community sample. Psychological Medicine, 2005, 35, 529-538.	4.5	110
130	Pretrauma and Posttrauma Neurocognitive Functioning and PTSD Symptoms in a Community Sample of Young Adults. American Journal of Psychiatry, 2007, 164, 509-515.	7.2	109
131	Belief systems of the general public concerning the appropriate treatments for mental disorders. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 468-473.	3.1	109
132	General practitioners' detection of depression and dementia in elderly patients. Medical Journal of Australia, 1990, 153, 192-196.	1.7	108
133	Interaction between genetic and environmental risk factors for Alzheimer's disease: A reanalysis of case-control studies. Genetic Epidemiology, 1994, 11, 539-551.	1.3	108
134	Attitudes to people with mental disorders: a mental health literacy survey in a rural area of Maharashtra, India. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1087-1096.	3.1	108
135	Smoking and mental health: results from a community survey. Medical Journal of Australia, 1999, 170, 74-77.	1.7	107
136	Predicting anxiety and depression from personality: Is there a synergistic effect of neuroticism and extraversion?. Journal of Abnormal Psychology, 2000, 109, 145-149.	1.9	106
137	Actions taken to cope with depression at different levels of severity: a community survey. Psychological Medicine, 2004, 34, 293-299.	4.5	106
138	Changes in Depression Awareness and Attitudes in Australia: The Impact of <i>Beyondblue: The National Depression Initiative</i> . Australian and New Zealand Journal of Psychiatry, 2006, 40, 42-46.	2.3	106
139	Why We Need the Concept of "Mental Health Literacy― Health Communication, 2015, 30, 1166-1168.	3.1	106
140	Age differences and interindividual variation in cognition in community-dwelling elderly Psychology and Aging, 1994, 9, 381-390.	1.6	105
141	Exploring the nature of stigmatising beliefs about depression and help-seeking: Implications for reducing stigma. BMC Public Health, 2009, 9, 61.	2.9	104
142	Labeling of mental disorders and stigma in young people. Social Science and Medicine, 2011, 73, 498-506.	3.8	104
143	Parent and family factors associated with service use by young people with mental health problems: a systematic review. Microbial Biotechnology, 2015, 9, 433-446.	1.7	103
144	An analysis of the re-test artefact in longitudinal studies of psychiatric symptoms and personality. Psychological Medicine, 1989, 19, 487-493.	4.5	102

#	Article	IF	Citations
145	Long-term benzodiazepine use by elderly people living in the community. Australian and New Zealand Journal of Public Health, 2000, 24, 7-10.	1.8	102
146	Self-help interventions for depressive disorders and depressive symptoms: a systematic review. Annals of General Psychiatry, 2008, 7, 13.	2.7	102
147	Quality of information sources about mental disorders: a comparison of Wikipedia with centrally controlled web and printed sources. Psychological Medicine, 2012, 42, 1753-1762.	4.5	102
148	Association of smoking and personality with a polymorphism of the dopamine transporter gene: Results from a community survey. American Journal of Medical Genetics Part A, 2000, 96, 331-334.	2.4	101
149	Association of age, sex, cognitive dysfunction, and disability with major depressive symptoms in an elderly sample. American Journal of Psychiatry, 1994, 151, 1600-1604.	7.2	100
150	Beliefs about the Helpfulness of Interventions for Mental Disorders: A Comparison of General Practitioners, Psychiatrists and Clinical Psychologists. Australian and New Zealand Journal of Psychiatry, 1997, 31, 844-851.	2.3	100
151	Suicidal thoughts and associated factors in an elderly population. Acta Psychiatrica Scandinavica, 1997, 95, 108-111.	4.5	100
152	Youth mental health first aid: a description of the program and an initial evaluation. International Journal of Mental Health Systems, 2011, 5, 4.	2.7	100
153	Activity Levels and Cognitive Functioning in an Elderly Community Sample. Age and Ageing, 1996, 25, 72-80.	1.6	99
154	Cross-national comparisons of the occurrence of Alzheimer's and vascular dementias. European Archives of Psychiatry and Neurological Sciences, 1991, 240, 218-222.	0.9	98
155	Mental Health Nurses' Beliefs About Interventions for Schizophrenia and Depression: A Comparison with Psychiatrists and the Public. Australian and New Zealand Journal of Psychiatry, 2000, 34, 602-611.	2.3	98
156	Pet ownership and risk factors for cardiovascular disease: another look. Medical Journal of Australia, 2003, 179, 466-468.	1.7	98
157	The influence of stigma on young people's help-seeking intentions and beliefs about the helpfulness of various sources of help. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1257-1265.	3.1	98
158	Development of scales to assess mental health literacy relating to recognition of and interventions for depression, anxiety disorders and schizophrenia/psychosis. Australian and New Zealand Journal of Psychiatry, 2014, 48, 61-69.	2.3	98
159	Application of DSM-III-R criteria for major depressive episode to elderly subjects with and without dementia. American Journal of Psychiatry, 1993, 150, 1199-1202.	7.2	97
160	First aid for depression: A Delphi consensus study with consumers, carers and clinicians. Journal of Affective Disorders, 2008, 105, 157-165.	4.1	96
161	Risk factors for depression and anxiety in abstainers, moderate drinkers and heavy drinkers. Addiction, 2000, 95, 1833-1845.	3.3	95
162	Relaxation for depression. The Cochrane Library, 2008, , CD007142.	2.8	95

#	Article	lF	CITATIONS
163	Noting a Landmark Achievement: Mental Health First Aid Training Reaches 1% of Australian Adults. Australian and New Zealand Journal of Psychiatry, 2011, 45, 808-813.	2.3	95
164	Life Satisfaction among the Very Old: A Survey on a Cognitively Intact Sample Aged 90 Years or Above. International Journal of Aging and Human Development, 2001, 52, 71-90.	1.6	94
165	Effectiveness of complementary and selfâ€help treatments for anxiety disorders. Medical Journal of Australia, 2004, 181, S29-46.	1.7	94
166	Biomarkers, Health, Lifestyle, and Demographic Variables as Correlates of Reaction Time Performance in Early, Middle, and Late Adulthood. Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology, 2005, 58, 5-21.	2.3	94
167	The measurement properties of stigmatizing attitudes towards mental disorders: results from two community surveys. International Journal of Methods in Psychiatric Research, 2014, 23, 49-61.	2.1	94
168	The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis Psychology and Aging, 2001, 16, 588-599.	1.6	94
169	The associations between work stress and mental health: A comparison of organizationally employed and self-employed workers. Work and Stress, 2004, 18, 231-244.	4.5	93
170	Age is no kinder to the better educated: absence of an association investigated using latent growth techniques in a community sample. Psychological Medicine, 2001, 31, 15-28.	4.5	92
171	Where would young people seek help for mental disorders and what stops them? Findings from an Australian national survey. Journal of Affective Disorders, 2013, 147, 255-261.	4.1	92
172	Belief in the dangerousness of people with mental disorders: A review. Australian and New Zealand Journal of Psychiatry, 2012, 46, 1029-1045.	2.3	91
173	Public belief systems about the helpfulness of interventions for depression: associations with history of depression and professional help-seeking. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 211-219.	3.1	89
174	Temporal processing and reading disability. Reading and Writing, 2002, 15, 151-178.	1.7	89
175	Mental health first aid training of the public in a rural area: a cluster randomized trial [ISRCTN53887541]. BMC Psychiatry, 2004, 4, 33.	2.6	89
176	Public beliefs about causes and risk factors for mental disorders: a comparison of Japan and Australia. BMC Psychiatry, 2005, 5, 33.	2.6	89
177	The quality of mental disorder information websites: A review. Patient Education and Counseling, 2011, 85, e16-e25.	2.2	88
178	Item Bias in the Center for Epidemiologic Studies Depression Scale: Effects of Physical Disorders and Disability in an Elderly Community Sample. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2000, 55, P273-P282.	3.9	87
179	Mental health nurses' beliefs about likely outcomes for people with schizophrenia or depression: A comparison with the public and other healthcare professionals. International Journal of Mental Health Nursing, 2008, 10, 42-54.	5.0	87
180	The Relationship between Health and Cognitive Functioning in a Sample of Elderly People in the Community. Age and Ageing, 1994, 23, 204-212.	1.6	86

#	Article	IF	Citations
181	Perceived helpfulness of websites for mental health information. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 293-299.	3.1	86
182	Public knowledge of and attitudes to mental disorders: a limiting factor in the optimal use of treatment services. , 2000, , 399-414.		85
183	Within-Occasion Intraindividual Variability and Preclinical Diagnostic Status: Is Intraindividual Variability an Indicator of Mild Cognitive Impairment?. Neuropsychology, 2005, 19, 309-317.	1.3	85
184	First Aid Recommendations for Psychosis: Using the Delphi Method to Gain Consensus Between Mental Health Consumers, Carers, and Clinicians. Schizophrenia Bulletin, 2007, 34, 435-443.	4.3	84
185	Subtypes of Alzheimer's Dementia: a conceptual analysis and critical review. Psychological Medicine, 1985, 15, 543-553.	4.5	83
186	Modifiability of Trait Anxiety and Neuroticism: A Meta-Analysis of the Literature. Australian and New Zealand Journal of Psychiatry, 1989, 23, 21-29.	2.3	83
187	Predicting dementia from the mini-mental state examination in an elderly population: The role of education. Journal of Clinical Epidemiology, 1993, 46, 281-287.	5.0	83
188	Sex Differences in Neuroticism: A Quantitative Synthesis of Published Research. Australian and New Zealand Journal of Psychiatry, 1987, 21, 501-506.	2.3	82
189	Factors associated with young adults' obtaining general practitioner services. Australian Health Review, 2002, 25, 109.	1.1	82
190	Assessment of cognitive decline in dementia by informant questionnaire. International Journal of Geriatric Psychiatry, 1989, 4, 35-39.	2.7	81
191	Depression Literacy in Alberta: Findings from a General Population Sample. Canadian Journal of Psychiatry, 2007, 52, 442-449.	1.9	81
192	Mental Health First Aid Training by e-Learning: A Randomized Controlled Trial. Australian and New Zealand Journal of Psychiatry, 2010, 44, 1072-1081.	2.3	81
193	The association between adverse childhood experiences and common mental disorders and suicidality: an umbrella review of systematic reviews and meta-analyses. European Child and Adolescent Psychiatry, 2022, 31, 1489-1499.	4.7	81
194	Assessment of cognitive impairment and dementia using informant reports. Clinical Psychology Review, 1996, 16, 51-73.	11.4	79
195	Population promotion of informal self-help strategies for early intervention against depression and anxiety. Psychological Medicine, 2006, 36, 3-6.	4.5	79
196	COMT and DRD3 polymorphisms, environmental exposures, and personality traits related to common mental disorders. American Journal of Medical Genetics Part A, 2000, 96, 102-107.	2.4	78
197	Occupation type as a predictor of cognitive decline and dementia in old age. Age and Ageing, 1998, 27, 477-483.	1.6	77
198	Belief in dealing with depression alone: Results from community surveys of adolescents and adults. Journal of Affective Disorders, 2006, 96, 59-65.	4.1	77

#	Article	IF	CITATIONS
199	Re-development of mental health first aid guidelines for suicidal ideation and behaviour: a Delphi study. BMC Psychiatry, 2014, 14, 241.	2.6	77
200	Mental health first aid training for Australian medical and nursing students: an evaluation study. BMC Psychology, 2015, 3, 11.	2.1	77
201	Stigmatising attitudes towards people with mental disorders: Changes in Australia over 8years. Psychiatry Research, 2012, 197, 302-306.	3.3	76
202	A survey of dementia in the Canberra population: experience with ICD-10 and DSM-III-R criteria. Psychological Medicine, 1994, 24, 473-482.	4.5	75
203	Insomnia in the elderly: its prevalence and correlates in the general population. Medical Journal of Australia, 1995, 162, 22-24.	1.7	75
204	Gender differences in factors affecting use of health services: an analysis of a community study of middle-aged and older Australians. Social Science and Medicine, 2004, 59, 2121-2129.	3.8	75
205	Development of mental health first aid guidelines for suicidal ideation and behaviour: A Delphi study. BMC Psychiatry, 2008, 8, 17.	2.6	75
206	Prevention of common mental disorders: What can we learn from those who have gone before and where do we go next?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 920-929.	2.3	75
207	Cross-national and historical differences in subjective well-being. International Journal of Epidemiology, 2014, 43, 330-340.	1.9	75
208	†teen Mental Health First Aid': a description of the program and an initial evaluation. International Journal of Mental Health Systems, 2016, 10, 3.	2.7	75
209	Assessing the quality of media reporting of suicide news in India against World Health Organization guidelines: A content analysis study of nine major newspapers in Tamil Nadu. Australian and New Zealand Journal of Psychiatry, 2018, 52, 856-863.	2.3	75
210	CHOLINERGIC â€~BLOCKADE' AS A MODEL OF THE COGNITIVE DEFICITS IN ALZHEIMER'S DISEASE. Brain, 199 115, 1681-1699.	¹² 7.6	74
211	No interaction between the serotonin transporter polymorphism (5-HTTLPR) and childhood adversity or recent stressful life events on symptoms of depression: Results from two community surveys. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 561-565.	1.7	74
212	Psychotic symptoms in the elderly: a prospective study in a population sample., 1998, 13, 484-492.		73
213	Public beliefs about causes and risk factors for mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 764-767.	3.1	73
214	Changes in depression awareness and attitudes in Australia: the impact of beyondblue: the national depression initiative. Australian and New Zealand Journal of Psychiatry, 2006, 40, 42-46.	2.3	73
215	Young people's mental health first aid intentions and beliefs prospectively predict their actions: Findings from an Australian National Survey of Youth. Psychiatry Research, 2012, 196, 315-319.	3.3	73
216	Public recognition of mental disorders and beliefs about treatment: changes in Australia over 16 years. British Journal of Psychiatry, 2012, 200, 419-425.	2.8	73

#	Article	IF	Citations
217	Psychometric properties of the CAMCOG and its efficacy in the diagnosis of dementia. Aging, Neuropsychology, and Cognition, 1996, 3, 201-214.	1.3	72
218	Methods of Screening for Dementia. Alzheimer Disease and Associated Disorders, 1997, 11, 158-162.	1.3	72
219	Prevalence of Mild Cognitive Impairment in 60- to 64-Year-Old Community-Dwelling Individuals: The Personality and Total Health through Life 60+ Study. Dementia and Geriatric Cognitive Disorders, 2005, 19, 67-74.	1.5	72
220	Pulmonary Function, Cognitive Impairment and Brain Atrophy in a Middle-Aged Community Sample. Dementia and Geriatric Cognitive Disorders, 2006, 21, 300-308.	1.5	72
221	Self-help strategies that are helpful for sub-threshold depression: A Delphi consensus study. Journal of Affective Disorders, 2009, 115, 196-200.	4.1	72
222	Further data on the validity of the informant questionnaire on cognitive decline in the elderly (IQCODE). International Journal of Geriatric Psychiatry, 1996, 11, 131-139.	2.7	71
223	Informant ratings of cognitive decline in old age: validation against change on cognitive tests over 7 to 8 years. Psychological Medicine, 2000, 30, 981-985.	4.5	71
224	Improving screening accuracy for dementia in a community sample by augmenting cognitive testing with informant report. Journal of Clinical Epidemiology, 2003, 56, 358-366.	5.0	71
225	Efficacy of tacrine and lecithin in mild to moderate Alzheimer's disease: double blind trial. BMJ: British Medical Journal, 1994, 308, 879-883.	2.3	71
226	Informant Ratings of Cognitive Decline of Elderly People: Relationship to Longitudinal Change on Cognitive Tests. Age and Ageing, 1996, 25, 125-129.	1.6	70
227	Mental health literacy, folic acid and vitamin B ₁₂ , and physical activity for the prevention of depression in older adults: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 45-54.	2.8	70
228	A prospective study of cognitive function in the elderly. Psychological Medicine, 1997, 27, 919-930.	4.5	69
229	Association of a functional polymorphism of the serotonin transporter gene with anxiety-related temperament and behavior problems in children: a longitudinal study from infancy to the mid-teens. Molecular Psychiatry, 2000, 5, 542-547.	7.9	69
230	Community beliefs about treatments and outcomes of mental disorders: A mental health literacy survey in a rural area of Maharashtra, India. Public Health, 2009, 123, 476-483.	2.9	69
231	A Comparison of Alternative Methods of Screening for Dementia in Clinical Settings. Archives of Neurology, 1996, 53, 532-536.	4.5	68
232	Change in cognitive functioning associated with ApoE genotype in a community sample of older adults Psychology and Aging, 2002, 17, 194-208.	1.6	68
233	A mental health first aid training program for Australian Aboriginal and Torres Strait Islander peoples: description and initial evaluation. International Journal of Mental Health Systems, 2009, 3, 10.	2.7	68
234	Negative and Positive Affect among the Very Old. Research on Aging, 1998, 20, 593-610.	1.8	67

#	Article	IF	CITATIONS
235	Posttraumatic Stress Disorder and Other Predictors of Health Care Consumption by Vietnam Veterans. Psychiatric Services, 1998, 49, 1609-1611.	2.0	67
236	Experiences in applying skills learned in a mental health first aid training course: a qualitative study of participants' stories. BMC Psychiatry, 2005, 5, 43.	2.6	67
237	Helping adolescents to better support their peers with a mental health problem: A cluster-randomised crossover trial of teen Mental Health First Aid. Australian and New Zealand Journal of Psychiatry, 2018, 52, 638-651.	2.3	67
238	The public's ability to recognize mental disorders and their beliefs about treatment: changes in Australia over 8 years. Australian and New Zealand Journal of Psychiatry, 2006, 40, 36-41.	2.3	67
239	Environmental risk factors for Alzheimer's disease: their relationship to age of onset and to familial or sporadic types. Psychological Medicine, 1992, 22, 429-436.	4.5	66
240	Memory complaints in nondemented men predict future pathologic diagnosis of Alzheimer disease. Neurology, 2004, 63, 1960-1961.	1.1	66
241	Mental health first aid for Indigenous Australians: using Delphi consensus studies to develop guidelines for culturally appropriate responses to mental health problems. BMC Psychiatry, 2009, 9, 47.	2.6	66
242	Development of mental health first aid guidelines on how a member of the public can support a person affected by a traumatic event: a Delphi study. BMC Psychiatry, 2010, 10, 49.	2.6	66
243	The epidemiology of depressive states in the elderly: implications for recognition, intervention and prevention. Social Psychiatry and Psychiatric Epidemiology, 1995, 30, 53-59.	3.1	65
244	Occupational Risk Factors for Alzheimer Disease. Alzheimer Disease and Associated Disorders, 1997, 11, 21-27.	1.3	65
245	Mental health first aid training for the Chinese community in Melbourne, Australia: effects on knowledge about and attitudes toward people with mental illness. International Journal of Mental Health Systems, 2010, 4, 18.	2.7	65
246	Email-based promotion of self-help for subthreshold depression: Mood Memos randomised controlled trial. British Journal of Psychiatry, 2012, 200, 412-418.	2.8	65
247	Informant-Based Staging of Dementia Using the Clinical Dementia Rating. Alzheimer Disease and Associated Disorders, 1999, 13, 34-37.	1.3	64
248	Where there is no evidence: use of expert consensus methods to fill the evidence gap in low-income countries and cultural minorities. International Journal of Mental Health Systems, 2010, 4, 33.	2.7	64
249	Shared Decision-Making: Benefits, Barriers and Current Opportunities for Application. Australasian Psychiatry, 2010, 18, 394-397.	0.7	64
250	Prevalence and Correlates of Depression in a Population of Nonagenarians. British Journal of Psychiatry, 1995, 167, 61-64.	2.8	63
251	Attitudes Towards People with Depression: Effects on the Public's Help-Seeking and Outcome When Experiencing Common Psychiatric Symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 612-618.	2.3	63
252	Tobacco use after experiencing a major natural disaster: analysis of a longitudinal study of 2063 young adults. Addiction, 2006, 101, 1044-1050.	3.3	63

#	Article	IF	CITATIONS
253	AVPR1A andOXTR polymorphisms are associated with sexual and reproductive behavioral phenotypes in humans. Human Mutation, 2007, 28, 1150-1150.	2.5	63
254	The Selfâ€Stigma of Depression Scale (SSDS): development and psychometric evaluation of a new instrument. International Journal of Methods in Psychiatric Research, 2010, 19, 243-254.	2.1	63
255	Evaluation of a Special Nursing Home Unit for Dementia Sufferers: A Randomised Controlled Comparison with Community Care. Australian and New Zealand Journal of Psychiatry, 1987, 21, 524-531.	2.3	62
256	A latent trait analysis of an inventory designed to detect symptoms of anxiety and depression using an elderly community sample. Psychological Medicine, 1994, 24, 977-986.	4.5	62
257	Association of dopamine-l̂²-hydroxylase and androgen receptor gene polymorphisms with Eysenck's P and other personality traits. Personality and Individual Differences, 2004, 37, 191-202.	2.9	62
258	Phonological recoding skills and learning to read: A longitudinal study. Applied Psycholinguistics, 1984, 5, 201-207.	1.1	61
259	Mortality in relation to dementia, depression and social integration in an elderly community sample. International Journal of Geriatric Psychiatry, 1991, 6, 5-11.	2.7	61
260	Association of adverse childhood experiences, age of menarche, and adult reproductive behavior: Does the androgen receptor gene play a role?. American Journal of Medical Genetics Part A, 2004, 125B, 105-111.	2.4	61
261	Websites as a mode of delivering mental health information: perceptions from the Australian public. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 167-172.	3.1	61
262	Australia's †Better Access' scheme: Has it had an impact on population mental health?. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1057-1062.	2.3	60
263	Predictors of refusal to participate: a longitudinal health survey of the elderly in Australia. BMC Public Health, 2002, 2, 4.	2.9	59
264	Maternal Age and Alzheimer's Disease: A Collaborative Re-analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S21-S27.	1.9	58
265	First aid actions taken by young people for mental health problems in a close friend or family member: Findings from an Australian national survey of youth. Psychiatry Research, 2011, 188, 123-128.	3.3	58
266	Young People's Recognition of Mental Disorders and Beliefs about Treatment and Outcome: Findings from an Australian National Survey. Australian and New Zealand Journal of Psychiatry, 2011, 45, 890-898.	2.3	58
267	Psychological trauma and help seeking behaviour amongst resettled Iraqi refugees in attending English tuition classes in Australia. International Journal of Mental Health Systems, 2015, 9, 5.	2.7	58
268	A systematic review of the impact of media reports of severe mental illness on stigma and discrimination, and interventions that aim to mitigate any adverse impact. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 11-31.	3.1	58
269	Activity patterns in very old people: a survey of cognitively intact subjects aged 90 years or older. Age and Ageing, 1999, 28, 147-152.	1.6	57
270	Interaction between mother's and father's affection as a risk factor for anxiety and depression symptoms. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 173-179.	3.1	57

#	Article	IF	Citations
271	Weekly Alcohol Consumption, Brain Atrophy, and White Matter Hyperintensities in a Community-Based Sample Aged 60 to 64 Years. Psychosomatic Medicine, 2006, 68, 778-785.	2.0	57
272	Age and Gender Differences Among Australian Suicide Ideators. Journal of Nervous and Mental Disease, 2007, 195, 130-136.	1.0	57
273	Mental health literacy about depression: a survey of portuguese youth. BMC Psychiatry, 2013, 13, 129.	2.6	57
274	Why hasn't the mental health of Australians improved? The need for a national prevention strategy. Australian and New Zealand Journal of Psychiatry, 2014, 48, 795-801.	2.3	57
275	Use It and Still Lose It? The Association Between Activity and Cognitive Performance Established Using Latent Growth Techniques in a Community Sample. Aging, Neuropsychology, and Cognition, 2003, 10, 215-229.	1.3	56
276	General Practice Encounters for Psychological Problems in Rural, Remote and Metropolitan Areas in Australia. Australian and New Zealand Journal of Psychiatry, 2004, 38, 774-780.	2.3	56
277	Does stigma predict a belief in dealing with depression alone?. Journal of Affective Disorders, 2011, 132, 413-417.	4.1	56
278	Parenting strategies for reducing the risk of adolescent depression and anxiety disorders: A Delphi consensus study. Journal of Affective Disorders, 2014, 156, 67-75.	4.1	56
279	Mental health literacy as a function of remoteness of residence: an Australian national study. BMC Public Health, 2009, 9, 92.	2.9	55
280	The influence of stigma on first aid actions taken by young people for mental health problems in a close friend or family member: Findings from an Australian national survey of youth. Journal of Affective Disorders, 2011, 134, 473-477.	4.1	55
281	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <scp>T</scp> ransitions <scp>S</scp> tudy. Microbial Biotechnology, 2015, 9, 487-497.	1.7	55
282	Neuroticism and self-reported health in an elderly community sample. Personality and Individual Differences, 1993, 15, 515-521.	2.9	54
283	Belief in the harmfulness of antidepressants: Results from a national survey of the Australian public. Journal of Affective Disorders, 2005, 88, 47-53.	4.1	54
284	MRI Hyperintensities and Depressive Symptoms in a Community Sample of Individuals 60–64 Years Old. American Journal of Psychiatry, 2005, 162, 699-705.	7.2	54
285	Young People's Stigmatizing Attitudes towards People with Mental Disorders: Findings from an Australian National Survey. Australian and New Zealand Journal of Psychiatry, 2011, 45, 1033-1039.	2.3	54
286	The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209.	4.1	54
287	Prevention of depression will only succeed when it is structurally embedded and targets big determinants. World Psychiatry, 2019, 18, 111-112.	10.4	54
288	Nonâ€linear relationships between cognitive function and alcohol consumption in young, middleâ€aged and older adults: the PATH Through Life Project. Addiction, 2005, 100, 1280-1290.	3.3	53

#	Article	IF	Citations
289	The association of APOE genotype and cognitive decline in interaction with risk factors in a 65–69 year old community sample. BMC Geriatrics, 2008, 8, 14.	2.7	53
290	Evaluation of Mental Health First Aid training with members of the Vietnamese community in Melbourne, Australia. International Journal of Mental Health Systems, 2009, 3, 19.	2.7	53
291	Associations between stigma and help-seeking intentions and beliefs: Findings from an Australian national survey of young people. Psychiatry Research, 2013, 210, 1154-1160.	3.3	53
292	Cognitive Deficits 3 to 6 Years Before Dementia Onset in a Population Sample: The Honoluluâ€Asia Aging Study. Journal of the American Geriatrics Society, 2005, 53, 452-455.	2.6	52
293	Research priorities in mental health, Part 2: an evaluation of the current research effort against stakeholders' priorities. Australian and New Zealand Journal of Psychiatry, 2002, 36, 327-339.	2.3	51
294	Stigma and mood disorders. Current Opinion in Psychiatry, 2007, 20, 13-16.	6.3	51
295	Evaluation of a Mental Health Literacy Training Program for Junior Sporting Clubs. Australasian Psychiatry, 2009, 17, 475-479.	0.7	51
296	Experiences of treatment decision making for young people diagnosed with depressive disorders: a qualitative study in primary care and specialist mental health settings. BMC Psychiatry, 2011, 11, 194.	2.6	51
297	Effect of Contact-Based Interventions on Stigma and Discrimination: A Critical Examination of the Evidence. Psychiatric Services, 2020, 71, 735-737.	2.0	51
298	Predicting anxiety and depression from personality: Is there a synergistic effect of neuroticism and extraversion?. Journal of Abnormal Psychology, 2000, 109, 145-149.	1.9	51
299	Early reading achievement, oral language ability, and a child's home background. Australian Psychologist, 1983, 18, 75-87.	1.6	50
300	Distress experienced by participants during an epidemiological survey of posttraumatic stress disorder. Journal of Traumatic Stress, 2000, 13, 465-471.	1.8	50
301	Possible Improvements to the Diagnostic Criteria for Dementia in DSM-III. British Journal of Psychiatry, 1985, 147, 394-399.	2.8	49
302	Labels Used by Young People to Describe Mental Disorders: Factors Associated with Their Development. Australian and New Zealand Journal of Psychiatry, 2009, 43, 946-955.	2.3	49
303	Association between smoking and mental disorders: Results from an Australian National Prevalence Survey. Australian and New Zealand Journal of Public Health, 1999, 23, 245-248.	1.8	48
304	National Surveys of Mental Disorders: Are they Researching Scientific Facts or Constructing useful myths?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 830-834.	2.3	48
305	Alcohol consumption and cognitive performance in a random sample of Australian soldiers who served in the second world war. BMJ: British Medical Journal, 1997, 314, 1655-1655.	2.3	48
306	Association of a functional polymorphism of the monoamine oxidase A gene promoter with personality and psychiatric symptoms. Psychiatric Genetics, 2000, 10, 87-90.	1.1	47

#	Article	IF	CITATIONS
307	Community Beliefs About Causes and Risks for Mental Disorders: a Mental Health Literacy Survey in a Rural Area of Maharashtra, India. International Journal of Social Psychiatry, 2010, 56, 606-622.	3.1	47
308	Can receipt of a regular postcard reduce suicideâ€related behaviour in young help seekers? A randomized controlled trial. Microbial Biotechnology, 2012, 6, 145-152.	1.7	47
309	Aspirin, anti-inflammatory drugs and risk of dementia. , 1997, 12, 926-930.		46
310	Outcome of depression in demented and non-demented elderly: Observations from a three-year follow-up in a community-based study. International Journal of Geriatric Psychiatry, 1994, 9, 5-10.	2.7	45
311	ICD-10 mild cognitive disorder: epidemiological evidence on its validity. Psychological Medicine, 1995, 25, 105-120.	4.5	45
312	Association of Pulmonary Function with Cognitive Performance in Early, Middle and Late Adulthood. Gerontology, 2004, 50, 230-234.	2.8	45
313	First aid strategies that are helpful to young people developing a mental disorder: beliefs of health professionals compared to young people and parents. BMC Psychiatry, 2008, 8, 42.	2.6	45
314	No evidence for interaction between <i>MAOA</i> and childhood adversity for antisocial behavior. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 228-232.	1.7	45
315	Interventions that are helpful for depression and anxiety in young people: A comparison of clinicians' beliefs with those of youth and their parents. Journal of Affective Disorders, 2008, 111, 227-234.	4.1	45
316	Helping someone with problem drinking: Mental health first aid guidelines - a Delphi expert consensus study. BMC Psychiatry, 2009, 9, 79.	2.6	45
317	First Aid for Eating Disorders. Eating Disorders, 2009, 17, 357-384.	3.0	45
318	Suicide-related Internet use: A review. Australian and New Zealand Journal of Psychiatry, 2015, 49, 697-705.	2.3	45
319	Australian adolescents' beliefs and help-seeking intentions towards peers experiencing symptoms of depression and alcohol misuse. BMC Public Health, 2017, 17, 658.	2.9	45
320	Prevention of mental disorders requires action on adverse childhood experiences. Australian and New Zealand Journal of Psychiatry, 2018, 52, 316-319.	2.3	45
321	Do mental health surveys disturb?. Psychological Medicine, 1990, 20, 721-724.	4.5	44
322	Are Changes in Sensory Disability, Reaction Time, and Grip Strength Associated with Changes in Memory and Crystallized Intelligence?. Gerontology, 2000, 46, 276-292.	2.8	44
323	Reliability of race assessment based on the race of the ascendants: a cross-sectional study. BMC Public Health, $2002, 2, 1$.	2.9	44
324	Predictors of adults' helping intentions and behaviours towards a person with a mental illness: A six-month follow-up study. Psychiatry Research, 2016, 240, 170-176.	3.3	44

#	Article	IF	Citations
325	A Single-Session, Web-Based Parenting Intervention to Prevent Adolescent Depression and Anxiety Disorders: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e148.	4.3	44
326	The Canberra Interview for the Elderly: assessment of its validity in the diagnosis of dementia and depression. Acta Psychiatrica Scandinavica, 1993, 87, 146-151.	4.5	43
327	Impact of chronic systemic and neurological disorders on disability, depression and life satisfaction. , 1998, 13, 667-673.		43
328	The Canberra Longitudinal Study: Design, Aims, Methodology, Outcomes and Recent Empirical Investigations. Aging, Neuropsychology, and Cognition, 2004, 11, 169-195.	1.3	43
329	Development of mental health first aid guidelines for deliberate non-suicidal self-injury: A Delphi study. BMC Psychiatry, 2008, 8, 62.	2.6	43
330	Cognitive Deficit in the Depressed Elderly: A Review of Some Basic Unresolved Issues. Australian and New Zealand Journal of Psychiatry, 1986, 20, 11-22.	2.3	42
331	Occupational Exposures to Solvents and Lead as Risk Factors for Alzheimer's Disease: A Collaborative Re-Analysis of Case-Control Studies. International Journal of Epidemiology, 1991, 20, S58-S61.	1.9	42
332	Academic Consumer Researchers: A Bridge Between Consumers and Researchers. Australian and New Zealand Journal of Psychiatry, 2004, 38, 191-196.	2.3	42
333	Adolescents' Responses to Peers with Depression or Conduct Disorder. Australian and New Zealand Journal of Psychiatry, 2006, 40, 63-66.	2.3	42
334	Follow-Up of Mild Cognitive Impairment and Related Disorders over Four Years in Adults in Their Sixties: The PATH Through Life Study. Dementia and Geriatric Cognitive Disorders, 2008, 26, 226-233.	1.5	42
335	Development of guidelines for caregivers of people with bipolar disorder: a Delphi expert consensus study. Bipolar Disorders, 2011, 13, 556-570.	1.9	42
336	Associations between awareness of <i>beyondblue</i> and mental health literacy in Australian youth: Results from a national survey. Australian and New Zealand Journal of Psychiatry, 2012, 46, 541-552.	2.3	42
337	A multifaceted intervention to improve mental health literacy in students of a multicampus university: a cluster randomised trial. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1655-1666.	3.1	42
338	Measuring Physical and Mental Health using the SF-12: Implications for Community Surveys of Mental Health. Australian and New Zealand Journal of Psychiatry, 2006, 40, 797-803.	2.3	41
339	No Associations Between Telomere Length and Age-Sensitive Indicators of Physical Function in Mid and Later Life. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 792-799.	3.6	41
340	Beliefs about dangerousness of people with mental health problems: the role of media reports and personal exposure to threat or harm. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1257-1264.	3.1	41
341	Do mental health surveys disturb? Further evidence. Psychological Medicine, 1994, 24, 233-237.	4.5	40
342	Depression in mild cognitive impairment in a community sample of individuals 60–64 years old. International Psychogeriatrics, 2006, 18, 471.	1.0	40

#	Article	IF	Citations
343	Development of mental health first aid guidelines for panic attacks: a Delphi study. BMC Psychiatry, 2009, 9, 49.	2.6	40
344	The Australian public's beliefs about the causes of depression: Associated factors and changes over 16 years. Journal of Affective Disorders, 2013, 150, 356-362.	4.1	40
345	Mental Health First Aid training: lessons learned from the global spread of a community education program. World Psychiatry, 2019, 18, 142-143.	10.4	40
346	An analysis of the mental health trajectories of university students compared to their community peers using a national longitudinal survey. Studies in Higher Education, 2019, 44, 185-200.	4.5	40
347	A Tailored Web-Based Intervention to Improve Parenting Risk and Protective Factors for Adolescent Depression and Anxiety Problems: Postintervention Findings From a Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e17.	4.3	40
348	Reproductive period and cognitive function in a representative sample of naturally postmenopausal women aged 60–64 years. Climacteric, 2005, 8, 380-389.	2.4	39
349	Association of adolescent symptoms of depression and anxiety with alcohol use disorders in young adulthood: findings from the Victorian Adolescent Health Cohort Study. Medical Journal of Australia, 2011, 195, S27-30.	1.7	39
350	Association of Depression, Anxiety, and Suicidal Ideation With High-Risk Behaviors Among Men Who Inject Drugs in Delhi, India. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 502-510.	2.1	39
351	Quality and predictors of adolescents׳ first aid intentions and actions towards a peer with a mental health problem. Psychiatry Research, 2015, 228, 31-38.	3.3	39
352	Association of polymorphisms of the estrogen receptor gene with anxiety-related traits in children and adolescents: A longitudinal study. American Journal of Medical Genetics Part A, 2002, 114, 169-176.	2.4	38
353	Association analysis of 15 polymorphisms within 10 candidate genes for antisocial behavioural traits. Psychiatric Genetics, 2007, 17, 299-303.	1.1	38
354	Development of key messages for adolescents on providing basic mental health first aid to peers: a Delphi consensus study. Microbial Biotechnology, 2012, 6, 229-238.	1.7	38
355	Evaluation of the acceptability and usefulness of an information website for caregivers of people with bipolar disorder. BMC Medicine, 2013, 11, 162.	5.5	38
356	Quality of helping behaviours of members of the public towards a person with a mental illness: a descriptive analysis of data from an Australian national survey. Annals of General Psychiatry, 2014, 13, 2.	2.7	38
357	Partners in Parenting: A Multi-Level Web-Based Approach to Support Parents in Prevention and Early Intervention for Adolescent Depression and Anxiety. JMIR Mental Health, 2017, 4, e59.	3.3	38
358	CHILDREN WITH READING AND SPELLING RETARDATION: FUNCTIONING OF WHOLE-WORD AND CORRESPONDENCE-RULE MECHANISMS. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1981, 22, 171-178.	5.2	37
359	Association of hypotension with positive and negative affect and depressive symptoms in the elderly. British Journal of Psychiatry, 2001, 178, 553-555.	2.8	37
360	Actions taken by young people to deal with mental disorders: findings from an Australian national survey of youth. Microbial Biotechnology, 2011, 5, 335-342.	1.7	37

#	Article	IF	CITATIONS
361	Sources of information about mental health and links to help seeking: findings from the 2007 Australian National Survey of Mental Health and Wellbeing. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1267-1274.	3.1	37
362	Labels used by young people to describe mental disorders: which ones predict effective help-seeking choices?. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 917-926.	3.1	37
363	Projected increases in the number of dementia cases for 29 developed countries: application of a new method for making projections. Acta Psychiatrica Scandinavica, 1988, 78, 493-500.	4.5	36
364	Effects on Care-Givers of Special Day Care Programmes for Dementia Sufferers. Australian and New Zealand Journal of Psychiatry, 1990, 24, 82-90.	2.3	36
365	The impact of beyondblue: the national depression initiative on the Australian public's recognition of depression and beliefs about treatments. Australian and New Zealand Journal of Psychiatry, 2005, 39, 248-254.	2.3	36
366	Parenting strategies for reducing adolescent alcohol use: a Delphi consensus study. BMC Public Health, 2011, 11, 13.	2.9	36
367	Effectiveness of eLearning and blended modes of delivery of Mental Health First Aid training in the workplace: randomised controlled trial. BMC Psychiatry, 2018, 18, 312.	2.6	36
368	teen Mental Health First Aid as a school-based intervention for improving peer support of adolescents at risk of suicide: Outcomes from a cluster randomised crossover trial. Australian and New Zealand Journal of Psychiatry, 2020, 54, 382-392.	2.3	36
369	Cognitive functioning and neuroticism in an elderly community sample. Personality and Individual Differences, 1993, 15, 721-723.	2.9	35
370	Carer distress in the general population: results from the Sydney Older Persons Study. Age and Ageing, 1999, 28, 307-311.	1.6	35
371	Emotional response of participants to a mental health survey. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 80-84.	3.1	35
372	Awareness of <i>Beyondblue: The National Depression Initiative</i> in Australian Young People. Australasian Psychiatry, 2007, 15, 329-333.	0.7	35
373	The future of e-mental health. Australian and New Zealand Journal of Psychiatry, 2013, 47, 104-106.	2.3	35
374	Cross-sectional time trends in psychological and somatic health complaints among adolescents: a structural equation modelling analysis of †Health Behaviour in School-aged Children†data from Switzerland. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1189-1198.	3.1	35
375	Royal Australian and New Zealand College of Psychiatrists expert consensus statement for the treatment, management and monitoring of the physical health of people with an enduring psychotic illness. Australian and New Zealand Journal of Psychiatry, 2017, 51, 322-337.	2.3	35
376	The Value of Informant Reports for Assessment and Prediction of Dementia. Journal of the American Geriatrics Society, 2003, 51, 881-882.	2.6	34
377	Research Priorities in Suicide Prevention in Australia. Crisis, 2008, 29, 180-190.	1.2	34
378	Mental Health First Aid guidelines for helping a suicidal person: a Delphi consensus study in India. International Journal of Mental Health Systems, 2010, 4, 4.	2.7	34

#	Article	IF	CITATIONS
379	Helping someone with problem drug use: a delphi consensus study of consumers, carers, and clinicians. BMC Psychiatry, 2011, 11, 3.	2.6	34
380	Development of guidelines to assist organisations to support employees returning to work after an episode of anxiety, depression or a related disorder: a Delphi consensus study with Australian professionals and consumers. BMC Psychiatry, 2012, 12, 135.	2.6	34
381	Actions taken to deal with mental health problems in Australian higher education students. Microbial Biotechnology, 2012, 6, 159-165.	1.7	34
382	Development of suicide postvention guidelines for secondary schools: a Delphi study. BMC Public Health, $2016,16,180.$	2.9	34
383	What is needed to eradicate the depression epidemic, and why. Mental Health and Prevention, 2020, 17, 200177.	1.3	34
384	Impact of pet ownership on elderly Australians' use of medical services: an analysis using Medicare data. Medical Journal of Australia, 1997, 166, 376-377.	1.7	33
385	Effectiveness of complementary and selfâ€help treatments for depression in children and adolescents. Medical Journal of Australia, 2006, 185, 368-372.	1.7	33
386	Cognitive performance and leukocyte telomere length in two narrow age-range cohorts: a population study. BMC Geriatrics, 2010, 10, 62.	2.7	33
387	Alcohol consumption in tertiary education students. BMC Public Health, 2011, 11, 545.	2.9	33
388	Stigmatising attitudes towards people with mental disorders: Results from a survey of Japanese high school students. Psychiatry Research, 2014, 215, 229-236.	3.3	33
389	Experiences of discrimination and positive treatment from health professionals: A national survey of adults with mental health problems. Australian and New Zealand Journal of Psychiatry, 2016, 50, 754-762.	2.3	33
390	Prisoner of War Experience: Effects on Wives. Journal of Nervous and Mental Disease, 1998, 186, 231-237.	1.0	33
391	ls case-ascertainment of Alzheimer's disease in field surveys practicable?. Psychological Medicine, 1987, 17, 549-555.	4.5	32
392	The impact of pet ownership on health and health service use: Results from a community sample of Australians aged 40 to 44 years. Anthrozoos, 2003, 16, 43-56.	1.4	32
393	Associations between plasma antioxidants and hypertension in a community-based sample of 415 Australians aged 60–64. Journal of Human Hypertension, 2005, 19, 219-226.	2.2	32
394	An Instrument to Measure Engagement in Life: Factor Analysis and Associations with Sociodemographic, Health and Cognition Measures. Gerontology, 2006, 52, 188-198.	2.8	32
395	Recall of News Stories About Mental Illness by Australian Youth: Associations with Help-Seeking Attitudes and Stigma. Australian and New Zealand Journal of Psychiatry, 2009, 43, 866-872.	2.3	32
396	Factors Associated with Successful Ageing. Australasian Journal on Ageing, 1998, 17, 33-37.	0.9	32

#	Article	IF	Citations
397	Psychiatric labels and other influences on young people's stigmatizing attitudes: Findings from an Australian national survey. Journal of Affective Disorders, 2013, 148, 299-309.	4.1	32
398	Parenting to prevent body dissatisfaction and unhealthy eating patterns in preschool children: A Delphi consensus study. Body Image, 2014, 11, 418-425.	4.3	32
399	<scp>T</scp> ransitions <scp>S</scp> tudy of predictors of illness progression in young people with mental ill health: study methodology. Microbial Biotechnology, 2015, 9, 38-47.	1.7	32
400	Phonological confusability in short-term memory for sentences as a predictor of reading ability. British Journal of Psychology, 1984, 75, 393-400.	2.3	31
401	Disability in dementia: assessment, prevention, and rehabilitation. Disability and Rehabilitation, 1994, 16, 98-109.	1.8	31
402	Improving Australians' depression literacy. Medical Journal of Australia, 2002, 177, S117-21.	1.7	31
403	Suicidal ideation and attempts among men who inject drugs in Delhi, India: psychological and social risk factors. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1367-1377.	3.1	31
404	Structure of beliefs about the helpfulness of interventions for depression and schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 877-883.	3.1	30
405	Australia's Better Access Initiative: Do the Evaluation Data Support the Critics?. Australian and New Zealand Journal of Psychiatry, 2011, 45, 700-704.	2.3	30
406	Intentions and helpfulness beliefs about first aid responses for young people with mental disorders: Findings from two Australian national surveys of youth. Journal of Affective Disorders, 2012, 136, 430-442.	4.1	30
407	Mental health first aid guidelines: an evaluation of impact following download from the World Wide Web. Microbial Biotechnology, 2012, 6, 399-406.	1.7	30
408	Associations between beliefs about the causes of mental disorders and stigmatising attitudes: Results of a national survey of the Australian public. Australian and New Zealand Journal of Psychiatry, 2014, 48, 764-771.	2.3	30
409	Effects of Cholinergic Enhancement Therapies on Memory Function in Alzheimer's Disease: A Meta-Analysis of the Literature. Australian and New Zealand Journal of Psychiatry, 1986, 20, 237-240.	2.3	29
410	Characteristics of Australians who reported consulting a psychologist for a health problem: An analysis of data from the 1989-90 national health survey. Australian Psychologist, 1994, 29, 212-215.	1.6	29
411	Attitudes and Participation of the Elderly in Population Surveys: Data from a Longitudinal Study on Aging and Dementia in Stockholm. Journal of Clinical Epidemiology, 1998, 51, 181-187.	5.0	29
412	Research priorities in mental health, part 1: an evaluation of the current research effort against the criteria of disease burden and health system costs. Australian and New Zealand Journal of Psychiatry, 2002, 36, 322-326.	2.3	29
413	Quality of life, depression, anxiety and suicidal ideation among men who inject drugs in Delhi, India. BMC Psychiatry, 2013, 13, 151.	2.6	29
414	Beliefs of Australian health professionals about the helpfulness of interventions for mental disorders: Differences between professions and change over time. Australian and New Zealand Journal of Psychiatry, 2013, 47, 840-848.	2.3	29

#	Article	IF	Citations
415	Willingness to disclose a mental disorder and knowledge of disorders in others: Changes in Australia over 16 years. Australian and New Zealand Journal of Psychiatry, 2014, 48, 162-168.	2.3	29
416	Prevalence of depression and its correlates among undergraduates in Sri Lanka. Asian Journal of Psychiatry, 2015, 15, 32-37.	2.0	29
417	Experiences of discrimination and positive treatment in people with mental health problems: Findings from an Australian national survey. Australian and New Zealand Journal of Psychiatry, 2015, 49, 906-913.	2.3	29
418	A school-based health promotion programme to increase help-seeking for substance use and mental health problems: study protocol for a randomised controlled trial. Trials, 2016, 17, 393.	1.6	29
419	Who uses mental health services in Australia? An analysis of data from the National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2000, 34, 997-1008.	2.3	29
420	Regional differences in mortality from dementia in Australia: an analysis of death certificate data. Acta Psychiatrica Scandinavica, 1989, 79, 179-185.	4.5	28
421	Lower cognitive test scores observed in alcohol abstainers are associated with demographic, personality, and biological factors: the PATH Through Life Project. Addiction, 2005, 100, 1291-1301.	3.3	28
422	Clinical and Neuroimaging Correlates of Mild Cognitive Impairment in a Middle-Aged Community Sample: The Personality and Total Health through Life 60+ Study. Dementia and Geriatric Cognitive Disorders, 2006, 21, 44-50.	1.5	28
423	Mental Health First Aid guidelines for helping a suicidal person: a Delphi consensus study in Japan. International Journal of Mental Health Systems, 2011, 5, 12.	2.7	28
424	Mental health first aid for eating disorders: pilot evaluation of a training program for the public. BMC Psychiatry, 2012, 12, 98.	2.6	28
425	Beliefs about mental disorder treatment and prognosis: Comparison of health professionals with the Australian public. Australian and New Zealand Journal of Psychiatry, 2014, 48, 442-451.	2.3	28
426	Parenting strategies for reducing the risk of childhood depression and anxiety disorders: A Delphi consensus study. Journal of Affective Disorders, 2015, 183, 330-338.	4.1	28
427	Guidelines for the public on how to provide mental health first aid: narrative review. BJPsych Open, 2018, 4, 427-440.	0.7	28
428	The feasibility of a role for community health workers in integrated mental health care for perinatal depression: a qualitative study from Surabaya, Indonesia. International Journal of Mental Health Systems, 2018, 12, 27.	2.7	28
429	Does Mental Health First Aid training improve the mental health of aid recipients? The training for parents of teenagers randomised controlled trial. BMC Psychiatry, 2019, 19, 99.	2.6	28
430	Effect of word imagery on reading performance as a function of reader ability Journal of Educational Psychology, 1977, 69, 46-54.	2.9	27
431	Assessing the risk of Alzheimer's disease in first-degree relatives of Alzheimer's disease cases. Psychological Medicine, 1993, 23, 915-923.	4.5	27
432	Are malnutrition and stress risk factors for accelerated cognitive decline? A prisoner of war study. Neurology, 1996, 46, 650-655.	1.1	27

#	Article	IF	Citations
433	Medical-Care Costs Associated with Posttraumatic Stress Disorder in Vietnam Veterans. Australian and New Zealand Journal of Psychiatry, 2000, 34, 954-962.	2.3	27
434	First aid guidelines for psychosis in Asian countries: a Delphi consensus study. International Journal of Mental Health Systems, 2008, 2, 2.	2.7	27
435	National Depression and Anxiety Indices for Australia. Australian and New Zealand Journal of Psychiatry, 2011, 45, 780-787.	2.3	27
436	Providing culturally appropriate mental health first aid to an Aboriginal or Torres Strait Islander adolescent: development of expert consensus guidelines. International Journal of Mental Health Systems, 2014, 8, 6.	2.7	27
437	Projections of future numbers of dementia cases in Australia with and without prevention. Australian and New Zealand Journal of Psychiatry, 2005, 39, 959-963.	2.3	27
438	The validity of word age-of-acquisition ratings: A longitudinal study of a child's word knowledge. British Journal of Developmental Psychology, 1991, 9, 437-444.	1.7	26
439	The impact of employee level and work stress on mental health and GP service use: an analysis of a sample of Australian government employees. BMC Public Health, 2004, 4, 41.	2.9	26
440	Use of prescription medications and complementary and alternative medicines to treat depressive and anxiety symptoms: results from a community sample. Journal of Affective Disorders, 2004, 82, 77-84.	4.1	26
441	Health Professionals' Recognition of Co-Occurring Alcohol and Depressive Disorders in Youth: A Survey of Australian General Practitioners, Psychiatrists, Psychologists and Mental Health Nurses Using Case Vignettes. Australian and New Zealand Journal of Psychiatry, 2007, 41, 830-835.	2.3	26
442	Changes in psychological distress in Australian adults between 1995 and 2011. Australian and New Zealand Journal of Psychiatry, 2012, 46, 352-356.	2.3	26
443	Suicide first aid guidelines for Sri Lanka: a Delphi consensus study. International Journal of Mental Health Systems, 2016, 10, 53.	2.7	26
444	Public beliefs about the helpfulness of interventions for depression: effects on actions taken when experiencing anxiety and depression symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 619-626.	2.3	26
445	Methods of screening for dementia: a meta-analysis of studies comparing an informant questionnaire with a brief cognitive test. Alzheimer Disease and Associated Disorders, 1997, 11, 158-62.	1.3	26
446	The disabled elderly living in the community: care received from family and formal services. Medical Journal of Australia, 1993, 158, 383-388.	1.7	25
447	THE PSYCHOGERIATRIC ASSESSMENT SCALES (PAS): FURTHER DATA ON PSYCHOMETRIC PROPERTIES AND VALIDITY FROM A LONGITUDINAL STUDY OF THE ELDERLY. , 1997, 12, 93-100.		25
448	Improving the public's understanding and response to mental disorders. Australian Psychologist, 2007, 42, 81-89.	1.6	25
449	No association between the serotonin-1A receptor gene single nucleotide polymorphism rs6295C/G and symptoms of anxiety or depression, and no interaction between the polymorphism and environmental stressors of childhood anxiety or recent stressful life events on anxiety or depression. Psychiatric Genetics. 2010. 20. 8-13.	1.1	25
450	Mental Health First Aid guidelines for helping a suicidal person: a Delphi consensus study in the Philippines. International Journal of Mental Health Systems, 2010, 4, 32.	2.7	25

#	Article	IF	CITATIONS
451	Web-Based Parenting Program to Prevent Adolescent Alcohol Misuse: Rationale and Development. Australasian Psychiatry, 2011, 19, 339-344.	0.7	25
452	Usage and reported helpfulness of self-help strategies by adults with sub-threshold depression. Journal of Affective Disorders, 2012, 136, 393-397.	4.1	25
453	Public belief that mentally ill people are violent: Is the USA exporting stigma to the rest of the world?. Australian and New Zealand Journal of Psychiatry, 2014, 48, 213-215.	2.3	25
454	Examining Predictors of Help Giving Toward People With a Mental Illness. SAGE Open, 2014, 4, 215824401453750.	1.7	25
455	Causes of and risk factors for posttraumatic stress disorder: the beliefs of Iraqi and Afghan refugees resettled in Australia. International Journal of Mental Health Systems, 2017, 11, 4.	2.7	25
456	Offering mental health first aid to a person with depression: a Delphi study to re-develop the guidelines published in 2008. BMC Psychology, 2019, 7, 37.	2.1	25
457	Pretrauma and Posttrauma Neurocognitive Functioning and PTSD Symptoms in a Community Sample of Young Adults. American Journal of Psychiatry, 2007, 164, 509.	7.2	25
458	Short report: Effect of premorbid intelligence on the Mini-Mental State and IQCODE. International Journal of Geriatric Psychiatry, 1992, 7, 159-160.	2.7	24
459	Association of a polymorphism of the dopamine transporter gene with externalizing behavior problems and associated temperament traits: A longitudinal study from infancy to the mid-teens. American Journal of Medical Genetics Part A, 2001, 105, 346-350.	2.4	24
460	Actions that young people can take to prevent depression, anxiety and psychosis: Beliefs of health professionals and young people. Journal of Affective Disorders, 2010, 126, 278-281.	4.1	24
461	Depression literacy of undergraduates in a non-western developing context: the case of Sri Lanka. BMC Research Notes, 2015, 8, 593.	1.4	24
462	Discrimination and positive treatment toward people with mental health problems in workplace and education settings: Findings from an Australian National Survey Stigma and Health, 2017, 2, 254-265.	1.7	24
463	Use of Private Psychiatric Services in Australia: An Analysis of Medicare Data. Australian and New Zealand Journal of Psychiatry, 1989, 23, 461-468.	2.3	23
464	Quantifying and predicting depression literacy of undergraduates: a cross sectional study in Sri Lanka. BMC Psychiatry, 2015, 15, 269.	2.6	23
465	How effective are â€~headspace' youth mental health services?. Australian and New Zealand Journal of Psychiatry, 2015, 49, 861-862.	2.3	23
466	Who Goes Online for Suicide-Related Reasons?. Crisis, 2016, 37, 112-120.	1.2	23
467	Medium-Term Effects of a Tailored Web-Based Parenting Intervention to Reduce Adolescent Risk of Depression and Anxiety: 12-Month Findings From a Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e13628.	4.3	23
468	Informant ratings of cognitive decline of elderly people: relationship to longitudinal change on cognitive tests. Age and Ageing, 1996, 25, 125-9.	1.6	23

#	Article	IF	Citations
469	Predictors of GP service use: a community survey of an elderly Australian sample. Australian and New Zealand Journal of Public Health, 1998, 22, 609-615.	1.8	22
470	Making decisions about treatment for young people diagnosed with depressive disorders: a qualitative study of clinicians' experiences. BMC Psychiatry, 2013, 13, 335.	2.6	22
471	Re-development of mental health first aid guidelines for non-suicidal self-injury: a Delphi study. BMC Psychiatry, 2014, 14, 236.	2.6	22
472	Disclosure of mental health problems: findings from an Australian national survey. Epidemiology and Psychiatric Sciences, 2018, 27, 346-356.	3.9	22
473	Change in cognitive functioning associated with apoE genotype in a community sample of older adults. Psychology and Aging, 2002, 17, 194-208.	1.6	22
474	General Practitioners' Reported Knowledge about Depression and Dementia in Elderly Patients. Australian and New Zealand Journal of Psychiatry, 1992, 26, 168-174.	2.3	21
475	Screening for Dementia Using an Informant Interview. Aging, Neuropsychology, and Cognition, 1998, 5, 194-202.	1.3	21
476	The cognitive decline scale of the psychogeriatric assessment scales (PAS): longitudinal data on its validity. International Journal of Geriatric Psychiatry, 2001, 16, 261-265.	2.7	21
477	A Comparison of Clinician, Youth, and Parent Beliefs About Helpfulness of Interventions for Early Psychosis. Psychiatric Services, 2008, 59, 1115-1120.	2.0	21
478	Development of mental health first aid guidelines for Aboriginal and Torres Strait Islander people experiencing problems with substance use: a Delphi study. BMC Psychiatry, 2010, 10, 78.	2.6	21
479	Depression and stigma: from attitudes to discrimination. Lancet, The, 2013, 381, 10-11.	13.7	21
480	Children with mental versus physical health problems: differences in perceived disease severity, health care service utilization and parental health literacy. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 407-418.	3.1	21
481	Providing mental health first aid in the workplace: a Delphi consensus study. BMC Psychology, 2016, 4, 41.	2.1	21
482	How a concerned family member, friend or member of the public can help someone with gambling problems: a Delphi consensus study. BMC Psychology, 2016, 4, 6.	2.1	21
483	Suicidal behaviour in Indigenous compared to non-Indigenous males in urban and regional Australia: Prevalence data suggest disparities increase across age groups. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1240-1248.	2.3	21
484	Social determinants of mental health service utilization in Switzerland. International Journal of Public Health, 2017, 62, 85-93.	2.3	21
485	Increases in youth mental health services in Australia: Have they had an impact on youth population mental health?. Australian and New Zealand Journal of Psychiatry, 2021, 55, 476-484.	2.3	21
486	Mental health first aid training: review of evaluation studies. Australian and New Zealand Journal of Psychiatry, 2006, 40, 6-8.	2.3	21

#	Article	IF	CITATIONS
487	ICD-10 MILD COGNITIVE DISORDER: ITS OUTCOME THREE YEARS LATER. , 1997, 12, 581-586.		20
488	Mental health literacy survey of psychiatrically and generally trained nurses employed in a Singapore psychiatric hospital. International Journal of Nursing Practice, 2001, 7, 414-421.	1.7	20
489	Lack of association of a single-nucleotide polymorphism of the ?-opioid receptor gene with anxiety-related traits: Results from a cross-sectional study of adults and a longitudinal study of children. American Journal of Medical Genetics Part A, 2002, 114, 659-664.	2.4	20
490	Behavior change through automated e-mails: Mediation analysis of self-help strategy use for depressive symptoms. Behaviour Research and Therapy, 2013, 51, 57-62.	3.1	20
491	Mental health literacy about schizophrenia: a survey of <scp>P</scp> ortuguese youth. Microbial Biotechnology, 2015, 9, 234-241.	1.7	20
492	Discrimination and support from friends and family members experienced by people with mental health problems: findings from an Australian national survey. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1395-1403.	3.1	20
493	Influence of gender on mental health literacy in young Australians. Australian and New Zealand Journal of Psychiatry, 2006, 40, 790-796.	2.3	20
494	The Parenting to Reduce Adolescent Depression and Anxiety Scale: Assessing parental concordance with parenting guidelines for the prevention of adolescent depression and anxiety disorders. PeerJ, 2017, 5, e3825.	2.0	20
495	Differential Diagnosis in Dementia. Archives of Neurology, 1993, 50, 72.	4.5	19
496	Alzheimer's disease: risk and protection. Medical Journal of Australia, 1997, 167, 443-446.	1.7	19
497	Is Experience as a Prisoner of War a Risk Factor for Accelerated Ageâ€Related Illness and Disability?. Journal of the American Geriatrics Society, 1999, 47, 60-64.	2.6	19
498	Definition, and Epidemiology of Dementia: A Review., 2002,, 1-68.		19
499	A community survey demonstrated cohort differences in the lifetime prevalence of self-reported head injury. Journal of Clinical Epidemiology, 2004, 57, 742-748.	5.0	19
500	Dementiaâ€free life expectancy in Australia. Australian Journal of Public Health, 1994, 18, 149-152.	0.2	19
501	Lack of impact of past efforts to prevent suicide in Australia: Please explain. Australian and New Zealand Journal of Psychiatry, 2019, 53, 379-380.	2.3	19
502	The nature of the reading deficit in developmental dyslexia: A reply to Ellis. Cognition, 1979, 7, 421-433.	2.2	18
503	A Method for Calculating Projected Increases in the Number of Dementia Sufferers. Australian and New Zealand Journal of Psychiatry, 1988, 22, 183-189.	2.3	18
504	Neurotic symptoms and subjective well-being in a community sample: different sides of the same coin?. Psychological Medicine, 1990, 20, 647-654.	4.5	18

#	Article	IF	Citations
505	Control-Informant Agreement on Exposure History in Case-Control Studies of Alzheimer's Disease. International Journal of Epidemiology, 1992, 21, 1121-1131.	1.9	18
506	12 Use of Informants' Reports to Study Memory Changes in Dementia. Advances in Psychology, 1992, , 267-282.	0.1	18
507	Help-seeking in Vietnam veterans: post-traumatic stress disorder and other predictors. Australian and New Zealand Journal of Public Health, 1997, 21, 211-213.	1.8	18
508	Clinical diagnoses and disability of cognitively impaired older persons as predictors of stress in their carers., 1997, 12, 1019-1028.		18
509	A Comparative Mental Health Literacy Survey of Psychiatrists and Other Mental Health Professionals in Singapore. Australian and New Zealand Journal of Psychiatry, 2000, 34, 627-636.	2.3	18
510	Predictors of Types of Help Provided to People Using Services for Mental Health Problems: An Analysis of the Australian National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2001, 35, 183-189.	2.3	18
511	Adolescents' responses to peers with depression or conduct disorder. Australian and New Zealand Journal of Psychiatry, 2006, 40, 63-66.	2.3	18
512	The population impact of improvements in mental health services: the case of Australia. British Journal of Psychiatry, 2011, 199, 443-444.	2.8	18
513	Research on mental health literacy: what we know and what we still need to know. Australian and New Zealand Journal of Psychiatry, 2006, 40, 3-5.	2.3	18
514	Inequalities in the Regional Distribution of Private Psychiatric Services Provided under Medicare. Australian and New Zealand Journal of Psychiatry, 1993, 27, 630-637.	2.3	17
515	A National Depression Index for Australia. Medical Journal of Australia, 2004, 181, S52-6.	1.7	17
516	Use of medications to enhance memory in a large community sample of 60–64 year olds. International Psychogeriatrics, 2004, 16, 209-217.	1.0	17
517	Social networks and health: it's time for an intervention trial. Journal of Epidemiology and Community Health, 2005, 59, 537-538.	3.7	17
518	Changes in Psychological Distress in Australia over an 8-Year Period: Evidence for Worsening in Young Men. Australian and New Zealand Journal of Psychiatry, 2006, 40, 47-50.	2.3	17
519	Australian Young People's Awareness of Headspace, Beyondblue and other Mental Health Organizations. Australasian Psychiatry, 2009, 17, 472-474.	0.7	17
520	The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76.	1.6	17
521	Protocol for a randomised controlled trial investigating self-help email messages for sub-threshold depression: the Mood Memos study. Trials, 2011, 12, 11.	1.6	17
522	Helping intentions of undergraduates towards their depressed peers: a cross-sectional study in Sri Lanka. BMC Psychiatry, 2017, 17, 40.	2.6	17

#	Article	IF	Citations
523	Student psychological distress and degree dropout or completion: a discrete-time, competing risks survival analysis. Higher Education Research and Development, 2018, 37, 484-498.	2.9	17
524	Associations of training to assist a suicidal person with subsequent quality of support: results from a national survey of the Australian public. BMC Psychiatry, 2018, 18, 132.	2.6	17
525	Re-development of mental health first aid guidelines for supporting Aboriginal and Torres Strait islanders who are experiencing suicidal thoughts and behaviour. BMC Psychiatry, 2018, 18, 228.	2.6	17
526	Teen Mental Health First Aid for years 7–9: a description of the program and an initial evaluation. International Journal of Mental Health Systems, 2019, 13, 71.	2.7	17
527	Importance of Messages for a Suicide Prevention Media Campaign. Crisis, 2018, 39, 438-450.	1.2	17
528	Season of birth for Alzheimer's disease in the Southern Hemisphere. Psychological Medicine, 1991, 21, 371-374.	4.5	16
529	Does education protect against cognitive impairment? A comparison of the elderly in two australian cities. International Journal of Geriatric Psychiatry, 1994, 9, 357-363.	2.7	16
530	Diagnosis and treatment of mental disorders: a survey of Singapore mental health professionals. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 555-563.	3.1	16
531	Adaptation of the Emotional Contagion Scale (ECS) and gender differences within the Greek cultural context. Annals of General Psychiatry, 2008, 7, 14.	2.7	16
532	Self-Reported Cognitive Decline on the Informant Questionnaire on Cognitive Decline in the Elderly Is Associated with Dementia, Instrumental Activities of Daily Living and Depression but Not Longitudinal Cognitive Change. Dementia and Geriatric Cognitive Disorders, 2012, 34, 282-291.	1.5	16
533	The perceived impact of suicide-related internet use: A survey of young Australians who have gone online for suicide-related reasons. Digital Health, 2016, 2, 205520761662986.	1.8	16
534	Development of guidelines for family and non-professional helpers on assisting an older person who is developing cognitive impairment or has dementia: a Delphi expert consensus study. BMC Geriatrics, 2016, 16, 129.	2.7	16
535	The role of Mental Health First Aid training in nursing education: A response to Happell, Wilson & McNamara (2015). Collegian, 2017, 24, 313-315.	1.3	16
536	Development of guidelines for tertiary education institutions to assist them in supporting students with a mental illness: a Delphi consensus study with Australian professionals and consumers. Peerl, 2013, 1, e43.	2.0	16
537	An examination of seasonality experienced by Australians living in a continental temperate climate zone. Journal of Affective Disorders, 2004, 80, 181-190.	4.1	15
538	Religiosity and personality: evidence for non-linear associations. Personality and Individual Differences, 2004, 36, 1433-1441.	2.9	15
539	Use of medical services after participation in a community-based epidemiological health survey. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 311-317.	3.1	15
540	Examining Geographical and Household Variation in Mental Health in Australia. Australian and New Zealand Journal of Psychiatry, 2006, 40, 491-497.	2.3	15

#	Article	IF	CITATIONS
541	Parents' beliefs about actions they can take to prevent depressive disorders in young people: results from an Australian national survey. Epidemiology and Psychiatric Sciences, 2012, 21, 117-123.	3.9	15
542	Identifying prevention strategies for adolescents to reduce their risk of depression: A Delphi consensus study. Journal of Affective Disorders, 2015, 183, 229-238.	4.1	15
543	Self-help strategies for sub-threshold anxiety: A Delphi consensus study to find messages suitable for population-wide promotion. Journal of Affective Disorders, 2016, 206, 68-76.	4.1	15
544	Predictors of experiences of discrimination and positive treatment in people with mental health problems: findings from an Australian national survey. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 269-277.	3.1	15
545	Cross-cultural generalizability of suicide first aid actions: an analysis of agreement across expert consensus studies from a range of countries and cultures. BMC Psychiatry, 2018, 18, 58.	2.6	15
546	Predicting intentions to seek help for depression among undergraduates in Sri Lanka. BMC Psychiatry, 2018, 18, 122.	2.6	15
547	Developing a model of help giving towards people with a mental health problem: a qualitative study of Mental Health First Aid participants. International Journal of Mental Health Systems, 2018, 12, 48.	2.7	15
548	Cultural adaptation of the mental health first aid guidelines for depression used in English-speaking countries for China: a Delphi expert consensus study. BMC Psychiatry, 2020, 20, 336.	2.6	15
549	GP attendance by elderly Australians: evidence for unmet need in elderly men. Medical Journal of Australia, 1997, 166, 123-126.	1.7	14
550	Predictors of Partially Met or Unmet Need Reported by Consumers of Mental Health Services: An Analysis of Data from the Australian National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2001, 35, 455-463.	2.3	14
551	Beliefs of young people and their parents about the harmfulness of alcohol, cannabis and tobacco for mental disorders. Medical Journal of Australia, 2007, 187, 266-269.	1.7	14
552	The associations between psychiatric label use and young people's help-seeking preferences: results from an Australian national survey. Epidemiology and Psychiatric Sciences, 2014, 23, 51-59.	3.9	14
553	A multifaceted intervention to improve mental health literacy in employees of a multi-campus university: a cluster randomised trial. Journal of Public Mental Health, 2014, 13, 25-39.	1.1	14
554	Improving the capacity of community-based workers in Australia to provide initial assistance to Iraqi refugees with mental health problems: an uncontrolled evaluation of a Mental Health Literacy Course. International Journal of Mental Health Systems, 2018, 12, 2.	2.7	14
555	A tailored online intervention to improve parenting risk and protective factors for child anxiety and depression: Medium-term findings from a randomized controlled trial. Journal of Affective Disorders, 2020, 277, 814-824.	4.1	14
556	Belief in suicide prevention myths and its effect on helping: a nationally representative survey of Australian adults. BMC Psychiatry, 2020, 20, 303.	2.6	14
557	Variation in Psychiatric and Behavioural Symptoms at Different Stages of Dementia: Data from Physicians' Examinations and Informants' Reports. Dementia and Geriatric Cognitive Disorders, 1993, 4, 282-286.	1.5	13
558	SOME CONTRIBUTIONS TO THE EPIDEMIOLOGY OF DEMENTIA AND DEPRESSION. , 1997, 12, 145-154.		13

#	Article	IF	Citations
559	Do We Do What We Know Works, and if Not Why Not?. Australian and New Zealand Journal of Psychiatry, 2008, 42, 439-444.	2.3	13
560	Effect of feedback on the quality of suicide prevention websites: randomised controlled trial. British Journal of Psychiatry, 2010, 197, 73-74.	2.8	13
561	Young people's beliefs about the harmfulness of alcohol, cannabis and tobacco for mental disorders: findings from two Australian national youth surveys. Addiction, 2012, 107, 838-847.	3.3	13
562	Young people's beliefs about preventive strategies for mental disorders: Findings from two Australian national surveys of youth. Journal of Affective Disorders, 2012, 136, 940-947.	4.1	13
563	Development of guidelines for workplace prevention of mental health problems: A Delphi consensus study with Australian professionals and employees. Mental Health and Prevention, 2014, 2, 26-34.	1.3	13
564	The Australian public׳s beliefs about the causes of schizophrenia: Associated factors and change over 16 years. Psychiatry Research, 2014, 220, 609-614.	3.3	13
565	Factors Associated With Service Use for Young Adolescents With Mental Health Problems. SAGE Open, 2014, 4, 215824401455628.	1.7	13
566	Important considerations when providing mental health first aid to Iraqi refugees in Australia: a Delphi study. International Journal of Mental Health Systems, 2016, 10, 54.	2.7	13
567	Re-development of mental health first aid guidelines for supporting Aboriginal and Torres Strait Islanders who are engaging in non-suicidal self-injury. BMC Psychiatry, 2017, 17, 300.	2.6	13
568	Online parenting guidelines to prevent adolescent depression and anxiety: Evaluating user characteristics and usefulness. Microbial Biotechnology, 2018, 12, 951-958.	1.7	13
569	Parenting Resilient Kids (PaRK), an online parenting program to prevent anxiety and depression problems in primary school-aged children: Study protocol for a randomised controlled trial. Trials, 2018, 19, 236.	1.6	13
570	Mental Health Literacy Study of General Practitioners: A Comparative Study in Singapore and Australia. Australasian Psychiatry, 2001, 9, 55-59.	0.7	12
571	Prospects for the prevention of dementia. Australasian Journal on Ageing, 2002, 21, 9-13.	0.9	12
572	Differences between landline and mobileâ€only respondents in a dualâ€frame mental health literacy survey. Australian and New Zealand Journal of Public Health, 2012, 36, 192-193.	1.8	12
573	Development of Guidelines for Adults on How to Communicate With Adolescents About Mental Health Problems and Other Sensitive Topics. SAGE Open, 2013, 3, 215824401351676.	1.7	12
574	Stigmatising attitudes of undergraduates towards their peers with depression: a cross-sectional study in Sri Lanka. BMC Psychiatry, 2015, 15, 129.	2.6	12
575	The long-term mental health risk associated with non-heterosexual orientation. Epidemiology and Psychiatric Sciences, 2018, 27, 74-83.	3.9	12
576	Suicide first aid guidelines for assisting persons from immigrant or refugee background: a Delphi study. Advances in Mental Health, 2018, 16, 105-116.	0.7	12

#	Article	IF	Citations
577	Confidence and Intentions to Help a Person at Risk of Suicide. Suicide and Life-Threatening Behavior, 2020, 50, 138-150.	1.9	12
578	Long-term effects of Youth Mental Health First Aid training: randomized controlled trial with 3-year follow-up. BMC Psychiatry, 2020, 20, 487.	2.6	12
579	Discrimination experienced by Aboriginal and Torres Strait Islander males in Australia: Associations with suicidal thoughts and depressive symptoms. Australian and New Zealand Journal of Psychiatry, 2022, 56, 657-666.	2.3	12
580	Longer-term effectiveness of eLearning and blended delivery of Mental Health First Aid training in the workplace: 2-Year follow-up of a randomised controlled trial. Internet Interventions, 2021, 25, 100434.	2.7	12
581	Self-Help for Depression via E-mail: A Randomised Controlled Trial of Effects on Depression and Self-Help Behaviour. PLoS ONE, 2013, 8, e66537.	2.5	12
582	The outcome of depression and dysthymia in a very elderly population: Results from a three-year follow-up study. Aging and Mental Health, 1998, 2, 100-104.	2.8	11
583	Conditions required for a law on active voluntary euthanasia: a survey of nurses' opinions in the Australian Capital Territory Journal of Medical Ethics, 1999, 25, 25-30.	1.8	11
584	Assessing candidate genes as risk factors for mental disorders: the value of population-based epidemiological studies. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 1-4.	3.1	11
585	Belief in the harmfulness of antidepressants: Associated factors and change over 16years. Journal of Affective Disorders, 2012, 138, 375-386.	4.1	11
586	Mental health reform: increased resources but limited gains. Medical Journal of Australia, 2014, 201, 375-376.	1.7	11
587	Is the use of accurate psychiatric labels associated with intentions and beliefs about responses to mental illness in a friend? Findings from two national surveys of Australian youth. Epidemiology and Psychiatric Sciences, 2015, 24, 54-68.	3.9	11
588	Considerations when providing mental health first aid to an LGBTIQ person: a Delphi study. Advances in Mental Health, 2017, 15, 183-197.	0.7	11
589	The impact and reach of web-based parenting guidelines to prevent childhood depression and anxiety: Findings from online user surveys. Mental Health and Prevention, 2017, 7, 1-7.	1.3	11
590	How â€~mental health smart' are you? Analysis of responses to an Australian Broadcasting Corporation News website quiz. Advances in Mental Health, 2018, 16, 5-18.	0.7	11
591	Helping actions given and received in response to suicide risk: Findings from an Australian nationally representative telephone survey. SSM - Population Health, 2019, 9, 100483.	2.7	11
592	Parental Selfâ€Efficacy for Reducing the Risk of Adolescent Depression and Anxiety: Scale Development and Validation. Journal of Research on Adolescence, 2020, 30, 249-265.	3.7	11
593	Cultural adaptation of the mental health first aid guidelines for assisting a person at risk of suicide to China: a Delphi expert consensus study. BMC Psychiatry, 2020, 20, 454.	2.6	11
594	Stigmatizing attitudes of Swiss youth towards peers with mental disorders. PLoS ONE, 2020, 15, e0235034.	2.5	11

#	Article	IF	Citations
595	Attitudes towards people with depression: effects on the public's help-seeking and outcome when experiencing common psychiatric symptoms. Australian and New Zealand Journal of Psychiatry, 2000, 34, 612-618.	2.3	11
596	Epidemiology of mental disorders in old age. Current Opinion in Psychiatry, 1998, 11, 405-409.	6.3	11
597	Talking about suicide: An uncontrolled trial of the effects of an Aboriginal and Torres Strait Islander mental health first aid program on knowledge, attitudes and intended and actual assisting actions. PLoS ONE, 2020, 15, e0244091.	2.5	11
598	Parietal lobe function in developmental dyslexia. Neuropsychologia, 1977, 15, 841-844.	1.6	10
599	Role of visual word-recognition checks in children's spelling. Australian Journal of Psychology, 1981, 33, 393-403.	2.8	10
600	Lexical decision and naming times of young disabled readers with function and content words. Australian Journal of Psychology, 1988, 40, 11-18.	2.8	10
601	Personality change in dementia of the Alzheimer type. , 1996, 11, 201-207.		10
602	The advantage of being broad-minded: Brain diameter and neuropsychological test performance in elderly war veterans. Personality and Individual Differences, 1997, 23, 371-377.	2.9	10
603	Evidence-based mental health services reform in Australia: Where to next?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 693-695.	2.3	10
604	Male-to-male sex among men who inject drugs in Delhi, India: Overlapping HIV risk behaviours. International Journal of Drug Policy, 2015, 26, 404-411.	3.3	10
605	Mental Health First Aid training for Australian financial counsellors: An evaluation study. Advances in Mental Health, 2016, 14, 65-74.	0.7	10
606	The Therapist-assisted Online Parenting Strategies (TOPS) program for parents of adolescents with clinical anxiety or depression: Development and feasibility pilot. Internet Interventions, 2019, 18, 100285.	2.7	10
607	Mental health nurses' beliefs about interventions for schizophrenia and depression: a comparison with psychiatrists and the public. Australian and New Zealand Journal of Psychiatry, 2000, 34, 602-611.	2.3	10
608	General practice encounters for psychological problems in rural, remote and metropolitan areas in Australia. Australian and New Zealand Journal of Psychiatry, 2004, 38, 774-780.	2.3	10
609	A Comparison of Clinician, Youth, and Parent Beliefs About Helpfulness of Interventions for Early Psychosis. Psychiatric Services, 2008, 59, 1115-1120.	2.0	10
610	Are nursing homes depressing?. Lancet, The, 1994, 344, 1091.	13.7	9
611	Recognition of mental disorders and beliefs about treatment: results from a mental health literacy survey of Japanese high school students. International Journal of Culture and Mental Health, 2015, 8, 207-222.	0.6	9
612	Delivering mental health first aid training in Australian workplaces: exploring instructors' experiences. International Journal of Mental Health Promotion, 2016, 18, 65-82.	0.8	9

#	Article	IF	Citations
613	The IQCODE: Using Informant Reports to Assess Cognitive Change in the Clinic and in Older Individuals Living in the Community. , 2017, , 275-295.		9
614	Personal attributes and competencies required by community health workers for a role in integrated mental health care for perinatal depression: voices of primary health care stakeholders from Surabaya, Indonesia. International Journal of Mental Health Systems, 2018, 12, 46.	2.7	9
615	Quality of assistance provided by members of the Australian public to a person at risk of suicide: associations with training experiences and sociodemographic factors in a national survey. BMC Psychiatry, 2019, 19, 68.	2.6	9
616	Effects of the Mental Health First Aid for the suicidal person course on beliefs about suicide, stigmatising attitudes, confidence to help, and intended and actual helping actions: an evaluation. International Journal of Mental Health Systems, 2021, 15, 36.	2.7	9
617	Guidelines for news media reporting on mental illness in the context of violence and crime: A Delphi consensus study. Australian Journalism Review, 2020, 42, 293-311.	0.2	9
618	Development and evaluation of the Parenting to Reduce Child Anxiety and Depression Scale (PaRCADS): assessment of parental concordance with guidelines for the prevention of child anxiety and depression. Peerl, 2019, 7, e6865.	2.0	9
619	The short human figure drawing scale for evaluation of suspect cognitive dysfunction in old age. Archives of Gerontology and Geriatrics, 1994, 19, 243-251.	3.0	8
620	Apolipoprotein E Genotype and Temperament. Psychosomatic Medicine, 2003, 65, 662-664.	2.0	8
621	Outcomes of self-help efforts in anxiety disorders. Expert Review of Pharmacoeconomics and Outcomes Research, 2009, 9, 445-459.	1.4	8
622	Public confusion caused by differing understandings of the term †mental illness†M. Australian and New Zealand Journal of Psychiatry, 2012, 46, 397-399.	2.3	8
623	The quality gap in mental health treatment in Australia. Australian and New Zealand Journal of Psychiatry, 2015, 49, 934-935.	2.3	8
624	Perceptions and intentions relating to seeking help for depression among medical undergraduates in Sri Lanka: a cross-sectional comparison with non-medical undergraduates. BMC Medical Education, 2015, 15, 162.	2.4	8
625	Beliefs about first aid for mental disorders: results from a mental health literacy survey of Japanese high school students. International Journal of Culture and Mental Health, 2015, 8, 223-230.	0.6	8
626	Reluctance to seek professional help among suicidal people: results from the Swiss Health Survey. International Journal of Public Health, 2016, 61, 495-504.	2.3	8
627	Exploring the role of mental health first aid officers in workplaces. International Journal of Workplace Health Management, 2018, 11, 366-381.	1.9	8
628	Development of Chinese mental health first aid guidelines for psychosis: a Delphi expert consensus study. BMC Psychiatry, 2020, 20, 443.	2.6	8
629	High prevalence of health and social risk behaviours among men experiencing suicidal thoughts and behaviour: The imperative to undertake holistic assessments. Australian and New Zealand Journal of Psychiatry, 2020, 54, 797-807.	2.3	8
630	Development of the Mental Health Support Scale: A New Measure of Mental Health First Aid Behaviors. Assessment, 2023, 30, 1486-1498.	3.1	8

#	Article	IF	Citations
631	Personality changes in normal and cognitively impaired elderly: Informant reports in a community sample. International Journal of Geriatric Psychiatry, 1994, 9, 313-320.	2.7	7
632	Impact of chronic systemic and neurological disorders on disability, depression and life satisfaction. , 1999, 14, 497-499.		7
633	Dementia Epidemiology: Prevalence and Incidence. , 0, , 195-197.		7
634	Cohort Difference in Sexual Orientation: Results from a Large Age-Stratified Population Sample. Gerontology, 2003, 49, 392-395.	2.8	7
635	Hormone replacement therapy and cognition in an Australian representative sample aged 60–64 years. Maturitas, 2006, 54, 86-94.	2.4	7
636	Adolescents? intentions to offer assistance to friends with depression or conduct disorder: associations with psychopathology and psychosocial characteristics. Microbial Biotechnology, 2007, 1, 150-156.	1.7	7
637	â€~Prodromal Diagnosis' of Psychosis: An Impartial Commentary. Australian and New Zealand Journal of Psychiatry, 2011, 45, 520-523.	2.3	7
638	Assisting Australians with mental health problems and financial difficulties: a Delphi study to develop guidelines for financial counsellors, financial institution staff, mental health professionals and carers. BMC Health Services Research, 2015, 15, 218.	2.2	7
639	Offering mental health first aid to a person experiencing psychosis: a Delphi study to redevelop the guidelines published in 2008. BMC Psychology, 2021, 9, 29.	2.1	7
640	Development of Chinese mental health first aid guidelines for problem drinking: a Delphi expert consensus study. BMC Psychiatry, 2021, 21, 254.	2.6	7
641	Key stakeholders' recommendations for improving Australian news media reporting of people with severe mental illness, violence and crime. Advances in Mental Health, 2022, 20, 253-265.	0.7	7
642	Short-term outcomes of the Therapist-assisted Online Parenting Strategies intervention for parents of adolescents treated for anxiety and/or depression: A single-arm double-baseline trial. Australian and New Zealand Journal of Psychiatry, 2022, 56, 695-708.	2.3	7
643	Lessons learnt from the field: a qualitative evaluation of adolescent experiences of a universal mental health education program. Health Education Research, 2021, 36, 126-139.	1.9	7
644	Sex Differences in the Reading Process Revealed by a Letter-Detection Task. The Quarterly Journal of Experimental Psychology, 1979, 31, 319-328.	1.2	6
645	Clinical diagnoses and disability in cognitively impaired older persons. , 1996, 11, 411-422.		6
646	Search for a Common Cause Factor amongst Cognitive, Speed and Biological Variables Using Narrow Age Cohorts. Gerontology, 2006, 52, 243-257.	2.8	6
647	Ethics of giving antipsychotic medication to at-risk young people. Australian and New Zealand Journal of Psychiatry, 2012, 46, 908-909.	2.3	6
648	Australian youth still have limited awareness of headspace: Results from a national survey. Australian and New Zealand Journal of Psychiatry, 2012, 46, 28-34.	2.3	6

#	Article	IF	CITATIONS
649	Scaling-up of treatment of depression and anxiety. Lancet Psychiatry, the, 2016, 3, 603.	7.4	6
650	Emotional impacts of participation in an Australian national survey on mental health-related discrimination. Ethics and Behavior, 2019, 29, 438-458.	1.8	6
651	Effect of community members' willingness to disclose a mental disorder on their psychiatric symptom scores: analysis of data from two randomised controlled trials of mental health first aid training. Epidemiology and Psychiatric Sciences, 2020, 29, e46.	3.9	6
652	Cross-national differences in the prevalence of mental illness symptoms: Evidence against the vulnerability paradox. Australian and New Zealand Journal of Psychiatry, 2021, 55, 620-626.	2.3	6
653	Aspirin, antiâ€inflammatory drugs and risk of dementia. International Journal of Geriatric Psychiatry, 1997, 12, 926-930.	2.7	6
654	Children's spelling processes revealed by transitional error probabilities. Australian Journal of Psychology, 1977, 29, 125-130.	2.8	5
655	Evaluations of Web-Based Psychological Interventions Need to Avoid the Re-Test Artefact. Australian and New Zealand Journal of Psychiatry, 2009, 43, 877-877.	2.3	5
656	The Australian public's beliefs about the harmfulness of antipsychotics: Associated factors and change over 16 years. Psychiatry Research, 2013, 206, 307-312.	3.3	5
657	What are parents doing to reduce adolescent alcohol misuse? Evaluating concordance with parenting guidelines for adolescent alcohol use. BMC Public Health, 2015, 15, 114.	2.9	5
658	Assisting an Australian Aboriginal and Torres Strait Islander person with gambling problems: a Delphi study. BMC Psychology, 2017, 5, 27.	2.1	5
659	Stigmatising Attitudes Towards Depression and Alcohol Misuse in Young People: Relationships with Help-Seeking Intentions and Behavior. Adolescent Psychiatry (Hilversum, Netherlands), 2019, 9, 24-32.	0.2	5
660	Twelve-month outcomes of MAKINGtheLINK: A cluster randomized controlled trial of a school-based program to facilitate help-seeking for substance use and mental health problems. EClinicalMedicine, 2020, 18, 100225.	7.1	5
661	Offering mental health first aid to a person after a potentially traumatic event: a Delphi study to redevelop the 2008 guidelines. BMC Psychology, 2020, 8, 105.	2.1	5
662	Making sense of the vulnerability paradox in cross-national studies of mental disorders: Lessons from research on subjective well-being. Australian and New Zealand Journal of Psychiatry, 2020, 54, 664-666.	2.3	5
663	Measuring physical and mental health using the SF-12: implications for community surveys of mental health. Australian and New Zealand Journal of Psychiatry, 2006, 40, 797-803.	2.3	5
664	Changes in psychological distress in Australia over an 8-year period: evidence for worsening in young men. Australian and New Zealand Journal of Psychiatry, 2006, 40, 47-50.	2.3	5
665	The Role of Parent Engagement in a Web-Based Preventive Parenting Intervention for Child Mental Health in Predicting Parenting, Parent and Child Outcomes. International Journal of Environmental Research and Public Health, 2022, 19, 2191.	2.6	5
666	teen Mental Health First Aid: 12-month outcomes from a cluster crossover randomized controlled trial evaluation of a universal program to help adolescents better support peers with a mental health problem. BMC Public Health, 2022, 22, .	2.9	5

#	Article	IF	CITATIONS
667	Finite-state recall revealed by backward learning curves constructed from confidence ratings. Memory and Cognition, 1978, 6, 259-265.	1.6	4
668	Promoting community awareness of the link between illicit drugs and mental disorders. Medical Journal of Australia, 2007, 186, 5-6.	1.7	4
669	143. Emotional Self-Awareness: Preliminary Analyses of a RCT Using a Cellular Phone Self-Monitoring Program (Mobiletype) to Decrease Early Symptoms of Depression. Journal of Adolescent Health, 2011, 48, S91-S92.	2.5	4
670	The IQCODE: Using Informant Reports to Assess Cognitive Change in the Clinic and in Older Individuals Living in the Community., 2013,, 165-182.		4
671	Preventing mental disorders: the time is right. Medical Journal of Australia, 2013, 199, 527-527.	1.7	4
672	Treatment choices for depression: Young people's response to a traditional e-health versus a Health 2.0 website. Digital Health, 2017, 3, 205520761769026.	1.8	4
673	The Truth About Mental Health First Aid Training. Psychiatric Services, 2018, 69, 492-492.	2.0	4
674	Evaluation of the effectiveness of online mental health first aid guidelines for helping someone experiencing gambling problems. Advances in Mental Health, 2020, , 1-12.	0.7	4
675	Publons as a source of high volume, poorly targeted reviewer requests: The need for better standards of practice by publishers. Learned Publishing, 0 , , .	1.7	4
676	A comparative mental health literacy survey of psychiatrists and other mental health professionals in Singapore. Australian and New Zealand Journal of Psychiatry, 2000, 34, 627-636.	2.3	4
677	Academic consumer researchers: a bridge between consumers and researchers. Australian and New Zealand Journal of Psychiatry, 2004, 38, 191-196.	2.3	4
678	Finding reviewers: A crisis for journals and their authors. Australian and New Zealand Journal of Psychiatry, 2020, 54, 957-959.	2.3	4
679	Improving the mental health of the population: where to next?. Medical Journal of Australia, 2014, 201, 23-24.	1.7	4
680	Development of Chinese mental health first aid guidelines for assisting a person affected by a traumatic event: a Delphi expert consensus study. BMC Psychiatry, 2021, 21, 600.	2.6	4
681	Children's reading processes revealed by pronunciation latencies and errors Journal of Educational Psychology, 1977, 69, 166-171.	2.9	3
682	The Dissemination of Research Findings: Some Limitations Revealed When Attempting a Meta-Analysis. Australian and New Zealand Journal of Psychiatry, 1986, 20, 384-385.	2.3	3
683	Parental involvement in reading progress. Australian Psychologist, 1987, 22, 43-51.	1.6	3
684	Use of the Transparent Bipolar Inventory to measure the big-five personality factors in an epidemiological survey of the elderly. Personality and Individual Differences, 1996, 21, 1051-1054.	2.9	3

#	Article	IF	Citations
685	Gifts from the pharmaceutical industry. Medical Journal of Australia, 1997, 166, 386-386.	1.7	3
686	Association between depression and cognitive impairment in aged male war veterans. Aging and Mental Health, 1998, 2, 306-312.	2.8	3
687	Factors associated with informant-rated personality problems in an elderly population. Aging and Mental Health, 2000, 4, 36-42.	2.8	3
688	Definition and Epidemiology of Dementia: A Review. , 2003, , 1-68.		3
689	Mental Health Information on the Internet: A New Wiki Guide. Australian and New Zealand Journal of Psychiatry, 2010, 44, 291-291.	2.3	3
690	Access to mental health care in Australia: Is there socioeconomic equality?. Australian and New Zealand Journal of Psychiatry, 2012, 46, 479-480.	2.3	3
691	An Evaluation of Mental Health Wiki: A Consumer Guide to Mental Health Information on the Internet. Journal of Consumer Health on the Internet, 2013, 17, 1-9.	0.4	3
692	Academic psychiatry – extinction or adaptation to a changing world: A view from clinical psychology. Australian and New Zealand Journal of Psychiatry, 2015, 49, 99-101.	2.3	3
693	An Analysis of the Content and Availability of Information on Suicide Methods Online. Journal of Consumer Health on the Internet, 2016, 20, 41-51.	0.4	3
694	Young people's difficulty in talking to others about mental health problems: An analysis of time trends in Switzerland. Psychiatry Research, 2016, 237, 159-165.	3.3	3
695	Headspace: The gap between the evidence and the arguments. Australian and New Zealand Journal of Psychiatry, 2016, 50, 195-196.	2.3	3
696	The case for fuzzy age boundaries in mental health services. Australian and New Zealand Journal of Psychiatry, 2017, 51, 532-533.	2.3	3
697	Exploring adolescents' causal beliefs about depression: A qualitative study with implications for prevention. Mental Health and Prevention, 2018, 12, 55-61.	1.3	3
698	Concerns About the headspace Model of Youth Mental Health Services. Psychiatric Services, 2018, 69, 838-839.	2.0	3
699	Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. BMI Open, 2019, 9, e034002.	1.9	3
700	Early psychosis workforce development: Core competencies for mental health professionals working in the early psychosis field. Microbial Biotechnology, 2019, 13, 217-223.	1.7	3
701	Lack of impact of past efforts to prevent suicide in Australia: A proposed explanation. Australian and New Zealand Journal of Psychiatry, 2020, 54, 566-567.	2.3	3
702	A Delphi study to identify intervention priorities to prevent the occurrence and reduce the impact of adverse childhood experiences. Australian and New Zealand Journal of Psychiatry, 2022, 56, 686-694.	2.3	3

#	Article	IF	CITATIONS
703	How the Australian public came to think more like psychiatrists. Australian and New Zealand Journal of Psychiatry, 2021, 55, 135-138.	2.3	3
704	National characteristics associated with prevalence of depression and anxiety symptoms: a cross-sectional ecological study. Global Mental Health (Cambridge, England), 2022, 9, 65-71.	2.5	3
705	Evaluation of the Conversations About Gambling Mental Health First Aid course: effects on knowledge, stigmatising attitudes, confidence and helping behaviour. BMC Psychology, 2022, 10, 78.	2.1	3
706	Determinants of individual differences in reading achievement. Australian Journal of Psychology, 1983, 35, 163-174.	2.8	2
707	Molecular genetics and the epidemiology of common mental disorders: new opportunities. Epidemiologia E Psichiatria Sociale, 1997, 6, 167-172.	0.9	2
708	Celebrating 30 years of Australian Rotary Health. Medical Journal of Australia, 2011, 194, 279-280.	1.7	2
709	Giving support to a suicidal person. BMJ: British Medical Journal, 2011, 343, d5680-d5680.	2.3	2
710	Do early intervention for psychosis services really save money?. Australian and New Zealand Journal of Psychiatry, 2013, 47, 396-397.	2.3	2
711	Good news, bad news and issues to watch. Australian and New Zealand Journal of Psychiatry, 2014, 48, 389-390.	2.3	2
712	Student driven mental health promotion in an Australian university setting. Mental Health and Prevention, 2015, 3, 26-33.	1.3	2
713	â€~Unmet need' and â€~met un-need' in mental health services: artefacts of a categorical view of mental health problems. Epidemiology and Psychiatric Sciences, 2017, 26, 607-608.	3.9	2
714	Are we underestimating the suicide rate of middle and olderâ€aged Indigenous Australians? An interaction between â€~unknown' Indigenous status and age. Australian and New Zealand Journal of Public Health, 2018, 42, 412-413.	1.8	2
715	Impact of Australia's â€~Better Access' scheme on population mental health: Response to commentaries. Australian and New Zealand Journal of Psychiatry, 2019, 53, 184-186.	2.3	2
716	What works for mental health problems in youth? Survey of realâ€world experiences of treatments and side effects. Microbial Biotechnology, 2020, 15, 1502-1512.	1.7	2
717	Much on early intervention, some thoughts on COVID-19 and a paradox to ponder on. Australian and New Zealand Journal of Psychiatry, 2020, 54, 657-658.	2.3	2
718	National surveys of mental disorders: are they researching scientific facts or constructing useful myths?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 830-834.	2.3	2
719	Redevelopment of mental health first aid guidelines for supporting someone experiencing a panic attack: a Delphi study. BMC Psychology, 2022, 10, .	2.1	2
720	<i>Headspace</i> early intervention for psychosis in Australia: Is it still a †best buy'?. Australasian Psychiatry, 2022, 30, 701-704.	0.7	2

#	Article	IF	CITATIONS
721	HLA-A and CTGB33 polymorphisms and variation in IQ scores. Personality and Individual Differences, 1999, 26, 795-799.	2.9	1
722	IQCODE: Informant Interviews. , 0, , 141-142.		1
723	Websites offering information about depression or cognitive behaviour therapy reduced depressive symptoms. Evidence-Based Medicine, 2004, 9, 116-116.	0.6	1
724	Correspondence. Australian and New Zealand Journal of Psychiatry, 2007, 41, 705-706.	2.3	1
725	Improving the community's mental health literacy as a means of facilitating early intervention. , 0, , 147-160.		1
726	Australian Rotary Health: a major contributor to mental illness research and mental health awareness in Australia. Australasian Psychiatry, 2012, 20, 318-321.	0.7	1
727	Discussion, debate and some areas for positive action. Australian and New Zealand Journal of Psychiatry, 2013, 47, 593-594.	2.3	1
728	Treatment to reduce risk of psychosis: The need to consider the potential harms as well as the benefits. Australian and New Zealand Journal of Psychiatry, 2013, 47, 881-882.	2.3	1
729	Can a medical researcher have too many publications?. Medical Journal of Australia, 2015, 203, 230-231.	1.7	1
730	Psychiatry has many frontiers. Australian and New Zealand Journal of Psychiatry, 2015, 49, 585-585.	2.3	1
731	A month for reflecting on suicide prevention. Australian and New Zealand Journal of Psychiatry, 2016, 50, 109-110.	2.3	1
732	Self-reported discriminatory and positive behaviours towards people with mental health problems: findings from an Australian national survey. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 289-298.	3.1	1
733	Does mental health-related discrimination predict health service use 2Âyears later? Findings from an Australian national survey. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 197-204.	3.1	1
734	The VicHealth Indicators population survey: methodology, prevalence of behavioural risk factors, and use in local policy. BMC Public Health, 2020, 20, 1497.	2.9	1
735	Pilot trial of a media intervention with journalism students on news reporting of mental illness in the context of violence and crime. Health Promotion Journal of Australia, 2022, 33, 602-613.	1.2	1
736	Non-participation in epidemiological school-based surveys: using mixed methods to study predictors and modes of justification for (non-)participation at the school level. International Journal of Social Research Methodology: Theory and Practice, 0, , 1-12.	4.4	1
737	Frequency and quality of first aid offered by older adolescents: a cluster randomised crossover trial of school-based first aid courses. PeerJ, 2020, 8, e9782.	2.0	1
738	Websites and the validity of mental health care information. , 2022, , 191-206.		1

#	Article	IF	Citations
739	Stigmatizing and mitigating elements of a TV news report on violent crime and severe mental illness: An experiment Stigma and Health, 2023, 8, 93-101.	1.7	1
740	Everyday Cognition in Adulthood and Later Life. Edited by L. W. Poon, D. C. Rubin and B. A. Wilson. (Pp.) Tj ETC	Qq0 Q ₄ .5 rgB	T /Overlock 10
741	Alistair Burns (ed.), Ageing and Dementia: A Methodological Approach, Edward Arnold, London, 1993, 292 pp., £35.00, ISBN 0 340 56838 0 Ageing and Society, 1994, 14, 309-311.	1.7	0
742	Pet ownership and future health. Medical Journal of Australia, 1997, 167, 230-231.	1.7	0
743	Should Van Gogh have received lithium? Some perspectives on creativity and bipolar disorder. Australian and New Zealand Journal of Psychiatry, 1999, 33, .	2.3	0
744	A jribute to joanna johnson…goodbye to a friend Australasian Journal on Ageing, 2001, 20, 54-54.	0.9	0
745	Psychogeriatric Assessment Scales. , 0, , 146-146.		O
746	Homocysteine and the Brain in Midadult Life: Evidence for an Increased Risk of Leukoaraiosis in Menâ€"Correction. Archives of Neurology, 2005, 62, 691.	4.5	0
747	ANZJP This Month. Australian and New Zealand Journal of Psychiatry, 2012, 46, 79-79.	2.3	O
748	Suicide in men with cancer: recognising and responding to the warning signs. Trends in Urology & Men's Health, 2013, 4, 11-13.	0.4	0
749	Tuberculosis patients in South Africa have a high prevalence of psychological distress. Evidence-Based Mental Health, 2013, 16, 7-7.	4.5	O
750	Thought-provoking contributions in this month's issue. Australian and New Zealand Journal of Psychiatry, 2016, 50, 505-506.	2.3	0
751	Changes in mental health research over the 50 years of the ANZJP. Australian and New Zealand Journal of Psychiatry, 2017, 51, 635-636.	2.3	O
752	Enduring themes across journal issues. Australian and New Zealand Journal of Psychiatry, 2017, 51, 859-859.	2.3	O
753	Cumulating evidence in psychiatry. Australian and New Zealand Journal of Psychiatry, 2017, 51, 209-209.	2.3	O
754	Taking action to reduce mental disorders: Clinical intervention and beyond. Australian and New Zealand Journal of Psychiatry, 2018, 52, 223-224.	2.3	O
755	Improving the impact of treatments and services. Australian and New Zealand Journal of Psychiatry, 2018, 52, 915-916.	2.3	O
756	The other source of government funding for medical research that needs reform. Medical Journal of Australia, 2018, 208, 104-105.	1.7	0

#	Article	IF	CITATIONS
757	The Challenge of Improving Population Mental Health: The Example of New York City. American Journal of Public Health, 2019, 109, S165-S165.	2.7	O
758	Reducing the quality gap in mental health services. Australian and New Zealand Journal of Psychiatry, 2019, 53, 941-942.	2.3	0
759	The need for national tracking of major risk factors for mental disorders. Australian and New Zealand Journal of Psychiatry, 2019, 53, 807-808.	2.3	O
760	Diversity of opinion is alive and well in the ANZJP. Australian and New Zealand Journal of Psychiatry, 2019, 53, 493-494.	2.3	0
761	Chronic morbidity of former prisoners of war and other Australian veterans. Medical Journal of Australia, 1992, 156, 579-579.	1.7	O
762	Men and mental health: now on the health agenda. Medical Journal of Australia, 1995, 163, 454-455.	1.7	O
763	Eine Einführung in das Konzept Mental Health Literacy. Gesundheit Und Gesellschaft, 2020, , 145-160.	0.5	O
764	Some pitfalls in data analysis. Advances in Neurology, 1990, 51, 35-9.	0.8	0
765	Title is missing!. , 2020, 15, e0244091.		O
766	Title is missing!. , 2020, 15, e0244091.		O
767	Title is missing!. , 2020, 15, e0244091.		O
768	Title is missing!. , 2020, 15, e0244091.		0