

Feng Gao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3077595/feng-gao-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

9,706
citations

54
h-index

89
g-index

231
ext. papers

11,233
ext. citations

4.2
avg, IF

5.83
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 221 | In vivo molecular photoacoustic tomography of melanomas targeted by bioconjugated gold nanocages. <i>ACS Nano</i> , 2010 , 4, 4559-64 | 16.7 | 376 |
| 220 | Expression of programmed death ligand 1 (PD-L1) is associated with poor prognosis in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 15-24 | 4.4 | 375 |
| 219 | Higher than normal plasma interleukin-6 concentrations in cancer patients with depression: preliminary findings. <i>American Journal of Psychiatry</i> , 2001 , 158, 1252-7 | 11.9 | 354 |
| 218 | Trends in stage distribution for patients with non-small cell lung cancer: a National Cancer Database survey. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 29-33 | 8.9 | 340 |
| 217 | The presence of programmed death 1 (PD-1)-positive tumor-infiltrating lymphocytes is associated with poor prognosis in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 667-76 | 4.4 | 236 |
| 216 | Validated prediction model for the development of primary open-angle glaucoma in individuals with ocular hypertension. <i>Ophthalmology</i> , 2007 , 114, 10-9 | 7.3 | 229 |
| 215 | Lower-dose vs high-dose oral estradiol therapy of hormone receptor-positive, aromatase inhibitor-resistant advanced breast cancer: a phase 2 randomized study. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 774-80 | 27.4 | 206 |
| 214 | Sentinel lymph nodes and lymphatic vessels: noninvasive dual-modality in vivo mapping by using indocyanine green in rats--volumetric spectroscopic photoacoustic imaging and planar fluorescence imaging. <i>Radiology</i> , 2010 , 255, 442-50 | 20.5 | 188 |
| 213 | Prospective study of [18F]fluorodeoxyglucose positron emission tomography/computed tomography for staging of muscle-invasive bladder carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4314-20 | 2.2 | 178 |
| 212 | An "off-the-shelf" fratricide-resistant CAR-T for the treatment of T cell hematologic malignancies. <i>Leukemia</i> , 2018 , 32, 1970-1983 | 10.7 | 173 |
| 211 | Microsatellite instability and epigenetic inactivation of MLH1 and outcome of patients with endometrial carcinomas of the endometrioid type. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2042-8 | 2.2 | 163 |
| 210 | Utility of parametrectomy for early stage cervical cancer treated with radical hysterectomy. <i>Cancer</i> , 2007 , 110, 1281-6 | 6.4 | 148 |
| 209 | Preclinical modeling of combined phosphatidylinositol-3-kinase inhibition with endocrine therapy for estrogen receptor-positive breast cancer. <i>Breast Cancer Research</i> , 2011 , 13, R21 | 8.3 | 144 |
| 208 | Preoperative lymph node staging of early-stage cervical carcinoma by [18F]-fluoro-2-deoxy-D-glucose-positron emission tomography. <i>Cancer</i> , 2005 , 104, 2484-91 | 6.4 | 140 |
| 207 | FGFR2 point mutations in 466 endometrioid endometrial tumors: relationship with MSI, KRAS, PIK3CA, CTNNB1 mutations and clinicopathological features. <i>PLoS ONE</i> , 2012 , 7, e30801 | 3.7 | 122 |
| 206 | Combined Microsatellite Instability, MLH1 Methylation Analysis, and Immunohistochemistry for Lynch Syndrome Screening in Endometrial Cancers From GOG210: An NRG Oncology and Gynecologic Oncology Group Study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4301-8 | 2.2 | 121 |
| 205 | A phase 1 escalating single-dose and weekly fixed-dose study of cetuximab: pharmacokinetic and pharmacodynamic rationale for dosing. <i>Clinical Cancer Research</i> , 2007 , 13, 986-93 | 12.9 | 120 |

| | | | |
|-----|--|------|-----|
| 204 | Neratinib Efficacy and Circulating Tumor DNA Detection of Mutations in Nonamplified Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 5687-5695 | 12.9 | 119 |
| 203 | Distinctive characteristics of non-small cell lung cancer (NSCLC) in the young: a surveillance, epidemiology, and end results (SEER) analysis. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 23-8 | 8.9 | 118 |
| 202 | Delaying treatment of ocular hypertension: the ocular hypertension treatment study. <i>JAMA Ophthalmology</i> , 2010 , 128, 276-87 | | 113 |
| 201 | Long-term results of resection of adenocarcinoma of the body and tail of the pancreas using radical antegrade modular pancreateosplenectomy procedure. <i>Journal of the American College of Surgeons</i> , 2012 , 214, 46-52 | 4.4 | 112 |
| 200 | A phase II study of plerixafor (AMD3100) plus G-CSF for autologous hematopoietic progenitor cell mobilization in patients with Hodgkin lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 1253-61 | 4.7 | 110 |
| 199 | Maintenance Therapy with Decitabine after Allogeneic Stem Cell Transplantation for Acute Myelogenous Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1761-9 | 4.7 | 103 |
| 198 | Patient and tumor characteristics associated with increased mortality in young women (Journal of Surgical Oncology, 2009 , 100, 248-51 | 2.8 | 97 |
| 197 | A survey of Internet utilization among patients with cancer. <i>Supportive Care in Cancer</i> , 2011 , 19, 1183-90 | 3.9 | 96 |
| 196 | Type 2 diabetes mellitus: the impact on colorectal adenoma risk in women. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1866-71 | 0.7 | 93 |
| 195 | Vitamin D and aromatase inhibitor-induced musculoskeletal symptoms (AIMSS): a phase II, double-blind, placebo-controlled, randomized trial. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 107-16 | 4.4 | 91 |
| 194 | Clinicopathologic Significance of Mismatch Repair Defects in Endometrial Cancer: An NRG Oncology/Gynecologic Oncology Group Study. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3062-8 | 2.2 | 90 |
| 193 | Fear of recurrence and perceived survival benefit are primary motivators for choosing mastectomy over breast-conservation therapy regardless of age. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3246-50 | 3.1 | 90 |
| 192 | Mesh reinforcement of pancreatic transection decreases incidence of pancreatic occlusion failure for left pancreatectomy: a single-blinded, randomized controlled trial. <i>Annals of Surgery</i> , 2012 , 255, 1037-42 | 7.8 | 90 |
| 191 | The brain injury biomarker VLP-1 is increased in the cerebrospinal fluid of Alzheimer disease patients. <i>Clinical Chemistry</i> , 2008 , 54, 1617-23 | 5.5 | 90 |
| 190 | Prognostic value of preoperative positron emission tomography in resected stage I non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 130-4 | 8.9 | 89 |
| 189 | Positive peritoneal cytology is an independent risk-factor in early stage endometrial cancer. <i>Gynecologic Oncology</i> , 2013 , 128, 77-82 | 4.9 | 83 |
| 188 | Geriatric assessment is associated with completion of chemotherapy, toxicity, and survival in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2013 , 4, 227-34 | 3.6 | 81 |
| 187 | Non-small-cell Lung Cancer With Brain Metastasis at Presentation. <i>Clinical Lung Cancer</i> , 2018 , 19, e373-e379 | 3.9 | 73 |

| | | | |
|-----|---|------|----|
| 186 | EpCAM expression varies significantly and is differentially associated with prognosis in the luminal B HER2(+), basal-like, and HER2 intrinsic subtypes of breast cancer. <i>British Journal of Cancer</i> , 2013 , 108, 1480-7 | 8.7 | 71 |
| 185 | Improving survival for stage IV non-small cell lung cancer: a surveillance, epidemiology, and end results survey from 1990 to 2005. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1524-9 | 8.9 | 70 |
| 184 | Cervical carcinoma in the elderly: an analysis of patterns of care and outcome. <i>Cancer</i> , 2005 , 103, 85-91 | 6.4 | 67 |
| 183 | Five fractions of radiation therapy followed by 4 cycles of FOLFOX chemotherapy as preoperative treatment for rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 829-36 ⁴ | | 66 |
| 182 | Predictive value of café-au-lait macules at initial consultation in the diagnosis of neurofibromatosis type 1. <i>Archives of Dermatology</i> , 2009 , 145, 883-7 | | 66 |
| 181 | Assessment of cellular proliferation in tumors by PET using 18F-ISO-1. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 350-7 | 8.9 | 64 |
| 180 | Assessment of progesterone receptors in breast carcinoma by PET with 21-18F-fluoro-16 β [17 β -(1 β -furylmethylidene)dioxy]-19-norpregn-4-ene-3,20-dione. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 363-70 | 8.9 | 60 |
| 179 | Comparison of WHO Classifications (2004, 2010), the Hochwald grading system, and AJCC and ENETS staging systems in predicting prognosis in locoregional well-differentiated pancreatic neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 853-9 | 6.7 | 59 |
| 178 | Predictors of complete pathological response after neoadjuvant systemic therapy for breast cancer. <i>American Journal of Surgery</i> , 2009 , 198, 520-5 | 2.7 | 59 |
| 177 | Adjusting intraocular pressure for central corneal thickness does not improve prediction models for primary open-angle glaucoma. <i>Ophthalmology</i> , 2012 , 119, 437-42 | 7.3 | 57 |
| 176 | The Gleason score of tumor at the margin in radical prostatectomy is predictive of biochemical recurrence. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 994-1001 | 6.7 | 57 |
| 175 | Anti-VEGF antibodies mitigate the development of radiation necrosis in mouse brain. <i>Clinical Cancer Research</i> , 2014 , 20, 2695-702 | 12.9 | 56 |
| 174 | Histopathologic predictors of pilocytic astrocytoma event-free survival. <i>Acta Neuropathologica</i> , 2009 , 117, 657-65 | 14.3 | 56 |
| 173 | CAR-modified memory-like NK cells exhibit potent responses to NK-resistant lymphomas. <i>Blood</i> , 2020 , 136, 2308-2318 | 2.2 | 55 |
| 172 | Multicenter phase II trial of topotecan, cisplatin and bevacizumab for recurrent or persistent cervical cancer. <i>Gynecologic Oncology</i> , 2013 , 130, 64-8 | 4.9 | 55 |
| 171 | Tumor characteristics and patient outcomes are similar between invasive lobular and mixed invasive ductal/lobular breast cancers but differ from pure invasive ductal breast cancers. <i>American Journal of Surgery</i> , 2009 , 198, 516-9 | 2.7 | 55 |
| 170 | A Phase I Study of the AKT Inhibitor MK-2206 in Combination with Hormonal Therapy in Postmenopausal Women with Estrogen Receptor-Positive Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 2650-8 | 12.9 | 54 |
| 169 | Safety and preliminary evidence of biologic efficacy of a mammaglobin-a DNA vaccine in patients with stable metastatic breast cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 5964-75 | 12.9 | 54 |

| | | | |
|-----|--|-----|----|
| 168 | Are readmission rates on a neurosurgical service indicators of quality of care?. <i>Journal of Neurosurgery</i> , 2013 , 119, 1043-9 | 3.2 | 54 |
| 167 | The effects of body mass index on complications and survival outcomes in patients with cervical carcinoma undergoing curative chemoradiation therapy. <i>Cancer</i> , 2011 , 117, 948-56 | 6.4 | 54 |
| 166 | Intraoperative magnetic resonance imaging to reduce the rate of early reoperation for lesion resection in pediatric neurosurgery. <i>Journal of Neurosurgery: Pediatrics</i> , 2012 , 9, 259-64 | 2.1 | 53 |
| 165 | Influence of obesity and other risk factors on survival outcomes in patients undergoing pancreaticoduodenectomy for pancreatic cancer. <i>Pancreas</i> , 2011 , 40, 931-7 | 2.6 | 50 |
| 164 | Predicting malignant potential of gastrointestinal stromal tumors using endoscopic ultrasound. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1265-9 | 4 | 50 |
| 163 | Adjuvant Chemotherapy for Patients with T2N0M0 NSCLC. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1729-85 | 3.5 | 49 |
| 162 | ATR mutation in endometrioid endometrial cancer is associated with poor clinical outcomes. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3091-6 | 2.2 | 49 |
| 161 | Scientific Presentation Award: The combination of axillary ultrasound and ultrasound-guided biopsy is an accurate predictor of axillary stage in clinically node-negative breast cancer patients. <i>American Journal of Surgery</i> , 2008 , 196, 477-82 | 2.7 | 49 |
| 160 | Risk of recurrence of resected stage I non-small cell lung cancer in elderly patients as compared with younger patients. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1370-4 | 8.9 | 48 |
| 159 | "Surgical Apgar Score" predicts postoperative complications after cytoreduction for advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2010 , 116, 370-3 | 4.9 | 48 |
| 158 | Presentation and stage-specific outcomes of lifelong never-smokers with non-small cell lung cancer (NSCLC). <i>Journal of Thoracic Oncology</i> , 2007 , 2, 827-30 | 8.9 | 48 |
| 157 | Predictors of primary breast abscesses and recurrence. <i>World Journal of Surgery</i> , 2009 , 33, 2582-6 | 3.3 | 47 |
| 156 | Effects of pretransplantation treatment with rituximab on outcomes of autologous stem-cell transplantation for non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4561-6 | 2.2 | 46 |
| 155 | Positive margin rates following breast-conserving surgery for stage I-III breast cancer: palpable versus nonpalpable tumors. <i>Journal of Surgical Research</i> , 2012 , 177, 109-15 | 2.5 | 45 |
| 154 | Wound complications after gynecologic cancer surgery. <i>Gynecologic Oncology</i> , 2011 , 121, 347-52 | 4.9 | 45 |
| 153 | The effect of FDG-PET on the stage distribution of non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 135-9 | 8.9 | 45 |
| 152 | Mammaglobin-A cDNA vaccination of breast cancer patients induces antigen-specific cytotoxic CD4+ICOS ^{hi} T cells. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 109-18 | 4.4 | 44 |
| 151 | Prognostic significance of tumor size in patients with stage III non-small-cell lung cancer: a surveillance, epidemiology, and end results (SEER) survey from 1998 to 2003. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 1479-84 | 8.9 | 44 |

| | | | |
|-----|--|------|----|
| 150 | Neoadjuvant chemotherapy is associated with improved survival compared with adjuvant chemotherapy in patients with triple-negative breast cancer only after complete pathologic response. <i>Annals of Surgical Oncology</i> , 2012 , 19, 253-8 | 3.1 | 43 |
| 149 | Perceived complexity of various liver resections: results of a survey of experts with development of a complexity score and classification. <i>Journal of the American College of Surgeons</i> , 2015 , 220, 64-9 | 4.4 | 42 |
| 148 | Attention skills in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 45-9 | 2.5 | 41 |
| 147 | Axillary Ultrasound Accurately Excludes Clinically Significant Lymph Node Disease in Patients With Early Stage Breast Cancer. <i>Annals of Surgery</i> , 2016 , 264, 1098-1102 | 7.8 | 40 |
| 146 | Phase 1 and pharmacokinetic study of weekly docosahexaenoic acid-paclitaxel, Taxoprexin, in resistant solid tumor malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 451-8 | 3.5 | 39 |
| 145 | Cervical dysplasia in adolescents. <i>Obstetrics and Gynecology</i> , 2005 , 106, 115-20 | 4.9 | 39 |
| 144 | Completion of a Liver Surgery Complexity Score and Classification Based on an International Survey of Experts. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 332-42 | 4.4 | 39 |
| 143 | Impact of radiation therapy on survival in patients with triple-negative breast cancer. <i>Oncology Letters</i> , 2014 , 7, 548-552 | 2.6 | 37 |
| 142 | Jaundice: an important, poorly recognized risk factor for diminished survival in patients with adenocarcinoma of the head of the pancreas. <i>Hpb</i> , 2014 , 16, 150-6 | 3.8 | 37 |
| 141 | Prevalence of Sleep Disturbances in Children With Neurofibromatosis Type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 1400-1405 | 2.5 | 37 |
| 140 | Impact of an immunohistochemistry-based universal screening protocol for Lynch syndrome in endometrial cancer on genetic counseling and testing. <i>Gynecologic Oncology</i> , 2015 , 137, 7-13 | 4.9 | 36 |
| 139 | Aberrant methylation of the X-linked ribosomal S6 kinase RPS6KA6 (RSK4) in endometrial cancers. <i>Clinical Cancer Research</i> , 2011 , 17, 2120-9 | 12.9 | 36 |
| 138 | Mass Spectrometry-Based Proteomics Reveals Potential Roles of NEK9 and MAP2K4 in Resistance to PI3K Inhibition in Triple-Negative Breast Cancers. <i>Cancer Research</i> , 2018 , 78, 2732-2746 | 10.1 | 34 |
| 137 | Combination decitabine, arsenic trioxide, and ascorbic acid for the treatment of myelodysplastic syndrome and acute myeloid leukemia: a phase I study. <i>American Journal of Hematology</i> , 2011 , 86, 796-800 | 7.1 | 34 |
| 136 | Colposcopic accuracy of obstetrics and gynecology residents. <i>Gynecologic Oncology</i> , 2006 , 103, 966-70 | 4.9 | 34 |
| 135 | US breast cancer mortality trends in young women according to race. <i>Cancer</i> , 2015 , 121, 1469-76 | 6.4 | 33 |
| 134 | Predictive factors and patterns of recurrence in patients with triple negative breast cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2165-71 | 3.1 | 33 |
| 133 | Ability of linear length of positive margin in radical prostatectomy specimens to predict biochemical recurrence. <i>Urology</i> , 2011 , 77, 1409-14 | 1.6 | 33 |

| | | | |
|-----|--|------|----|
| 132 | Barriers to enrollment in non-small cell lung cancer therapeutic clinical trials. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 98-102 | 8.9 | 33 |
| 131 | Long-term assessment of bladder and bowel dysfunction after radical hysterectomy. <i>Gynecologic Oncology</i> , 2009 , 114, 75-9 | 4.9 | 33 |
| 130 | Margin index: a new method for prediction of residual disease after breast-conserving surgery. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2696-701 | 3.1 | 32 |
| 129 | Platelet activation and secretion in patients with major depression, thoracic aortic atherosclerosis, or renal dialysis treatment. <i>Depression and Anxiety</i> , 2002 , 15, 91-101 | 8.4 | 32 |
| 128 | Nuclear expression of snail is an independent negative prognostic factor in human breast cancer. <i>Disease Markers</i> , 2013 , 35, 337-44 | 3.2 | 31 |
| 127 | Ultrasound-guided lumpectomy for palpable breast cancers. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3198-203 | 3.0 | 31 |
| 126 | A prognostic system applicable to patients with resectable liver metastasis from colorectal carcinoma staged by positron emission tomography with [18F]fluoro-2-deoxy-D-glucose: role of primary tumor variables. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 857-68; discussion 868-9 | 4.4 | 31 |
| 125 | Interpreting mammalian target of rapamycin and cell growth inhibition in a genetically engineered mouse model of Nf1-deficient astrocytes. <i>Molecular Cancer Therapeutics</i> , 2011 , 10, 279-91 | 6.1 | 30 |
| 124 | Power and sample size for clinical trials when efficacy is required in multiple endpoints: application to an Alzheimer's treatment trial. <i>Clinical Trials</i> , 2005 , 2, 387-93 | 2.2 | 30 |
| 123 | Multidimensional Analyses of Donor Memory-Like NK Cells Reveal New Associations with Response after Adoptive Immunotherapy for Leukemia. <i>Cancer Discovery</i> , 2020 , 10, 1854-1871 | 24.4 | 30 |
| 122 | High-dose therapy and autologous stem cell transplant in older adults with multiple myeloma. <i>Bone Marrow Transplantation</i> , 2015 , 50, 1075-82 | 4.4 | 29 |
| 121 | Reconstruction patterns in a single institution cohort of women undergoing mastectomy for breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3223-9 | 3.1 | 29 |
| 120 | Racial differences in outcomes of triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 281-9 | 4.4 | 29 |
| 119 | Interaction between smoking and ATG16L1T300A triggers Paneth cell defects in Crohn's disease. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5110-5122 | 15.9 | 29 |
| 118 | Body mass index, diabetes, and triple-negative breast cancer prognosis. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 189-97 | 4.4 | 28 |
| 117 | The role of lymphovascular space invasion in renal cell carcinoma as a prognostic marker of survival after curative resection. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 738-44 | 2.8 | 27 |
| 116 | FGFR2 mutations are associated with poor outcomes in endometrioid endometrial cancer: An NRG Oncology/Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2017 , 145, 366-373 | 4.9 | 26 |
| 115 | Percent microscopic tumor necrosis and survival after curative surgery for renal cell carcinoma. <i>Journal of Urology</i> , 2010 , 183, 909-14 | 2.5 | 26 |

| | | | |
|-----|--|------|----|
| 114 | Neurobeachin (NBEA) is a target of recurrent interstitial deletions at 13q13 in patients with MGUS and multiple myeloma. <i>Experimental Hematology</i> , 2009 , 37, 234-44 | 3.1 | 26 |
| 113 | A clinical model to estimate recurrence risk in resected stage I non-small cell lung cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2008 , 31, 22-8 | 2.7 | 26 |
| 112 | Persistent and recurrent cervical dysplasia after loop electrosurgical excision procedure. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1379-81 | 6.4 | 26 |
| 111 | Synergistic effects of concurrent blockade of PI3K and MEK pathways in pancreatic cancer preclinical models. <i>PLoS ONE</i> , 2013 , 8, e77243 | 3.7 | 26 |
| 110 | A Gamma-Knife-Enabled Mouse Model of Cerebral Single-Hemisphere Delayed Radiation Necrosis. <i>PLoS ONE</i> , 2015 , 10, e0139596 | 3.7 | 25 |
| 109 | Radiologic and intraoperative detection of need for mesenteric vein resection in patients with adenocarcinoma of the head of the pancreas. <i>Hpb</i> , 2011 , 13, 633-42 | 3.8 | 25 |
| 108 | Time to activate lung cancer clinical trials and patient enrollment: a representative comparison study between two academic centers across the atlantic. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3803-7 | 2.2 | 25 |
| 107 | Successful Completion of the Pilot Phase of a Randomized Controlled Trial Comparing Sentinel Lymph Node Biopsy to No Further Axillary Staging in Patients with Clinical T1-T2 N0 Breast Cancer and Normal Axillary Ultrasound. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 399-407 | 4.4 | 25 |
| 106 | Optic nerve tortuosity in children with neurofibromatosis type 1. <i>Pediatric Radiology</i> , 2013 , 43, 1336-43 | 2.8 | 23 |
| 105 | DICER1 expression and outcomes in endometrioid endometrial adenocarcinoma. <i>Cancer</i> , 2011 , 117, 1446-53 | 6.53 | 23 |
| 104 | Developmental delays in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2012 , 27, 641-4 | 2.5 | 23 |
| 103 | Haploidentical transplantation using G-CSF-mobilized T-cell replete PBSCs and post-transplantation CY after non-myeloablative conditioning is safe and is associated with favorable outcomes. <i>Bone Marrow Transplantation</i> , 2014 , 49, 1124-6 | 4.4 | 22 |
| 102 | Phase II study of bevacizumab and pemetrexed for recurrent or persistent epithelial ovarian, fallopian tube or primary peritoneal cancer. <i>Gynecologic Oncology</i> , 2013 , 131, 535-40 | 4.9 | 22 |
| 101 | Height assessments in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 303-7 | 2.5 | 22 |
| 100 | Panniculectomy: improving lymph node yield in morbidly obese patients with endometrial neoplasms. <i>Gynecologic Oncology</i> , 2004 , 94, 436-41 | 4.9 | 22 |
| 99 | TSPAN1 upregulates MMP2 to promote pancreatic cancer cell migration and invasion via PLC β 1. <i>Oncology Reports</i> , 2019 , 41, 2117-2125 | 3.5 | 21 |
| 98 | PTP1B expression is an independent positive prognostic factor in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 637-44 | 4.4 | 21 |
| 97 | Longitudinal analysis of developmental delays in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 1689-93 | 2.5 | 20 |

| | | | |
|----|---|------|----|
| 96 | Neoadjuvant versus adjuvant chemotherapy for triple negative breast cancer. <i>Journal of Surgical Research</i> , 2010 , 163, 52-7 | 2.5 | 20 |
| 95 | Targeting VLA4 integrin and CXCR2 mobilizes serially repopulating hematopoietic stem cells. <i>Journal of Clinical Investigation</i> , 2019 , 129, 2745-2759 | 15.9 | 20 |
| 94 | Cervicovaginal cytology in the detection of recurrence after cervical cancer treatment. <i>Obstetrics and Gynecology</i> , 2011 , 118, 548-553 | 4.9 | 19 |
| 93 | A parametric comparison of diagnostic accuracy with three ordinal diagnostic groups. <i>Biometrical Journal</i> , 2007 , 49, 682-93 | 1.5 | 19 |
| 92 | Dasatinib in relapsed or plateau-phase multiple myeloma. <i>Leukemia and Lymphoma</i> , 2009 , 50, 137-40 | 1.9 | 17 |
| 91 | Micrometastatic disease and isolated tumor cells as a predictor for additional breast cancer axillary metastatic burden. <i>Annals of Surgical Oncology</i> , 2010 , 17 Suppl 3, 303-11 | 3.1 | 17 |
| 90 | Children with 5Pnd gene mutations are more likely to have glioma. <i>Neurology: Genetics</i> , 2017 , 3, e192 | 3.8 | 16 |
| 89 | A GSK-3 inhibitor protects against radiation necrosis in mouse brain. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 714-21 | 4 | 16 |
| 88 | Results of a Prospective Randomized, Open-Label, Noninferiority Study of Tbo-Filgrastim (Granix) versus Filgrastim (Neupogen) in Combination with Plerixafor for Autologous Stem Cell Mobilization in Patients with Multiple Myeloma and Non-Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 2065-2069 | 4.7 | 16 |
| 87 | Which imaging modality is superior for prediction of response to neoadjuvant chemotherapy in patients with triple negative breast cancer?. <i>Journal of Oncology</i> , 2013 , 2013, 964863 | 4.5 | 16 |
| 86 | Excess of early onset multiple myeloma in endometrial cancer probands and their relatives suggests common susceptibility. <i>Gynecologic Oncology</i> , 2007 , 105, 390-4 | 4.9 | 16 |
| 85 | Long-term outcome of women who undergo panniculectomy at the time of gynecologic surgery. <i>Gynecologic Oncology</i> , 2006 , 102, 86-91 | 4.9 | 16 |
| 84 | A Phase II Study of Irinotecan and Carboplatin in Advanced Non-small Cell Lung Cancer with Pharmacogenomic Analysis: Final Report. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 972-978 | 8.9 | 16 |
| 83 | Identification of prognostic factors with multivariate survival data. <i>Computational Statistics and Data Analysis</i> , 2004 , 45, 813-824 | 1.6 | 16 |
| 82 | A phase I study of temsirolimus and thoracic radiation in non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2014 , 15, 119-23 | 4.9 | 15 |
| 81 | Histological features and severity of oxaliplatin-induced liver injury and clinical associations. <i>Journal of Digestive Diseases</i> , 2014 , 15, 553-60 | 3.3 | 15 |
| 80 | Spatial and temporal stability of paneth cell phenotypes in Crohn's disease: implications for prognostic cellular biomarker development. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 646-51 | 4.5 | 15 |
| 79 | Disease recurrence in sentinel node-positive breast cancer patients forgoing axillary lymph node dissection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3185-91 | 3.1 | 15 |

| | | | |
|----|---|-----|----|
| 78 | Lower uterine segment involvement is associated with poor outcomes in early-stage endometrioid endometrial carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1419-24 | 3.1 | 15 |
| 77 | Human papillomavirus triage for young women with atypical squamous cells of undetermined significance. <i>Obstetrics and Gynecology</i> , 2006 , 107, 822-9 | 4.9 | 15 |
| 76 | Single agent gefitinib as first line therapy in patients with advanced non-small cell lung cancer: Washington University experience. <i>Lung Cancer</i> , 2004 , 45, 221-5 | 5.9 | 15 |
| 75 | Overexpression of DICER1 induced by the upregulation of GATA1 contributes to the proliferation and apoptosis of leukemia cells. <i>International Journal of Oncology</i> , 2013 , 42, 1317-24 | 4.4 | 14 |
| 74 | The impact of physicians' health beliefs on colorectal cancer screening practices. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 809-14 | 4 | 14 |
| 73 | Donor-lymphocyte infusion following haploidentical hematopoietic cell transplantation with peripheral blood stem cell grafts and PTCy. <i>Bone Marrow Transplantation</i> , 2017 , 52, 1623-1628 | 4.4 | 12 |
| 72 | Biopsy of the superficial cortex: predictors of effectiveness and outcomes. <i>Neurosurgery</i> , 2013 , 73, 224-31; discussion 231-2; quiz 232 | 3.2 | 12 |
| 71 | The risk of lymph node metastasis with positive peritoneal cytology in endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 90-7 | 3.5 | 12 |
| 70 | Inferior vena cava filter placement in the gynecologic oncology patient: A 15-year institutional experience. <i>Gynecologic Oncology</i> , 2011 , 121, 344-6 | 4.9 | 12 |
| 69 | Correlation of ductal lavage cytology with ductoscopy-directed duct excision histology in women at high risk for developing breast cancer: a prospective, single-institution trial. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3192-7 | 3.1 | 12 |
| 68 | Prognostic significance of early lymphocyte recovery after post-autografting administration of GM-CSF in non-Hodgkin's lymphoma. <i>Bone Marrow Transplantation</i> , 2007 , 40, 671-5 | 4.4 | 12 |
| 67 | Randomised controlled trial of (LGG) versus placebo in children presenting to the emergency department with acute gastroenteritis: the PECARN probiotic study protocol. <i>BMJ Open</i> , 2017 , 7, e018115 | 3.5 | 11 |
| 66 | Patterns of infectious complications in acute myeloid leukemia and myelodysplastic syndromes patients treated with 10-day decitabine regimen. <i>Cancer Medicine</i> , 2017 , 6, 2814-2821 | 4.8 | 11 |
| 65 | Bivariate correlation coefficients in family-type clustered studies. <i>Biometrical Journal</i> , 2015 , 57, 1084-1095 | 3.5 | 11 |
| 64 | ABO blood type/Rh factor and the incidence and outcomes for patients with triple-negative breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3159-64 | 3.1 | 11 |
| 63 | Src homology phosphotyrosyl phosphatase-2 expression is an independent negative prognostic factor in human breast cancer. <i>Histopathology</i> , 2013 , 63, 74-82 | 7.3 | 11 |
| 62 | A joint-modeling approach to assess the impact of biomarker variability on the risk of developing clinical outcome. <i>Statistical Methods and Applications</i> , 2011 , 20, 83-100 | 0.8 | 11 |
| 61 | Re: ABO blood group and the risk of pancreatic cancer. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 135-7; author reply 137 | 9.7 | 11 |

| | | | |
|----|--|------|----|
| 60 | Combining Multiple Markers to Improve the Longitudinal Rate of Progression-Application to Clinical Trials on the Early Stage of Alzheimer's Disease. <i>Statistics in Biopharmaceutical Research</i> , 2013 , 5, | 1.2 | 10 |
| 59 | HLA epitope mismatch in haploidentical transplantation is associated with decreased relapse and delayed engraftment. <i>Blood Advances</i> , 2018 , 2, 3590-3601 | 7.8 | 10 |
| 58 | Hematologic Recovery after Pretransplant Chemotherapy Does Not Influence Survival after Allogeneic Hematopoietic Cell Transplantation in Acute Myeloid Leukemia Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1425-30 | 4.7 | 9 |
| 57 | Does the volume of ductal carcinoma in situ impact the positive margin rate in patients undergoing breast conservation for invasive breast cancer?. <i>Journal of Surgical Research</i> , 2013 , 184, 228-33 | 2.5 | 9 |
| 56 | Targeted and cytotoxic therapy in coordinated sequence (TACTICS): erlotinib, bevacizumab, and standard chemotherapy for non-small-cell lung cancer, a phase II trial. <i>Clinical Lung Cancer</i> , 2012 , 13, 123-8 | 4.9 | 9 |
| 55 | Microvascular flap reconstruction of major pharyngeal resections with the intent of laryngeal preservation. <i>JAMA Otolaryngology</i> , 2009 , 135, 801-6 | | 9 |
| 54 | Atypical squamous cells of undetermined significance in girls and women. <i>Obstetrics and Gynecology</i> , 2004 , 103, 632-8 | 4.9 | 9 |
| 53 | A phase II study of adjuvant gemcitabine plus docetaxel followed by concurrent chemoradiation in resected pancreaticobiliary carcinoma. <i>Hpb</i> , 2015 , 17, 587-93 | 3.8 | 8 |
| 52 | Margin index is not a reliable tool for predicting residual disease after breast-conserving surgery for DCIS. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3155-9 | 3.1 | 8 |
| 51 | The 10-year incidence of glaucoma among patients with treated and untreated ocular hypertension. <i>JAMA Ophthalmology</i> , 2011 , 129, 1630-1 | | 8 |
| 50 | Patient preference and recall of results of EUS-guided FNA. <i>Gastrointestinal Endoscopy</i> , 2006 , 64, 735-9 | 5.2 | 8 |
| 49 | Sentinel lymph node biopsy during prophylactic mastectomy: is there a role?. <i>Journal of Surgical Oncology</i> , 2014 , 109, 747-50 | 2.8 | 7 |
| 48 | Ovarian cancer patient surveillance after curative-intent initial treatment. <i>Gynecologic Oncology</i> , 2011 , 120, 205-8 | 4.9 | 7 |
| 47 | Effect of reclassification on the incidence of benign and malignant renal tumors. <i>Journal of Urology</i> , 2010 , 183, 455-8 | 2.5 | 7 |
| 46 | Phase I Trial of N-803, an IL15 Receptor Agonist, with Rituximab in Patients with Indolent Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2021 , 27, 3339-3350 | 12.9 | 7 |
| 45 | Determining the prevalence of vestibular screening failures in pediatric cancer patients whose therapies include radiation to the head/neck and platin-based therapies: A pilot study. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e26992 | 3 | 6 |
| 44 | Compromised margins following mastectomy for stage I-III invasive breast cancer. <i>Journal of Surgical Research</i> , 2012 , 177, 102-8 | 2.5 | 6 |
| 43 | WilmsTumor 1 protein and estrogen receptor beta expression are associated with poor outcomes in uterine carcinosarcoma. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2373-9 | 3.1 | 6 |

| | | | |
|----|---|------|---|
| 42 | Phase I study of biweekly oxaliplatin, gemcitabine and capecitabine in patients with advanced upper gastrointestinal malignancies. <i>Annals of Oncology</i> , 2008 , 19, 1742-8 | 10.3 | 6 |
| 41 | A clinically feasible multiplex proteomic immunoassay as a novel functional diagnostic for pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 24250-24261 | 3.3 | 6 |
| 40 | The effect of changes in intraocular pressure on the risk of primary open-angle glaucoma in patients with ocular hypertension: an application of latent class analysis. <i>BMC Medical Research Methodology</i> , 2012 , 12, 151 | 4.7 | 5 |
| 39 | The value of perioperative imaging in patients with uterine sarcomas. <i>Gynecologic Oncology</i> , 2009 , 115, 37-40 | 4.9 | 5 |
| 38 | Retroperitoneal lymph node resection in patients with cervical cancer. <i>Surgical Oncology</i> , 2006 , 15, 79-83 | 3.5 | 5 |
| 37 | Caspase inhibition enhances ischemic tolerance of fasciocutaneous flaps. <i>Laryngoscope</i> , 2005 , 115, 1358-61 | 3.6 | 5 |
| 36 | Phase I/II Study of Intravenous Plerixafor Added to a Mobilization Regimen of Granulocyte Colony-Stimulating Factor in Lymphoma Patients Undergoing Autologous Stem Cell Collection. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1282-1289 | 4.7 | 4 |
| 35 | Optimal time to provide skin cancer and photoprotection education to pediatric solid organ transplant recipients. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 166-167 | 4.5 | 4 |
| 34 | Commentary: Identification of Mutation Regions on Responsible for High- and Low-Risk Development of Optic Pathway Glioma in Neurofibromatosis Type I. <i>Frontiers in Genetics</i> , 2019 , 10, 115 | 4.5 | 4 |
| 33 | Selective targeting of $\alpha 4 \beta 1$ integrin attenuates murine graft versus host disease. <i>Leukemia</i> , 2020 , 34, 3100-3104 | 10.7 | 4 |
| 32 | Height Growth Impairment in Children With Neurofibromatosis Type 1 Is Characterized by Decreased Pubertal Growth Velocity in Both Sexes. <i>Journal of Child Neurology</i> , 2018 , 33, 762-766 | 2.5 | 4 |
| 31 | A phase I study of pegylated liposomal doxorubicin and temsirolimus in patients with refractory solid malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 419-26 | 3.5 | 4 |
| 30 | Optimizing parameters in clinical trials with a randomized start or withdrawal design. <i>Computational Statistics and Data Analysis</i> , 2014 , 69, 101-113 | 1.6 | 4 |
| 29 | Non-parametric estimation for baseline hazards function and covariate effects with time-dependent covariates. <i>Statistics in Medicine</i> , 2007 , 26, 857-68 | 2.3 | 4 |
| 28 | The Predicted Indirectly Recognizable HLA Epitopes (PIRCHE) Score for HLA Class I Graft-versus-Host Disparity Is Associated with Increased Acute Graft-versus-Host Disease in Haploidentical Transplantation with Post-Transplantation Cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 123-131 | 4.7 | 4 |
| 27 | Proteomic Resistance Biomarkers for PI3K Inhibitor in Triple Negative Breast Cancer Patient-Derived Xenograft Models. <i>Cancers</i> , 2020 , 12, | 6.6 | 4 |
| 26 | Single institution experience with G-CSF mobilized T-cell replete haploidentical hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2017 , 52, 769-771 | 4.4 | 3 |
| 25 | A pilot study for evaluation of hypotonia in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2015 , 30, 382-5 | 2.5 | 3 |

| | | | |
|----|--|------|---|
| 24 | Secondary acute lymphoblastic leukemia, a retrospective analysis from Washington University and meta-analysis of published data. <i>Leukemia Research</i> , 2018 , 72, 86-91 | 2.7 | 3 |
| 23 | Margin index: a useful tool for the breast surgeon?. <i>Journal of Surgical Research</i> , 2014 , 190, 164-9 | 2.5 | 3 |
| 22 | Trends in stage distribution for patients with non-small cell lung cancer: A National Cancer Database Survey. <i>Journal of Clinical Oncology</i> , 2007 , 25, 7598-7598 | 2.2 | 3 |
| 21 | A Joint Model for Prognostic Effect of Biomarker Variability on Outcomes: long-term intraocular pressure (IOP) fluctuation on the risk of developing primary open-angle glaucoma (POAG) 2011 , 5, 73-96 | | 3 |
| 20 | Whole-Brain Radiation Therapy With Simultaneous Integrated Boost Versus Whole-Brain Radiation Therapy Plus Stereotactic Radiosurgery for the Treatment of Brain Metastasis From Lung Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 631422 | 5.3 | 3 |
| 19 | Baricitinib prevents GvHD by increasing Tregs via JAK3 and treats established GvHD by promoting intestinal tissue repair via EGFR. <i>Leukemia</i> , 2021 , | 10.7 | 3 |
| 18 | Evaluation of a Primary Open-Angle Glaucoma Prediction Model Using Long-term Intraocular Pressure Variability Data: A Secondary Analysis of 2 Randomized Clinical Trials. <i>JAMA Ophthalmology</i> , 2020 , 138, 780-788 | 3.9 | 2 |
| 17 | MSurvPow: a FORTRAN program to calculate the sample size and power for cluster-randomized clinical trials with survival outcomes. <i>Computer Methods and Programs in Biomedicine</i> , 2005 , 78, 61-7 | 6.9 | 2 |
| 16 | Relative efficiency of equal versus unequal cluster sizes in cluster randomized trials with a small number of clusters. <i>Journal of Biopharmaceutical Statistics</i> , 2021 , 31, 191-206 | 1.3 | 2 |
| 15 | Estimating correlation between multivariate longitudinal data in the presence of heterogeneity. <i>BMC Medical Research Methodology</i> , 2017 , 17, 124 | 4.7 | 1 |
| 14 | Predicting Clinical Binary Outcome Using Multivariate Longitudinal Data: Application to Patients with Newly Diagnosed Primary Open-Angle Glaucoma. <i>Journal of Biometrics & Biostatistics</i> , 2015 , 6, | 4 | 1 |
| 13 | The association between a functional CYP1A1 polymorphism and colorectal neoplasia risk in post menopausal women. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2965-70 | 4 | 1 |
| 12 | Effect of a T0 radical hysterectomy specimen on survival for early stage cervical cancer. <i>Gynecologic Oncology</i> , 2007 , 107, 280-4 | 4.9 | 1 |
| 11 | The phase II MutHER study of neratinib alone and in combination with fulvestrant in HER2 mutated, non-amplified metastatic breast cancer.. <i>Clinical Cancer Research</i> , 2022 , | 12.9 | 1 |
| 10 | Survival after autologous versus allogeneic transplantation in patients with relapsed and refractory Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2408-2415 | 1.9 | 1 |
| 9 | Statistical estimation and comparison of group-specific bivariate correlation coefficients in family-type clustered studies. <i>Journal of Applied Statistics</i> , 1-25 | 1 | 1 |
| 8 | Estimating diagnostic accuracy for clustered ordinal diagnostic groups in the three-class case-Application to the early diagnosis of Alzheimer disease. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 701-714 | 2.3 | 1 |
| 7 | Phase 1 study combining alisertib with nab-paclitaxel in patients with advanced solid malignancies. <i>European Journal of Cancer</i> , 2021 , 154, 102-110 | 7.5 | 1 |

| | | | |
|---|--|-----|---|
| 6 | Evaluating chronotypically tailored light therapy for breast cancer survivors: Preliminary findings on fatigue and disrupted sleep. <i>Chronobiology International</i> , 2021 , 1-12 | 3.6 | o |
| 5 | Irradiation-Modulated Murine Brain Microenvironment Enhances GL261-Tumor Growth and Inhibits Anti-PD-L1 Immunotherapy. <i>Frontiers in Oncology</i> , 2021 , 11, 693146 | 5.3 | o |
| 4 | A single center retrospective study of daratumumab, pomalidomide, and dexamethasone as 2nd-line therapy in multiple myeloma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 3043-3046 | 1.9 | o |
| 3 | Effect of Tumor Stage on Surveillance Strategies After Treatment for Ovarian Cancer. <i>Journal of Gynecologic Surgery</i> , 2015 , 31, 326-330 | 0.4 | |
| 2 | Optimum Design of Disease-modifying Trials on Alzheimer's Disease. <i>Statistics in Biopharmaceutical Research</i> , 2012 , 4, 216-227 | 1.2 | |
| 1 | Incorporating biomarkers to improve statistical power of immunotherapeutic neoadjuvant clinical trials in patients with triple-negative breast cancer. <i>Statistics in Biopharmaceutical Research</i> , 2019 , 11, 210-219 | 1.2 | |