

Feng Gao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3077595/feng-gao-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

9,706
citations

54
h-index

89
g-index

231
ext. papers

11,233
ext. citations

4.2
avg, IF

5.83
L-index

#	Paper	IF	Citations
221	The phase II MutHER study of neratinib alone and in combination with fulvestrant in HER2 mutated, non-amplified metastatic breast cancer.. <i>Clinical Cancer Research</i> , 2022 ,	12.9	1
220	Evaluating chronotypically tailored light therapy for breast cancer survivors: Preliminary findings on fatigue and disrupted sleep. <i>Chronobiology International</i> , 2021 , 1-12	3.6	0
219	Relative efficiency of equal versus unequal cluster sizes in cluster randomized trials with a small number of clusters. <i>Journal of Biopharmaceutical Statistics</i> , 2021 , 31, 191-206	1.3	2
218	Whole-Brain Radiation Therapy With Simultaneous Integrated Boost Versus Whole-Brain Radiation Therapy Plus Stereotactic Radiosurgery for the Treatment of Brain Metastasis From Lung Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 631422	5.3	3
217	Phase I Trial of N-803, an IL15 Receptor Agonist, with Rituximab in Patients with Indolent Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2021 , 27, 3339-3350	12.9	7
216	Survival after autologous versus allogeneic transplantation in patients with relapsed and refractory Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2408-2415	1.9	1
215	Irradiation-Modulated Murine Brain Microenvironment Enhances GL261-Tumor Growth and Inhibits Anti-PD-L1 Immunotherapy. <i>Frontiers in Oncology</i> , 2021 , 11, 693146	5.3	0
214	A single center retrospective study of daratumumab, pomalidomide, and dexamethasone as 2nd-line therapy in multiple myeloma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 3043-3046	1.9	0
213	Baricitinib prevents GvHD by increasing Tregs via JAK3 and treats established GvHD by promoting intestinal tissue repair via EGFR. <i>Leukemia</i> , 2021 ,	10.7	3
212	Phase 1 study combining alisertib with nab-paclitaxel in patients with advanced solid malignancies. <i>European Journal of Cancer</i> , 2021 , 154, 102-110	7.5	1
211	Evaluation of a Primary Open-Angle Glaucoma Prediction Model Using Long-term Intraocular Pressure Variability Data: A Secondary Analysis of 2 Randomized Clinical Trials. <i>JAMA Ophthalmology</i> , 2020 , 138, 780-788	3.9	2
210	Selective targeting of $\alpha 4 \beta 1$ integrin attenuates murine graft versus host disease. <i>Leukemia</i> , 2020 , 34, 3100-3104	10.7	4
209	CAR-modified memory-like NK cells exhibit potent responses to NK-resistant lymphomas. <i>Blood</i> , 2020 , 136, 2308-2318	2.2	55
208	The Predicted Indirectly Recognizable HLA Epitopes (PIRCHE) Score for HLA Class I Graft-versus-Host Disparity Is Associated with Increased Acute Graft-versus-Host Disease in Haploidentical Transplantation with Post-Transplantation Cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 123-131	4.7	4
207	Multidimensional Analyses of Donor Memory-Like NK Cells Reveal New Associations with Response after Adoptive Immunotherapy for Leukemia. <i>Cancer Discovery</i> , 2020 , 10, 1854-1871	24.4	30
206	Proteomic Resistance Biomarkers for PI3K Inhibitor in Triple Negative Breast Cancer Patient-Derived Xenograft Models. <i>Cancers</i> , 2020 , 12,	6.6	4
205	Commentary: Identification of Mutation Regions on Responsible for High- and Low-Risk Development of Optic Pathway Glioma in Neurofibromatosis Type I. <i>Frontiers in Genetics</i> , 2019 , 10, 115	4.5	4

204	TSPAN1 upregulates MMP2 to promote pancreatic cancer cell migration and invasion via PLC β <i>Oncology Reports</i> , 2019 , 41, 2117-2125	3.5	21
203	Targeting VLA4 integrin and CXCR2 mobilizes serially repopulating hematopoietic stem cells. <i>Journal of Clinical Investigation</i> , 2019 , 129, 2745-2759	15.9	20
202	Incorporating biomarkers to improve statistical power of immunotherapeutic neoadjuvant clinical trials in patients with triple-negative breast cancer. <i>Statistics in Biopharmaceutical Research</i> , 2019 , 11, 210-219	1.2	
201	Mass Spectrometry-Based Proteomics Reveals Potential Roles of NEK9 and MAP2K4 in Resistance to PI3K Inhibition in Triple-Negative Breast Cancers. <i>Cancer Research</i> , 2018 , 78, 2732-2746	10.1	34
200	An "off-the-shelf" fratricide-resistant CAR-T for the treatment of T cell hematologic malignancies. <i>Leukemia</i> , 2018 , 32, 1970-1983	10.7	173
199	Non-small-cell Lung Cancer With Brain Metastasis at Presentation. <i>Clinical Lung Cancer</i> , 2018 , 19, e373-e379	1.7	73
198	Determining the prevalence of vestibular screening failures in pediatric cancer patients whose therapies include radiation to the head/neck and platin-based therapies: A pilot study. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e26992	3	6
197	Secondary acute lymphoblastic leukemia, a retrospective analysis from Washington University and meta-analysis of published data. <i>Leukemia Research</i> , 2018 , 72, 86-91	2.7	3
196	Height Growth Impairment in Children With Neurofibromatosis Type 1 Is Characterized by Decreased Pubertal Growth Velocity in Both Sexes. <i>Journal of Child Neurology</i> , 2018 , 33, 762-766	2.5	4
195	Interaction between smoking and ATG16L1T300A triggers Paneth cell defects in Crohn's disease. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5110-5122	15.9	29
194	Estimating diagnostic accuracy for clustered ordinal diagnostic groups in the three-class case-Application to the early diagnosis of Alzheimer disease. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 701-714	2.3	1
193	HLA epitope mismatch in haploidentical transplantation is associated with decreased relapse and delayed engraftment. <i>Blood Advances</i> , 2018 , 2, 3590-3601	7.8	10
192	Single institution experience with G-CSF mobilized T-cell replete haploidentical hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2017 , 52, 769-771	4.4	3
191	Phase I/II Study of Intravenous Plerixafor Added to a Mobilization Regimen of Granulocyte Colony-Stimulating Factor in Lymphoma Patients Undergoing Autologous Stem Cell Collection. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1282-1289	4.7	4
190	Optimal time to provide skin cancer and photoprotection education to pediatric solid organ transplant recipients. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 166-167	4.5	4
189	FGFR2 mutations are associated with poor outcomes in endometrioid endometrial cancer: An NRG Oncology/Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2017 , 145, 366-373	4.9	26
188	Children with 5Pend gene mutations are more likely to have glioma. <i>Neurology: Genetics</i> , 2017 , 3, e192	3.8	16
187	Randomised controlled trial of (LGG) versus placebo in children presenting to the emergency department with acute gastroenteritis: the PECARN probiotic study protocol. <i>BMJ Open</i> , 2017 , 7, e018145	2.5	11

186	Donor-lymphocyte infusion following haploidentical hematopoietic cell transplantation with peripheral blood stem cell grafts and PTCy. <i>Bone Marrow Transplantation</i> , 2017 , 52, 1623-1628	4.4	12
185	Patterns of infectious complications in acute myeloid leukemia and myelodysplastic syndromes patients treated with 10-day decitabine regimen. <i>Cancer Medicine</i> , 2017 , 6, 2814-2821	4.8	11
184	Results of a Prospective Randomized, Open-Label, Noninferiority Study of Tbo-Filgrastim (Granix) versus Filgrastim (Neupogen) in Combination with Plerixafor for Autologous Stem Cell Mobilization in Patients with Multiple Myeloma and Non-Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 2065-2069	4.7	16
183	Neratinib Efficacy and Circulating Tumor DNA Detection of Mutations in Nonamplified Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 5687-5695	12.9	119
182	Estimating correlation between multivariate longitudinal data in the presence of heterogeneity. <i>BMC Medical Research Methodology</i> , 2017 , 17, 124	4.7	1
181	A clinically feasible multiplex proteomic immunoassay as a novel functional diagnostic for pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 24250-24261	3.3	6
180	Clinicopathologic Significance of Mismatch Repair Defects in Endometrial Cancer: An NRG Oncology/Gynecologic Oncology Group Study. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3062-8	2.2	90
179	Adjuvant Chemotherapy for Patients with T2N0M0 NSCLC. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1729-85		49
178	A Phase I Study of the AKT Inhibitor MK-2206 in Combination with Hormonal Therapy in Postmenopausal Women with Estrogen Receptor-Positive Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 2650-8	12.9	54
177	Successful Completion of the Pilot Phase of a Randomized Controlled Trial Comparing Sentinel Lymph Node Biopsy to No Further Axillary Staging in Patients with Clinical T1-T2 N0 Breast Cancer and Normal Axillary Ultrasound. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 399-407	4.4	25
176	Axillary Ultrasound Accurately Excludes Clinically Significant Lymph Node Disease in Patients With Early Stage Breast Cancer. <i>Annals of Surgery</i> , 2016 , 264, 1098-1102	7.8	40
175	Completion of a Liver Surgery Complexity Score and Classification Based on an International Survey of Experts. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 332-42	4.4	39
174	High-dose therapy and autologous stem cell transplant in older adults with multiple myeloma. <i>Bone Marrow Transplantation</i> , 2015 , 50, 1075-82	4.4	29
173	US breast cancer mortality trends in young women according to race. <i>Cancer</i> , 2015 , 121, 1469-76	6.4	33
172	Hematologic Recovery after Pretransplant Chemotherapy Does Not Influence Survival after Allogeneic Hematopoietic Cell Transplantation in Acute Myeloid Leukemia Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1425-30	4.7	9
171	Impact of an immunohistochemistry-based universal screening protocol for Lynch syndrome in endometrial cancer on genetic counseling and testing. <i>Gynecologic Oncology</i> , 2015 , 137, 7-13	4.9	36
170	A pilot study for evaluation of hypotonia in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2015 , 30, 382-5	2.5	3
169	Maintenance Therapy with Decitabine after Allogeneic Stem Cell Transplantation for Acute Myelogenous Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1761-9	4.7	103

168	Combined Microsatellite Instability, MLH1 Methylation Analysis, and Immunohistochemistry for Lynch Syndrome Screening in Endometrial Cancers From GOG210: An NRG Oncology and Gynecologic Oncology Group Study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4301-8	2.2	121
167	Perceived complexity of various liver resections: results of a survey of experts with development of a complexity score and classification. <i>Journal of the American College of Surgeons</i> , 2015 , 220, 64-9	4.4	42
166	A phase II study of adjuvant gemcitabine plus docetaxel followed by concurrent chemoradiation in resected pancreaticobiliary carcinoma. <i>Hpb</i> , 2015 , 17, 587-93	3.8	8
165	Bivariate correlation coefficients in family-type clustered studies. <i>Biometrical Journal</i> , 2015 , 57, 1084-1092	2.5	11
164	Effect of Tumor Stage on Surveillance Strategies After Treatment for Ovarian Cancer. <i>Journal of Gynecologic Surgery</i> , 2015 , 31, 326-330	0.4	
163	Predicting Clinical Binary Outcome Using Multivariate Longitudinal Data: Application to Patients with Newly Diagnosed Primary Open-Angle Glaucoma. <i>Journal of Biometrics & Biostatistics</i> , 2015 , 6,	4	1
162	A Gamma-Knife-Enabled Mouse Model of Cerebral Single-Hemisphere Delayed Radiation Necrosis. <i>PLoS ONE</i> , 2015 , 10, e0139596	3.7	25
161	A phase I study of temsirolimus and thoracic radiation in non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2014 , 15, 119-23	4.9	15
160	Predictive factors and patterns of recurrence in patients with triple negative breast cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2165-71	3.1	33
159	A GSK-3 β inhibitor protects against radiation necrosis in mouse brain. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 714-21	4	16
158	A phase I study of pegylated liposomal doxorubicin and temsirolimus in patients with refractory solid malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 419-26	3.5	4
157	Expression of programmed death ligand 1 (PD-L1) is associated with poor prognosis in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 15-24	4.4	375
156	Body mass index, diabetes, and triple-negative breast cancer prognosis. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 189-97	4.4	28
155	Haploidentical transplantation using G-CSF-mobilized T-cell replete PBSCs and post-transplantation CY after non-myeloablative conditioning is safe and is associated with favorable outcomes. <i>Bone Marrow Transplantation</i> , 2014 , 49, 1124-6	4.4	22
154	Optimizing parameters in clinical trials with a randomized start or withdrawal design. <i>Computational Statistics and Data Analysis</i> , 2014 , 69, 101-113	1.6	4
153	Margin index: a useful tool for the breast surgeon?. <i>Journal of Surgical Research</i> , 2014 , 190, 164-9	2.5	3
152	Anti-VEGF antibodies mitigate the development of radiation necrosis in mouse brain. <i>Clinical Cancer Research</i> , 2014 , 20, 2695-702	12.9	56
151	Impact of radiation therapy on survival in patients with triple-negative breast cancer. <i>Oncology Letters</i> , 2014 , 7, 548-552	2.6	37

150	Safety and preliminary evidence of biologic efficacy of a mammaglobin-a DNA vaccine in patients with stable metastatic breast cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 5964-75	12.9	54
149	Sentinel lymph node biopsy during prophylactic mastectomy: is there a role?. <i>Journal of Surgical Oncology</i> , 2014 , 109, 747-50	2.8	7
148	Histological features and severity of oxaliplatin-induced liver injury and clinical associations. <i>Journal of Digestive Diseases</i> , 2014 , 15, 553-60	3.3	15
147	Spatial and temporal stability of paneth cell phenotypes in Crohn's disease: implications for prognostic cellular biomarker development. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 646-51	4.5	15
146	Five fractions of radiation therapy followed by 4 cycles of FOLFOX chemotherapy as preoperative treatment for rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 829-36 ⁴		66
145	Jaundice: an important, poorly recognized risk factor for diminished survival in patients with adenocarcinoma of the head of the pancreas. <i>Hpb</i> , 2014 , 16, 150-6	3.8	37
144	Optic nerve tortuosity in children with neurofibromatosis type 1. <i>Pediatric Radiology</i> , 2013 , 43, 1336-43	2.8	23
143	Multicenter phase II trial of topotecan, cisplatin and bevacizumab for recurrent or persistent cervical cancer. <i>Gynecologic Oncology</i> , 2013 , 130, 64-8	4.9	55
142	Phase II study of bevacizumab and pemetrexed for recurrent or persistent epithelial ovarian, fallopian tube or primary peritoneal cancer. <i>Gynecologic Oncology</i> , 2013 , 131, 535-40	4.9	22
141	Combining Multiple Markers to Improve the Longitudinal Rate of Progression-Application to Clinical Trials on the Early Stage of Alzheimer's Disease. <i>Statistics in Biopharmaceutical Research</i> , 2013 , 5,	1.2	10
140	Positive peritoneal cytology is an independent risk-factor in early stage endometrial cancer. <i>Gynecologic Oncology</i> , 2013 , 128, 77-82	4.9	83
139	PTP1B expression is an independent positive prognostic factor in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 637-44	4.4	21
138	Does the volume of ductal carcinoma in situ impact the positive margin rate in patients undergoing breast conservation for invasive breast cancer?. <i>Journal of Surgical Research</i> , 2013 , 184, 228-33	2.5	9
137	Geriatric assessment is associated with completion of chemotherapy, toxicity, and survival in older adults with cancer. <i>Journal of Geriatric Oncology</i> , 2013 , 4, 227-34	3.6	81
136	EpCAM expression varies significantly and is differentially associated with prognosis in the luminal B HER2(+), basal-like, and HER2 intrinsic subtypes of breast cancer. <i>British Journal of Cancer</i> , 2013 , 108, 1480-7	8.7	71
135	Mammaglobin-A cDNA vaccination of breast cancer patients induces antigen-specific cytotoxic CD4+ICOS ^{hi} T cells. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 109-18	4.4	44
134	The presence of programmed death 1 (PD-1)-positive tumor-infiltrating lymphocytes is associated with poor prognosis in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 667-76	4.4	23 ⁶
133	Wilms' tumor 1 protein and estrogen receptor beta expression are associated with poor outcomes in uterine carcinosarcoma. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2373-9	3.1	6

132	Racial differences in outcomes of triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 281-9	4.4	29
131	Overexpression of DICER1 induced by the upregulation of GATA1 contributes to the proliferation and apoptosis of leukemia cells. <i>International Journal of Oncology</i> , 2013 , 42, 1317-24	4.4	14
130	Are readmission rates on a neurosurgical service indicators of quality of care?. <i>Journal of Neurosurgery</i> , 2013 , 119, 1043-9	3.2	54
129	Nuclear expression of snail is an independent negative prognostic factor in human breast cancer. <i>Disease Markers</i> , 2013 , 35, 337-44	3.2	31
128	Longitudinal analysis of developmental delays in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 1689-93	2.5	20
127	Prevalence of Sleep Disturbances in Children With Neurofibromatosis Type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 1400-1405	2.5	37
126	Height assessments in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 303-7	2.5	22
125	Assessment of cellular proliferation in tumors by PET using 18F-ISO-1. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 350-7	8.9	64
124	Src homology phosphotyrosyl phosphatase-2 expression is an independent negative prognostic factor in human breast cancer. <i>Histopathology</i> , 2013 , 63, 74-82	7.3	11
123	Attention skills in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2013 , 28, 45-9	2.5	41
122	Comparison of WHO Classifications (2004, 2010), the Hochwald grading system, and AJCC and ENETS staging systems in predicting prognosis in locoregional well-differentiated pancreatic neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 853-9	6.7	59
121	Biopsy of the superficial cortex: predictors of effectiveness and outcomes. <i>Neurosurgery</i> , 2013 , 73, 224-31; discussion 231-2; quiz 232	3.2	12
120	The risk of lymph node metastasis with positive peritoneal cytology in endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 90-7	3.5	12
119	Which imaging modality is superior for prediction of response to neoadjuvant chemotherapy in patients with triple negative breast cancer?. <i>Journal of Oncology</i> , 2013 , 2013, 964863	4.5	16
118	Synergistic effects of concurrent blockade of PI3K and MEK pathways in pancreatic cancer preclinical models. <i>PLoS ONE</i> , 2013 , 8, e77243	3.7	26
117	Long-term results of resection of adenocarcinoma of the body and tail of the pancreas using radical antegrade modular pancreateosplenectomy procedure. <i>Journal of the American College of Surgeons</i> , 2012 , 214, 46-52	4.4	112
116	Positive margin rates following breast-conserving surgery for stage I-III breast cancer: palpable versus nonpalpable tumors. <i>Journal of Surgical Research</i> , 2012 , 177, 109-15	2.5	45
115	Compromised margins following mastectomy for stage I-III invasive breast cancer. <i>Journal of Surgical Research</i> , 2012 , 177, 102-8	2.5	6

114	Fear of recurrence and perceived survival benefit are primary motivators for choosing mastectomy over breast-conservation therapy regardless of age. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3246-50	3.1	90
113	ABO blood type/Rh factor and the incidence and outcomes for patients with triple-negative breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3159-64	3.1	11
112	Disease recurrence in sentinel node-positive breast cancer patients forgoing axillary lymph node dissection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3185-91	3.1	15
111	Adjusting intraocular pressure for central corneal thickness does not improve prediction models for primary open-angle glaucoma. <i>Ophthalmology</i> , 2012 , 119, 437-42	7.3	57
110	Reconstruction patterns in a single institution cohort of women undergoing mastectomy for breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3223-9	3.1	29
109	The effect of changes in intraocular pressure on the risk of primary open-angle glaucoma in patients with ocular hypertension: an application of latent class analysis. <i>BMC Medical Research Methodology</i> , 2012 , 12, 151	4.7	5
108	Neoadjuvant chemotherapy is associated with improved survival compared with adjuvant chemotherapy in patients with triple-negative breast cancer only after complete pathologic response. <i>Annals of Surgical Oncology</i> , 2012 , 19, 253-8	3.1	43
107	Targeted and cytotoxic therapy in coordinated sequence (TACTICS): erlotinib, bevacizumab, and standard chemotherapy for non-small-cell lung cancer, a phase II trial. <i>Clinical Lung Cancer</i> , 2012 , 13, 123-8	4.9	9
106	Developmental delays in children with neurofibromatosis type 1. <i>Journal of Child Neurology</i> , 2012 , 27, 641-4	2.5	23
105	Assessment of progesterone receptors in breast carcinoma by PET with 21-18F-fluoro-16 β [17 β -(1 β -furylmethylidene)dioxy]-19-norpregn-4-ene-3,20-dione. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 363-70	8.9	60
104	Optimum Design of Disease-modifying Trials on Alzheimer's Disease. <i>Statistics in Biopharmaceutical Research</i> , 2012 , 4, 216-227	1.2	
103	Intraoperative magnetic resonance imaging to reduce the rate of early reoperation for lesion resection in pediatric neurosurgery. <i>Journal of Neurosurgery: Pediatrics</i> , 2012 , 9, 259-64	2.1	53
102	Mesh reinforcement of pancreatic transection decreases incidence of pancreatic occlusion failure for left pancreatectomy: a single-blinded, randomized controlled trial. <i>Annals of Surgery</i> , 2012 , 255, 1037-42	7.8	90
101	Prognostic significance of tumor size in patients with stage III non-small-cell lung cancer: a surveillance, epidemiology, and end results (SEER) survey from 1998 to 2003. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 1479-84	8.9	44
100	FGFR2 point mutations in 466 endometrioid endometrial tumors: relationship with MSI, KRAS, PIK3CA, CTNNB1 mutations and clinicopathological features. <i>PLoS ONE</i> , 2012 , 7, e30801	3.7	122
99	Ultrasound-guided lumpectomy for palpable breast cancers. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3198-203	3.03	31
98	Ability of linear length of positive margin in radical prostatectomy specimens to predict biochemical recurrence. <i>Urology</i> , 2011 , 77, 1409-14	1.6	33
97	The role of lymphovascular space invasion in renal cell carcinoma as a prognostic marker of survival after curative resection. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 738-44	2.8	27

96	Preclinical modeling of combined phosphatidylinositol-3-kinase inhibition with endocrine therapy for estrogen receptor-positive breast cancer. <i>Breast Cancer Research</i> , 2011 , 13, R21	8.3	144
95	Barriers to enrollment in non-small cell lung cancer therapeutic clinical trials. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 98-102	8.9	33
94	Influence of obesity and other risk factors on survival outcomes in patients undergoing pancreaticoduodenectomy for pancreatic cancer. <i>Pancreas</i> , 2011 , 40, 931-7	2.6	50
93	Cervicovaginal cytology in the detection of recurrence after cervical cancer treatment. <i>Obstetrics and Gynecology</i> , 2011 , 118, 548-553	4.9	19
92	Radiologic and intraoperative detection of need for mesenteric vein resection in patients with adenocarcinoma of the head of the pancreas. <i>Hpb</i> , 2011 , 13, 633-42	3.8	25
91	Ovarian cancer patient surveillance after curative-intent initial treatment. <i>Gynecologic Oncology</i> , 2011 , 120, 205-8	4.9	7
90	Inferior vena cava filter placement in the gynecologic oncology patient: A 15-year institutional experience. <i>Gynecologic Oncology</i> , 2011 , 121, 344-6	4.9	12
89	Wound complications after gynecologic cancer surgery. <i>Gynecologic Oncology</i> , 2011 , 121, 347-52	4.9	45
88	Lower uterine segment involvement is associated with poor outcomes in early-stage endometrioid endometrial carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1419-24	3.1	15
87	Margin index is not a reliable tool for predicting residual disease after breast-conserving surgery for DCIS. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3155-9	3.1	8
86	Correlation of ductal lavage cytology with ductoscopy-directed duct excision histology in women at high risk for developing breast cancer: a prospective, single-institution trial. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3192-7	3.1	12
85	Vitamin D and aromatase inhibitor-induced musculoskeletal symptoms (AIMSS): a phase II, double-blind, placebo-controlled, randomized trial. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 107-16	4.4	91
84	A survey of Internet utilization among patients with cancer. <i>Supportive Care in Cancer</i> , 2011 , 19, 1183-90	3.9	96
83	A joint-modeling approach to assess the impact of biomarker variability on the risk of developing clinical outcome. <i>Statistical Methods and Applications</i> , 2011 , 20, 83-100	0.8	11
82	Combination decitabine, arsenic trioxide, and ascorbic acid for the treatment of myelodysplastic syndrome and acute myeloid leukemia: a phase I study. <i>American Journal of Hematology</i> , 2011 , 86, 796-800	7.1	34
81	The effects of body mass index on complications and survival outcomes in patients with cervical carcinoma undergoing curative chemoradiation therapy. <i>Cancer</i> , 2011 , 117, 948-56	6.4	54
80	DICER1 expression and outcomes in endometrioid endometrial adenocarcinoma. <i>Cancer</i> , 2011 , 117, 1446-53	6.3	23
79	Interpreting mammalian target of rapamycin and cell growth inhibition in a genetically engineered mouse model of Nf1-deficient astrocytes. <i>Molecular Cancer Therapeutics</i> , 2011 , 10, 279-91	6.1	30

78	The 10-year incidence of glaucoma among patients with treated and untreated ocular hypertension. <i>JAMA Ophthalmology</i> , 2011 , 129, 1630-1		8
77	Aberrant methylation of the X-linked ribosomal S6 kinase RPS6KA6 (RSK4) in endometrial cancers. <i>Clinical Cancer Research</i> , 2011 , 17, 2120-9	12.9	36
76	A Joint Model for Prognostic Effect of Biomarker Variability on Outcomes: long-term intraocular pressure (IOP) fluctuation on the risk of developing primary open-angle glaucoma (POAG) 2011 , 5, 73-96		3
75	Time to activate lung cancer clinical trials and patient enrollment: a representative comparison study between two academic centers across the atlantic. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3803-7	2.2	25
74	Re: ABO blood group and the risk of pancreatic cancer. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 135-7; author reply 137	9.7	11
73	Sentinel lymph nodes and lymphatic vessels: noninvasive dual-modality in vivo mapping by using indocyanine green in rats--volumetric spectroscopic photoacoustic imaging and planar fluorescence imaging. <i>Radiology</i> , 2010 , 255, 442-50	20.5	188
72	Delaying treatment of ocular hypertension: the ocular hypertension treatment study. <i>JAMA Ophthalmology</i> , 2010 , 128, 276-87		113
71	Percent microscopic tumor necrosis and survival after curative surgery for renal cell carcinoma. <i>Journal of Urology</i> , 2010 , 183, 909-14	2.5	26
70	Effect of reclassification on the incidence of benign and malignant renal tumors. <i>Journal of Urology</i> , 2010 , 183, 455-8	2.5	7
69	Neoadjuvant versus adjuvant chemotherapy for triple negative breast cancer. <i>Journal of Surgical Research</i> , 2010 , 163, 52-7	2.5	20
68	The Gleason score of tumor at the margin in radical prostatectomy is predictive of biochemical recurrence. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 994-1001	6.7	57
67	Trends in stage distribution for patients with non-small cell lung cancer: a National Cancer Database survey. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 29-33	8.9	340
66	Distinctive characteristics of non-small cell lung cancer (NSCLC) in the young: a surveillance, epidemiology, and end results (SEER) analysis. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 23-8	8.9	118
65	Margin index: a new method for prediction of residual disease after breast-conserving surgery. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2696-701	3.1	32
64	Micrometastatic disease and isolated tumor cells as a predictor for additional breast cancer axillary metastatic burden. <i>Annals of Surgical Oncology</i> , 2010 , 17 Suppl 3, 303-11	3.1	17
63	In vivo molecular photoacoustic tomography of melanomas targeted by bioconjugated gold nanocages. <i>ACS Nano</i> , 2010 , 4, 4559-64	16.7	376
62	The association between a functional CYP1A1 polymorphism and colorectal neoplasia risk in post menopausal women. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2965-70	4	1
61	"Surgical Apgar Score" predicts postoperative complications after cytoreduction for advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2010 , 116, 370-3	4.9	48

60	Prospective study of [18F]fluorodeoxyglucose positron emission tomography/computed tomography for staging of muscle-invasive bladder carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4314-20	2.2	178
59	Predictive value of café-au-lait macules at initial consultation in the diagnosis of neurofibromatosis type 1. <i>Archives of Dermatology</i> , 2009 , 145, 883-7		66
58	Lower-dose vs high-dose oral estradiol therapy of hormone receptor-positive, aromatase inhibitor-resistant advanced breast cancer: a phase 2 randomized study. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 774-80	27.4	206
57	ATR mutation in endometrioid endometrial cancer is associated with poor clinical outcomes. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3091-6	2.2	49
56	Long-term assessment of bladder and bowel dysfunction after radical hysterectomy. <i>Gynecologic Oncology</i> , 2009 , 114, 75-9	4.9	33
55	The value of perioperative imaging in patients with uterine sarcomas. <i>Gynecologic Oncology</i> , 2009 , 115, 37-40	4.9	5
54	Neurobeachin (NBEA) is a target of recurrent interstitial deletions at 13q13 in patients with MGUS and multiple myeloma. <i>Experimental Hematology</i> , 2009 , 37, 234-44	3.1	26
53	Patient and tumor characteristics associated with increased mortality in young women (Journal of Surgical Oncology), 2009 , 100, 248-51	2.8	97
52	Histopathologic predictors of pilocytic astrocytoma event-free survival. <i>Acta Neuropathologica</i> , 2009 , 117, 657-65	14.3	56
51	Predicting malignant potential of gastrointestinal stromal tumors using endoscopic ultrasound. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1265-9	4	50
50	Predictors of primary breast abscesses and recurrence. <i>World Journal of Surgery</i> , 2009 , 33, 2582-6	3.3	47
49	Phase 1 and pharmacokinetic study of weekly docosahexaenoic acid-paclitaxel, Taxoprexin, in resistant solid tumor malignancies. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 451-8	3.5	39
48	Predictors of complete pathological response after neoadjuvant systemic therapy for breast cancer. <i>American Journal of Surgery</i> , 2009 , 198, 520-5	2.7	59
47	Tumor characteristics and patient outcomes are similar between invasive lobular and mixed invasive ductal/lobular breast cancers but differ from pure invasive ductal breast cancers. <i>American Journal of Surgery</i> , 2009 , 198, 516-9	2.7	55
46	Dasatinib in relapsed or plateau-phase multiple myeloma. <i>Leukemia and Lymphoma</i> , 2009 , 50, 137-40	1.9	17
45	Risk of recurrence of resected stage I non-small cell lung cancer in elderly patients as compared with younger patients. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1370-4	8.9	48
44	Microvascular flap reconstruction of major pharyngeal resections with the intent of laryngeal preservation. <i>JAMA Otolaryngology</i> , 2009 , 135, 801-6		9
43	Improving survival for stage IV non-small cell lung cancer: a surveillance, epidemiology, and end results survey from 1990 to 2005. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 1524-9	8.9	70

42	A prognostic system applicable to patients with resectable liver metastasis from colorectal carcinoma staged by positron emission tomography with [18F]fluoro-2-deoxy-D-glucose: role of primary tumor variables. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 857-68; discussion 868-9	4.4	31
41	The brain injury biomarker VLP-1 is increased in the cerebrospinal fluid of Alzheimer disease patients. <i>Clinical Chemistry</i> , 2008 , 54, 1617-23	5.5	90
40	Scientific Presentation Award: The combination of axillary ultrasound and ultrasound-guided biopsy is an accurate predictor of axillary stage in clinically node-negative breast cancer patients. <i>American Journal of Surgery</i> , 2008 , 196, 477-82	2.7	49
39	A phase II study of plerixafor (AMD3100) plus G-CSF for autologous hematopoietic progenitor cell mobilization in patients with Hodgkin lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 1253-61	4.7	110
38	The effect of FDG-PET on the stage distribution of non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 135-9	8.9	45
37	Phase I study of biweekly oxaliplatin, gemcitabine and capecitabine in patients with advanced upper gastrointestinal malignancies. <i>Annals of Oncology</i> , 2008 , 19, 1742-8	10.3	6
36	Prognostic value of preoperative positron emission tomography in resected stage I non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 130-4	8.9	89
35	A clinical model to estimate recurrence risk in resected stage I non-small cell lung cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2008 , 31, 22-8	2.7	26
34	A parametric comparison of diagnostic accuracy with three ordinal diagnostic groups. <i>Biometrical Journal</i> , 2007 , 49, 682-93	1.5	19
33	Utility of parametrectomy for early stage cervical cancer treated with radical hysterectomy. <i>Cancer</i> , 2007 , 110, 1281-6	6.4	148
32	Non-parametric estimation for baseline hazards function and covariate effects with time-dependent covariates. <i>Statistics in Medicine</i> , 2007 , 26, 857-68	2.3	4
31	Prognostic significance of early lymphocyte recovery after post-autografting administration of GM-CSF in non-Hodgkin lymphoma. <i>Bone Marrow Transplantation</i> , 2007 , 40, 671-5	4.4	12
30	Excess of early onset multiple myeloma in endometrial cancer probands and their relatives suggests common susceptibility. <i>Gynecologic Oncology</i> , 2007 , 105, 390-4	4.9	16
29	Effect of a T0 radical hysterectomy specimen on survival for early stage cervical cancer. <i>Gynecologic Oncology</i> , 2007 , 107, 280-4	4.9	1
28	A phase 1 escalating single-dose and weekly fixed-dose study of cetuximab: pharmacokinetic and pharmacodynamic rationale for dosing. <i>Clinical Cancer Research</i> , 2007 , 13, 986-93	12.9	120
27	Microsatellite instability and epigenetic inactivation of MLH1 and outcome of patients with endometrial carcinomas of the endometrioid type. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2042-8	2.2	163
26	Presentation and stage-specific outcomes of lifelong never-smokers with non-small cell lung cancer (NSCLC). <i>Journal of Thoracic Oncology</i> , 2007 , 2, 827-30	8.9	48
25	Validated prediction model for the development of primary open-angle glaucoma in individuals with ocular hypertension. <i>Ophthalmology</i> , 2007 , 114, 10-9	7.3	229

24	Trends in stage distribution for patients with non-small cell lung cancer: A National Cancer Database Survey. <i>Journal of Clinical Oncology</i> , 2007 , 25, 7598-7598	2.2	3
23	Long-term outcome of women who undergo panniculectomy at the time of gynecologic surgery. <i>Gynecologic Oncology</i> , 2006 , 102, 86-91	4.9	16
22	Colposcopic accuracy of obstetrics and gynecology residents. <i>Gynecologic Oncology</i> , 2006 , 103, 966-70	4.9	34
21	Retroperitoneal lymph node resection in patients with cervical cancer. <i>Surgical Oncology</i> , 2006 , 15, 79-83	3.5	5
20	Type 2 diabetes mellitus: the impact on colorectal adenoma risk in women. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1866-71	0.7	93
19	Patient preference and recall of results of EUS-guided FNA. <i>Gastrointestinal Endoscopy</i> , 2006 , 64, 735-9	5.2	8
18	A Phase II Study of Irinotecan and Carboplatin in Advanced Non-small Cell Lung Cancer with Pharmacogenomic Analysis: Final Report. <i>Journal of Thoracic Oncology</i> , 2006 , 1, 972-978	8.9	16
17	Human papillomavirus triage for young women with atypical squamous cells of undetermined significance. <i>Obstetrics and Gynecology</i> , 2006 , 107, 822-9	4.9	15
16	Cervical dysplasia in adolescents. <i>Obstetrics and Gynecology</i> , 2005 , 106, 115-20	4.9	39
15	Persistent and recurrent cervical dysplasia after loop electrosurgical excision procedure. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1379-81	6.4	26
14	Caspase inhibition enhances ischemic tolerance of fasciocutaneous flaps. <i>Laryngoscope</i> , 2005 , 115, 1358-61	5.6	5
13	MSurvPow: a FORTRAN program to calculate the sample size and power for cluster-randomized clinical trials with survival outcomes. <i>Computer Methods and Programs in Biomedicine</i> , 2005 , 78, 61-7	6.9	2
12	Cervical carcinoma in the elderly: an analysis of patterns of care and outcome. <i>Cancer</i> , 2005 , 103, 85-91	6.4	67
11	Preoperative lymph node staging of early-stage cervical carcinoma by [18F]-fluoro-2-deoxy-D-glucose-positron emission tomography. <i>Cancer</i> , 2005 , 104, 2484-91	6.4	140
10	The impact of physicians' health beliefs on colorectal cancer screening practices. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 809-14	4	14
9	Power and sample size for clinical trials when efficacy is required in multiple endpoints: application to an Alzheimer's treatment trial. <i>Clinical Trials</i> , 2005 , 2, 387-93	2.2	30
8	Effects of pretransplantation treatment with rituximab on outcomes of autologous stem-cell transplantation for non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4561-6	2.2	46
7	Panniculectomy: improving lymph node yield in morbidly obese patients with endometrial neoplasms. <i>Gynecologic Oncology</i> , 2004 , 94, 436-41	4.9	22

6	Identification of prognostic factors with multivariate survival data. <i>Computational Statistics and Data Analysis</i> , 2004 , 45, 813-824	1.6	16
5	Single agent gefitinib as first line therapy in patients with advanced non-small cell lung cancer: Washington University experience. <i>Lung Cancer</i> , 2004 , 45, 221-5	5.9	15
4	Atypical squamous cells of undetermined significance in girls and women. <i>Obstetrics and Gynecology</i> , 2004 , 103, 632-8	4.9	9
3	Platelet activation and secretion in patients with major depression, thoracic aortic atherosclerosis, or renal dialysis treatment. <i>Depression and Anxiety</i> , 2002 , 15, 91-101	8.4	32
2	Higher than normal plasma interleukin-6 concentrations in cancer patients with depression: preliminary findings. <i>American Journal of Psychiatry</i> , 2001 , 158, 1252-7	11.9	354
1	Statistical estimation and comparison of group-specific bivariate correlation coefficients in family-type clustered studies. <i>Journal of Applied Statistics</i> , 1-25	1	1