Guy Goodwin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3078146/publications.pdf

Version: 2024-02-01

455 papers 44,211 citations

105 h-index 2675 193 g-index

467 all docs

467 docs citations

times ranked

467

30641 citing authors

#	Article	IF	CITATIONS
1	Distinct patterns of brain activity in young carriers of the <i>APOE</i> - $\hat{l}\mu$ 4 allele. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7209-7214.	3.3	1,524
2	Risks of all-cause and suicide mortality in mental disorders: a meta-review. World Psychiatry, 2014, 13, 153-160.	4.8	1,336
3	THE CONTRIBUTION OF MUSCLE AFFERENTS TO KESLESTHESIA SHOWN BY VIBRATION INDUCED ILLUSIONSOF MOVEMENT AND BY THE EFFECTS OF PARALYSING JOINT AFFERENTS. Brain, 1972, 95, 705-748.	3.7	1,269
4	Cognitive deficits in depression: Possible implications for functional neuropathology. British Journal of Psychiatry, 2001, 178, 200-206.	1.7	998
5	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. Nature Reviews Drug Discovery, 2012, 11, 141-168.	21.5	960
6	Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. Lancet, The, 2003, 361, 653-661.	6.3	808
7	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2016, 30, 495-553.	2.0	755
8	Lithium toxicity profile: a systematic review and meta-analysis. Lancet, The, 2012, 379, 721-728.	6.3	695
9	Proprioceptive Illusions Induced by Muscle Vibration: Contribution by Muscle Spindles to Perception?. Science, 1972, 175, 1382-1384.	6.0	617
10	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	4.0	579
11	Long-Term Lithium Therapy for Bipolar Disorder: Systematic Review and Meta-Analysis of Randomized Controlled Trials. American Journal of Psychiatry, 2004, 161, 217-222.	4.0	576
12	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. Molecular Psychiatry, 2018, 23, 932-942.	4.1	558
13	Cardiovascular and respiratory responses to changes in central command during isometric exercise at constant muscle tension. Journal of Physiology, 1972, 226, 173-190.	1.3	553
14	Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. Lancet, The, 2011, 378, 1306-1315.	6.3	534
15	A Pooled Analysis of 2 Placebo-Controlled 18-Month Trials of Lamotrigine and Lithium Maintenance in Bipolar I Disorder. Journal of Clinical Psychiatry, 2004, 65, 432-441.	1.1	518
16	Increased Positive Versus Negative Affective Perception and Memory in Healthy Volunteers Following Selective Serotonin and Norepinephrine Reuptake Inhibition. American Journal of Psychiatry, 2004, 161, 1256-1263.	4.0	501
17	Antidepressants for Bipolar Depression: A Systematic Review of Randomized, Controlled Trials. American Journal of Psychiatry, 2004, 161, 1537-1547.	4.0	492
18	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data metaâ€analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162.	2.2	481

#	Article	IF	Citations
19	Sustained attention deficit in bipolar disorder. British Journal of Psychiatry, 2002, 180, 313-319.	1.7	473
20	Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. Lancet, The, 2010, 375, 385-395.	6.3	467
21	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. Lancet Psychiatry,the, 2017, 4, 749-758.	3.7	459
22	Evidence-based guidelines for treating bipolar disorder: revised second edition—recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2009, 23, 346-388.	2.0	451
23	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. British Journal of Psychiatry, 2009, 195, 102-108.	1.7	451
24	Antidepressant Drug Treatment Modifies the Neural Processing of Nonconscious Threat Cues. Biological Psychiatry, 2006, 59, 816-820.	0.7	411
25	Effect of Acute Antidepressant Administration on Negative Affective Bias in Depressed Patients. American Journal of Psychiatry, 2009, 166, 1178-1184.	4.0	408
26	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. Bipolar Disorders, 2009, 11, 453-473.	1.1	401
27	Subcortical volumetric abnormalities in bipolar disorder. Molecular Psychiatry, 2016, 21, 1710-1716.	4.1	400
28	Review of the pharmacology and clinical pharmacology of 3,4-methylenedioxymethamphetamine (MDMA or "Ecstasyâ€). Psychopharmacology, 1995, 119, 247-260.	1.5	394
29	Acute SSRI Administration Affects the Processing of Social Cues in Healthy Volunteers. Neuropsychopharmacology, 2003, 28, 148-152.	2.8	381
30	Cortical grey matter reductions associated with treatment-resistant chronic unipolar depression. British Journal of Psychiatry, 1998, 172, 527-532.	1.7	373
31	Lamotrigine for treatment of bipolar depression: independent meta-analysis and meta-regression of individual patient data from five randomised trials. British Journal of Psychiatry, 2009, 194, 4-9.	1.7	370
32	Evidence-Based Guidelines for Treating Bipolar Disorder: Recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2003, 17, 149-173.	2.0	369
33	A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5â€HT ₁ and 5â€HT ₂ receptors. British Journal of Pharmacology, 1985, 84, 743-753.	2.7	367
34	The Therapeutic Potential of Psychedelic Drugs: Past, Present, and Future. Neuropsychopharmacology, 2017, 42, 2105-2113.	2.8	364
35	The dopamine hypothesis of bipolar affective disorder: the state of the art and implications for treatment. Molecular Psychiatry, 2017, 22, 666-679.	4.1	347
36	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2012 on the long-term treatment of bipolar disorder. World Journal of Biological Psychiatry, 2013, 14, 154-219.	1.3	344

#	Article	IF	CITATIONS
37	Sleep-Related Functioning in Euthymic Patients With Bipolar Disorder, Patients With Insomnia, and Subjects Without Sleep Problems. American Journal of Psychiatry, 2005, 162, 50-57.	4.0	337
38	Agomelatine Prevents Relapse in Patients With Major Depressive Disorder Without Evidence of a Discontinuation Syndrome. Journal of Clinical Psychiatry, 2009, 70, 1128-1137.	1.1	317
39	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2009 on the Treatment of Acute Mania. World Journal of Biological Psychiatry, 2009, 10, 85-116.	1.3	302
40	Cognitive function in major depression. Journal of Affective Disorders, 1992, 25, 21-29.	2.0	289
41	Diagnostic guidelines for bipolar depression: a probabilistic approach. Bipolar Disorders, 2008, 10, 144-152.	1.1	276
42	A Neuropsychological Investigation of Prefrontal Cortex Involvement in Acute Mania. American Journal of Psychiatry, 2001, 158, 1605-1611.	4.0	268
43	Mindfulness-based Cognitive Therapy (MBCT) in bipolar disorder: Preliminary evaluation of immediate effects on between-episode functioning. Journal of Affective Disorders, 2008, 107, 275-279.	2.0	266
44	Emotional side-effects of selective serotonin reuptake inhibitors: qualitative study. British Journal of Psychiatry, 2009, 195, 211-217.	1.7	253
45	The pharmacology of the hypothermic response in mice to 8-hydroxy-2-(DI-n-propylamino)tetralin (8-OH-DPAT). Neuropharmacology, 1985, 24, 1187-1194.	2.0	246
46	Toward a Neuropsychological Theory of Antidepressant Drug Action: Increase in Positive Emotional Bias After Potentiation of Norepinephrine Activity. American Journal of Psychiatry, 2003, 160, 990-992.	4.0	241
47	Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness. Biological Psychiatry, 2010, 67, 1083-1090.	0.7	226
48	The cognitive neuropsychology of depression in the elderly. Psychological Medicine, 2007, 37, 1693-1702.	2.7	217
49	A single dose of citalopram increases fear recognition in healthy subjects. Journal of Psychopharmacology, 2007, 21, 684-690.	2.0	214
50	Toxic Effects of Depression on Brain Function: Impairment of Delayed Recall and the Cumulative Length of Depressive Disorder in a Large Sample of Depressed Outpatients. American Journal of Psychiatry, 2008, 165, 731-739.	4.0	203
51	Lateral Prefrontal Cortex Mediates the Cognitive Modification of Attentional Bias. Biological Psychiatry, 2010, 67, 919-925.	0.7	202
52	The pharmacology of the behavioral and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). Psychopharmacology, 1987, 91, 506-511.	1.5	189
53	Patterns of mandibular movement and jaw muscle activity during mastication in the monkey Journal of Neurophysiology, 1974, 37, 954-966.	0.9	187
54	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. Journal of Psychopharmacology, 1997, 11, 115-122.	2.0	184

#	Article	IF	Citations
55	Wake-up call for British psychiatry. British Journal of Psychiatry, 2008, 193, 6-9.	1.7	183
56	Linkage Analysis of Extremely Discordant and Concordant Sibling Pairs Identifies Quantitative-Trait Loci That Influence Variation in the Human Personality Trait Neuroticism. American Journal of Human Genetics, 2003, 72, 879-890.	2.6	180
57	Mental imagery as an emotional amplifier: Application to bipolar disorder. Behaviour Research and Therapy, 2008, 46, 1251-1258.	1.6	179
58	Single photon emission tomography with 99mTc-exametazime in major depression and the pattern of brain activity underlying the psychotic/neurotic continuum. Journal of Affective Disorders, 1992, 26, 31-43.	2.0	174
59	Impairment of Executive Function But Not Memory in First-Degree Relatives of Patients With Bipolar I Disorder and in Euthymic Patients With Unipolar Depression. American Journal of Psychiatry, 2005, 162, 1980-1982.	4.0	174
60	Depression and violence: a Swedish population study. Lancet Psychiatry, the, 2015, 2, 224-232.	3.7	169
61	Normalization of Enhanced Fear Recognition by Acute SSRI Treatment in Subjects With a Previous History of Depression. American Journal of Psychiatry, 2004, 161, 166-168.	4.0	168
62	A review of the biochemical and neuropharmacological actions of lithium. Psychological Medicine, 1987, 17, 579-600.	2.7	167
63	Recurrence of Mania after Lithium Withdrawal. British Journal of Psychiatry, 1994, 164, 149-152.	1.7	163
64	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Bipolar Disorders, Part I: Treatment of Bipolar Depression. World Journal of Biological Psychiatry, 2002, 3, 115-124.	1.3	161
65	5â€HT ₂ receptor characteristics in frontal cortex and 5â€HT ₂ receptorâ€mediated headâ€twitch behaviour following antidepressant treatment to mice. British Journal of Pharmacology, 1984, 83, 235-242.	2.7	158
66	Highly neurotic never-depressed students have negative biases in information processing. Psychological Medicine, 2007, 37, 1281-1291.	2.7	155
67	Transcranial magnetic stimulation of medial–frontal cortex impairs the processing of angry facial expressions. Nature Neuroscience, 2001, 4, 17-18.	7.1	154
68	Folate for Depressive Disorders: Systematic Review and Meta-Analysis of Randomized Controlled Trials. Journal of Psychopharmacology, 2004, 18, 251-256.	2.0	154
69	Sustained attention-deficit confirmed in euthymic bipolar disorder but not in first-degree relatives of bipolar patients or euthymic unipolar depression. Biological Psychiatry, 2005, 57, 183-187.	0.7	154
70	The longitudinal course of bipolar disorder as revealed through weekly text messaging: a feasibility study. Bipolar Disorders, 2010, 12, 327-334.	1.1	154
71	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. Biological Psychiatry, 2005, 57, 517-524.	0.7	149
72	Tryptophan depletion decreases the recognition of fear in female volunteers. Psychopharmacology, 2003, 167, 411-417.	1.5	148

#	Article	IF	CITATIONS
73	The World Federation of Socleties of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. World Journal of Biological Psychiatry, 2003, 4, 5-13.	1.3	148
74	Tyrosine depletion attenuates dopamine function in healthy volunteers. Psychopharmacology, 2001, 154, 105-111.	1.5	147
75	Clinical and psychometric correlates of dopamine D2 binding in depression. Psychological Medicine, 1997, 27, 1247-1256.	2.7	146
76	Discharge of spindle afferents from jaw-closing muscles during chewing in alert monkeys. Journal of Neurophysiology, 1975, 38, 560-571.	0.9	142
77	Lithium Treatment and Prophylaxis in Unipolar Depression: A Meta-analysis. British Journal of Psychiatry, 1991, 158, 666-675.	1.7	137
78	Regional cerebral blood flow and cognitive function in patients with chronic liver disease. Lancet, The, 1991, 337, 1250-1253.	6.3	135
79	A review of the current nomenclature for psychotropic agents and an introduction to the Neuroscience-based Nomenclature. European Neuropsychopharmacology, 2015, 25, 2318-2325.	0.3	135
80	Enhanced recognition of disgust in bipolar illness. Biological Psychiatry, 2002, 51, 298-304.	0.7	134
81	Enhanced Early Morning Salivary Cortisol in Neuroticism. American Journal of Psychiatry, 2005, 162, 807-809.	4.0	134
82	Single-photon emission computed tomography with 99mTc-exametazime in unmediated schizophrenic patients. Biological Psychiatry, 1993, 33, 487-495.	0.7	133
83	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. British Journal of Psychiatry, 2001, 179, 356-360.	1.7	133
84	State- and trait-related deficits in sustained attention in bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 61-68.	1.8	133
85	Detecting Bipolar Depression From Geographic Location Data. IEEE Transactions on Biomedical Engineering, 2017, 64, 1761-1771.	2.5	132
86	ECNP consensus meeting. Bipolar depression. Nice, March 2007. European Neuropsychopharmacology, 2008, 18, 535-549.	0.3	131
87	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. World Journal of Biological Psychiatry, 2018, 19, 2-58.	1.3	128
88	Advantages and disadvantages of combination treatment with antipsychotics. European Neuropsychopharmacology, 2009, 19, 520-532.	0.3	125
89	Presynaptic serotonin receptor-mediated response in mice attenuated by antidepressant drugs and electroconvulsive shock. Nature, 1985, 317, 531-533.	13.7	124
90	The pattern of function-related regional cerebral blood flow investigated by single photon emission tomography with ^{99m < /sup > Tc-HMPAO in patients with presentle Alzheimer's disease and Korsakoff's psychosis. Psychological Medicine, 1989, 19, 847-855.}	2.7	124

#	Article	IF	Citations
91	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part III: Maintenance Treatment. World Journal of Biological Psychiatry, 2004, 5, 120-135.	1.3	124
92	Cognitive functioning in patients with affective disorders and schizophrenia: A meta-analysis. International Review of Psychiatry, 2009, 21, 336-356.	1.4	124
93	After-effects of fusimotor stimulation on the response of muscle spindle primary afferent endings. Journal of Physiology, 1969, 205, 677-694.	1.3	121
94	State changes in brain activity shown by the uptake of 99mTc-exametazime with single photon emission tomography in major depression before and after treatment. Journal of Affective Disorders, 1993, 29, 243-253.	2.0	120
95	Structure of a variable number tandem repeat of the serotonin transporter gene and association with affective disorder. Psychiatric Genetics, 1996, 6, 177-182.	0.6	120
96	The overlap between anxiety, depression, and obsessive-compulsive disorder. Dialogues in Clinical Neuroscience, 2015, 17, 249-260.	1.8	120
97	Diurnal variation of mood and neuropsychological function in major depression with melancholia. Journal of Affective Disorders, 1994, 32, 257-269.	2.0	119
98	Nonlinear time-series approaches in characterizing mood stability and mood instability in bipolar disorder. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 916-924.	1.2	119
99	Attenuation by electroconvulsive shock and antidepressant drugs of the 5-HT1A receptor-mediated hypothermia and serotonin syndrome produced by 8-OH-DPAT in the rat. Psychopharmacology, 1987, 91, 500-505.	1.5	118
100	Blunting of neuroendocrine responses to infusion of L-tryptophan in women with perimenstrual mood change. Psychological Medicine, 1991, 21, 305-312.	2.7	117
101	Lithium for maintenance treatment of mood disorders. The Cochrane Library, 2001, , .	1.5	116
102	Brief cognitive screening of the elderly: a comparison of the Mini-Mental State Examination (MMSE), Abbreviated Mental Test (AMT) and Mental Status Questionnaire (MSQ). Psychological Medicine, 1996, 26, 427-430.	2.7	115
103	Chronic, treatment-resistant depression and right fronto-striatal atrophy. British Journal of Psychiatry, 2002, 180, 434-440.	1.7	114
104	Trait-Related Decision-Making Impairment in the Three Phases of Bipolar Disorder. Biological Psychiatry, 2011, 70, 357-365.	0.7	114
105	Learning from the past and looking to the future: Emerging perspectives for improving the treatment of psychiatric disorders. European Neuropsychopharmacology, 2015, 25, 599-656.	0.3	113
106	Effects of destroying spindle afferents from jaw muscles on mastication in monkeys Journal of Neurophysiology, 1974, 37, 967-981.	0.9	108
107	Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. Sleep, 2016, 39, 173-181.	0.6	108
108	Risk for depression and neural responses to fearful facial expressions of emotion. British Journal of Psychiatry, 2009, 194, 139-145.	1.7	106

#	Article	IF	Citations
109	Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. Neuropsychologia, 2002, 40, 1586-1590.	0.7	105
110	Emotional blunting with antidepressant treatments: A survey among depressed patients. Journal of Affective Disorders, 2017, 221, 31-35.	2.0	104
111	Role of monkey precentral cortex in control of voluntary jaw movements. Journal of Neurophysiology, 1975, 38, 146-157.	0.9	103
112	The strength of the reflex response to sinusoidal stretch of monkey jaw closing muscles during voluntary contraction Journal of Physiology, 1978, 279, 81-111.	1.3	103
113	High and low neuroticism predict different cortisol responses to the combined dexamethasone–CRH test. Biological Psychiatry, 2001, 49, 410-415.	0.7	103
114	Efficacy markers in depression. Journal of Psychopharmacology, 2011, 25, 1148-1158.	2.0	103
115	Innovative solutions to novel drug development in mental health. Neuroscience and Biobehavioral Reviews, 2013, 37, 2438-2444.	2.9	102
116	Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. European Neuropsychopharmacology, 2016, 26, 994-1003.	0.3	100
117	Short-term antidepressant treatment and facial processing. British Journal of Psychiatry, 2007, 190, 531-532.	1.7	99
118	Valproate <i>v.</i> lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. British Journal of Psychiatry, 2011, 199, 57-63.	1.7	99
119	The effects of fusimotor stimulation during small amplitude stretching on the frequencyâ€response of the primary ending of the mammalian muscle spindle Journal of Physiology, 1975, 253, 175-206.	1.3	98
120	Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa?. Psychological Medicine, 1987, 17, 839-842.	2.7	98
121	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. Psychopharmacology, 2002, 163, 106-110.	1.5	96
122	Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H215O PET study. European Journal of Neuroscience, 2007, 25, 2224-2233.	1.2	93
123	Uptake of 99mTc-exametazime shown by single photon emission computed tomography before and after lithium withdrawal in bipolar patients: Associations with mania. British Journal of Psychiatry, 1997, 170, 426-430.	1.7	92
124	How Psychological Symptoms Relate to Different Motivations for Gambling: An Online Study of Internet Gamblers. Biological Psychiatry, 2010, 68, 733-740.	0.7	92
125	A comprehensive review and model of putative prodromal features of bipolar affective disorder. Psychological Medicine, 2011, 41, 1567-1577.	2.7	92
126	The enhancement by lithium of the 5-HT1A mediated serotonin syndrome produced by 8-OH-DPAT in the rat: evidence for a post-synaptic mechanism. Psychopharmacology, 1986, 90, 488-493.	1.5	91

#	Article	IF	CITATIONS
127	Depression and associated physical diseases and symptoms. Dialogues in Clinical Neuroscience, 2006, 8, 259-265.	1.8	91
128	Lithium Augmentation in Antidepressant-Resistant Patients a Quantitative Analysis. British Journal of Psychiatry, 1991, 159, 510-514.	1.7	90
129	Presence of Multiple Functional Polyadenylation Signals and a Single Nucleotide Polymorphism in the $3\hat{a}\in^2$ Untranslated Region of the Human Serotonin Transporter Gene. Journal of Neurochemistry, 2001, 72, 1384-1388.	2.1	88
130	Altered Allelic Distributions of the Serotonin Transporter Gene in Migraine Without Aura and Migraine with Aura. Cephalalgia, 1998, 18, 23-26.	1.8	87
131	Mood stability versus mood instability in bipolar disorder: A possible role for emotional mental imagery. Behaviour Research and Therapy, 2011, 49, 707-713.	1.6	87
132	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. Bipolar Disorders, 2018, 20, 419-431.	1.1	86
133	Comparative evaluation of quetiapine plus lamotrigine combination versus quetiapine monotherapy (and folic acid versus placebo) in bipolar depression (CEQUEL): a 2â€^×â€^2 factorial randomised trial. Lancet Psychiatry,the, 2016, 3, 31-39.	3.7	84
134	Cerebral perfusion in chronic fatigue syndrome and depression. British Journal of Psychiatry, 2000, 176, 550-556.	1.7	83
135	Gender Differences in the Relationship between Personality Dimensions and Relative Body Weight. Obesity, 2001, 9, 647-650.	4.0	81
136	Hypoactivation of the Ventral and Dorsal Striatum During Reward and Loss Anticipation in Antipsychotic and Mood Stabilizer-Naive Bipolar Disorder. Neuropsychopharmacology, 2015, 40, 658-666.	2.8	81
137	Innovative approaches to bipolar disorder and its treatment. Annals of the New York Academy of Sciences, 2016, 1366, 76-89.	1.8	81
138	A Single Photon Emission Computerised Tomography Study of Regional Brain Function in Elderly Patients with Major Depression and with Alzheimer-Type Dementia. British Journal of Psychiatry, 1993, 163, 155-165.	1.7	79
139	Selecting controls for schizophrenia research studies: the use of the national adult reading test (NART) is a measure of pre-morbid ability. Schizophrenia Research, 1992, 8, 137-141.	1.1	78
140	A specific role for serotonin in overcoming effort cost. ELife, 2016, 5, .	2.8	77
141	Common and Specific Elements of Psychosocial Treatments for Bipolar Disorder: A Survey of Clinicians Participating in Randomized Trials. Journal of Psychiatric Practice, 2008, 14, 77-85.	0.3	76
142	Developing a measure of interpretation bias for depressed mood: An ambiguous scenarios test. Personality and Individual Differences, 2011, 51, 349-354.	1.6	76
143	Hippocampal volume in vulnerability and resilience to depression. Journal of Affective Disorders, 2016, 189, 199-202.	2.0	74
144	The effects of a 5-HT1 receptor ligand isapirone (TVX Q 7821) on 5-HT synthesis and the behavioural effects of 5-HT agonists in mice and rats. Psychopharmacology, 1986, 89, 382-387.	1.5	73

#	Article	IF	CITATIONS
145	Personality associations with the uptake of the cerebral blood flow marker 99mTc-Exametazime estimated with single photon emission tomography. Personality and Individual Differences, 1994, 17, 587-595.	1.6	73
146	Effects of a branched-chain amino acid drink in mania. British Journal of Psychiatry, 2003, 182, 210-213.	1.7	73
147	Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball tasks― Electroencephalography and Clinical Neurophysiology, 1995, 95, 434-443.	0.3	72
148	Erythropoietin Improves Mood and Modulates the Cognitive and Neural Processing of Emotion 3 Days Post Administration. Neuropsychopharmacology, 2008, 33, 611-618.	2.8	69
149	Experiences of Remote Mood and Activity Monitoring in Bipolar Disorder: A Qualitative Study. European Psychiatry, 2017, 41, 115-121.	0.1	69
150	Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. Neuroscience and Biobehavioral Reviews, 2018, 84, 162-170.	2.9	68
151	Facilitated Integrated Mood Management for adults with bipolar disorder. Bipolar Disorders, 2012, 14, 185-197.	1.1	67
152	Efficacy of agomelatine and escitalopram on depression, subjective sleep and emotional experiences in patients with major depressive disorder: a 24-wk randomized, controlled, double-blind trial. International Journal of Neuropsychopharmacology, 2013, 16, 2219-2234.	1.0	67
153	A Pilot Study of Mindfulness-Based Cognitive Therapy for Bipolar Disorder. International Journal of Cognitive Therapy, 2009, 2, 373-382.	1.3	66
154	Down-regulation of \hat{l}^2 -adrenoceptors in rat cortex by repeated administration of desipramine, electroconvulsive shock and clenbuterol requires 5-HT neurones but not 5-HT. Neuropharmacology, 1985, 24, 279-283.	2.0	65
155	Altered Risk-Aversion and Risk-Seeking Behavior in Bipolar Disorder. Biological Psychiatry, 2009, 66, 840-846.	0.7	65
156	Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. Chronobiology International, 2014, 31, 290-296.	0.9	65
157	Cortical glutathione levels in young people with bipolar disorder: a pilot study using magnetic resonance spectroscopy. Psychopharmacology, 2014, 231, 327-332.	1.5	65
158	Diurnal Variation of Adrenocortical Activity in Chronic Fatigue Syndrome. Neuropsychobiology, 1998, 38, 213-217.	0.9	64
159	A plan for mental illness. Nature, 2012, 483, 269-269.	13.7	64
160	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. Psychological Medicine, 2014, 44, 2409-2418.	2.7	64
161	Psychological Effect of an Analogue Traumatic Event Reduced by Sleep Deprivation. Sleep, 2015, 38, 1017-1025.	0.6	64
162	Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: Randomised double-blind placebo-controlled trial. British Journal of Psychiatry, 2016, 208, 78-86.	1.7	64

#	Article	IF	Citations
163	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. Psychopharmacology, 2002, 160, 192-197.	1.5	63
164	The pharmacokinetic profile of lithium in rat and mouse; An important factor in psychopharmacological investigation of the drug. Neuropharmacology, 1986, 25, 1285-1288.	2.0	62
165	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. Psychopharmacology, 2001, 154, 383-389.	1.5	62
166	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. Molecular Psychiatry, 2008, 13, 1011-1020.	4.1	62
167	Regional cerebral blood flow in IDDM patients: Effects of diabetes and of recurrent severe hypoglycaemia. Diabetologia, 1994, 37, 257-263.	2.9	61
168	The Neuropsychiatric Sequelae of Mercury Poisoning. British Journal of Psychiatry, 1995, 167, 95-98.	1.7	61
169	Lack of insight may predict impaired decision making in manic patients. Bipolar Disorders, 2008, 10, 829-837.	1.1	61
170	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. Journal of Psychopharmacology, 2011, 25, 1159-1167.	2.0	61
171	Applications of time-series analysis to mood fluctuations in bipolar disorder to promote treatment innovation: a case series. Translational Psychiatry, 2016, 6, e720-e720.	2.4	61
172	Short-term effects of electroconvulsive treatment on the uptake of 99mTc-Exametazime into brain in major depression shown with single photon emission tomography. Journal of Affective Disorders, 1994, 30, 27-34.	2.0	60
173	Effect of chronic treatment with 5â€HT ₁ agonist (8â€OHâ€DPAT and RU 24969) and antagonist (isapirone) drugs on the behavioural responses of mice to 5â€HT ₁ and 5â€HT ₂ agonists. British Journal of Pharmacology, 1986, 89, 377-384.	2.7	59
174	Hypothermia induced by baclofen, a possible index of GABA _B receptor function in mice, is enhanced by antidepressant drugs and ECS. British Journal of Pharmacology, 1987, 92, 863-870.	2.7	59
175	Relapse into mania or depression following lithium discontinuation: a 7-year follow-up. Acta Psychiatrica Scandinavica, 2004, 109, 91-95.	2.2	59
176	Lithium decreases 5-HT1A and 5-HT2 receptor and ?2-adrenoreceptor mediated function in mice. Psychopharmacology, 1986, 90, 482-7.	1.5	58
177	The effects of corticosterone on 5-HT receptor function in rodents. Neuropharmacology, 1992, 31, 433-438.	2.0	58
178	The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. Psychological Medicine, 2000, 30, 433-442.	2.7	58
179	A Voxel-Based Analysis of Cerebral Perfusion in Dementia and Depression of Old Age. NeuroImage, 1998, 7, 199-208.	2.1	57
180	Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. British Journal of Psychiatry, 2002, 181, 411-415.	1.7	57

#	Article	IF	Citations
181	The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol. Journal of Affective Disorders, 2001, 63, 179-187.	2.0	56
182	The effects of cortisol infusion upon hormone secretion from the anterior pituitary and subjective mood in depressive illness and in controls. Journal of Affective Disorders, 1992, 26, 73-83.	2.0	55
183	Effects of a single dose of the acetylcholinesterase inhibitor velnacrine on recognition memory and regional cerebral blood flow in Alzheimer's disease. Psychopharmacology, 1992, 108, 103-109.	1.5	55
184	EDITORIAL. Psychological Medicine, 1997, 27, 995-999.	2.7	55
185	The role of the anterior cingulate cortex in the counting Stroop task. Experimental Brain Research, 2004, 154, 355-358.	0.7	55
186	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. Psychiatry Research, 2016, 241, 141-146.	1.7	54
187	Pharmacological treatment and risk of psychiatric hospital admission in bipolar disorder. British Journal of Psychiatry, 2017, 210, 197-202.	1.7	54
188	Defining Faecal Calprotectin Thresholds as a Surrogate for Endoscopic and Histological Disease Activity in Ulcerative Colitis—a Prospective Analysis. Journal of Crohn's and Colitis, 2019, 13, 424-430.	0.6	54
189	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. British Journal of Psychiatry, 2019, 214, 27-35.	1.7	54
190	Smoking and the risk for bipolar disorder: evidence from a bidirectional Mendelian randomisation study. British Journal of Psychiatry, 2021, 218, 88-94.	1.7	54
191	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7Âdays post-administration. Experimental Brain Research, 2008, 184, 313-321.	0.7	53
192	Cerebral Pharmacodynamics of Physostigmine in Alzheimer's Disease Investigated Using Single-Photon Computerised Tomography. British Journal of Psychiatry, 1991, 158, 351-357.	1.7	52
193	Dysfunctional beliefs in bipolar disorder: Hypomanic vs. depressive attitudes. Journal of Affective Disorders, 2010, 122, 294-300.	2.0	52
194	Predicting treatment response to antidepressant medication using early changes in emotional processing. European Neuropsychopharmacology, 2019, 29, 66-75.	0.3	52
195	5HT3 antagonism abolishes the emotion potentiated startle effect in humans. Psychopharmacology, 2006, 186, 18-24.	1.5	51
196	What is a mood stabilizer?. Psychological Medicine, 2007, 37, 609.	2.7	51
197	Internet Gamblers: A Latent Class Analysis of Their Behaviours and Health Experiences. Journal of Gambling Studies, 2010, 26, 387-399.	1.1	51
198	The effects of antidepressant treatments and lithium upon 5-HT1A receptor function. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1989, 13, 445-451.	2.5	50

#	Article	IF	CITATIONS
199	Lithium - a continuing story in the treatment of bipolar disorder. Acta Psychiatrica Scandinavica, 2005, 111, 7-12.	2.2	50
200	Increased temporoâ€insular engagement in unmedicated bipolar II disorder: an exploratory resting state study using independent component analysis. Bipolar Disorders, 2014, 16, 748-755.	1.1	50
201	Psychiatric assessment of mood instability: qualitative study of patient experience. British Journal of Psychiatry, 2014, 204, 234-239.	1.7	50
202	Cerebral perfusion correlates of depressed mood. British Journal of Psychiatry, 1997, 170, 77-81.	1.7	49
203	The Edinburgh Cohort of HIV-Positive Drug Users: Pattern of Cognitive Impairment in Relation to Progression of Disease. British Journal of Psychiatry, 1992, 161, 522-531.	1.7	48
204	Effects of glucocorticoids on 5-HT1A presynaptic function in the mouse. Psychopharmacology, 1994, 114, 360-364.	1.5	48
205	Risk for depression is associated with neural biases in emotional categorisation. Neuropsychologia, 2008, 46, 2896-2903.	0.7	47
206	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. Psychopharmacology, 2009, 207, 133-142.	1.5	47
207	The course of bipolar disorder. Advances in Psychiatric Treatment, 2010, 16, 318-328.	0.6	47
208	Clonidine infusion increases uptake of ^{99m} Tc-Exametazime in anterior cingulate cortex in Korsakoff's psychosis. Psychological Medicine, 1994, 24, 53-61.	2.7	46
209	Clinical Studies on the Efficacy of Agomelatine on Depressive Symptoms. CNS Drugs, 2009, 23, 35-39.	2.7	46
210	Lithium versus antidepressants in the long-term treatment of unipolar affective disorder. The Cochrane Library, 2006, , CD003492.	1.5	45
211	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. Neurolmage, 2007, 37, 904-911.	2.1	45
212	Longitudinal mood monitoring in bipolar disorder: Course of illness as revealed through a short messaging service. Journal of Affective Disorders, 2017, 223, 139-145.	2.0	45
213	Bipolar depression and treatment with antidepressants. British Journal of Psychiatry, 2012, 200, 5-6.	1.7	44
214	A signature-based machine learning model for distinguishing bipolar disorder and borderline personality disorder. Translational Psychiatry, 2018, 8, 274.	2.4	44
215	The pattern of cerebral activity underlying verbal fluency shown by split-dose single photon emission tomography (SPET or SPECT) in normal volunteers. Psychological Medicine, 1991, 21, 687-696.	2.7	43
216	Association of Short Alleles of a VNTR of the Serotonin Transporter Gene with Anxiety Symptoms in Patients Presenting After Deliberate Self Harm. Neuropharmacology, 1997, 36, 439-443.	2.0	43

#	Article	IF	Citations
217	What is the heartland of psychiatry?. British Journal of Psychiatry, 2007, 191, 189-191.	1.7	43
218	Mental imagery in bipolar affective disorder versus unipolar depression: Investigating cognitions at times of †positive' mood. Journal of Affective Disorders, 2014, 166, 234-242.	2.0	43
219	Mood Homeostasis Before and During the Coronavirus Disease 2019 (COVID-19) Lockdown Among Students in the Netherlands. JAMA Psychiatry, 2021, 78, 110.	6.0	43
220	Variability in phase and amplitude of diurnal rhythms is related to variation of mood in bipolar and borderline personality disorder. Scientific Reports, 2018, 8, 1649.	1.6	42
221	Magnetic Resonance Imaging and Single Photon Emission Tomography in Treatment-Responsive and Treatment-Resistant Schizophrenia. British Journal of Psychiatry, 1995, 167, 202-210.	1.7	41
222	Functional imaging, affective disorder and dementia. British Medical Bulletin, 1996, 52, 495-512.	2.7	41
223	The effects of a branched chain amino acid mixture supplemented with tryptophan on biochemical indices of neurotransmitter function and decision-making. Psychopharmacology, 2005, 179, 761-768.	1.5	41
224	Bipolar disorder dynamics: affective instabilities, relaxation oscillations and noise. Journal of the Royal Society Interface, 2015, 12, 20150670.	1.5	41
225	The effects of acute hypoglycemia on relative cerebral blood flow distribution in patients with type I (insulin-dependent) diabetes and impaired hypoglycemia awareness. Metabolism: Clinical and Experimental, 1996, 45, 974-980.	1.5	39
226	Safety of antipsychotics in people with intellectual disability. British Journal of Psychiatry, 2011, 199, 289-295.	1.7	39
227	Differential patterns of local cerebral glucose utilization in response to 5-hydroxytryptamine, agonists. Neuroscience, 1988, 25, 907-915.	1.1	38
228	The elevation of plasma \hat{l}^2 -endorphin levels in major depression. Journal of Affective Disorders, 1993, 29, 281-289.	2.0	38
229	Uptake of ^{99m} Tcâ€exametazime shown by single photon emission computerized tomography in obsessiveâ€compulsive disorder compared with major depression and normal controls. Acta Psychiatrica Scandinavica, 1994, 90, 298-303.	2.2	38
230	Using an Experimental Medicine Model to Explore Combination Effects of Pharmacological and Cognitive Interventions for Depression and Anxiety. Neuropsychopharmacology, 2011, 36, 2689-2697.	2.8	38
231	Bipolar disorder: clinical uncertainty, evidence-based medicine and large-scale randomised trials. British Journal of Psychiatry, 2001, 178, s191-s194.	1.7	37
232	Internet use by patients with bipolar disorder: Results from an international multisite survey. Psychiatry Research, 2016, 242, 388-394.	1.7	36
233	Correlation of regional cerebral blood flow equivalents measured by single photon emission computerized tomography with P300 latency and eye movement abnormality in schizophrenia. Acta Psychiatrica Scandinavica, 1994, 90, 157-166.	2.2	35
234	The Oxford Questionnaire on the Emotional Side-effects of Antidepressants (OQuESA): Development, validity, reliability and sensitivity to change. Journal of Affective Disorders, 2012, 140, 66-74.	2.0	35

#	Article	IF	CITATIONS
235	Online information seeking by patients with bipolar disorder: results from an international multisite survey. International Journal of Bipolar Disorders, 2016, 4, 17.	0.8	35
236	The effect of anxiety induction on the regional uptake of 99mTc-Exametazime in simple phobia as shown by single photon emission tomography (SPET). Journal of Affective Disorders, 1993, 28, 203-210.	2.0	34
237	Allelic variation in the serotonin 5-HT2C receptor gene and migraine. NeuroReport, 1997, 8, 2651-2563.	0.6	34
238	The Risk of Child Abuse among Mothers who Attempt Suicide. British Journal of Psychiatry, 1985, 146, 486-489.	1.7	33
239	A Single Photon Emission Computerised Tomography Study of Regional Brain Function Underlying Verbal Memory in Patients with Alzheimer-Type Dementia. British Journal of Psychiatry, 1993, 163, 166-172.	1.7	33
240	Presence of Mental Imagery Associated with Chronic Pelvic Pain: A Pilot Study. Pain Medicine, 2011, 12, 1086-1093.	0.9	33
241	Forecasting Depression in Bipolar Disorder. IEEE Transactions on Biomedical Engineering, 2012, 59, 2801-2807.	2.5	33
242	Vitamin D deficiency in patients with intellectual disabilities: prevalence, risk factors and management strategies. British Journal of Psychiatry, 2014, 205, 458-464.	1.7	33
243	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. Trials, 2015, 16, 236.	0.7	33
244	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. Neuropsychopharmacology, 2021, 46, 1307-1314.	2.8	33
245	The neuroendocrine responses and psychological effects of infusion of L-tryptophan in anorexia nervosa. Psychological Medicine, 1989, 19, 857-864.	2.7	32
246	Further Evidence that Reading Ability is not Preserved in Alzheimer's Disease. British Journal of Psychiatry, 1995, 167, 659-662.	1.7	32
247	The role of lithium in the treatment of bipolar depression. Clinical Neuroscience Research, 2002, 2, 222-227.	0.8	32
248	5-HT1A receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-11C]WAY-100635. Journal of Affective Disorders, 2010, 123, 77-80.	2.0	32
249	Gambling problems in bipolar disorder in the UK: Prevalence and distribution. British Journal of Psychiatry, 2015, 207, 328-333.	1.7	32
250	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. Trials, 2017, 18, 558.	0.7	32
251	Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. Journal of Psychopharmacology, 2015, 29, 1119-1128.	2.0	31
252	Associations between mood instability and emotional processing in a large cohort of bipolar patients. Psychological Medicine, 2016, 46, 3151-3160.	2.7	31

#	Article	IF	CITATIONS
253	Efficacy of digital cognitive behavioral therapy for moderateâ€toâ€severe symptoms of generalized anxiety disorder: A randomized controlled trial. Depression and Anxiety, 2020, 37, 1168-1178.	2.0	31
254	Suicides by Violent Means in Individuals Taking SSRIs and Other Antidepressants. Journal of Clinical Psychopharmacology, 2007, 27, 503-506.	0.7	30
255	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. Psychopharmacology, 2010, 210, 419-428.	1.5	30
256	Increased eating in dementia. International Journal of Eating Disorders, 1989, 8, 111-115.	2.1	29
257	Estimating pre-morbid intellectual ability in the Alcoholic Korsakoff Syndrome. Psychological Medicine, 1992, 22, 903-909.	2.7	29
258	PASAT performance and the pattern of uptake of 99mTc-exametazime in brain estimated with single photon emission tomography. Biological Psychology, 1994, 38, 1-18.	1.1	29
259	The True Colours Remote Symptom Monitoring System: A Decade of Evolution. Journal of Medical Internet Research, 2020, 22, e15188.	2.1	29
260	Follow-up study of depression in the elderly. British Journal of Psychiatry, 1999, 175, 252-258.	1.7	28
261	Reduced Subjective Response to Acute Ethanol Administration Among Young Men with a Broad Bipolar Phenotype. Neuropsychopharmacology, 2012, 37, 1808-1815.	2.8	28
262	Opioid-Independent and Opioid-Mediated Modes of Pain Modulation. Journal of Neuroscience, 2018, 38, 9047-9058.	1.7	28
263	Mood Homeostasis, Low Mood, and History of Depression in 2 Large Population Samples. JAMA Psychiatry, 2020, 77, 944.	6.0	28
264	Unilateral voluntary hand movement and regional cerebral uptake of technetium-99m-exametazime in human control subjects. Journal of Nuclear Medicine, 1992, 33, 1623-7.	2.8	28
265	Hypomania: What's in a name?. British Journal of Psychiatry, 2002, 181, 94-95.	1.7	27
266	Investigation of the impact of total sleep deprivation at home on the number of intrusive memories to an analogue trauma. Translational Psychiatry, 2019, 9, 104.	2.4	27
267	Diurnal variation of plasma corticosterone in depression. Psychoneuroendocrinology, 1990, 15, 485-488.	1.3	26
268	The effects of adrenalectomy and ovariectomy on the behavioural and hypothermic responses of rats to 8-hydroxy-2(di-n-propylamino)tetralin (8-OH-DPAT). Neuropharmacology, 1993, 32, 653-657.	2.0	26
269	Latest maintenance data on lithium in bipolar disorder. European Neuropsychopharmacology, 2003, 13, 51-55.	0.3	26
270	Developing the BALANCE trial - the role of the pilot study and start-up phase. Bipolar Disorders, 2004, 6, 26-31.	1.1	26

#	Article	IF	Citations
271	Risperidone alone or in combination for acute mania. The Cochrane Library, 2006, , CD004043.	1.5	26
272	NK $<$ sub $>$ 1 $<$ /sub $>$ receptor antagonism and emotional processing in healthy volunteers. Journal of Psychopharmacology, 2010, 24, 481-487.	2.0	26
273	White matter alterations in antipsychotic- and mood stabilizer-na \tilde{A} ve individuals with bipolar II/NOS disorder. Neurolmage: Clinical, 2013, 3, 271-278.	1.4	26
274	Attacks on antidepressants: signs of deep-seated stigma?. Lancet Psychiatry,the, 2014, 1, 102-104.	3.7	26
275	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)â€"recommendations. Translational Psychiatry, 2019, 9, 162.	2.4	26
276	Sleep and intrusive memories immediately after a traumatic event in emergency department patients. Sleep, 2020, 43, .	0.6	26
277	Dieting and weight loss in volunteers increases the number of $\hat{l}\pm 2$ -adrenoceptors and 5-HT receptors on blood platelets without effect on [3H]imipramine binding. Journal of Affective Disorders, 1987, 12, 267-274.	2.0	25
278	The common adolescent bipolar phenotype shows positive biases in emotional processing. Bipolar Disorders, 2010, 12, 606-615.	1.1	25
279	Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial. Journal of Affective Disorders, 2016, 205, 245-251.	2.0	25
280	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis $\hat{a} \in A$ narrative review from the ECNP bipolar disorders network. European Neuropsychopharmacology, 2021, 47, 54-61.	0.3	25
281	Oral D-Fenfluramine and neuroendocrine challenge: problems with the 30 mg dose in men. Journal of Affective Disorders, 1994, 30, 117-122.	2.0	24
282	Epileptic aphasia: a consequence of regional hypometabolic encephalopathy?. Developmental Medicine and Child Neurology, 1998, 40, 508-516.	1.1	24
283	Perceptual switch rates with ambiguous structure-from-motion figures in bipolar disorder. Proceedings of the Royal Society B: Biological Sciences, 2008, 275, 1839-1848.	1.2	24
284	Hypomanic Experience in Young Adults Confers Vulnerability to Intrusive Imagery After Experimental Trauma. Clinical Psychological Science, 2014, 2, 675-684.	2.4	24
285	Mood dynamics in bipolar disorder. International Journal of Bipolar Disorders, 2014, 2, 11.	0.8	24
286	Korsakoff's syndrome, cognition and clonidine. Psychological Medicine, 1993, 23, 341-347.	2.7	23
287	Treatment of bipolar depressive mood disorders: Algorithms for pharmacotherapy. International Journal of Psychiatry in Clinical Practice, 1997, 1, S9-S12.	1.2	23
288	Lamotrigine in the treatment of bipolar disorder. Expert Opinion on Pharmacotherapy, 2005, 6, 1401-1408.	0.9	23

#	Article	IF	Citations
289	Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. Journal of Neurosurgery, 2009, 111, 780-784.	0.9	23
290	Lithium might be associated with better decision-making performance in euthymic bipolar patients. European Neuropsychopharmacology, 2015, 25, 788-797.	0.3	23
291	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. Trials, 2016, 17, 116.	0.7	23
292	Olanzapine alone or in combination for acute mania. The Cochrane Library, 2003, , CD004040.	1.5	22
293	Effective maintenance treatment—breaking the cycle of bipolar disorder. European Psychiatry, 2005, 20, 365-371.	0.1	22
294	Distinguishing bipolar disorder from borderline personality disorder: A study of current clinical practice. European Psychiatry, 2015, 30, 965-974.	0.1	22
295	The experience of gambling problems in British professional footballers: a preliminary qualitative study. Addiction Research and Theory, 2017, 25, 129-138.	1.2	22
296	Prevention of motor nerve sprouting in botulinum toxin poisoned mouse soleus muscles by direct stimulation of the muscle [proceedings]. Journal of Physiology, 1977, 267, 42P-43P.	1.3	22
297	The effects of the gaba-mimetic drugs, progabide and baclofen, on the biochemistry and function of 5-hydroxytryptamine and noradrenaline. Neuropharmacology, 1986, 25, 711-716.	2.0	21
298	A UK consensus on the administration of aripiprazole for the treatment of mania. Journal of Psychopharmacology, 2009, 23, 231-240.	2.0	21
299	How Law 180 in Italy has reshaped psychiatry after 30 years: past attitudes, current trends and unmet needs. British Journal of Psychiatry, 2010, 197, 261-262.	1.7	21
300	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 13-22.	1.8	21
301	The Edinburgh cohort of HIV-positive drug users: the relationship between auditory P3 latency, cognitive function and self-rated mood. Psychological Medicine, 1993, 23, 613-622.	2.7	20
302	Effects of fluvoxamine treatment on cognitive functioning in the alcoholic Korsakoff syndrome. Psychopharmacology, 1994, 116, 85-88.	1.5	20
303	Revealing the Mind's Eye: Bringing (Mental) Images Into Psychiatry. American Journal of Psychiatry, 2012, 169, 1245-1246.	4.0	20
304	Economic evaluations in bipolar disorder: a systematic review and critical appraisal. Bipolar Disorders, 2014, 16, 557-582.	1.1	20
305	Verbal learning impairment in euthymic bipolar disorder: BDI v BDII. Journal of Affective Disorders, 2015, 182, 95-100.	2.0	20
306	60 years of advances in neuropsychopharmacology for improving brain health, renewed hope for progress. European Neuropsychopharmacology, 2015, 25, 591-598.	0.3	20

#	Article	IF	CITATIONS
307	Actigraphic patterns, impulsivity and mood instability in bipolar disorder, borderline personality disorder and healthy controls. Acta Psychiatrica Scandinavica, 2020, 141, 374-384.	2.2	20
308	The tonic vibration reflex seen in the acute spinal cat after treatment with DOPA. Brain Research, 1973, 49, 463-466.	1.1	19
309	A new US–UK diagnostic project: mood elevation and depression in first-year undergraduates at Oxford and Stanford universities. Acta Psychiatrica Scandinavica, 2008, 118, 81-85.	2.2	19
310	Desynchronization of diurnal rhythms in bipolar disorder and borderline personality disorder. Translational Psychiatry, 2018, 8, 79.	2.4	19
311	Clinical Insight Into Latent Variables of Psychiatric Questionnaires for Mood Symptom Self-Assessment. JMIR Mental Health, 2017, 4, e15.	1.7	19
312	Prophylaxis of bipolar disorder: how and who should we treat in the long term?. European Neuropsychopharmacology, 1999, 9, S125-S129.	0.3	18
313	Contemporary Approaches to Frequent Mood Monitoring in Bipolar Disorder. Journal of Experimental Psychopathology, 2012, 3, 572-581.	0.4	18
314	Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. Journal of Psychopharmacology, 2013, 27, 435-443.	2.0	18
315	Is it time to shift to better characterization of patients in trials assessing novel antidepressants? An example of two relapse prevention studies with agomelatine. International Clinical Psychopharmacology, 2013, 28, 20-28.	0.9	18
316	The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. Journal of Psychopharmacology, 2017, 31, 320-326.	2.0	18
317	Analysing UK clinicians' understanding of cognitive symptoms in major depression: A survey of primary care physicians and psychiatrists. Journal of Affective Disorders, 2017, 207, 346-352.	2.0	18
318	Patient fibroblast circadian rhythms predict lithium sensitivity in bipolar disorder. Molecular Psychiatry, 2021, 26, 5252-5265.	4.1	18
319	BALANCE: a large simple trial of maintenance treatment for bipolar disorder. World Psychiatry, 2002, 1, 48-51.	4.8	18
320	The effects of lithium discontinuation and the non-effect of oral inositol upon thyroid hormones and cortisol in patients with bipolar affective disorder. Journal of Affective Disorders, 1991, 22, 165-170.	2.0	17
321	Modelling a loss event: effect of imagined bereavement on the hypothalamic–pituitary–adrenal axis. Psychological Medicine, 2000, 30, 219-223.	2.7	17
322	Experimental medicine in psychiatry. Journal of Psychopharmacology, 2005, 19, 565-566.	2.0	17
323	Long-Term Prophylaxis in Bipolar Disorder. CNS Drugs, 2006, 20, 303-310.	2.7	17
324	Effectiveness as an outcome measure for treatment trials in psychiatry. World Psychiatry, 2009, 8, 23-27.	4.8	17

#	Article	IF	CITATIONS
325	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. International Journal of Bipolar Disorders, 2013, 1, 2.	0.8	17
326	Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders. Psychological Medicine, 2015, 45, 1591-1600.	2.7	17
327	Antidepressants, withdrawal, and addiction; where are we now?. Journal of Psychopharmacology, 2019, 33, 655-659.	2.0	17
328	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. European Neuropsychopharmacology, 2020, 36, 121-136.	0.3	17
329	The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women. Journal of Affective Disorders, 1988, 14, 137-144.	2.0	16
330	Perspectives for clinical research on bipolar disorders in the new millennium. Bipolar Disorders, 2000, 2, 302-304.	1.1	16
331	Imagery-Focused Cognitive Therapy (ImCT) for Mood Instability and Anxiety in a Small Sample of Patients with Bipolar Disorder: a Pilot Clinical Audit. Behavioural and Cognitive Psychotherapy, 2018, 46, 706-725.	0.9	16
332	Feasibility and efficacy of a digital CBT intervention for symptoms of Generalized Anxiety Disorder: A randomized multiple-baseline study. Journal of Behavior Therapy and Experimental Psychiatry, 2021, 70, 101609.	0.6	16
333	Proactive interference and the neuropsychology of schizophrenia. British Journal of Clinical Psychology, 1993, 32, 353-356.	1.7	15
334	A population-based study of personality in 34 000 sib-pairs. Twin Research and Human Genetics, 2000, 3, 310-315.	1.5	15
335	Does Depression Influence Symptom Severity in Irritable Bowel Syndrome? Case Study of a Patient With Irritable Bowel Syndrome and Bipolar Disorder. Psychosomatic Medicine, 2003, 65, 919-923.	1.3	15
336	Aromatase inhibitors and bipolar mood disorder: a case report. Bipolar Disorders, 2006, 8, 516-518.	1.1	15
337	Remote mood monitoring for adults with bipolar disorder: An explorative study of compliance and impact on mental health service use and costs. European Psychiatry, 2017, 45, 14-19.	0.1	15
338	Circadian rest-activity patterns in bipolar disorder and borderline personality disorder. Translational Psychiatry, 2019, 9, 195.	2.4	15
339	Lymphocyte glucocorticoid receptor binding in depression: normal values following recovery. Journal of Affective Disorders, 1988, 14, 155-159.	2.0	14
340	The differentiation of major depression from dementia of the Alzheimer type using within-subject neuropsychological discrepancy analysis. British Journal of Clinical Psychology, 1994, 33, 23-32.	1.7	14
341	Early morning salivary cortisol is not associated with extraversion. Personality and Individual Differences, 2006, 40, 395-400.	1.6	14
342	Validation of the Oxford Depression Questionnaire: Sensitivity to change, minimal clinically important difference, and response threshold for the assessment of emotional blunting. Journal of Affective Disorders, 2021, 294, 924-931.	2.0	14

#	Article	IF	Citations
343	Munchausen's Syndrome and Organic Brain Disorder. British Journal of Psychiatry, 1993, 162, 545-549.	1.7	13
344	Suicide trends in discharged patients with mood disorders: associations with selective serotonin uptake inhibitors and comorbid substance misuse. International Clinical Psychopharmacology, 2006, 21, 111-115.	0.9	13
345	Thought suppression in patients with bipolar disorder Journal of Abnormal Psychology, 2010, 119, 355-365.	2.0	13
346	Pituitary gland volumes in bipolar disorder. Journal of Affective Disorders, 2014, 169, 197-202.	2.0	13
347	Internet use by older adults with bipolar disorder: international survey results. International Journal of Bipolar Disorders, 2018, 6, 20.	0.8	13
348	Group-Personalized Regression Models for Predicting Mental Health Scores From Objective Mobile Phone Data Streams: Observational Study. Journal of Medical Internet Research, 2018, 20, e10194.	2.1	13
349	A systematic distortion of position sense produced by muscle fibration. Journal of Physiology, 1972, 221, 8P-9P.	1.3	13
350	Cerebral Vascular Transit Time in Alzheimer's Disease and Korsakoff's Psychosis and its Relation to Cognitive Function. British Journal of Psychiatry, 1989, 154, 790-796.	1.7	12
351	Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. Psychological Medicine, 1995, 25, 1091-1095.	2.7	12
352	Correlates of depression in bipolar disorder. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20132320.	1.2	12
353	Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. Journal of Psychopharmacology, 2016, 30, 273-282.	2.0	12
354	Real-time data monitoring for ulcerative colitis: patient perception and qualitative analysis. Intestinal Research, 2019, 17, 365-374.	1.0	12
355	The \hat{I}^2 2-adrenoceptor agonists clenbuterol and salbutamol enhance the hypothermic action of 8-hydroxy-2-(di-n-propylamino)tetralin (8-oh-dpat) in mice by a central mechanism. Neuropharmacology, 1986, 25, 21-24.	2.0	11
356	Luteinizing hormone responses to luteinizing hormone releasing hormone (LHRH) in acute mania and the effects of lithium on LHRH and thyrotrophin releasing hormone tests in volunteers. Psychological Medicine, 1989, 19, 69-77.	2.7	11
357	The Rise and Fall of Mood Stabilizers. Australian and New Zealand Journal of Psychiatry, 2007, 41, 779-783.	1.3	11
358	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. Current Medical Research and Opinion, 2011, 27, 2285-2299.	0.9	11
359	Borderline personality disorder, but not euthymic bipolar I disorder, is associated with prolonged post-error slowing in sensorimotor performance. Journal of Affective Disorders, 2016, 198, 163-170.	2.0	11
360	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression: 20 years on. Journal of Psychopharmacology, 2016, 30, 1090-1094.	2.0	11

#	Article	IF	Citations
361	Insensitivity to the Magnitude of Potential Gains or Losses When Making Risky Choices: Women With Borderline Personality Disorder Compared With Bipolar Disorder and Controls. Journal of Personality Disorders, 2016, 30, 530-544.	0.8	11
362	Biochemical and genetic predictors and correlates of response to lamotrigine and folic acid in bipolar depression: Analysis of the <scp>CEQUEL</scp> clinical trial. Bipolar Disorders, 2017, 19, 477-486.	1.1	11
363	Comparative economic evaluation of quetiapine plus lamotrigine combination vs quetiapine monotherapy (and folic acid vs placebo) in patients with bipolar depression (CEQUEL). Bipolar Disorders, 2018, 20, 733-745.	1.1	11
364	Vitamin <scp>D</scp> , bone mineral density and risk of fracture in people with intellectual disabilities. Journal of Intellectual Disability Research, 2019, 63, 357-367.	1.2	11
365	Lithium Revisited: A Reply. British Journal of Psychiatry, 1995, 167, 573-574.	1.7	11
366	The sense of limb position and movement. Exercise and Sport Sciences Reviews, 1976, 4, 87-124.	1.6	11
367	Psilocin acutely alters sleep-wake architecture and cortical brain activity in laboratory mice. Translational Psychiatry, 2022, 12, 77.	2.4	11
368	The Efficacy of Lithium in Prophylaxis of Unipolar Depression Evidence from its Discontinuation. British Journal of Psychiatry, 1990, 157, 718-722.	1.7	10
369	Erythropoietin has no effect on hippocampal response during memory retrieval 3Âdays post-administration. Psychopharmacology, 2007, 195, 451-453.	1.5	10
370	Special issue on CNS experimental medicine. Journal of Psychopharmacology, 2011, 25, 1145-1147.	2.0	10
371	Plasma glutathione suggests oxidative stress is equally present in early―and lateâ€onset bipolar disorder. Bipolar Disorders, 2019, 21, 61-67.	1.1	10
372	The costs of bipolar disorder in the United Kingdom. Brain and Behavior, 2021, 11, e2351.	1.0	10
373	A population–based study of personality in 34 000 sib–pairs. Twin Research and Human Genetics, 2000, 3, 310-315.	1.5	9
374	Introduction to Systematic Reviews. Journal of Psychopharmacology, 2004, 18, 249-250.	2.0	9
375	Short-Term Quetiapine Treatment Alters the Use of Reinforcement Signals during Risky Decision-Making and Promotes the Choice of Negative Expected Values in Healthy Adult Males. Journal of Neuroscience, 2013, 33, 15588-15595.	1.7	9
376	Thoughts and acts of self-harm, and suicidal ideation, in online gamblers. International Gambling Studies, 2016, 16, 408-423.	1.3	9
377	Consensus Statement on European Brain Research: the need to expand brain research in Europe – 2015. European Journal of Neuroscience, 2016, 44, 1919-1926.	1.2	9
378	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. European Neuropsychopharmacology, 2022, 60, 91-99.	0.3	9

#	Article	IF	CITATIONS
379	Studies on Muscle Spindle Primary Endings with Sinusoidal Stretching. Progress in Brain Research, 1976, 44, 89-98.	0.9	8
380	HIV and the brain: functional investigations in drug users. International Review of Psychiatry, 1991, 3, 343-356.	1.4	8
381	The Edinburgh cohort of HIV positive drug users: Who are they and who cares for them?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1992, 4, 421-424.	0.6	8
382	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. Psychopharmacology, 2002, 159, 222-223.	1.5	8
383	Public mental health: science or politics?. World Psychiatry, 2015, 14, 3-4.	4.8	8
384	Regional lithium prescription rates and recurrence in bipolar disorder. International Journal of Bipolar Disorders, 2021, 9, 18.	0.8	8
385	A double-blind, placebo-controlled study of tacrine in patients with Alzheimer's disease using SPET. Journal of Psychopharmacology, 1996, 10, 175-181.	2.0	7
386	Executive function and uptake of 99m Tcexametazime shown by single photon emission tomography after oral idazoxan in probable Alzheimer-type dementia. Psychopharmacology, 1997, 131, 371-378.	1.5	7
387	Self-Organization in Bipolar Disorder: Replication of Compartmentalization and Self-Complexity. Cognitive Therapy and Research, 2010, 34, 479-486.	1.2	7
388	Antidepressants; what's the beef?. Acta Neuropsychiatrica, 2019, 31, 59-60.	1.0	7
389	Blood pressure in bipolar disorder: evidence of elevated pulse pressure and associations between mean pressure and mood instability. International Journal of Bipolar Disorders, 2021, 9, 5.	0.8	7
390	Do environmental risk factors for the development of psychosis distribute differently across dimensionally assessed psychotic experiences?. Translational Psychiatry, 2021, 11, 226.	2.4	7
391	Revisiting Treatment Options for Depressed Patients with Generalised Anxiety Disorder. Advances in Therapy, 2021, 38, 61-68.	1.3	7
392	Generalised Anxiety Disorder and Depression: Contemporary Treatment Approaches. Advances in Therapy, 2021, 38, 45-51.	1.3	7
393	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. International Journal of Neuropsychopharmacology, 2000, 3, 297-302.	1.0	6
394	Role of mood stabilizers in bipolar disorder. Expert Review of Neurotherapeutics, 2002, 2, 239-248.	1.4	6
395	The Safety of Lithium. JAMA Psychiatry, 2015, 72, 1167.	6.0	6
396	Using a generative model of affect to characterize affective variability and its response to treatment in bipolar disorder. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	6

#	Article	IF	CITATIONS
397	Antidepressants and Emotional Processing. Neuropsychopharmacology, 2003, 28, 1384-1385.	2.8	5
398	Conflict of interest is not just about advising pharmaceutical companies. Journal of Psychopharmacology, 2004, 18, 447-448.	2.0	5
399	Bipolar-spectrum disorders: an epidemic unseen, invisible or unreal?. Advances in Psychiatric Treatment, 2004, 10, 1-3.	0.6	5
400	Dr. Gijsman and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 1547-1548.	4.0	5
401	Psilocybin: Psychotherapy or drug?. Journal of Psychopharmacology, 2016, 30, 1201-1202.	2.0	5
402	Digital Communication Biomarkers of Mood and Diagnosis in Borderline Personality Disorder, Bipolar Disorder, and Healthy Control Populations. Frontiers in Psychiatry, 2021, 12, 610457.	1.3	5
403	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. European Neuropsychopharmacology, 2022, 54, 90-99.	0.3	5
404	The persistence of stable bonds between actin and myosin filaments of intrafusal muscle fibres following their activation. Journal of Physiology, 1970, 210, 9P-10P.	1.3	5
405	Lithium augmentation in antidepressant-resistant patients. British Journal of Psychiatry, 1992, 161, 128-129.	1.7	4
406	Psychiatric genetics: A genetic basis for health?. Current Biology, 1999, 9, R326-R328.	1.8	4
407	International multi-site survey on the use of online support groups in bipolar disorder. Nordic Journal of Psychiatry, 2017, 71, 473-476.	0.7	4
408	Conflicting interests and doing right. World Psychiatry, 2007, 6, 25-6.	4.8	4
409	Comments on the Northwick Park †Functional' Psychosis Study. British Journal of Psychiatry, 1989, 154, 406-409.	1.7	3
410	Stimulation of growth hormone secretion by baclofen in man: Failure to confirm published findings. Human Psychopharmacology, 1989, 4, 135-138.	0.7	3
411	Lithium may reduce gambling severity in pathological gamblers with bipolar disorder. Evidence-Based Mental Health, 2005, 8, 80-80.	2.2	3
412	Self-discrepancy in students with bipolar disorder II or NOS. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 135-139.	0.6	3
413	Corrections to "Forecasting Depression in Bipolar Disorder" [Oct 12 2801-2807]. IEEE Transactions on Biomedical Engineering, 2012, 59, 3550-3550.	2.5	3
414	Antidepressant effect in older depressed patients. International Clinical Psychopharmacology, 2017, 32, 184-194.	0.9	3

#	Article	IF	CITATIONS
415	Tapering of SSRI treatment to mitigate withdrawal symptoms. Lancet Psychiatry, the, 2019, 6, 560-561.	3.7	3
416	Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. Evidence-Based Mental Health, 2019, 22, 145-152.	2.2	3
417	Major Depressive Disorder: Treat the Disability, Not the Diagnosis. Journal of Clinical Psychiatry, 2015, 76, e830-e831.	1.1	3
418	Mechanism of action of lithium. Current Opinion in Psychiatry, 1988, 1, 72-75.	3.1	2
419	Neuroendocrine function and the biology of the eating disorders. Human Psychopharmacology, 1990, 5, 249-253.	0.7	2
420	Innovation translates into antidepressant effectiveness. Journal of Psychopharmacology, 2008, 22, 9-12.	2.0	2
421	Ventajas y desventajas del tratamiento de combinación con antipsicóticos. Reunión ECNP Consensus, marzo de 2008, Niza. Psiquiatria Biologica, 2011, 18, 55-67.	0.0	2
422	Comparative efficacy of anti-manic drugs in acute mania – Authors' reply. Lancet, The, 2012, 379, 894.	6.3	2
423	The serotonin transporter gene and affective disorder. Cold Spring Harbor Symposia on Quantitative Biology, 1996, 61, 791-5.	2.0	2
424	Clinical, psychological and neuroradiological findings in a case of chronic schizophrenia with cognitive impairment and a mis-sense mutation at codon 713 of the \hat{I}^2 amyloid precursor protein gene. Schizophrenia Research, 1993, 10, 273-275.	1.1	1
425	Bipolar disorder: is psychiatry's Cinderella starting to get out a little more?. Acta Neuropsychiatrica, 2000, 12, 105-105.	1.0	1
426	Management commentary. , 2008, , 262-264.		1
427	Using guidelines in real clinical situations: clozapine and breast feeding in bipolar disorder. Journal of Psychopharmacology, 2005, 19, 317-318.	2.0	1
428	Quetiapine more effective than placebo for depression in bipolar I and II disorder. Evidence-Based Mental Health, 2007, 10, 82-82.	2.2	1
429	Reply to Comments by Mr Carlin and Mr Hardisty. Journal of Clinical Psychopharmacology, 2008, 28, 477.	0.7	1
430	Bipolar anxiety. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2009, 2, 95-98.	0.2	1
431	Symptom relief and facilitation of emotional processing. European Neuropsychopharmacology, 2011, 21, S710-S715.	0.3	1
432	Profil toxique du lithiumÂ: revue exhaustive de la littérature avec méta-analyse des résultats. Annales Medico-Psychologiques, 2014, 172, 212-218.	0.2	1

#	Article	IF	CITATIONS
433	Network meta-analysis: drawing conclusions regarding trials of psychosocial interventions for bipolar disorder. British Journal of Psychiatry, 2017, 211, 334-336.	1.7	1
434	Re-medicalizing the care of patients with schizophrenia?. L'Encephale, 2019, 45, 90-91.	0.3	1
435	Why sleep matters for young people who may get depressed. Interface Focus, 2020, 10, 20190115.	1.5	1
436	Letter to BJPsych in response to Horowitz and Moncrieff. British Journal of Psychiatry, 2021, 219, 619-620.	1.7	1
437	Stretch reflex strength in voluntary biting revealed following electrolytic lesions of monkey mesencephalic nucleus (5th cranial nerve) [proceedings]. Journal of Physiology, 1977, 269, 53P-54P.	1.3	1
438	The neural mechanisms subserving kinesthesia. Behavioral and Brain Sciences, 1978, 1, 151-152.	0.4	0
439	Mechanism of action of lithium. Current Opinion in Psychiatry, 1989, 2, 117-118.	3.1	0
440	EXAMETAZIME UPTAKE AFTER ECT: A SPET STUDY. Clinical Neuropharmacology, 1992, 15, 405B.	0.2	0
441	SINGLE PHOTON EMISSION TOMOGRAPHY WITH 99mTC-EXAMETAZIME IN MAJOR DEPRESSION AND THE ENDOGENOUS/NEUROTIC CONTINUUM. Clinical Neuropharmacology, 1992, 15, 200B.	0.2	0
442	Depression: clinical considerations for behavioural pharmacologists. Behavioural Pharmacology, 1997, 8, 648-649.	0.8	0
443	"Perspectives on lithium treatment of bipolar disorderâ€â€â€by Mogens Schou: a commentary. Bipolar Disorders, 1999, 1, 11-12.	1.1	0
444	Approaches to the management of bipolar disorder: past, present and future. Expert Review of Neurotherapeutics, 2004, 4, S1-S2.	1.4	0
445	Drs. Harmer, Goodwin, and Cowen Reply. American Journal of Psychiatry, 2010, 167, 599-600.	4.0	0
446	The effects of quetiapine on risky decision-making. International Clinical Psychopharmacology, 2011, 26, e141.	0.9	0
447	Key experiences of bipolar disorder. International Clinical Psychopharmacology, 2011, 26, e24.	0.9	0
448	Letter to the Editor: Comments on â€~Is there an excess of significant findings in published studies of psychotherapy for depression?'. Psychological Medicine, 2015, 45, 447-447.	2.7	0
449	Depression and violenceâ€"what do we really know? â€" Authors' reply. Lancet Psychiatry,the, 2015, 2, 492.	3.7	0
450	Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. Annales Medico-Psychologiques, 2015, 173, 255-258.	0.2	0

#	Article	IF	CITATIONS
451	Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. FASEB Journal, 2013, 27, lb528.	0.2	0
452	The American Psychiatric Press Textbook of Neuropsychiatry (3rd edn). Edited by S. Yudofsky and R. Hales. Washington, DC: American Psychiatric Press. 1997.1114 pp. \hat{A} £129. ISBN 0-88048-787-9. British Journal of Psychiatry, 1999, 174, 279-279.	1.7	0
453	Lithium for acute mania. The Cochrane Library, 0, , .	1.5	0
454	Studies on central nervous system serotonin receptors in mood disorders. Annals of the Academy of Medicine, Singapore, 1991, 20, 46-50.	0.2	0
455	Review: Lower doses of antidepressant drugs are effective and have fewer adverse effects in depression. ACP Journal Club, 2000, 132, 25.	0.1	0