

Guy Goodwin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3078146/guy-goodwin-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

431
papers

35,497
citations

98
h-index

176
g-index

467
ext. papers

40,371
ext. citations

6.4
avg, IF

7.26
L-index

#	Paper	IF	Citations
431	Distinct patterns of brain activity in young carriers of the APOE-epsilon4 allele. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 7209-14	11.5	1286
430	The contribution of muscle afferents to kinaesthesia shown by vibration induced illusions of movement and by the effects of paralysing joint afferents. <i>Brain</i> , 1972 , 95, 705-48	11.2	1049
429	Cognitive deficits in depression: possible implications for functional neuropathology. <i>British Journal of Psychiatry</i> , 2001 , 178, 200-6	5.4	866
428	Risks of all-cause and suicide mortality in mental disorders: a meta-review. <i>World Psychiatry</i> , 2014 , 13, 153-60	14.4	852
427	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012 , 11, 141-68	64.1	728
426	Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. <i>Lancet, The</i> , 2003 , 361, 653-61	40	633
425	Lithium toxicity profile: a systematic review and meta-analysis. <i>Lancet, The</i> , 2012 , 379, 721-8	40	535
424	Cardiovascular and respiratory responses to changes in central command during isometric exercise at constant muscle tension. <i>Journal of Physiology</i> , 1972 , 226, 173-90	3.9	480
423	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553 ^{4.6}	4.6	468
422	Proprioceptive illusions induced by muscle vibration: contribution by muscle spindles to perception?. <i>Science</i> , 1972 , 175, 1382-4	33.3	465
421	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
420	Long-term lithium therapy for bipolar disorder: systematic review and meta-analysis of randomized controlled trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 217-22	11.9	447
419	Increased positive versus negative affective perception and memory in healthy volunteers following selective serotonin and norepinephrine reuptake inhibition. <i>American Journal of Psychiatry</i> , 2004 , 161, 1256-63	11.9	436
418	Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2011 , 378, 1306-15	40	420
417	Sustained attention deficit in bipolar disorder. <i>British Journal of Psychiatry</i> , 2002 , 180, 313-9	5.4	416
416	Antidepressants for bipolar depression: a systematic review of randomized, controlled trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 1537-47	11.9	396
415	Evidence-based guidelines for treating bipolar disorder: revised second edition--recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2009 , 23, 346-88 ^{4.6}	4.6	386

4 ¹⁴	Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. <i>Lancet, The</i> , 2010 , 375, 385-95	4 ⁰	375
4 ¹³	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
4 ¹²	Antidepressant drug treatment modifies the neural processing of nonconscious threat cues. <i>Biological Psychiatry</i> , 2006 , 59, 816-20	7.9	372
4 ¹¹	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009 , 195, 102-8	5.4	366
4 ¹⁰	A pooled analysis of 2 placebo-controlled 18-month trials of lamotrigine and lithium maintenance in bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 432-41	4.6	365
4 ⁰⁹	Review of the pharmacology and clinical pharmacology of 3,4-methylenedioxymethamphetamine (MDMA or "Ecstasy"). <i>Psychopharmacology</i> , 1995 , 119, 247-60	4.7	343
4 ⁰⁸	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
4 ⁰⁷	Cortical grey matter reductions associated with treatment-resistant chronic unipolar depression. Controlled magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 1998 , 172, 527-32	5.4	340
4 ⁰⁶	Acute SSRI administration affects the processing of social cues in healthy volunteers. <i>Neuropsychopharmacology</i> , 2003 , 28, 148-52	8.7	338
4 ⁰⁵	A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5-HT ₁ and 5-HT ₂ receptors. <i>British Journal of Pharmacology</i> , 1985 , 84, 743-53	8.6	331
4 ⁰⁴	Effect of acute antidepressant administration on negative affective bias in depressed patients. <i>American Journal of Psychiatry</i> , 2009 , 166, 1178-84	11.9	330
4 ⁰³	Evidence-based guidelines for treating bipolar disorder: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2003 , 17, 149-73; discussion 147	4.6	317
4 ⁰²	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316
4 ⁰¹	Lamotrigine for treatment of bipolar depression: independent meta-analysis and meta-regression of individual patient data from five randomised trials. <i>British Journal of Psychiatry</i> , 2009 , 194, 4-9	5.4	311
4 ⁰⁰	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 749-758	23.3	286
399	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 154-219	3.8	284
398	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1710-1716	15.1	283
397	Sleep-related functioning in euthymic patients with bipolar disorder, patients with insomnia, and subjects without sleep problems. <i>American Journal of Psychiatry</i> , 2005 , 162, 50-7	11.9	273

396	Cognitive function in major depression. <i>Journal of Affective Disorders</i> , 1992 , 25, 21-9	6.6	258
395	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 85-116	3.8	251
394	A neuropsychological investigation of prefrontal cortex involvement in acute mania. <i>American Journal of Psychiatry</i> , 2001 , 158, 1605-11	11.9	246
393	Diagnostic guidelines for bipolar depression: a probabilistic approach. <i>Bipolar Disorders</i> , 2008 , 10, 144-52	3.8	231
392	Mindfulness-based Cognitive Therapy (MBCT) in bipolar disorder: preliminary evaluation of immediate effects on between-episode functioning. <i>Journal of Affective Disorders</i> , 2008 , 107, 275-9	6.6	226
391	The dopamine hypothesis of bipolar affective disorder: the state of the art and implications for treatment. <i>Molecular Psychiatry</i> , 2017 , 22, 666-679	15.1	224
390	The pharmacology of the hypothermic response in mice to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). A model of presynaptic 5-HT1 function. <i>Neuropharmacology</i> , 1985 , 24, 1187-94	5.5	224
389	Toward a neuropsychological theory of antidepressant drug action: increase in positive emotional bias after potentiation of norepinephrine activity. <i>American Journal of Psychiatry</i> , 2003 , 160, 990-2	11.9	213
388	Agomelatine prevents relapse in patients with major depressive disorder without evidence of a discontinuation syndrome: a 24-week randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1128-37	4.6	209
387	The Therapeutic Potential of Psychedelic Drugs: Past, Present, and Future. <i>Neuropsychopharmacology</i> , 2017 , 42, 2105-2113	8.7	199
386	Emotional side-effects of selective serotonin reuptake inhibitors: qualitative study. <i>British Journal of Psychiatry</i> , 2009 , 195, 211-7	5.4	193
385	The cognitive neuropsychology of depression in the elderly. <i>Psychological Medicine</i> , 2007 , 37, 1693-702	6.9	190
384	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007 , 21, 684-90	4.6	190
383	Induction of depressed mood disrupts emotion regulation neurocircuitry and enhances pain unpleasantness. <i>Biological Psychiatry</i> , 2010 , 67, 1083-90	7.9	182
382	Lateral prefrontal cortex mediates the cognitive modification of attentional bias. <i>Biological Psychiatry</i> , 2010 , 67, 919-25	7.9	177
381	The pharmacology of the behavioural and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). <i>Psychopharmacology</i> , 1987 , 91, 506-11	4.7	174
380	Linkage analysis of extremely discordant and concordant sibling pairs identifies quantitative-trait loci that influence variation in the human personality trait neuroticism. <i>American Journal of Human Genetics</i> , 2003 , 72, 879-90	11	170
379	Toxic effects of depression on brain function: impairment of delayed recall and the cumulative length of depressive disorder in a large sample of depressed outpatients. <i>American Journal of Psychiatry</i> , 2008 , 165, 731-9	11.9	167

378	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. <i>Journal of Psychopharmacology</i> , 1997 , 11, 115-22	4.6	164
377	Patterns of mandibular movement and jaw muscle activity during mastication in the monkey. <i>Journal of Neurophysiology</i> , 1974 , 37, 954-66	3.2	164
376	Single photon emission tomography with 99mTc-exametazime in major depression and the pattern of brain activity underlying the psychotic/neurotic continuum. <i>Journal of Affective Disorders</i> , 1992 , 26, 31-43	6.6	159
375	A review of the biochemical and neuropharmacological actions of lithium. <i>Psychological Medicine</i> , 1987 , 17, 579-600	6.9	159
374	Impairment of executive function but not memory in first-degree relatives of patients with bipolar I disorder and in euthymic patients with unipolar depression. <i>American Journal of Psychiatry</i> , 2005 , 162, 1980-2	11.9	146
373	Mental imagery as an emotional amplifier: application to bipolar disorder. <i>Behaviour Research and Therapy</i> , 2008 , 46, 1251-8	5.2	145
372	Normalization of enhanced fear recognition by acute SSRI treatment in subjects with a previous history of depression. <i>American Journal of Psychiatry</i> , 2004 , 161, 166-8	11.9	145
371	Sustained attention-deficit confirmed in euthymic bipolar disorder but not in first-degree relatives of bipolar patients or euthymic unipolar depression. <i>Biological Psychiatry</i> , 2005 , 57, 183-7	7.9	143
370	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of bipolar disorders. Part I: Treatment of bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 115-24	3.8	139
369	Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , 2007 , 37, 1281-91	6.9	137
368	Transcranial magnetic stimulation of medial-frontal cortex impairs the processing of angry facial expressions. <i>Nature Neuroscience</i> , 2001 , 4, 17-8	25.5	134
367	The longitudinal course of bipolar disorder as revealed through weekly text messaging: a feasibility study. <i>Bipolar Disorders</i> , 2010 , 12, 327-34	3.8	133
366	Tyrosine depletion attenuates dopamine function in healthy volunteers. <i>Psychopharmacology</i> , 2001 , 154, 105-11	4.7	131
365	Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008 , 193, 6-9	5.4	129
364	Discharge of spindle afferents from jaw-closing muscles during chewing in alert monkeys. <i>Journal of Neurophysiology</i> , 1975 , 38, 560-71	3.2	129
363	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005 , 57, 517-24	7.9	127
362	Folate for depressive disorders: systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychopharmacology</i> , 2004 , 18, 251-6	4.6	127
361	Tryptophan depletion decreases the recognition of fear in female volunteers. <i>Psychopharmacology</i> , 2003 , 167, 411-7	4.7	126

360	Enhanced recognition of disgust in bipolar illness. <i>Biological Psychiatry</i> , 2002 , 51, 298-304	7.9	126
359	5-HT ₂ receptor characteristics in frontal cortex and 5-HT ₂ receptor-mediated head-twitch behaviour following antidepressant treatment to mice. <i>British Journal of Pharmacology</i> , 1984 , 83, 235-42	8.6	126
358	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 5-13	3.8	124
357	Regional cerebral blood flow and cognitive function in patients with chronic liver disease. <i>Lancet, The</i> , 1991 , 337, 1250-3	4.0	122
356	Single-photon emission computed tomography with ^{99m} Tc-exametazime in unmedicated schizophrenic patients. <i>Biological Psychiatry</i> , 1993 , 33, 487-95	7.9	121
355	State- and trait-related deficits in sustained attention in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 61-8	5.1	120
354	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. <i>British Journal of Psychiatry</i> , 2001 , 179, 356-60	5.4	120
353	Enhanced early morning salivary cortisol in neuroticism. <i>American Journal of Psychiatry</i> , 2005 , 162, 807-9	11.9	119
352	Clinical and psychometric correlates of dopamine D ₂ binding in depression. <i>Psychological Medicine</i> , 1997 , 27, 1247-56	6.9	116
351	Depression and violence: a Swedish population study. <i>Lancet Psychiatry, the</i> , 2015 , 2, 224-32	23.3	115
350	Lithium treatment and prophylaxis in unipolar depression: a meta-analysis. <i>British Journal of Psychiatry</i> , 1991 , 158, 666-75	5.4	115
349	Structure of a variable number tandem repeat of the serotonin transporter gene and association with affective disorder. <i>Psychiatric Genetics</i> , 1996 , 6, 177-81	2.9	114
348	After-effects of fusimotor stimulation on the response of muscle spindle primary afferent endings. <i>Journal of Physiology</i> , 1969 , 205, 677-94	3.9	114
347	Presynaptic serotonin receptor-mediated response in mice attenuated by antidepressant drugs and electroconvulsive shock. <i>Nature</i> , 1985 , 317, 531-3	50.4	112
346	Cognitive functioning in patients with affective disorders and schizophrenia: a meta-analysis. <i>International Review of Psychiatry</i> , 2009 , 21, 336-56	3.6	110
345	State changes in brain activity shown by the uptake of ^{99m} Tc-exametazime with single photon emission tomography in major depression before and after treatment. <i>Journal of Affective Disorders</i> , 1993 , 29, 243-53	6.6	109
344	The pattern of function-related regional cerebral blood flow investigated by single photon emission tomography with ^{99m} Tc-HMPAO in patients with presenile Alzheimer's disease and Korsakoff's psychosis. <i>Psychological Medicine</i> , 1989 , 19, 847-55	6.9	109
343	Attenuation by electroconvulsive shock and antidepressant drugs of the 5-HT _{1A} receptor-mediated hypothermia and serotonin syndrome produced by 8-OH-DPAT in the rat. <i>Psychopharmacology</i> , 1987 , 91, 500-5	4.7	108

342	Diurnal variation of mood and neuropsychological function in major depression with melancholia. <i>Journal of Affective Disorders</i> , 1994 , 32, 257-69	6.6	106
341	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
340	Blunting of neuroendocrine responses to infusion of L-tryptophan in women with perimenstrual mood change. <i>Psychological Medicine</i> , 1991 , 21, 305-12	6.9	105
339	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders, part III: maintenance treatment. <i>World Journal of Biological Psychiatry</i> , 2004 , 5, 120-35	3.8	104
338	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
337	Brief cognitive screening of the elderly: a comparison of the Mini-Mental State Examination (MMSE), Abbreviated Mental Test (AMT) and Mental Status Questionnaire (MSQ). <i>Psychological Medicine</i> , 1996 , 26, 427-30	6.9	100
336	Trait-related decision-making impairment in the three phases of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 357-65	7.9	98
335	Chronic, treatment-resistant depression and right fronto-striatal atrophy. <i>British Journal of Psychiatry</i> , 2002 , 180, 434-40	5.4	98
334	Nonlinear time-series approaches in characterizing mood stability and mood instability in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 916-24	4.4	96
333	The strength of the reflex response to sinusoidal stretch of monkey jaw closing muscles during voluntary contraction. <i>Journal of Physiology</i> , 1978 , 279, 81-111	3.9	95
332	Effects of destroying spindle afferents from jaw muscles on mastication in monkeys. <i>Journal of Neurophysiology</i> , 1974 , 37, 967-81	3.2	95
331	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1148-58	4.6	93
330	Short-term antidepressant treatment and facial processing. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2007 , 190, 531-2	5.4	92
329	The effects of fusimotor stimulation during small amplitude stretching on the frequency-response of the primary ending of the mammalian muscle spindle. <i>Journal of Physiology</i> , 1975 , 253, 175-206	3.9	91
328	Role of monkey precentral cortex in control of voluntary jaw movements. <i>Journal of Neurophysiology</i> , 1975 , 38, 146-57	3.2	91
327	Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009 , 194, 139-45	5.4	90
326	A review of the current nomenclature for psychotropic agents and an introduction to the Neuroscience-based Nomenclature. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2318-25	1.2	89
325	Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. <i>Neuropsychologia</i> , 2002 , 40, 1586-90	3.2	89

324	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 2-58	3.8	89
323	Uptake of 99mTc-exametazime shown by single photon emission computed tomography before and after lithium withdrawal in bipolar patients: associations with mania. <i>British Journal of Psychiatry</i> , 1997 , 170, 426-30	5.4	87
322	Learning from the past and looking to the future: Emerging perspectives for improving the treatment of psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2015 , 25, 599-656	1.2	86
321	High and low neuroticism predict different cortisol responses to the combined dexamethasone--CRH test. <i>Biological Psychiatry</i> , 2001 , 49, 410-5	7.9	86
320	A comprehensive review and model of putative prodromal features of bipolar affective disorder. <i>Psychological Medicine</i> , 2011 , 41, 1567-77	6.9	83
319	Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa?. <i>Psychological Medicine</i> , 1987 , 17, 839-42	6.9	83
318	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002 , 163, 106-10	4.7	81
317	The enhancement by lithium of the 5-HT _{1A} mediated serotonin syndrome produced by 8-OH-DPAT in the rat: evidence for a post-synaptic mechanism. <i>Psychopharmacology</i> , 1986 , 90, 488-93	4.7	81
316	Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. <i>Sleep</i> , 2016 , 39, 173-81	1.1	80
315	Detecting Bipolar Depression From Geographic Location Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2017 , 64, 1761-1771	5	79
314	Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H ₂ (15)O PET study. <i>European Journal of Neuroscience</i> , 2007 , 25, 2224-33	3.5	78
313	Lithium for acute mania. <i>The Cochrane Library</i> ,	5.2	78
312	Lithium augmentation in antidepressant-resistant patients. A quantitative analysis. <i>British Journal of Psychiatry</i> , 1991 , 159, 510-4	5.4	77
311	Presence of multiple functional polyadenylation signals and a single nucleotide polymorphism in the 3' untranslated region of the human serotonin transporter gene. <i>Journal of Neurochemistry</i> , 1999 , 72, 1384-8	6	76
310	Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. <i>European Neuropsychopharmacology</i> , 2016 , 26, 994-1003	1.2	76
309	Innovative solutions to novel drug development in mental health. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2438-44	9	75
308	Mood stability versus mood instability in bipolar disorder: a possible role for emotional mental imagery. <i>Behaviour Research and Therapy</i> , 2011 , 49, 707-13	5.2	73
307	Altered allelic distributions of the serotonin transporter gene in migraine without aura and migraine with aura. <i>Cephalalgia</i> , 1998 , 18, 23-6	6.1	73

306	Valproate v. lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. <i>British Journal of Psychiatry</i> , 2011 , 199, 57-63	5.4	72
305	Cerebral perfusion in chronic fatigue syndrome and depression. <i>British Journal of Psychiatry</i> , 2000 , 176, 550-6	5.4	72
304	How psychological symptoms relate to different motivations for gambling: an online study of internet gamblers. <i>Biological Psychiatry</i> , 2010 , 68, 733-40	7.9	71
303	A single photon emission computerised tomography study of regional brain function in elderly patients with major depression and with Alzheimer-type dementia. <i>British Journal of Psychiatry</i> , 1993 , 163, 155-65	5.4	71
302	Gender differences in the relationship between personality dimensions and relative body weight. <i>Obesity</i> , 2001 , 9, 647-50		70
301	Comparative evaluation of quetiapine plus lamotrigine combination versus quetiapine monotherapy (and folic acid versus placebo) in bipolar depression (CEQUEL): a 2 x 2 factorial randomised trial. <i>Lancet Psychiatry</i> , 2016 , 3, 31-39	23.3	69
300	The effects of a 5-HT ₁ receptor ligand isapirone (TVX Q 7821) on 5-HT synthesis and the behavioural effects of 5-HT agonists in mice and rats. <i>Psychopharmacology</i> , 1986 , 89, 382-7	4.7	67
299	Selecting controls for schizophrenia research studies: the use of the National Adult Reading Test (NART) is a measure of premorbid ability. <i>Schizophrenia Research</i> , 1992 , 8, 137-41	3.6	66
298	Emotional blunting with antidepressant treatments: A survey among depressed patients. <i>Journal of Affective Disorders</i> , 2017 , 221, 31-35	6.6	65
297	Common and specific elements of psychosocial treatments for bipolar disorder: a survey of clinicians participating in randomized trials. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 77-85	1.3	63
296	Personality associations with the uptake of the cerebral blood flow marker 99mTc-Exametazime estimated with single photon emission tomography. <i>Personality and Individual Differences</i> , 1994 , 17, 587-595	3.3	63
295	The overlap between anxiety, depression, and obsessive-compulsive disorder. <i>Dialogues in Clinical Neuroscience</i> , 2015 , 17, 249-60	5.7	63
294	Hypoactivation of the ventral and dorsal striatum during reward and loss anticipation in antipsychotic and mood stabilizer-naive bipolar disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 658-66	8.7	62
293	Developing a measure of interpretation bias for depressed mood: An ambiguous scenarios test. <i>Personality and Individual Differences</i> , 2011 , 51, 349-354	3.3	62
292	Erythropoietin improves mood and modulates the cognitive and neural processing of emotion 3 days post administration. <i>Neuropsychopharmacology</i> , 2008 , 33, 611-8	8.7	62
291	Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball tasks". <i>Electroencephalography and Clinical Neurophysiology</i> , 1995 , 95, 434-43		62
290	Facilitated Integrated Mood Management for adults with bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 185-97	3.8	61
289	Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003 , 182, 210-3	5.4	61

288	Down-regulation of beta-adrenoceptors in rat cortex by repeated administration of desipramine, electroconvulsive shock and clenbuterol requires 5-HT neurones but not 5-HT. <i>Neuropharmacology</i> , 1985 , 24, 279-83	5.5	61
287	The pharmacokinetic profile of lithium in rat and mouse; an important factor in psychopharmacological investigation of the drug. <i>Neuropharmacology</i> , 1986 , 25, 1285-8	5.5	61
286	Altered risk-aversion and risk-seeking behavior in bipolar disorder. <i>Biological Psychiatry</i> , 2009 , 66, 840-6	7.9	59
285	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014 , 44, 2409-18	6.9	57
284	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008 , 13, 1011-20	15.1	57
283	Lithium for maintenance treatment of mood disorders. <i>The Cochrane Library</i> , 2001 ,	5.2	57
282	Innovative approaches to bipolar disorder and its treatment. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1366, 76-89	6.5	57
281	Cortical glutathione levels in young people with bipolar disorder: a pilot study using magnetic resonance spectroscopy. <i>Psychopharmacology</i> , 2014 , 231, 327-32	4.7	56
280	The effects of corticosterone on 5-HT receptor function in rodents. <i>Neuropharmacology</i> , 1992 , 31, 433-8	5.5	56
279	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. <i>Psychopharmacology</i> , 2001 , 154, 383-9	4.7	55
278	Hypothermia induced by baclofen, a possible index of GABAB receptor function in mice, is enhanced by antidepressant drugs and ECS. <i>British Journal of Pharmacology</i> , 1987 , 92, 863-70	8.6	55
277	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
276	Lack of insight may predict impaired decision making in manic patients. <i>Bipolar Disorders</i> , 2008 , 10, 829-37	3.8	54
275	Diurnal variation of adrenocortical activity in chronic fatigue syndrome. <i>Neuropsychobiology</i> , 1998 , 38, 213-7	4	54
274	Short-term effects of electroconvulsive treatment on the uptake of ^{99m} Tc-exametazime into brain in major depression shown with single photon emission tomography. <i>Journal of Affective Disorders</i> , 1994 , 30, 27-34	6.6	54
273	Depression and associated physical diseases and symptoms. <i>Dialogues in Clinical Neuroscience</i> , 2006 , 8, 259-65	5.7	54
272	Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 162-170	9	54
271	Hippocampal volume in vulnerability and resilience to depression. <i>Journal of Affective Disorders</i> , 2016 , 189, 199-202	6.6	53

270	Drug research: a plan for mental illness. <i>Nature</i> , 2012 , 483, 269	50.4	53
269	A voxel-based analysis of cerebral perfusion in dementia and depression of old age. <i>NeuroImage</i> , 1998 , 7, 199-208	7.9	53
268	Relapse into mania or depression following lithium discontinuation: a 7-year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 91-5	6.5	53
267	Regional cerebral blood flow in IDDM patients: effects of diabetes and of recurrent severe hypoglycaemia. <i>Diabetologia</i> , 1994 , 37, 257-63	10.3	53
266	Effects of a single dose of the acetylcholinesterase inhibitor velnacrine on recognition memory and regional cerebral blood flow in Alzheimer's disease. <i>Psychopharmacology</i> , 1992 , 108, 103-9	4.7	52
265	Efficacy of agomelatine and escitalopram on depression, subjective sleep and emotional experiences in patients with major depressive disorder: a 24-wk randomized, controlled, double-blind trial. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 2219-34	5.8	51
264	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. <i>Psychopharmacology</i> , 2002 , 160, 192-7	4.7	51
263	The effects of cortisol infusion upon hormone secretion from the anterior pituitary and subjective mood in depressive illness and in controls. <i>Journal of Affective Disorders</i> , 1992 , 26, 73-83	6.6	51
262	Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: randomised double-blind placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 78-86	5.4	50
261	Psychological Effect of an Analogue Traumatic Event Reduced by Sleep Deprivation. <i>Sleep</i> , 2015 , 38, 1017-25	1.1	50
260	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1159-67	4.6	50
259	The role of the anterior cingulate cortex in the counting Stroop task. <i>Experimental Brain Research</i> , 2004 , 154, 355-8	2.3	50
258	A Pilot Study of Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>International Journal of Cognitive Therapy</i> , 2009 , 2, 373-382	1.4	48
257	The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol. <i>Journal of Affective Disorders</i> , 2001 , 63, 179-87	6.6	48
256	Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2002 , 181, 411-5	5.4	48
255	Effect of chronic treatment with 5-HT ₁ agonist (8-OH-DPAT and RU 24969) and antagonist (isapirone) drugs on the behavioural responses of mice to 5-HT ₁ and 5-HT ₂ agonists. <i>British Journal of Pharmacology</i> , 1986 , 89, 377-84	8.6	48
254	5HT ₃ antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006 , 186, 18-24	4.7	47
253	The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. <i>Psychological Medicine</i> , 2000 , 30, 433-42	6.9	47

252	Cerebral pharmacodynamics of physostigmine in Alzheimer's disease investigated using single-photon computerised tomography. <i>British Journal of Psychiatry</i> , 1991 , 158, 351-7	5.4	47
251	Lithium decreases 5-HT _{1A} and 5-HT ₂ receptor and alpha 2-adrenoceptor mediated function in mice. <i>Psychopharmacology</i> , 1986 , 90, 482-7	4.7	47
250	Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. <i>Chronobiology International</i> , 2014 , 31, 290-6	3.6	46
249	The neuropsychiatric sequelae of mercury poisoning. The Mad Hatter's disease revisited. <i>British Journal of Psychiatry</i> , 1995 , 167, 95-8	5.4	46
248	Dysfunctional beliefs in bipolar disorder: hypomanic vs. depressive attitudes. <i>Journal of Affective Disorders</i> , 2010 , 122, 294-300	6.6	45
247	Cerebral perfusion correlates of depressed mood. <i>British Journal of Psychiatry</i> , 1997 , 170, 77-81	5.4	45
246	The effects of antidepressant treatments and lithium upon 5-HT _{1A} receptor function. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1989 , 13, 445-51	5.5	45
245	A specific role for serotonin in overcoming effort cost. <i>ELife</i> , 2016 , 5,	8.9	45
244	Internet gamblers: a latent class analysis of their behaviours and health experiences. <i>Journal of Gambling Studies</i> , 2010 , 26, 387-99	3	44
243	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. <i>Experimental Brain Research</i> , 2008 , 184, 313-21	2.3	44
242	Effects of glucocorticoids on 5-HT _{1A} presynaptic function in the mouse. <i>Psychopharmacology</i> , 1994 , 114, 360-4	4.7	44
241	Experiences of remote mood and activity monitoring in bipolar disorder: A qualitative study. <i>European Psychiatry</i> , 2017 , 41, 115-121	6	43
240	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007 , 37, 904-11	7.9	43
239	Applications of time-series analysis to mood fluctuations in bipolar disorder to promote treatment innovation: a case series. <i>Translational Psychiatry</i> , 2016 , 6, e720	8.6	42
238	Risk for depression is associated with neural biases in emotional categorisation. <i>Neuropsychologia</i> , 2008 , 46, 2896-903	3.2	42
237	The Edinburgh cohort of HIV-positive drug users: pattern of cognitive impairment in relation to progression of disease. <i>British Journal of Psychiatry</i> , 1992 , 161, 522-31	5.4	42
236	Increased temporo-insular engagement in unmedicated bipolar II disorder: an exploratory resting state study using independent component analysis. <i>Bipolar Disorders</i> , 2014 , 16, 748-55	3.8	41
235	Clonidine infusion increases uptake of ^{99m} Tc-Exametazime in anterior cingulate cortex in Korsakoff's psychosis. <i>Psychological Medicine</i> , 1994 , 24, 53-61	6.9	41

234	Association of short alleles of a VNTR of the serotonin transporter gene with anxiety symptoms in patients presenting after deliberate self harm. <i>Neuropharmacology</i> , 1997 , 36, 439-43	5.5	40
233	The course of bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2010 , 16, 318-328		39
232	Magnetic resonance imaging and single photon emission tomography in treatment-responsive and treatment-resistant schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 202-10	5.4	39
231	The pattern of cerebral activity underlying verbal fluency shown by split-dose single photon emission tomography (SPET or SPECT) in normal volunteers. <i>Psychological Medicine</i> , 1991 , 21, 687-96	6.9	39
230	Psychiatric assessment of mood instability: qualitative study of patient experience. <i>British Journal of Psychiatry</i> , 2014 , 204, 234-9	5.4	38
229	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009 , 207, 133-42	4.7	38
228	Lithium - a continuing story in the treatment of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 7-12	6.5	38
227	Pharmacological treatment and risk of psychiatric hospital admission in bipolar disorder. <i>British Journal of Psychiatry</i> , 2017 , 210, 197-202	5.4	37
226	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , 2016 , 241, 141-6	9.9	37
225	Defining Faecal Calprotectin Thresholds as a Surrogate for Endoscopic and Histological Disease Activity in Ulcerative Colitis-a Prospective Analysis. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 424-430	1.5	37
224	The effects of a branched chain amino acid mixture supplemented with tryptophan on biochemical indices of neurotransmitter function and decision-making. <i>Psychopharmacology</i> , 2005 , 179, 761-8	4.7	35
223	The effects of acute hypoglycemia on relative cerebral blood flow distribution in patients with type I (insulin-dependent) diabetes and impaired hypoglycemia awareness. <i>Metabolism: Clinical and Experimental</i> , 1996 , 45, 974-80	12.7	35
222	Longitudinal mood monitoring in bipolar disorder: Course of illness as revealed through a short messaging service. <i>Journal of Affective Disorders</i> , 2017 , 223, 139-145	6.6	34
221	Bipolar disorder dynamics: affective instabilities, relaxation oscillations and noise. <i>Journal of the Royal Society Interface</i> , 2015 , 12,	4.1	34
220	Using an experimental medicine model to explore combination effects of pharmacological and cognitive interventions for depression and anxiety. <i>Neuropsychopharmacology</i> , 2011 , 36, 2689-97	8.7	34
219	Functional imaging, affective disorder and dementia. <i>British Medical Bulletin</i> , 1996 , 52, 495-512	5.4	34
218	Uptake of 99mTc-exametazime shown by single photon emission computerized tomography in obsessive-compulsive disorder compared with major depression and normal controls. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 298-303	6.5	34
217	Mental imagery in bipolar affective disorder versus unipolar depression: investigating cognitions at times of positive mood. <i>Journal of Affective Disorders</i> , 2014 , 166, 234-42	6.6	33

216	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019 , 214, 27-35	5.4	33
215	Allelic variation in the serotonin 5-HT _{2C} receptor gene and migraine. <i>NeuroReport</i> , 1997 , 8, 2651-3	1.7	32
214	The elevation of plasma beta-endorphin levels in major depression. <i>Journal of Affective Disorders</i> , 1993 , 29, 281-9	6.6	32
213	The effect of anxiety induction on the regional uptake of ^{99m} Tc-exametazime in simple phobia as shown by single photon emission tomography (SPET). <i>Journal of Affective Disorders</i> , 1993 , 28, 203-10	6.6	32
212	Variability in phase and amplitude of diurnal rhythms is related to variation of mood in bipolar and borderline personality disorder. <i>Scientific Reports</i> , 2018 , 8, 1649	4.9	31
211	Safety of antipsychotics in people with intellectual disability. <i>British Journal of Psychiatry</i> , 2011 , 199, 289-95	5.4	31
210	A single photon emission computerised tomography study of regional brain function underlying verbal memory in patients with Alzheimer-type dementia. <i>British Journal of Psychiatry</i> , 1993 , 163, 166-72	5.4	31
209	Presence of mental imagery associated with chronic pelvic pain: a pilot study. <i>Pain Medicine</i> , 2011 , 12, 1086-93	2.8	30
208	The risk of child abuse among mothers who attempt suicide. <i>British Journal of Psychiatry</i> , 1985 , 146, 486-94	5.4	30
207	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 236	2.8	29
206	Further evidence that reading ability is not preserved in Alzheimer disease. <i>British Journal of Psychiatry</i> , 1995 , 167, 659-62	5.4	29
205	Differential patterns of local cerebral glucose utilization in response to 5-hydroxytryptamine agonists. <i>Neuroscience</i> , 1988 , 25, 907-15	3.9	29
204	The neuroendocrine responses and psychological effects of infusion of L-tryptophan in anorexia nervosa. <i>Psychological Medicine</i> , 1989 , 19, 857-64	6.9	28
203	Unilateral voluntary hand movement and regional cerebral uptake of technetium-99m-exametazime in human control subjects. <i>Journal of Nuclear Medicine</i> , 1992 , 33, 1623-7	8.9	28
202	Smoking and the risk for bipolar disorder: evidence from a bidirectional Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021 , 218, 88-94	5.4	28
201	Forecasting depression in bipolar disorder. <i>IEEE Transactions on Biomedical Engineering</i> , 2012 , 59, 2801-75		27
200	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010 , 210, 419-28	4.7	27
199	5-HT _{1A} receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-(11)C]WAY-100635. <i>Journal of Affective Disorders</i> , 2010 , 123, 77-80	6.6	27

198	PASAT performance and the pattern of uptake of ^{99m} Tc-exametazime in brain estimated with single photon emission tomography. <i>Biological Psychology</i> , 1994 , 38, 1-18	3.2	27
197	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
196	Lithium versus antidepressants in the long-term treatment of unipolar affective disorder. <i>The Cochrane Library</i> , 2006 , CD003492	5.2	26
195	Bipolar disorder: clinical uncertainty, evidence-based medicine and large-scale randomised trials. <i>British Journal of Psychiatry</i> , 2001 , 178, s191-s194	5.4	26
194	Associations between mood instability and emotional processing in a large cohort of bipolar patients. <i>Psychological Medicine</i> , 2016 , 46, 3151-3160	6.9	26
193	The role of lithium in the treatment of bipolar depression. <i>Clinical Neuroscience Research</i> , 2002 , 2, 222-227		25
192	Increased eating in dementia. <i>International Journal of Eating Disorders</i> , 1989 , 8, 111-115	6.3	25
191	Dieting and weight loss in volunteers increases the number of alpha 2-adrenoceptors and 5-HT receptors on blood platelets without effect on [3H]imipramine binding. <i>Journal of Affective Disorders</i> , 1987 , 12, 267-74	6.6	25
190	A signature-based machine learning model for distinguishing bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018 , 8, 274	8.6	25
189	Vitamin D deficiency in patients with intellectual disabilities: prevalence, risk factors and management strategies. <i>British Journal of Psychiatry</i> , 2014 , 205, 458-64	5.4	24
188	White matter alterations in antipsychotic- and mood stabilizer-naïve individuals with bipolar II/NOS disorder. <i>NeuroImage: Clinical</i> , 2013 , 3, 271-8	5.3	24
187	The common adolescent bipolar phenotype shows positive biases in emotional processing. <i>Bipolar Disorders</i> , 2010 , 12, 606-15	3.8	24
186	Reduced subjective response to acute ethanol administration among young men with a broad bipolar phenotype. <i>Neuropsychopharmacology</i> , 2012 , 37, 1808-15	8.7	24
185	Follow-up study of depression in the elderly. Clinical and SPECT data. <i>British Journal of Psychiatry</i> , 1999 , 175, 252-8	5.4	24
184	Oral D-fenfluramine and neuroendocrine challenge: problems with the 30 mg dose in men. <i>Journal of Affective Disorders</i> , 1994 , 30, 117-22	6.6	24
183	Predicting treatment response to antidepressant medication using early changes in emotional processing. <i>European Neuropsychopharmacology</i> , 2019 , 29, 66-75	1.2	24
182	Mood Homeostasis Before and During the Coronavirus Disease 2019 (COVID-19) Lockdown Among Students in the Netherlands. <i>JAMA Psychiatry</i> , 2021 , 78, 110-112	14.5	24
181	Gambling problems in bipolar disorder in the UK: prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015 , 207, 328-33	5.4	23

180	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010 , 24, 481-7	4.6	23
179	Perceptual switch rates with ambiguous structure-from-motion figures in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 1839-48	4.4	23
178	Latest maintenance data on lithium in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13 Suppl 2, S51-5	1.2	23
177	Estimating pre-morbid intellectual ability in the Alcoholic Korsakoff syndrome. <i>Psychological Medicine</i> , 1992 , 22, 903-9	6.9	23
176	The effects of adrenalectomy and ovariectomy on the behavioral and hypothermic responses of rats to 8-hydroxy-2(di-n-propylamino)tetralin (8-OH-DPAT). <i>Neuropharmacology</i> , 1993 , 32, 653-7	5.5	23
175	Diurnal variation of plasma corticosterone in depression. <i>Psychoneuroendocrinology</i> , 1990 , 15, 485-8	5	23
174	Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. <i>Journal of Neurosurgery</i> , 2009 , 111, 780-4	3.2	22
173	Risperidone alone or in combination for acute mania. <i>The Cochrane Library</i> , 2006 , CD004043	5.2	22
172	Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1119-28	4.6	21
171	Attacks on antidepressants: signs of deep-seated stigma?. <i>Lancet Psychiatry</i> , 2014 , 1, 102-4	23.3	21
170	The True Colours Remote Symptom Monitoring System: A Decade of Evolution. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15188	7.6	21
169	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 558	2.8	20
168	Mood dynamics in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 11	5.4	20
167	Treatment of bipolar depressive mood disorders: Algorithms for pharmacotherapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1 Suppl 1, S9-S12	2.4	20
166	Developing the BALANCE trail--the role of the pilot study and start-up phase. <i>Bipolar Disorders</i> , 2004 , 6, 26-31	3.8	20
165	Correlation of regional cerebral blood flow equivalents measured by single photon emission computerized tomography with P300 latency and eye movement abnormality in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 157-66	6.5	20
164	Prevention of motor nerve sprouting in botulinum toxin poisoned mouse soleus muscles by direct stimulation of the muscle [proceedings]. <i>Journal of Physiology</i> , 1977 , 267, 42P-43P	3.9	20
163	Verbal learning impairment in euthymic bipolar disorder: BDI v BDII. <i>Journal of Affective Disorders</i> , 2015 , 182, 95-100	6.6	19

162	Economic evaluations in bipolar disorder: a systematic review and critical appraisal. <i>Bipolar Disorders</i> , 2014 , 16, 557-82	3.8	19
161	The effects of the GABA-mimetic drugs, progabide and baclofen, on the biochemistry and function of 5-hydroxytryptamine and noradrenaline. <i>Neuropharmacology</i> , 1986 , 25, 711-6	5.5	19
160	Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial. <i>Journal of Affective Disorders</i> , 2016 , 205, 245-251	6.6	19
159	Opioid-Independent and Opioid-Mediated Modes of Pain Modulation. <i>Journal of Neuroscience</i> , 2018 , 38, 9047-9058	6.6	19
158	Lithium might be associated with better decision-making performance in euthymic bipolar patients. <i>European Neuropsychopharmacology</i> , 2015 , 25, 788-97	1.2	18
157	A UK consensus on the administration of aripiprazole for the treatment of mania. <i>Journal of Psychopharmacology</i> , 2009 , 23, 231-40	4.6	18
156	Epileptic aphasia: a consequence of regional hypometabolic encephalopathy?. <i>Developmental Medicine and Child Neurology</i> , 1998 , 40, 508-16	3.3	18
155	A new US-UK diagnostic project: mood elevation and depression in first-year undergraduates at Oxford and Stanford universities. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 81-5	6.5	18
154	Suicides by violent means in individuals taking SSRIs and other antidepressants: a postmortem study in Sweden, 1992-2004. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 503-6	1.7	18
153	Olanzapine alone or in combination for acute mania. <i>The Cochrane Library</i> , 2003 , CD004040	5.2	18
152	Lamotrigine in the treatment of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 1401-8	4	18
151	The Edinburgh cohort of HIV-positive drug users: the relationship between auditory P3 latency, cognitive function and self-rated mood. <i>Psychological Medicine</i> , 1993 , 23, 613-22	6.9	18
150	Korsakoff syndrome, cognition and clonidine. <i>Psychological Medicine</i> , 1993 , 23, 341-7	6.9	18
149	Distinguishing bipolar disorder from borderline personality disorder: A study of current clinical practice. <i>European Psychiatry</i> , 2015 , 30, 965-74	6	17
148	The Oxford Questionnaire on the Emotional Side-effects of Antidepressants (OQuESA): development, validity, reliability and sensitivity to change. <i>Journal of Affective Disorders</i> , 2012 , 140, 66-74	6.6	17
147	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
146	Hypomanic Experience in Young Adults Confers Vulnerability to Intrusive Imagery After Experimental Trauma: Relevance for Bipolar Disorder. <i>Clinical Psychological Science</i> , 2014 , 2, 675-684	6	17
145	Revealing the mind's eye: bringing (mental) images into psychiatry. <i>American Journal of Psychiatry</i> , 2012 , 169, 1245-6	11.9	17

144	Effective maintenance treatment--breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 365-71	6	17
143	Prophylaxis of bipolar disorder: how and who should we treat in the long term?. <i>European Neuropsychopharmacology</i> , 1999 , 9 Suppl 4, S125-9	1.2	17
142	The tonic vibration reflex seen in the acute spinal cat after treatment with DOPA. <i>Brain Research</i> , 1973 , 49, 463-6	3.7	17
141	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
140	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
139	Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , 2013 , 27, 435-43	4.6	16
138	Long-term prophylaxis in bipolar disorder. <i>CNS Drugs</i> , 2006 , 20, 303-10	6.7	16
137	BALANCE: a large simple trial of maintenance treatment for bipolar disorder. <i>World Psychiatry</i> , 2002 , 1, 48-51	14.4	16
136	Desynchronization of diurnal rhythms in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018 , 8, 79	8.6	15
135	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 116	2.8	15
134	The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 320-326	4.6	15
133	Mood Homeostasis, Low Mood, and History of Depression in 2 Large Population Samples. <i>JAMA Psychiatry</i> , 2020 , 77, 944-951	14.5	15
132	Investigation of the impact of total sleep deprivation at home on the number of intrusive memories to an analogue trauma. <i>Translational Psychiatry</i> , 2019 , 9, 104	8.6	14
131	Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders. <i>Psychological Medicine</i> , 2015 , 45, 1591-600	6.9	14
130	Analysing UK clinicians' understanding of cognitive symptoms in major depression: A survey of primary care physicians and psychiatrists. <i>Journal of Affective Disorders</i> , 2017 , 207, 346-352	6.6	14
129	Effectiveness as an outcome measure for treatment trials in psychiatry. <i>World Psychiatry</i> , 2009 , 8, 23-7	14.4	14
128	Does depression influence symptom severity in irritable bowel syndrome? Case study of a patient with irritable bowel syndrome and bipolar disorder. <i>Psychosomatic Medicine</i> , 2003 , 65, 919-23	3.7	14
127	The effects of lithium discontinuation and the non-effect of oral inositol upon thyroid hormones and cortisol in patients with bipolar affective disorder. <i>Journal of Affective Disorders</i> , 1991 , 22, 165-70	6.6	14

126	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13
125	60 years of advances in neuropsychopharmacology for improving brain health, renewed hope for progress. <i>European Neuropsychopharmacology</i> , 2015 , 25, 591-8	1.2	13
124	Contemporary Approaches to Frequent Mood Monitoring in Bipolar Disorder. <i>Journal of Experimental Psychopathology</i> , 2012 , 3, 572-581	2.3	13
123	Is it time to shift to better characterization of patients in trials assessing novel antidepressants? An example of two relapse prevention studies with agomelatine. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 20-8	2.2	13
122	Clinical studies on the efficacy of agomelatine on depressive symptoms. <i>CNS Drugs</i> , 2009 , 23 Suppl 2, 35-9	6.7	13
121	Modelling a loss event: effect of imagined bereavement on the hypothalamic-pituitary-adrenal axis. <i>Psychological Medicine</i> , 2000 , 30, 219-23	6.9	13
120	Lymphocyte glucocorticoid receptor binding in depression: normal values following recovery. <i>Journal of Affective Disorders</i> , 1988 , 14, 155-9	6.6	13
119	Clinical Insight Into Latent Variables of Psychiatric Questionnaires for Mood Symptom Self-Assessment. <i>JMIR Mental Health</i> , 2017 , 4, e15	6	13
118	Remote mood monitoring for adults with bipolar disorder: An explorative study of compliance and impact on mental health service use and costs. <i>European Psychiatry</i> , 2017 , 45, 14-19	6	12
117	The experience of gambling problems in British professional footballers: a preliminary qualitative study. <i>Addiction Research and Theory</i> , 2017 , 25, 129-138	2.6	12
116	Effects of fluvoxamine treatment on cognitive functioning in the alcoholic Korsakoff syndrome. <i>Psychopharmacology</i> , 1994 , 116, 85-8	4.7	12
115	The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women. <i>Journal of Affective Disorders</i> , 1988 , 14, 137-44	6.6	12
114	A systematic distortion of position sense produced by muscle fibrillation. <i>Journal of Physiology</i> , 1972 , 221, 8P-9P	3.9	12
113	Actigraphic patterns, impulsivity and mood instability in bipolar disorder, borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 374-384	6.5	12
112	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
111	Sleep and intrusive memories immediately after a traumatic event in emergency department patients. <i>Sleep</i> , 2020 , 43,	1.1	11
110	Early morning salivary cortisol is not associated with extraversion. <i>Personality and Individual Differences</i> , 2006 , 40, 395-400	3.3	11
109	Munchausen@ syndrome and organic brain disorder. <i>British Journal of Psychiatry</i> , 1993 , 162, 545-9	5.4	11

108	The differentiation of major depression from dementia of the Alzheimer type using within-subject neuropsychological discrepancy analysis. <i>British Journal of Clinical Psychology</i> , 1994 , 33, 23-32	3.6	11
107	Luteinizing hormone responses to luteinizing hormone releasing hormone (LHRH) in acute mania and the effects of lithium on LHRH and thyrotrophin releasing hormone tests in volunteers. <i>Psychological Medicine</i> , 1989 , 19, 69-77	6.9	11
106	The beta 2-adrenoceptor agonists clenbuterol and salbutamol enhance the hypothermic action of 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT) in mice by a central mechanism. <i>Neuropharmacology</i> , 1986 , 25, 21-4	5.5	11
105	The sense of limb position and movement. <i>Exercise and Sport Sciences Reviews</i> , 1976 , 4, 87-124	6.7	11
104	Lithium Revisited: A Reply. <i>British Journal of Psychiatry</i> , 1995 , 167, 573-574	5.4	11
103	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1307-1314	8.7	11
102	Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020 , 37, 1168-1178	8.4	11
101	Comparative economic evaluation of quetiapine plus lamotrigine combination vs quetiapine monotherapy (and folic acid vs placebo) in patients with bipolar depression (CEQUEL). <i>Bipolar Disorders</i> , 2018 , 20, 733-745	3.8	11
100	Circadian rest-activity patterns in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2019 , 9, 195	8.6	10
99	Thought suppression in patients with bipolar disorder. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 355-65		10
98	Erythropoietin has no effect on hippocampal response during memory retrieval 3 days post-administration. <i>Psychopharmacology</i> , 2007 , 195, 451-3	4.7	10
97	Aromatase inhibitors and bipolar mood disorder: a case report. <i>Bipolar Disorders</i> , 2006 , 8, 516-8	3.8	10
96	Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. <i>Psychological Medicine</i> , 1995 , 25, 1091-5	6.9	10
95	Cerebral vascular transit time in Alzheimer's disease and Korsakoff's psychosis and its relation to cognitive function. <i>British Journal of Psychiatry</i> , 1989 , 154, 790-6	5.4	10
94	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression: 20 years on. <i>Journal of Psychopharmacology</i> , 2016 , 30, 1090-1094	4.6	9
93	Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. <i>Journal of Psychopharmacology</i> , 2016 , 30, 273-82	4.6	9
92	Insensitivity to the Magnitude of Potential Gains or Losses When Making Risky Choices: Women With Borderline Personality Disorder Compared With Bipolar Disorder and Controls. <i>Journal of Personality Disorders</i> , 2016 , 30, 530-44	2.6	9
91	Biochemical and genetic predictors and correlates of response to lamotrigine and folic acid in bipolar depression: Analysis of the CEQUEL clinical trial. <i>Bipolar Disorders</i> , 2017 , 19, 477-486	3.8	9

90	Correlates of depression in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281, 20132320	4.4	9
89	Suicide trends in discharged patients with mood disorders: associations with selective serotonin uptake inhibitors and comorbid substance misuse. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 111-5	2.2	9
88	Proactive interference and the neuropsychology of schizophrenia. <i>British Journal of Clinical Psychology</i> , 1993 , 32, 353-6	3.6	9
87	The efficacy of lithium in prophylaxis of unipolar depression Evidence from its discontinuation. <i>British Journal of Psychiatry</i> , 1990 , 157, 718-22	5.4	9
86	Group-Personalized Regression Models for Predicting Mental Health Scores From Objective Mobile Phone Data Streams: Observational Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10194	7.6	9
85	Imagery-Focused Cognitive Therapy (ImCT) for Mood Instability and Anxiety in a Small Sample of Patients with Bipolar Disorder: a Pilot Clinical Audit. <i>Behavioural and Cognitive Psychotherapy</i> , 2018 , 46, 706-725	2.1	9
84	Pituitary gland volumes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 169, 197-202	6.6	8
83	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. <i>Psychopharmacology</i> , 2002 , 159, 222-3	4.7	8
82	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
81	Vitamin D, bone mineral density and risk of fracture in people with intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 2019 , 63, 357-367	3.2	8
80	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
79	Antidepressants, withdrawal, and addiction; where are we now?. <i>Journal of Psychopharmacology</i> , 2019 , 33, 655-659	4.6	7
78	Antidepressants; what's the beef?. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 59-60	3.9	7
77	Short-term quetiapine treatment alters the use of reinforcement signals during risky decision-making and promotes the choice of negative expected values in healthy adult males. <i>Journal of Neuroscience</i> , 2013 , 33, 15588-95	6.6	7
76	Thoughts and acts of self-harm, and suicidal ideation, in online gamblers. <i>International Gambling Studies</i> , 2016 , 16, 408-423	1.8	7
75	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2285-99	2.5	6
74	Role of mood stabilizers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 239-48	4.3	6
73	A population-based study of personality in 34 000 sib-pairs. <i>Twin Research and Human Genetics</i> , 2000 , 3, 310-315		6

72	Studies on muscle spindle primary endings with sinusoidal stretching. <i>Progress in Brain Research</i> , 1976 , 44, 89-98	2.9	6
71	Real-time data monitoring for ulcerative colitis: patient perception and qualitative analysis. <i>Intestinal Research</i> , 2019 , 17, 365-374	4.1	6
70	Borderline personality disorder, but not euthymic bipolar I disorder, is associated with prolonged post-error slowing in sensorimotor performance. <i>Journal of Affective Disorders</i> , 2016 , 198, 163-70	6.6	6
69	Plasma glutathione suggests oxidative stress is equally present in early- and late-onset bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 61-67	3.8	6
68	Patient fibroblast circadian rhythms predict lithium sensitivity in bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 5252-5265	15.1	5
67	Executive function and uptake of 99mTc-exametazime shown by single photon emission tomography after oral idazoxan in probable Alzheimer-type dementia. <i>Psychopharmacology</i> , 1997 , 131, 371-8	4.7	5
66	Bipolar-spectrum disorders: an epidemic unseen, invisible or unreal?. <i>Advances in Psychiatric Treatment</i> , 2004 , 10, 1-3		5
65	Dr. Gijsman and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005 , 162, 1547-1548	11.9	5
64	HIV and the brain: functional investigations in drug users. <i>International Review of Psychiatry</i> , 1991 , 3, 343-356	3.6	5
63	The Edinburgh cohort of HIV positive drug users: who are they and who cares for them?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1992 , 4, 421-4	2.2	5
62	The persistence of stable bonds between actin and myosin filaments of intrafusal muscle fibres following their activation. <i>Journal of Physiology</i> , 1970 , 210, 9P-10P	3.9	5
61	Feasibility and efficacy of a digital CBT intervention for symptoms of Generalized Anxiety Disorder: A randomized multiple-baseline study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021 , 70, 101609	2.6	5
60	Self-Organization in Bipolar Disorder: Replication of Compartmentalization and Self-Complexity. <i>Cognitive Therapy and Research</i> , 2010 , 34, 479-486	2.7	4
59	Antidepressants and Emotional Processing. <i>Neuropsychopharmacology</i> , 2003 , 28, 1384-1385	8.7	4
58	Introduction to systematic reviews. <i>Journal of Psychopharmacology</i> , 2004 , 18, 249-50	4.6	4
57	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000 , 3, 297-302	5.8	4
56	Psychiatric genetics: a genetic basis for health?. <i>Current Biology</i> , 1999 , 9, R326-8	6.3	4
55	Antidepressant effect in older depressed patients: the lessons of two agomelatine trials. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 184-194	2.2	3

54	Corrections to "Forecasting Depression in Bipolar Disorder" [Oct 12 2801-2807]. <i>IEEE Transactions on Biomedical Engineering</i> , 2012 , 59, 3550-3550	5	3
53	A double-blind, placebo-controlled study of tacrine in patients with Alzheimer's disease using SPET. <i>Journal of Psychopharmacology</i> , 1996 , 10, 175-81	4.6	3
52	Lithium may reduce gambling severity in pathological gamblers with bipolar disorder. <i>Evidence-Based Mental Health</i> , 2005 , 8, 80	11.1	3
51	Comments on the Northwick Park Functional Psychosis Study. <i>British Journal of Psychiatry</i> , 1989 , 154, 406-9	5.4	3
50	Stimulation of growth hormone secretion by baclofen in man: Failure to confirm published findings. <i>Human Psychopharmacology</i> , 1989 , 4, 135-138	2.3	3
49	Conflicting interests and doing right. <i>World Psychiatry</i> , 2007 , 6, 25-6	14.4	3
48	Regional lithium prescription rates and recurrence in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 18	5.4	3
47	Psilocybin: Psychotherapy or drug?. <i>Journal of Psychopharmacology</i> , 2016 , 30, 1201-1202	4.6	3
46	Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. <i>Evidence-Based Mental Health</i> , 2019 , 22, 145-152	11.1	3
45	Blood pressure in bipolar disorder: evidence of elevated pulse pressure and associations between mean pressure and mood instability. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 5	5.4	3
44	Tapering of SSRI treatment to mitigate withdrawal symptoms. <i>Lancet Psychiatry</i> , 2019 , 6, 560-561	23.3	2
43	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
42	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatria Biologica</i> , 2011 , 18, 55-67	0.2	2
41	Self-discrepancy in students with bipolar disorder II or NOS. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 135-9	2.6	2
40	Innovation translates into antidepressant effectiveness. <i>Journal of Psychopharmacology</i> , 2008 , 22, 9-12	4.6	2
39	A population-based study of personality in 34 000 sib-pairs. <i>Twin Research and Human Genetics</i> , 2000 , 3, 310-315		2
38	Mechanism of action of lithium. <i>Current Opinion in Psychiatry</i> , 1988 , 1, 72-75	4.9	2
37	Major depressive disorder: treat the disability, not the diagnosis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e830-1	4.6	2

36	Smoking and the risk for bipolar disorder: causal evidence from a bidirectional Mendelian randomization study		2
35	Digital Communication Biomarkers of Mood and Diagnosis in Borderline Personality Disorder, Bipolar Disorder, and Healthy Control Populations. <i>Frontiers in Psychiatry</i> , 2021, 12, 610457	5	2
34	Do environmental risk factors for the development of psychosis distribute differently across dimensionally assessed psychotic experiences?. <i>Translational Psychiatry</i> , 2021, 11, 226	8.6	2
33	Revisiting Treatment Options for Depressed Patients with Generalised Anxiety Disorder. <i>Advances in Therapy</i> , 2021, 38, 61-68	4.1	2
32	Validation of the Oxford Depression Questionnaire: Sensitivity to change, minimal clinically important difference, and response threshold for the assessment of emotional blunting. <i>Journal of Affective Disorders</i> , 2021, 294, 924-931	6.6	2
31	The serotonin transporter gene and affective disorder. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1996, 61, 791-5	3.9	2
30	Psilocin acutely alters sleep-wake architecture and cortical brain activity in laboratory mice.. <i>Translational Psychiatry</i> , 2022, 12, 77	8.6	2
29	Why sleep matters for young people who may get depressed. <i>Interface Focus</i> , 2020, 10, 20190115	3.9	1
28	Comparative efficacy of anti-manic drugs in acute mania - AuthorsReply. <i>Lancet, The</i> , 2012, 379, 894	4.0	1
27	Symptom relief and facilitation of emotional processing. <i>European Neuropsychopharmacology</i> , 2011, 21 Suppl 4, S710-5	1.2	1
26	Quetiapine more effective than placebo for depression in bipolar I and II disorder. <i>Evidence-Based Mental Health</i> , 2007, 10, 82	11.1	1
25	Bipolar disorder: is psychiatry@ Cinderella starting to get out a little more?. <i>Acta Neuropsychiatrica</i> , 2000, 12, 105	3.9	1
24	Lithium augmentation in antidepressant-resistant patients. <i>British Journal of Psychiatry</i> , 1992, 161, 128-9	5.4	1
23	Neuroendocrine function and the biology of the eating disorders. <i>Human Psychopharmacology</i> , 1990, 5, 249-253	2.3	1
22	Psilocin acutely disrupts sleep and affects local but not global sleep homeostasis in laboratory mice		1
21	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021, 54, 90-90	1.2	1
20	The costs of bipolar disorder in the United Kingdom. <i>Brain and Behavior</i> , 2021, 11, e2351	3.4	1
19	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99	1.2	1

18	Re-medicalizing the care of patients with schizophrenia?. <i>L'Encephale</i> , 2019 , 45, 90-91	2.9	o
17	Reply to Comments by Mr Carlin and Mr Hardisty. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 477	1.7	o
16	Using guidelines in real clinical situations: clozapine and breast feeding in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2005 , 19, 317-8	4.6	o
15	Depression and violence—what do we really know? [Authors Reply]. <i>Lancet Psychiatry</i> , 2015 , 2, 492	23.3	
14	Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 255-258	0.2	
13	Profil toxique du lithium : revue exhaustive de la littérature avec méta-analyse des résultats. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 212-218	0.2	
12	Letter to the Editor: Comments on Qs there an excess of significant findings in published studies of psychotherapy for depression? <i>Psychological Medicine</i> , 2015 , 45, 447	6.9	
11	Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010 , 167, 599-600	11.9	
10	Bipolar anxiety. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 95-98	0.2	
9	Approaches to the management of bipolar disorder: past, present and future. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4 Suppl 1, S1-2	4.3	
8	Management commentary 262-264		
7	" Perspectives on lithium treatment of bipolar disorder" - by Mogens Schou: a commentary. <i>Bipolar Disorders</i> , 1999 , 1, 11-2	3.8	
6	The neural mechanisms subserving kinesthesia. <i>Behavioral and Brain Sciences</i> , 1978 , 1, 151-152	0.9	
5	Studies on central nervous system serotonin receptors in mood disorders. <i>Annals of the Academy of Medicine, Singapore</i> , 1991 , 20, 46-50	2.8	
4	Letter to BJPsych in response to Horowitz and Moncrieff.. <i>British Journal of Psychiatry</i> , 2021 , 219, 619-620	20.4	
3	The American Psychiatric Press Textbook of Neuropsychiatry (3rd edn). Edited by S. Yudofsky and R. Hales. Washington, DC: American Psychiatric Press. 1997. 1114 pp. £129. ISBN 0-88048-787-9. <i>British Journal of Psychiatry</i> , 1999 , 174, 279-279	5.4	
2	Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. <i>FASEB Journal</i> , 2013 , 27, lb528	0.9	
1	Review: Lower doses of antidepressant drugs are effective and have fewer adverse effects in depression. <i>ACP Journal Club</i> , 2000 , 132, 25		

