

Guy Goodwin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3078146/guy-goodwin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

431
papers

35,497
citations

98
h-index

176
g-index

467
ext. papers

40,371
ext. citations

6.4
avg, IF

7.26
L-index

#	Paper	IF	Citations
431	Psilocin acutely alters sleep-wake architecture and cortical brain activity in laboratory mice.. <i>Translational Psychiatry</i> , 2022 , 12, 77	8.6	2
430	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022 , 60, 91-99	1.2	1
429	Patient fibroblast circadian rhythms predict lithium sensitivity in bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 5252-5265	15.1	5
428	Letter to BJPsych in response to Horowitz and Moncrieff.. <i>British Journal of Psychiatry</i> , 2021 , 219, 619-620	5.4	3
427	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1307-1314	8.7	11
426	Digital Communication Biomarkers of Mood and Diagnosis in Borderline Personality Disorder, Bipolar Disorder, and Healthy Control Populations. <i>Frontiers in Psychiatry</i> , 2021 , 12, 610457	5	2
425	Do environmental risk factors for the development of psychosis distribute differently across dimensionally assessed psychotic experiences?. <i>Translational Psychiatry</i> , 2021 , 11, 226	8.6	2
424	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
423	Regional lithium prescription rates and recurrence in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 18	5.4	3
422	Mood Homeostasis Before and During the Coronavirus Disease 2019 (COVID-19) Lockdown Among Students in the Netherlands. <i>JAMA Psychiatry</i> , 2021 , 78, 110-112	14.5	24
421	Feasibility and efficacy of a digital CBT intervention for symptoms of Generalized Anxiety Disorder: A randomized multiple-baseline study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021 , 70, 101609	2.6	5
420	Smoking and the risk for bipolar disorder: evidence from a bidirectional Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021 , 218, 88-94	5.4	28
419	Blood pressure in bipolar disorder: evidence of elevated pulse pressure and associations between mean pressure and mood instability. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 5	5.4	3
418	Revisiting Treatment Options for Depressed Patients with Generalised Anxiety Disorder. <i>Advances in Therapy</i> , 2021 , 38, 61-68	4.1	2
417	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
416	The costs of bipolar disorder in the United Kingdom. <i>Brain and Behavior</i> , 2021 , 11, e2351	3.4	1
415	Validation of the Oxford Depression Questionnaire: Sensitivity to change, minimal clinically important difference, and response threshold for the assessment of emotional blunting. <i>Journal of Affective Disorders</i> , 2021 , 294, 924-931	6.6	2

414	Why sleep matters for young people who may get depressed. <i>Interface Focus</i> , 2020 , 10, 20190115	3.9	1
413	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
412	Sleep and intrusive memories immediately after a traumatic event in emergency department patients. <i>Sleep</i> , 2020 , 43,	1.1	11
411	The True Colours Remote Symptom Monitoring System: A Decade of Evolution. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15188	7.6	21
410	Actigraphic patterns, impulsivity and mood instability in bipolar disorder, borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 374-384	6.5	12
409	Efficacy of digital cognitive behavioral therapy for moderate-to-severe symptoms of generalized anxiety disorder: A randomized controlled trial. <i>Depression and Anxiety</i> , 2020 , 37, 1168-1178	8.4	11
408	Mood Homeostasis, Low Mood, and History of Depression in 2 Large Population Samples. <i>JAMA Psychiatry</i> , 2020 , 77, 944-951	14.5	15
407	Tapering of SSRI treatment to mitigate withdrawal symptoms. <i>Lancet Psychiatry</i> , 2019 , 6, 560-561	23.3	2
406	Reporting guidelines on remotely collected electronic mood data in mood disorder (eMOOD)-recommendations. <i>Translational Psychiatry</i> , 2019 , 9, 162	8.6	13
405	Antidepressants, withdrawal, and addiction; where are we now?. <i>Journal of Psychopharmacology</i> , 2019 , 33, 655-659	4.6	7
404	Investigation of the impact of total sleep deprivation at home on the number of intrusive memories to an analogue trauma. <i>Translational Psychiatry</i> , 2019 , 9, 104	8.6	14
403	Antidepressants; what's the beef?. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 59-60	3.9	7
402	Re-medicalizing the care of patients with schizophrenia?. <i>L'Encephale</i> , 2019 , 45, 90-91	2.9	0
401	Circadian rest-activity patterns in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2019 , 9, 195	8.6	10
400	Real-time data monitoring for ulcerative colitis: patient perception and qualitative analysis. <i>Intestinal Research</i> , 2019 , 17, 365-374	4.1	6
399	Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. <i>Evidence-Based Mental Health</i> , 2019 , 22, 145-152	11.1	3
398	Vitamin D, bone mineral density and risk of fracture in people with intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 2019 , 63, 357-367	3.2	8
397	Defining Faecal Calprotectin Thresholds as a Surrogate for Endoscopic and Histological Disease Activity in Ulcerative Colitis-a Prospective Analysis. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 424-430	1.5	37

396	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019 , 214, 27-35	5.4	33
395	Predicting treatment response to antidepressant medication using early changes in emotional processing. <i>European Neuropsychopharmacology</i> , 2019 , 29, 66-75	1.2	24
394	Plasma glutathione suggests oxidative stress is equally present in early- and late-onset bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 61-67	3.8	6
393	Desynchronization of diurnal rhythms in bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018 , 8, 79	8.6	15
392	Effectiveness of maintenance therapy of lithium vs other mood stabilizers in monotherapy and in combinations: a systematic review of evidence from observational studies. <i>Bipolar Disorders</i> , 2018 , 20, 419	3.8	54
391	Variability in phase and amplitude of diurnal rhythms is related to variation of mood in bipolar and borderline personality disorder. <i>Scientific Reports</i> , 2018 , 8, 1649	4.9	31
390	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
389	Group-Personalized Regression Models for Predicting Mental Health Scores From Objective Mobile Phone Data Streams: Observational Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10194	7.6	9
388	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 2-58	3.8	89
387	Meta-analysis of regional white matter volume in bipolar disorder with replication in an independent sample using coordinates, T-maps, and individual MRI data. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 162-170	9	54
386	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
385	A signature-based machine learning model for distinguishing bipolar disorder and borderline personality disorder. <i>Translational Psychiatry</i> , 2018 , 8, 274	8.6	25
384	Comparative economic evaluation of quetiapine plus lamotrigine combination vs quetiapine monotherapy (and folic acid vs placebo) in patients with bipolar depression (CEQUEL). <i>Bipolar Disorders</i> , 2018 , 20, 733-745	3.8	11
383	Opioid-Independent and Opioid-Mediated Modes of Pain Modulation. <i>Journal of Neuroscience</i> , 2018 , 38, 9047-9058	6.6	19
382	Imagery-Focused Cognitive Therapy (ImCT) for Mood Instability and Anxiety in a Small Sample of Patients with Bipolar Disorder: a Pilot Clinical Audit. <i>Behavioural and Cognitive Psychotherapy</i> , 2018 , 46, 706-725	2.1	9
381	Pharmacological treatment and risk of psychiatric hospital admission in bipolar disorder. <i>British Journal of Psychiatry</i> , 2017 , 210, 197-202	5.4	37
380	Experiences of remote mood and activity monitoring in bipolar disorder: A qualitative study. <i>European Psychiatry</i> , 2017 , 41, 115-121	6	43
379	Antidepressant effect in older depressed patients: the lessons of two agomelatine trials. <i>International Clinical Psychopharmacology</i> , 2017 , 32, 184-194	2.2	3

378	The Therapeutic Potential of Psychedelic Drugs: Past, Present, and Future. <i>Neuropsychopharmacology</i> , 2017 , 42, 2105-2113	8.7	199
377	Emotional blunting with antidepressant treatments: A survey among depressed patients. <i>Journal of Affective Disorders</i> , 2017 , 221, 31-35	6.6	65
376	The dopamine hypothesis of bipolar affective disorder: the state of the art and implications for treatment. <i>Molecular Psychiatry</i> , 2017 , 22, 666-679	15.1	224
375	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 558	2.8	20
374	Biochemical and genetic predictors and correlates of response to lamotrigine and folic acid in bipolar depression: Analysis of the CEQUEL clinical trial. <i>Bipolar Disorders</i> , 2017 , 19, 477-486	3.8	9
373	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 749-758	23.3	286
372	Longitudinal mood monitoring in bipolar disorder: Course of illness as revealed through a short messaging service. <i>Journal of Affective Disorders</i> , 2017 , 223, 139-145	6.6	34
371	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
370	Remote mood monitoring for adults with bipolar disorder: An explorative study of compliance and impact on mental health service use and costs. <i>European Psychiatry</i> , 2017 , 45, 14-19	6	12
369	Detecting Bipolar Depression From Geographic Location Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2017 , 64, 1761-1771	5	79
368	The experience of gambling problems in British professional footballers: a preliminary qualitative study. <i>Addiction Research and Theory</i> , 2017 , 25, 129-138	2.6	12
367	The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 320-326	4.6	15
366	Analysing UK clinicians' understanding of cognitive symptoms in major depression: A survey of primary care physicians and psychiatrists. <i>Journal of Affective Disorders</i> , 2017 , 207, 346-352	6.6	14
365	Clinical Insight Into Latent Variables of Psychiatric Questionnaires for Mood Symptom Self-Assessment. <i>JMIR Mental Health</i> , 2017 , 4, e15	6	13
364	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
363	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression: 20 years on. <i>Journal of Psychopharmacology</i> , 2016 , 30, 1090-1094	4.6	9
362	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
361	Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. <i>Sleep</i> , 2016 , 39, 173-81	1.1	80

360	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 116	2.8	15
359	Applications of time-series analysis to mood fluctuations in bipolar disorder to promote treatment innovation: a case series. <i>Translational Psychiatry</i> , 2016 , 6, e720	8.6	42
358	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553	4.6	468
357	Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. <i>Journal of Psychopharmacology</i> , 2016 , 30, 273-82	4.6	9
356	Insensitivity to the Magnitude of Potential Gains or Losses When Making Risky Choices: Women With Borderline Personality Disorder Compared With Bipolar Disorder and Controls. <i>Journal of Personality Disorders</i> , 2016 , 30, 530-44	2.6	9
355	Subcortical volumetric abnormalities in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1710-1716	15.1	283
354	Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: randomised double-blind placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 78-86	5.4	50
353	Comparative evaluation of quetiapine plus lamotrigine combination versus quetiapine monotherapy (and folic acid versus placebo) in bipolar depression (CEQUEL): a 2 x 2 factorial randomised trial. <i>Lancet Psychiatry</i> , 2016 , 3, 31-39	23.3	69
352	Hippocampal volume in vulnerability and resilience to depression. <i>Journal of Affective Disorders</i> , 2016 , 189, 199-202	6.6	53
351	A specific role for serotonin in overcoming effort cost. <i>ELife</i> , 2016 , 5,	8.9	45
350	Psilocybin: Psychotherapy or drug?. <i>Journal of Psychopharmacology</i> , 2016 , 30, 1201-1202	4.6	3
349	Associations between mood instability and emotional processing in a large cohort of bipolar patients. <i>Psychological Medicine</i> , 2016 , 46, 3151-3160	6.9	26
348	Borderline personality disorder, but not euthymic bipolar I disorder, is associated with prolonged post-error slowing in sensorimotor performance. <i>Journal of Affective Disorders</i> , 2016 , 198, 163-70	6.6	6
347	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , 2016 , 241, 141-6	9.9	37
346	Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. <i>European Neuropsychopharmacology</i> , 2016 , 26, 994-1003	1.2	76
345	Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial. <i>Journal of Affective Disorders</i> , 2016 , 205, 245-251	6.6	19
344	Thoughts and acts of self-harm, and suicidal ideation, in online gamblers. <i>International Gambling Studies</i> , 2016 , 16, 408-423	1.8	7
343	Innovative approaches to bipolar disorder and its treatment. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1366, 76-89	6.5	57

342	Depression and violence: What do we really know? [Authors' Reply]. <i>Lancet Psychiatry, the</i> , 2015 , 2, 492	23.3	
341	60 years of advances in neuropsychopharmacology for improving brain health, renewed hope for progress. <i>European Neuropsychopharmacology</i> , 2015 , 25, 591-8	1.2	13
340	Brain imaging in understanding the action of psychotropic drugs: The drugs for depression. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 255-258	0.2	
339	Borderline personality disorder, but not euthymic bipolar disorder, is associated with a failure to sustain reciprocal cooperative behaviour: implications for spectrum models of mood disorders. <i>Psychological Medicine</i> , 2015 , 45, 1591-600	6.9	14
338	Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1119-28	4.6	21
337	Distinguishing bipolar disorder from borderline personality disorder: A study of current clinical practice. <i>European Psychiatry</i> , 2015 , 30, 965-74	6	17
336	A review of the current nomenclature for psychotropic agents and an introduction to the Neuroscience-based Nomenclature. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2318-25	1.2	89
335	Gambling problems in bipolar disorder in the UK: prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015 , 207, 328-33	5.4	23
334	Bipolar disorder dynamics: affective instabilities, relaxation oscillations and noise. <i>Journal of the Royal Society Interface</i> , 2015 , 12,	4.1	34
333	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 236	2.8	29
332	Psychological Effect of an Analogue Traumatic Event Reduced by Sleep Deprivation. <i>Sleep</i> , 2015 , 38, 1017-25	1.1	50
331	Letter to the Editor: Comments on Q: there an excess of significant findings in published studies of psychotherapy for depression? Q <i>Psychological Medicine</i> , 2015 , 45, 447	6.9	
330	Lithium might be associated with better decision-making performance in euthymic bipolar patients. <i>European Neuropsychopharmacology</i> , 2015 , 25, 788-97	1.2	18
329	Verbal learning impairment in euthymic bipolar disorder: BDI v BDII. <i>Journal of Affective Disorders</i> , 2015 , 182, 95-100	6.6	19
328	Depression and violence: a Swedish population study. <i>Lancet Psychiatry, the</i> , 2015 , 2, 224-32	23.3	115
327	Learning from the past and looking to the future: Emerging perspectives for improving the treatment of psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2015 , 25, 599-656	1.2	86
326	Hypoactivation of the ventral and dorsal striatum during reward and loss anticipation in antipsychotic and mood stabilizer-naive bipolar disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 658-66	8.7	62
325	The overlap between anxiety, depression, and obsessive-compulsive disorder. <i>Dialogues in Clinical Neuroscience</i> , 2015 , 17, 249-60	5.7	63

324	Major depressive disorder: treat the disability, not the diagnosis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e830-1	4.6	2
323	Cortical glutathione levels in young people with bipolar disorder: a pilot study using magnetic resonance spectroscopy. <i>Psychopharmacology</i> , 2014 , 231, 327-32	4.7	56
322	Vitamin D deficiency in patients with intellectual disabilities: prevalence, risk factors and management strategies. <i>British Journal of Psychiatry</i> , 2014 , 205, 458-64	5.4	24
321	Mood dynamics in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 11	5.4	20
320	Attacks on antidepressants: signs of deep-seated stigma?. <i>Lancet Psychiatry</i> , 2014 , 1, 102-4	23.3	21
319	Risks of all-cause and suicide mortality in mental disorders: a meta-review. <i>World Psychiatry</i> , 2014 , 13, 153-60	14.4	852
318	Psychiatric assessment of mood instability: qualitative study of patient experience. <i>British Journal of Psychiatry</i> , 2014 , 204, 234-9	5.4	38
317	Profil toxique du lithium : revue exhaustive de la littérature avec méta-analyse des résultats. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 212-218	0.2	
316	Mental imagery in bipolar affective disorder versus unipolar depression: investigating cognitions at times of positive mood. <i>Journal of Affective Disorders</i> , 2014 , 166, 234-42	6.6	33
315	Pituitary gland volumes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 169, 197-202	6.6	8
314	Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. <i>Chronobiology International</i> , 2014 , 31, 290-6	3.6	46
313	Hypomanic Experience in Young Adults Confers Vulnerability to Intrusive Imagery After Experimental Trauma: Relevance for Bipolar Disorder. <i>Clinical Psychological Science</i> , 2014 , 2, 675-684	6	17
312	Economic evaluations in bipolar disorder: a systematic review and critical appraisal. <i>Bipolar Disorders</i> , 2014 , 16, 557-82	3.8	19
311	Correlates of depression in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281, 20132320	4.4	9
310	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014 , 44, 2409-18	6.9	57
309	Increased temporo-insular engagement in unmedicated bipolar II disorder: an exploratory resting state study using independent component analysis. <i>Bipolar Disorders</i> , 2014 , 16, 748-55	3.8	41
308	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
307	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451

306	Innovative solutions to novel drug development in mental health. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2438-44	9	75
305	White matter alterations in antipsychotic- and mood stabilizer-naïve individuals with bipolar II/NOS disorder. <i>NeuroImage: Clinical</i> , 2013 , 3, 271-8	5.3	24
304	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 154-219	3.8	284
303	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
302	Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , 2013 , 27, 435-43	4.6	16
301	Efficacy of agomelatine and escitalopram on depression, subjective sleep and emotional experiences in patients with major depressive disorder: a 24-wk randomized, controlled, double-blind trial. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 2219-34	5.8	51
300	Is it time to shift to better characterization of patients in trials assessing novel antidepressants? An example of two relapse prevention studies with agomelatine. <i>International Clinical Psychopharmacology</i> , 2013 , 28, 20-8	2.2	13
299	Short-term quetiapine treatment alters the use of reinforcement signals during risky decision-making and promotes the choice of negative expected values in healthy adult males. <i>Journal of Neuroscience</i> , 2013 , 33, 15588-95	6.6	7
298	Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. <i>FASEB Journal</i> , 2013 , 27, 1b528	0.9	
297	The Oxford Questionnaire on the Emotional Side-effects of Antidepressants (OQuESA): development, validity, reliability and sensitivity to change. <i>Journal of Affective Disorders</i> , 2012 , 140, 66-74	6.6	17
296	Facilitated Integrated Mood Management for adults with bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 185-97	3.8	61
295	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 13-22	5.1	17
294	Lithium toxicity profile: a systematic review and meta-analysis. <i>Lancet, The</i> , 2012 , 379, 721-8	40	535
293	Comparative efficacy of anti-manic drugs in acute mania - Authors' reply. <i>Lancet, The</i> , 2012 , 379, 894	40	1
292	Corrections to "Forecasting Depression in Bipolar Disorder" [Oct 12 2801-2807]. <i>IEEE Transactions on Biomedical Engineering</i> , 2012 , 59, 3550-3550	5	3
291	Forecasting depression in bipolar disorder. <i>IEEE Transactions on Biomedical Engineering</i> , 2012 , 59, 2801-7	5	27
290	Drug research: a plan for mental illness. <i>Nature</i> , 2012 , 483, 269	50.4	53
289	Contemporary Approaches to Frequent Mood Monitoring in Bipolar Disorder. <i>Journal of Experimental Psychopathology</i> , 2012 , 3, 572-581	2.3	13

288	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012 , 11, 141-68	64.1	728
287	Reduced subjective response to acute ethanol administration among young men with a broad bipolar phenotype. <i>Neuropsychopharmacology</i> , 2012 , 37, 1808-15	8.7	24
286	Nonlinear time-series approaches in characterizing mood stability and mood instability in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 916-24	4.4	96
285	Revealing the mind@ eye: bringing (mental) images into psychiatry. <i>American Journal of Psychiatry</i> , 2012 , 169, 1245-6	11.9	17
284	Trait-related decision-making impairment in the three phases of bipolar disorder. <i>Biological Psychiatry</i> , 2011 , 70, 357-65	7.9	98
283	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011 , 18, 55-67	0.2	2
282	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2285-99	2.5	6
281	Mood stability versus mood instability in bipolar disorder: a possible role for emotional mental imagery. <i>Behaviour Research and Therapy</i> , 2011 , 49, 707-13	5.2	73
280	Symptom relief and facilitation of emotional processing. <i>European Neuropsychopharmacology</i> , 2011 , 21 Suppl 4, S710-5	1.2	1
279	Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2011 , 378, 1306-15	40	420
278	Presence of mental imagery associated with chronic pelvic pain: a pilot study. <i>Pain Medicine</i> , 2011 , 12, 1086-93	2.8	30
277	Developing a measure of interpretation bias for depressed mood: An ambiguous scenarios test. <i>Personality and Individual Differences</i> , 2011 , 51, 349-354	3.3	62
276	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1148-58	4.6	93
275	A comprehensive review and model of putative prodromal features of bipolar affective disorder. <i>Psychological Medicine</i> , 2011 , 41, 1567-77	6.9	83
274	Valproate v. lithium in the treatment of bipolar disorder in clinical practice: observational nationwide register-based cohort study. <i>British Journal of Psychiatry</i> , 2011 , 199, 57-63	5.4	72
273	Using an experimental medicine model to explore combination effects of pharmacological and cognitive interventions for depression and anxiety. <i>Neuropsychopharmacology</i> , 2011 , 36, 2689-97	8.7	34
272	Safety of antipsychotics in people with intellectual disability. <i>British Journal of Psychiatry</i> , 2011 , 199, 289-95	5.4	31
271	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1159-67	4.6	50

270	The longitudinal course of bipolar disorder as revealed through weekly text messaging: a feasibility study. <i>Bipolar Disorders</i> , 2010 , 12, 327-34	3.8	133
269	The common adolescent bipolar phenotype shows positive biases in emotional processing. <i>Bipolar Disorders</i> , 2010 , 12, 606-15	3.8	24
268	Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010 , 167, 599-600	11.9	
267	Lateral prefrontal cortex mediates the cognitive modification of attentional bias. <i>Biological Psychiatry</i> , 2010 , 67, 919-25	7.9	177
266	Induction of depressed mood disrupts emotion regulation neurocircuitry and enhances pain unpleasantness. <i>Biological Psychiatry</i> , 2010 , 67, 1083-90	7.9	182
265	How psychological symptoms relate to different motivations for gambling: an online study of internet gamblers. <i>Biological Psychiatry</i> , 2010 , 68, 733-40	7.9	71
264	Self-discrepancy in students with bipolar disorder II or NOS. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 135-9	2.6	2
263	Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. <i>Lancet, The</i> , 2010 , 375, 385-95	4.0	375
262	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010 , 24, 481-7	4.6	23
261	The course of bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2010 , 16, 318-328		39
260	Thought suppression in patients with bipolar disorder. <i>Journal of Abnormal Psychology</i> , 2010 , 119, 355-65		10
259	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010 , 210, 419-28	4.7	27
258	Internet gamblers: a latent class analysis of their behaviours and health experiences. <i>Journal of Gambling Studies</i> , 2010 , 26, 387-99	3	44
257	Self-Organization in Bipolar Disorder: Replication of Compartmentalization and Self-Complexity. <i>Cognitive Therapy and Research</i> , 2010 , 34, 479-486	2.7	4
256	5-HT(1A) receptor binding in euthymic bipolar patients using positron emission tomography with [carbonyl-(11)C]WAY-100635. <i>Journal of Affective Disorders</i> , 2010 , 123, 77-80	6.6	27
255	Dysfunctional beliefs in bipolar disorder: hypomanic vs. depressive attitudes. <i>Journal of Affective Disorders</i> , 2010 , 122, 294-300	6.6	45
254	Effectiveness as an outcome measure for treatment trials in psychiatry. <i>World Psychiatry</i> , 2009 , 8, 23-7	14.4	14
253	Evidence-based guidelines for treating bipolar disorder: revised second edition--recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2009 , 23, 346-88	4.6	386

252	Lamotrigine for treatment of bipolar depression: independent meta-analysis and meta-regression of individual patient data from five randomised trials. <i>British Journal of Psychiatry</i> , 2009 , 194, 4-9	5.4	311
251	A UK consensus on the administration of aripiprazole for the treatment of mania. <i>Journal of Psychopharmacology</i> , 2009 , 23, 231-40	4.6	18
250	Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009 , 194, 139-45	5.4	90
249	Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. <i>Journal of Neurosurgery</i> , 2009 , 111, 780-4	3.2	22
248	Effect of acute antidepressant administration on negative affective bias in depressed patients. <i>American Journal of Psychiatry</i> , 2009 , 166, 1178-84	11.9	330
247	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009 , 195, 102-8	5.4	366
246	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009 , 207, 133-42	4.7	38
245	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316
244	Altered risk-aversion and risk-seeking behavior in bipolar disorder. <i>Biological Psychiatry</i> , 2009 , 66, 840-6	7.9	59
243	Bipolar anxiety. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 95-98	0.2	
242	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 85-116	3.8	251
241	Clinical studies on the efficacy of agomelatine on depressive symptoms. <i>CNS Drugs</i> , 2009 , 23 Suppl 2, 35-9	6.7	13
240	Cognitive functioning in patients with affective disorders and schizophrenia: a meta-analysis. <i>International Review of Psychiatry</i> , 2009 , 21, 336-56	3.6	110
239	Distinct patterns of brain activity in young carriers of the APOE-epsilon4 allele. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 7209-14	11.5	1286
238	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
237	A Pilot Study of Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>International Journal of Cognitive Therapy</i> , 2009 , 2, 373-382	1.4	48
236	Emotional side-effects of selective serotonin reuptake inhibitors: qualitative study. <i>British Journal of Psychiatry</i> , 2009 , 195, 211-7	5.4	193
235	Agomelatine prevents relapse in patients with major depressive disorder without evidence of a discontinuation syndrome: a 24-week randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1128-37	4.6	209

234	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008 , 13, 1011-20	15.1	57
233	Diagnostic guidelines for bipolar depression: a probabilistic approach. <i>Bipolar Disorders</i> , 2008 , 10, 144-52,8	3.8	231
232	Lack of insight may predict impaired decision making in manic patients. <i>Bipolar Disorders</i> , 2008 , 10, 829-37,8	3.7	54
231	Mindfulness-based Cognitive Therapy (MBCT) in bipolar disorder: preliminary evaluation of immediate effects on between-episode functioning. <i>Journal of Affective Disorders</i> , 2008 , 107, 275-9	6.6	226
230	Risk for depression is associated with neural biases in emotional categorisation. <i>Neuropsychologia</i> , 2008 , 46, 2896-903	3.2	42
229	Mental imagery as an emotional amplifier: application to bipolar disorder. <i>Behaviour Research and Therapy</i> , 2008 , 46, 1251-8	5.2	145
228	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
227	Erythropoietin improves mood and modulates the cognitive and neural processing of emotion 3 days post administration. <i>Neuropsychopharmacology</i> , 2008 , 33, 611-8	8.7	62
226	Innovation translates into antidepressant effectiveness. <i>Journal of Psychopharmacology</i> , 2008 , 22, 9-12	4.6	2
225	Perceptual switch rates with ambiguous structure-from-motion figures in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 1839-48	4.4	23
224	Toxic effects of depression on brain function: impairment of delayed recall and the cumulative length of depressive disorder in a large sample of depressed outpatients. <i>American Journal of Psychiatry</i> , 2008 , 165, 731-9	11.9	167
223	Common and specific elements of psychosocial treatments for bipolar disorder: a survey of clinicians participating in randomized trials. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 77-85	1.3	63
222	Reply to Comments by Mr Carlin and Mr Hardisty. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 477	1.7	0
221	Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008 , 193, 6-9	5.4	129
220	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. <i>Experimental Brain Research</i> , 2008 , 184, 313-21	2.3	44
219	A new US-UK diagnostic project: mood elevation and depression in first-year undergraduates at Oxford and Stanford universities. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 81-5	6.5	18
218	Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H2(15)O PET study. <i>European Journal of Neuroscience</i> , 2007 , 25, 2224-33	3.5	78
217	Erythropoietin has no effect on hippocampal response during memory retrieval 3 days post-administration. <i>Psychopharmacology</i> , 2007 , 195, 451-3	4.7	10

216	The cognitive neuropsychology of depression in the elderly. <i>Psychological Medicine</i> , 2007 , 37, 1693-702	6.9	190
215	Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , 2007 , 37, 1281-91	6.9	137
214	Quetiapine more effective than placebo for depression in bipolar I and II disorder. <i>Evidence-Based Mental Health</i> , 2007 , 10, 82	11.1	1
213	Short-term antidepressant treatment and facial processing. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2007 , 190, 531-2	5.4	92
212	Suicides by violent means in individuals taking SSRIs and other antidepressants: a postmortem study in Sweden, 1992-2004. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 503-6	1.7	18
211	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007 , 37, 904-11	7.9	43
210	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007 , 21, 684-90	4.6	190
209	Conflicting interests and doing right. <i>World Psychiatry</i> , 2007 , 6, 25-6	14.4	3
208	5HT(3) antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006 , 186, 18-24	4.7	47
207	Early morning salivary cortisol is not associated with extraversion. <i>Personality and Individual Differences</i> , 2006 , 40, 395-400	3.3	11
206	Long-term prophylaxis in bipolar disorder. <i>CNS Drugs</i> , 2006 , 20, 303-10	6.7	16
205	Lithium versus antidepressants in the long-term treatment of unipolar affective disorder. <i>The Cochrane Library</i> , 2006 , CD003492	5.2	26
204	Antidepressant drug treatment modifies the neural processing of nonconscious threat cues. <i>Biological Psychiatry</i> , 2006 , 59, 816-20	7.9	372
203	Risperidone alone or in combination for acute mania. <i>The Cochrane Library</i> , 2006 , CD004043	5.2	22
202	Suicide trends in discharged patients with mood disorders: associations with selective serotonin uptake inhibitors and comorbid substance misuse. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 111-5	2.2	9
201	Aromatase inhibitors and bipolar mood disorder: a case report. <i>Bipolar Disorders</i> , 2006 , 8, 516-8	3.8	10
200	Depression and associated physical diseases and symptoms. <i>Dialogues in Clinical Neuroscience</i> , 2006 , 8, 259-65	5.7	54
199	Effective maintenance treatment--breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 365-71	6	17

198	Sustained attention-deficit confirmed in euthymic bipolar disorder but not in first-degree relatives of bipolar patients or euthymic unipolar depression. <i>Biological Psychiatry</i> , 2005 , 57, 183-7	7.9	143
197	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005 , 57, 517-24	7.9	127
196	Dr. Gijsman and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005 , 162, 1547-1548	11.9	5
195	Lithium - a continuing story in the treatment of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 7-12	6.5	38
194	The effects of a branched chain amino acid mixture supplemented with tryptophan on biochemical indices of neurotransmitter function and decision-making. <i>Psychopharmacology</i> , 2005 , 179, 761-8	4.7	35
193	Using guidelines in real clinical situations: clozapine and breast feeding in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2005 , 19, 317-8	4.6	0
192	Impairment of executive function but not memory in first-degree relatives of patients with bipolar I disorder and in euthymic patients with unipolar depression. <i>American Journal of Psychiatry</i> , 2005 , 162, 1980-2	11.9	146
191	Sleep-related functioning in euthymic patients with bipolar disorder, patients with insomnia, and subjects without sleep problems. <i>American Journal of Psychiatry</i> , 2005 , 162, 50-7	11.9	273
190	Lamotrigine in the treatment of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 1401-8	4	18
189	Enhanced early morning salivary cortisol in neuroticism. <i>American Journal of Psychiatry</i> , 2005 , 162, 807-9	11.9	119
188	Lithium may reduce gambling severity in pathological gamblers with bipolar disorder. <i>Evidence-Based Mental Health</i> , 2005 , 8, 80	11.1	3
187	Increased positive versus negative affective perception and memory in healthy volunteers following selective serotonin and norepinephrine reuptake inhibition. <i>American Journal of Psychiatry</i> , 2004 , 161, 1256-63	11.9	436
186	Introduction to systematic reviews. <i>Journal of Psychopharmacology</i> , 2004 , 18, 249-50	4.6	4
185	Approaches to the management of bipolar disorder: past, present and future. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4 Suppl 1, S1-2	4.3	
184	State- and trait-related deficits in sustained attention in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004 , 254, 61-8	5.1	120
183	The role of the anterior cingulate cortex in the counting Stroop task. <i>Experimental Brain Research</i> , 2004 , 154, 355-8	2.3	50
182	Developing the BALANCE trail--the role of the pilot study and start-up phase. <i>Bipolar Disorders</i> , 2004 , 6, 26-31	3.8	20
181	Relapse into mania or depression following lithium discontinuation: a 7-year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 91-5	6.5	53

180	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders, part III: maintenance treatment. <i>World Journal of Biological Psychiatry</i> , 2004 , 5, 120-35	3.8	104
179	Folate for depressive disorders: systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychopharmacology</i> , 2004 , 18, 251-6	4.6	127
178	Antidepressants for bipolar depression: a systematic review of randomized, controlled trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 1537-47	11.9	396
177	Long-term lithium therapy for bipolar disorder: systematic review and meta-analysis of randomized controlled trials. <i>American Journal of Psychiatry</i> , 2004 , 161, 217-22	11.9	447
176	Normalization of enhanced fear recognition by acute SSRI treatment in subjects with a previous history of depression. <i>American Journal of Psychiatry</i> , 2004 , 161, 166-8	11.9	145
175	Bipolar-spectrum disorders: an epidemic unseen, invisible or unreal?. <i>Advances in Psychiatric Treatment</i> , 2004 , 10, 1-3		5
174	A pooled analysis of 2 placebo-controlled 18-month trials of lamotrigine and lithium maintenance in bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 432-41	4.6	365
173	Antidepressants and Emotional Processing. <i>Neuropsychopharmacology</i> , 2003 , 28, 1384-1385	8.7	4
172	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 5-13	3.8	124
171	Acute SSRI administration affects the processing of social cues in healthy volunteers. <i>Neuropsychopharmacology</i> , 2003 , 28, 148-52	8.7	338
170	Does depression influence symptom severity in irritable bowel syndrome? Case study of a patient with irritable bowel syndrome and bipolar disorder. <i>Psychosomatic Medicine</i> , 2003 , 65, 919-23	3.7	14
169	Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003 , 182, 210-3	5.4	61
168	Toward a neuropsychological theory of antidepressant drug action: increase in positive emotional bias after potentiation of norepinephrine activity. <i>American Journal of Psychiatry</i> , 2003 , 160, 990-2	11.9	213
167	Olanzapine alone or in combination for acute mania. <i>The Cochrane Library</i> , 2003 , CD004040	5.2	18
166	Tryptophan depletion decreases the recognition of fear in female volunteers. <i>Psychopharmacology</i> , 2003 , 167, 411-7	4.7	126
165	Latest maintenance data on lithium in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13 Suppl 2, S51-5	1.2	23
164	Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. <i>Lancet, The</i> , 2003 , 361, 653-61	4.0	633
163	Linkage analysis of extremely discordant and concordant sibling pairs identifies quantitative-trait loci that influence variation in the human personality trait neuroticism. <i>American Journal of Human Genetics</i> , 2003 , 72, 879-90	11	170

162	Evidence-based guidelines for treating bipolar disorder: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2003 , 17, 149-73; discussion 147	4.6	317
161	Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. <i>Neuropsychologia</i> , 2002 , 40, 1586-90	3.2	89
160	The role of lithium in the treatment of bipolar depression. <i>Clinical Neuroscience Research</i> , 2002 , 2, 222-227		25
159	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. <i>Psychopharmacology</i> , 2002 , 159, 222-3	4.7	8
158	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. <i>Psychopharmacology</i> , 2002 , 160, 192-7	4.7	51
157	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002 , 163, 106-10	4.7	81
156	Role of mood stabilizers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 239-48	4.3	6
155	Sustained attention deficit in bipolar disorder. <i>British Journal of Psychiatry</i> , 2002 , 180, 313-9	5.4	416
154	Cerebellar responses during anticipation of noxious stimuli in subjects recovered from depression. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2002 , 181, 411-5	5.4	48
153	Chronic, treatment-resistant depression and right fronto-striatal atrophy. <i>British Journal of Psychiatry</i> , 2002 , 180, 434-40	5.4	98
152	Enhanced recognition of disgust in bipolar illness. <i>Biological Psychiatry</i> , 2002 , 51, 298-304	7.9	126
151	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of bipolar disorders. Part I: Treatment of bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 115-24	3.8	139
150	BALANCE: a large simple trial of maintenance treatment for bipolar disorder. <i>World Psychiatry</i> , 2002 , 1, 48-51	14.4	16
149	A neuropsychological investigation of prefrontal cortex involvement in acute mania. <i>American Journal of Psychiatry</i> , 2001 , 158, 1605-11	11.9	246
148	Bipolar disorder: clinical uncertainty, evidence-based medicine and large-scale randomised trials. <i>British Journal of Psychiatry</i> , 2001 , 178, s191-s194	5.4	26
147	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. <i>British Journal of Psychiatry</i> , 2001 , 179, 356-60	5.4	120
146	Lithium for maintenance treatment of mood disorders. <i>The Cochrane Library</i> , 2001 ,	5.2	57
145	Tyrosine depletion attenuates dopamine function in healthy volunteers. <i>Psychopharmacology</i> , 2001 , 154, 105-11	4.7	131

144	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. <i>Psychopharmacology</i> , 2001 , 154, 383-9	4.7	55
143	Transcranial magnetic stimulation of medial-frontal cortex impairs the processing of angry facial expressions. <i>Nature Neuroscience</i> , 2001 , 4, 17-8	25.5	134
142	Gender differences in the relationship between personality dimensions and relative body weight. <i>Obesity</i> , 2001 , 9, 647-50		70
141	The influence of positive and negative mood states on risk taking, verbal fluency, and salivary cortisol. <i>Journal of Affective Disorders</i> , 2001 , 63, 179-87	6.6	48
140	High and low neuroticism predict different cortisol responses to the combined dexamethasone-CRH test. <i>Biological Psychiatry</i> , 2001 , 49, 410-5	7.9	86
139	Cognitive deficits in depression: possible implications for functional neuropathology. <i>British Journal of Psychiatry</i> , 2001 , 178, 200-6	5.4	866
138	A population-based study of personality in 34 000 sib-pairs. <i>Twin Research and Human Genetics</i> , 2000 , 3, 310-315		6
137	Modelling a loss event: effect of imagined bereavement on the hypothalamic-pituitary-adrenal axis. <i>Psychological Medicine</i> , 2000 , 30, 219-23	6.9	13
136	The difference in patterns of motor and cognitive function in chronic fatigue syndrome and severe depressive illness. <i>Psychological Medicine</i> , 2000 , 30, 433-42	6.9	47
135	Cerebral perfusion in chronic fatigue syndrome and depression. <i>British Journal of Psychiatry</i> , 2000 , 176, 550-6	5.4	72
134	Bipolar disorder: is psychiatry@ Cinderella starting to get out a little more?. <i>Acta Neuropsychiatrica</i> , 2000 , 12, 105	3.9	1
133	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000 , 3, 297-302	5.8	4
132	A population-based study of personality in 34 000 sib-pairs. <i>Twin Research and Human Genetics</i> , 2000 , 3, 310-315		2
131	Review: Lower doses of antidepressant drugs are effective and have fewer adverse effects in depression. <i>ACP Journal Club</i> , 2000 , 132, 25		
130	Presence of multiple functional polyadenylation signals and a single nucleotide polymorphism in the 3' untranslated region of the human serotonin transporter gene. <i>Journal of Neurochemistry</i> , 1999 , 72, 1384-8	6	76
129	" Perspectives on lithium treatment of bipolar disorder" - by Mogens Schou: a commentary. <i>Bipolar Disorders</i> , 1999 , 1, 11-2	3.8	
128	Psychiatric genetics: a genetic basis for health?. <i>Current Biology</i> , 1999 , 9, R326-8	6.3	4
127	Prophylaxis of bipolar disorder: how and who should we treat in the long term?. <i>European Neuropsychopharmacology</i> , 1999 , 9 Suppl 4, S125-9	1.2	17

126	Follow-up study of depression in the elderly. Clinical and SPECT data. <i>British Journal of Psychiatry</i> , 1999 , 175, 252-8	5.4	24
125	The American Psychiatric Press Textbook of Neuropsychiatry (3rd edn). Edited by S. Yudofsky and R. Hales. Washington, DC: American Psychiatric Press. 1997.1114 pp. £129. ISBN 0-88048-787-9. <i>British Journal of Psychiatry</i> , 1999 , 174, 279-279	5.4	
124	Altered allelic distributions of the serotonin transporter gene in migraine without aura and migraine with aura. <i>Cephalalgia</i> , 1998 , 18, 23-6	6.1	73
123	A voxel-based analysis of cerebral perfusion in dementia and depression of old age. <i>NeuroImage</i> , 1998 , 7, 199-208	7.9	53
122	Epileptic aphasia: a consequence of regional hypometabolic encephalopathy?. <i>Developmental Medicine and Child Neurology</i> , 1998 , 40, 508-16	3.3	18
121	Cortical grey matter reductions associated with treatment-resistant chronic unipolar depression. Controlled magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 1998 , 172, 527-32	5.4	34 ^o
120	Diurnal variation of adrenocortical activity in chronic fatigue syndrome. <i>Neuropsychobiology</i> , 1998 , 38, 213-7	4	54
119	Allelic variation in the serotonin 5-HT _{2C} receptor gene and migraine. <i>NeuroReport</i> , 1997 , 8, 2651-3	1.7	32
118	Clinical and psychometric correlates of dopamine D2 binding in depression. <i>Psychological Medicine</i> , 1997 , 27, 1247-56	6.9	116
117	Cerebral perfusion correlates of depressed mood. <i>British Journal of Psychiatry</i> , 1997 , 170, 77-81	5.4	45
116	Treatment of bipolar depressive mood disorders: Algorithms for pharmacotherapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1 Suppl 1, S9-S12	2.4	20
115	Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. <i>Journal of Psychopharmacology</i> , 1997 , 11, 115-22	4.6	164
114	Association of short alleles of a VNTR of the serotonin transporter gene with anxiety symptoms in patients presenting after deliberate self harm. <i>Neuropharmacology</i> , 1997 , 36, 439-43	5.5	40
113	Uptake of ^{99m} Tc-exametazime shown by single photon emission computed tomography before and after lithium withdrawal in bipolar patients: associations with mania. <i>British Journal of Psychiatry</i> , 1997 , 170, 426-30	5.4	87
112	Executive function and uptake of ^{99m} Tc-exametazime shown by single photon emission tomography after oral idazoxan in probable Alzheimer-type dementia. <i>Psychopharmacology</i> , 1997 , 131, 371-8	4.7	5
111	A double-blind, placebo-controlled study of tacrine in patients with Alzheimer's disease using SPET. <i>Journal of Psychopharmacology</i> , 1996 , 10, 175-81	4.6	3
110	Functional imaging, affective disorder and dementia. <i>British Medical Bulletin</i> , 1996 , 52, 495-512	5.4	34
109	The effects of acute hypoglycemia on relative cerebral blood flow distribution in patients with type I (insulin-dependent) diabetes and impaired hypoglycemia awareness. <i>Metabolism: Clinical and Experimental</i> , 1996 , 45, 974-80	12.7	35

108	Brief cognitive screening of the elderly: a comparison of the Mini-Mental State Examination (MMSE), Abbreviated Mental Test (AMT) and Mental Status Questionnaire (MSQ). <i>Psychological Medicine</i> , 1996 , 26, 427-30	6.9	100
107	Structure of a variable number tandem repeat of the serotonin transporter gene and association with affective disorder. <i>Psychiatric Genetics</i> , 1996 , 6, 177-81	2.9	114
106	The serotonin transporter gene and affective disorder. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1996 , 61, 791-5	3.9	2
105	Review of the pharmacology and clinical pharmacology of 3,4-methylenedioxymethamphetamine (MDMA or "Ecstasy"). <i>Psychopharmacology</i> , 1995 , 119, 247-60	4.7	343
104	Further evidence that reading ability is not preserved in Alzheimer's disease. <i>British Journal of Psychiatry</i> , 1995 , 167, 659-62	5.4	29
103	The neuropsychiatric sequelae of mercury poisoning. The Mad Hatter's disease revisited. <i>British Journal of Psychiatry</i> , 1995 , 167, 95-8	5.4	46
102	Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball tasks". <i>Electroencephalography and Clinical Neurophysiology</i> , 1995 , 95, 434-43		62
101	Magnetic resonance imaging and single photon emission tomography in treatment-responsive and treatment-resistant schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 202-10	5.4	39
100	Laterality of visuo-spatial attention in acute and chronic schizophrenia, major depression and in healthy controls. <i>Psychological Medicine</i> , 1995 , 25, 1091-5	6.9	10
99	Lithium Revisited: A Reply. <i>British Journal of Psychiatry</i> , 1995 , 167, 573-574	5.4	11
98	Effects of glucocorticoids on 5-HT _{1A} presynaptic function in the mouse. <i>Psychopharmacology</i> , 1994 , 114, 360-4	4.7	44
97	Effects of fluvoxamine treatment on cognitive functioning in the alcoholic Korsakoff syndrome. <i>Psychopharmacology</i> , 1994 , 116, 85-8	4.7	12
96	Regional cerebral blood flow in IDDM patients: effects of diabetes and of recurrent severe hypoglycaemia. <i>Diabetologia</i> , 1994 , 37, 257-63	10.3	53
95	Short-term effects of electroconvulsive treatment on the uptake of ^{99m} Tc-exametazime into brain in major depression shown with single photon emission tomography. <i>Journal of Affective Disorders</i> , 1994 , 30, 27-34	6.6	54
94	PASAT performance and the pattern of uptake of ^{99m} Tc-exametazime in brain estimated with single photon emission tomography. <i>Biological Psychology</i> , 1994 , 38, 1-18	3.2	27
93	Personality associations with the uptake of the cerebral blood flow marker ^{99m} Tc-Exametazime estimated with single photon emission tomography. <i>Personality and Individual Differences</i> , 1994 , 17, 587-595	3.3	63
92	Oral D-fenfluramine and neuroendocrine challenge: problems with the 30 mg dose in men. <i>Journal of Affective Disorders</i> , 1994 , 30, 117-22	6.6	24
91	Diurnal variation of mood and neuropsychological function in major depression with melancholia. <i>Journal of Affective Disorders</i> , 1994 , 32, 257-69	6.6	106

90	Clonidine infusion increases uptake of 99mTc-Exametazime in anterior cingulate cortex in Korsakoff's psychosis. <i>Psychological Medicine</i> , 1994 , 24, 53-61	6.9	41
89	The differentiation of major depression from dementia of the Alzheimer type using within-subject neuropsychological discrepancy analysis. <i>British Journal of Clinical Psychology</i> , 1994 , 33, 23-32	3.6	11
88	Correlation of regional cerebral blood flow equivalents measured by single photon emission computerized tomography with P300 latency and eye movement abnormality in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 157-66	6.5	20
87	Uptake of 99mTc-exametazime shown by single photon emission computerized tomography in obsessive-compulsive disorder compared with major depression and normal controls. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 298-303	6.5	34
86	State changes in brain activity shown by the uptake of 99mTc-exametazime with single photon emission tomography in major depression before and after treatment. <i>Journal of Affective Disorders</i> , 1993 , 29, 243-53	6.6	109
85	The elevation of plasma beta-endorphin levels in major depression. <i>Journal of Affective Disorders</i> , 1993 , 29, 281-9	6.6	32
84	The effect of anxiety induction on the regional uptake of 99mTc-exametazime in simple phobia as shown by single photon emission tomography (SPET). <i>Journal of Affective Disorders</i> , 1993 , 28, 203-10	6.6	32
83	Single-photon emission computed tomography with 99mTc-exametazime in unmedicated schizophrenic patients. <i>Biological Psychiatry</i> , 1993 , 33, 487-95	7.9	121
82	Munchausen's syndrome and organic brain disorder. <i>British Journal of Psychiatry</i> , 1993 , 162, 545-9	5.4	11
81	Proactive interference and the neuropsychology of schizophrenia. <i>British Journal of Clinical Psychology</i> , 1993 , 32, 353-6	3.6	9
80	The Edinburgh cohort of HIV-positive drug users: the relationship between auditory P3 latency, cognitive function and self-rated mood. <i>Psychological Medicine</i> , 1993 , 23, 613-22	6.9	18
79	Korsakoff's syndrome, cognition and clonidine. <i>Psychological Medicine</i> , 1993 , 23, 341-7	6.9	18
78	A single photon emission computerised tomography study of regional brain function in elderly patients with major depression and with Alzheimer-type dementia. <i>British Journal of Psychiatry</i> , 1993 , 163, 155-65	5.4	71
77	A single photon emission computerised tomography study of regional brain function underlying verbal memory in patients with Alzheimer-type dementia. <i>British Journal of Psychiatry</i> , 1993 , 163, 166-72	5.4	31
76	The effects of adrenalectomy and ovariectomy on the behavioral and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). <i>Neuropharmacology</i> , 1993 , 32, 653-7	5.5	23
75	The Edinburgh cohort of HIV positive drug users: who are they and who cares for them?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1992 , 4, 421-4	2.2	5
74	Estimating pre-morbid intellectual ability in the Alcoholic Korsakoff syndrome. <i>Psychological Medicine</i> , 1992 , 22, 903-9	6.9	23
73	Single photon emission tomography with 99mTc-exametazime in major depression and the pattern of brain activity underlying the psychotic/neurotic continuum. <i>Journal of Affective Disorders</i> , 1992 , 26, 31-43	6.6	159

72	The effects of cortisol infusion upon hormone secretion from the anterior pituitary and subjective mood in depressive illness and in controls. <i>Journal of Affective Disorders</i> , 1992 , 26, 73-83	6.6	51
71	Cognitive function in major depression. <i>Journal of Affective Disorders</i> , 1992 , 25, 21-9	6.6	258
70	The effects of corticosterone on 5-HT receptor function in rodents. <i>Neuropharmacology</i> , 1992 , 31, 433-8	5.5	56
69	Selecting controls for schizophrenia research studies: the use of the National Adult Reading Test (NART) is a measure of premorbid ability. <i>Schizophrenia Research</i> , 1992 , 8, 137-41	3.6	66
68	Lithium augmentation in antidepressant-resistant patients. <i>British Journal of Psychiatry</i> , 1992 , 161, 128-9	5.4	1
67	The Edinburgh cohort of HIV-positive drug users: pattern of cognitive impairment in relation to progression of disease. <i>British Journal of Psychiatry</i> , 1992 , 161, 522-31	5.4	42
66	Effects of a single dose of the acetylcholinesterase inhibitor velnacrine on recognition memory and regional cerebral blood flow in Alzheimer's disease. <i>Psychopharmacology</i> , 1992 , 108, 103-9	4.7	52
65	Unilateral voluntary hand movement and regional cerebral uptake of technetium-99m-exametazime in human control subjects. <i>Journal of Nuclear Medicine</i> , 1992 , 33, 1623-7	8.9	28
64	Lithium treatment and prophylaxis in unipolar depression: a meta-analysis. <i>British Journal of Psychiatry</i> , 1991 , 158, 666-75	5.4	115
63	Blunting of neuroendocrine responses to infusion of L-tryptophan in women with perimenstrual mood change. <i>Psychological Medicine</i> , 1991 , 21, 305-12	6.9	105
62	The pattern of cerebral activity underlying verbal fluency shown by split-dose single photon emission tomography (SPET or SPECT) in normal volunteers. <i>Psychological Medicine</i> , 1991 , 21, 687-96	6.9	39
61	HIV and the brain: functional investigations in drug users. <i>International Review of Psychiatry</i> , 1991 , 3, 343-356	3.6	5
60	The effects of lithium discontinuation and the non-effect of oral inositol upon thyroid hormones and cortisol in patients with bipolar affective disorder. <i>Journal of Affective Disorders</i> , 1991 , 22, 165-70	6.6	14
59	Regional cerebral blood flow and cognitive function in patients with chronic liver disease. <i>Lancet</i> , 1991 , 337, 1250-3	4.0	122
58	Lithium augmentation in antidepressant-resistant patients. A quantitative analysis. <i>British Journal of Psychiatry</i> , 1991 , 159, 510-4	5.4	77
57	Cerebral pharmacodynamics of physostigmine in Alzheimer's disease investigated using single-photon computerised tomography. <i>British Journal of Psychiatry</i> , 1991 , 158, 351-7	5.4	47
56	Studies on central nervous system serotonin receptors in mood disorders. <i>Annals of the Academy of Medicine, Singapore</i> , 1991 , 20, 46-50	2.8	
55	Neuroendocrine function and the biology of the eating disorders. <i>Human Psychopharmacology</i> , 1990 , 5, 249-253	2.3	1

54	The efficacy of lithium in prophylaxis of unipolar depression Evidence from its discontinuation. <i>British Journal of Psychiatry</i> , 1990 , 157, 718-22	5.4	9
53	Diurnal variation of plasma corticosterone in depression. <i>Psychoneuroendocrinology</i> , 1990 , 15, 485-8	5	23
52	Comments on the Northwick Park QfunctionalQ psychosis Study. <i>British Journal of Psychiatry</i> , 1989 , 154, 406-9	5.4	3
51	Cerebral vascular transit time in AlzheimerQ disease and KorsakoffQ psychosis and its relation to cognitive function. <i>British Journal of Psychiatry</i> , 1989 , 154, 790-6	5.4	10
50	Stimulation of growth hormone secretion by baclofen in man: Failure to confirm published findings. <i>Human Psychopharmacology</i> , 1989 , 4, 135-138	2.3	3
49	Increased eating in dementia. <i>International Journal of Eating Disorders</i> , 1989 , 8, 111-115	6.3	25
48	The effects of antidepressant treatments and lithium upon 5-HT _{1A} receptor function. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1989 , 13, 445-51	5.5	45
47	The pattern of function-related regional cerebral blood flow investigated by single photon emission tomography with ^{99m} Tc-HMPAO in patients with presenile AlzheimerQ disease and KorsakoffQ psychosis. <i>Psychological Medicine</i> , 1989 , 19, 847-55	6.9	109
46	The neuroendocrine responses and psychological effects of infusion of L-tryptophan in anorexia nervosa. <i>Psychological Medicine</i> , 1989 , 19, 857-64	6.9	28
45	Luteinizing hormone responses to luteinizing hormone releasing hormone (LHRH) in acute mania and the effects of lithium on LHRH and thyrotrophin releasing hormone tests in volunteers. <i>Psychological Medicine</i> , 1989 , 19, 69-77	6.9	11
44	Differential patterns of local cerebral glucose utilization in response to 5-hydroxytryptamine agonists. <i>Neuroscience</i> , 1988 , 25, 907-15	3.9	29
43	The effects of dieting and weight loss upon the stimulation of thyrotropin (TSH) by thyrotropin-releasing hormone (TRH) and suppression of cortisol secretion by dexamethasone in men and women. <i>Journal of Affective Disorders</i> , 1988 , 14, 137-44	6.6	12
42	Lymphocyte glucocorticoid receptor binding in depression: normal values following recovery. <i>Journal of Affective Disorders</i> , 1988 , 14, 155-9	6.6	13
41	Mechanism of action of lithium. <i>Current Opinion in Psychiatry</i> , 1988 , 1, 72-75	4.9	2
40	A review of the biochemical and neuropharmacological actions of lithium. <i>Psychological Medicine</i> , 1987 , 17, 579-600	6.9	159
39	Dieting changes serotonergic function in women, not men: implications for the aetiology of anorexia nervosa?. <i>Psychological Medicine</i> , 1987 , 17, 839-42	6.9	83
38	Hypothermia induced by baclofen, a possible index of GABAB receptor function in mice, is enhanced by antidepressant drugs and ECS. <i>British Journal of Pharmacology</i> , 1987 , 92, 863-70	8.6	55
37	Dieting and weight loss in volunteers increases the number of alpha 2-adrenoceptors and 5-HT receptors on blood platelets without effect on [3H]imipramine binding. <i>Journal of Affective Disorders</i> , 1987 , 12, 267-74	6.6	25

36	Attenuation by electroconvulsive shock and antidepressant drugs of the 5-HT _{1A} receptor-mediated hypothermia and serotonin syndrome produced by 8-OH-DPAT in the rat. <i>Psychopharmacology</i> , 1987 , 91, 500-5	4.7	108
35	The pharmacology of the behavioural and hypothermic responses of rats to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). <i>Psychopharmacology</i> , 1987 , 91, 506-11	4.7	174
34	Lithium decreases 5-HT _{1A} and 5-HT ₂ receptor and alpha 2-adrenoceptor mediated function in mice. <i>Psychopharmacology</i> , 1986 , 90, 482-7	4.7	47
33	The enhancement by lithium of the 5-HT _{1A} mediated serotonin syndrome produced by 8-OH-DPAT in the rat: evidence for a post-synaptic mechanism. <i>Psychopharmacology</i> , 1986 , 90, 488-93	4.7	81
32	The effects of a 5-HT ₁ receptor ligand isapirone (TVX Q 7821) on 5-HT synthesis and the behavioural effects of 5-HT agonists in mice and rats. <i>Psychopharmacology</i> , 1986 , 89, 382-7	4.7	67
31	Effect of chronic treatment with 5-HT ₁ agonist (8-OH-DPAT and RU 24969) and antagonist (isapirone) drugs on the behavioural responses of mice to 5-HT ₁ and 5-HT ₂ agonists. <i>British Journal of Pharmacology</i> , 1986 , 89, 377-84	8.6	48
30	The beta 2-adrenoceptor agonists clenbuterol and salbutamol enhance the hypothermic action of 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT) in mice by a central mechanism. <i>Neuropharmacology</i> , 1986 , 25, 21-4	5.5	11
29	The effects of the GABA-mimetic drugs, progabide and baclofen, on the biochemistry and function of 5-hydroxytryptamine and noradrenaline. <i>Neuropharmacology</i> , 1986 , 25, 711-6	5.5	19
28	The pharmacokinetic profile of lithium in rat and mouse; an important factor in psychopharmacological investigation of the drug. <i>Neuropharmacology</i> , 1986 , 25, 1285-8	5.5	61
27	The risk of child abuse among mothers who attempt suicide. <i>British Journal of Psychiatry</i> , 1985 , 146, 486-94	5.4	30
26	Presynaptic serotonin receptor-mediated response in mice attenuated by antidepressant drugs and electroconvulsive shock. <i>Nature</i> , 1985 , 317, 531-3	50.4	112
25	A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5-HT ₁ and 5-HT ₂ receptors. <i>British Journal of Pharmacology</i> , 1985 , 84, 743-53	8.6	331
24	Down-regulation of beta-adrenoceptors in rat cortex by repeated administration of desipramine, electroconvulsive shock and clenbuterol requires 5-HT neurones but not 5-HT. <i>Neuropharmacology</i> , 1985 , 24, 279-83	5.5	61
23	The pharmacology of the hypothermic response in mice to 8-hydroxy-2-(di-n-propylamino)tetralin (8-OH-DPAT). A model of presynaptic 5-HT ₁ function. <i>Neuropharmacology</i> , 1985 , 24, 1187-94	5.5	224
22	5-HT ₂ receptor characteristics in frontal cortex and 5-HT ₂ receptor-mediated head-twitch behaviour following antidepressant treatment to mice. <i>British Journal of Pharmacology</i> , 1984 , 83, 235-42	8.6	126
21	The neural mechanisms subserving kinesthesia. <i>Behavioral and Brain Sciences</i> , 1978 , 1, 151-152	0.9	
20	The strength of the reflex response to sinusoidal stretch of monkey jaw closing muscles during voluntary contraction. <i>Journal of Physiology</i> , 1978 , 279, 81-111	3.9	95
19	Prevention of motor nerve sprouting in botulinum toxin poisoned mouse soleus muscles by direct stimulation of the muscle [proceedings]. <i>Journal of Physiology</i> , 1977 , 267, 42P-43P	3.9	20

18	Studies on muscle spindle primary endings with sinusoidal stretching. <i>Progress in Brain Research</i> , 1976 , 44, 89-98	2.9	6
17	The sense of limb position and movement. <i>Exercise and Sport Sciences Reviews</i> , 1976 , 4, 87-124	6.7	11
16	The effects of fusimotor stimulation during small amplitude stretching on the frequency-response of the primary ending of the mammalian muscle spindle. <i>Journal of Physiology</i> , 1975 , 253, 175-206	3.9	91
15	Role of monkey precentral cortex in control of voluntary jaw movements. <i>Journal of Neurophysiology</i> , 1975 , 38, 146-57	3.2	91
14	Discharge of spindle afferents from jaw-closing muscles during chewing in alert monkeys. <i>Journal of Neurophysiology</i> , 1975 , 38, 560-71	3.2	129
13	Effects of destroying spindle afferents from jaw muscles on mastication in monkeys. <i>Journal of Neurophysiology</i> , 1974 , 37, 967-81	3.2	95
12	Patterns of mandibular movement and jaw muscle activity during mastication in the monkey. <i>Journal of Neurophysiology</i> , 1974 , 37, 954-66	3.2	164
11	The tonic vibration reflex seen in the acute spinal cat after treatment with DOPA. <i>Brain Research</i> , 1973 , 49, 463-6	3.7	17
10	Proprioceptive illusions induced by muscle vibration: contribution by muscle spindles to perception?. <i>Science</i> , 1972 , 175, 1382-4	33.3	465
9	The contribution of muscle afferents to kinaesthesia shown by vibration induced illusions of movement and by the effects of paralysing joint afferents. <i>Brain</i> , 1972 , 95, 705-48	11.2	1049
8	Cardiovascular and respiratory responses to changes in central command during isometric exercise at constant muscle tension. <i>Journal of Physiology</i> , 1972 , 226, 173-90	3.9	480
7	A systematic distortion of position sense produced by muscle fibrillation. <i>Journal of Physiology</i> , 1972 , 221, 8P-9P	3.9	12
6	The persistence of stable bonds between actin and myosin filaments of intrafusal muscle fibres following their activation. <i>Journal of Physiology</i> , 1970 , 210, 9P-10P	3.9	5
5	After-effects of fusimotor stimulation on the response of muscle spindle primary afferent endings. <i>Journal of Physiology</i> , 1969 , 205, 677-94	3.9	114
4	Management commentary 262-264		
3	Lithium for acute mania. <i>The Cochrane Library</i> ,	5.2	78
2	Smoking and the risk for bipolar disorder: causal evidence from a bidirectional Mendelian randomization study		2
1	Psilocin acutely disrupts sleep and affects local but not global sleep homeostasis in laboratory mice		1

