

Sven Vilhelm Eriksson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3078195/publications.pdf>

Version: 2024-02-01

33
papers

538
citations

686830

13
h-index

642321

23
g-index

34
all docs

34
docs citations

34
times ranked

491
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrical Nerve Stimulation Improves Healing of Diabetic Ulcers. <i>Annals of Plastic Surgery</i> , 1992, 29, 328-331.	0.5	91
2	Fibrinolytic Variables and Cardiovascular Prognosis in Patients With Stable Angina Pectoris Treated With Verapamil or Metoprolol. <i>Circulation</i> , 1997, 95, 2380-2386.	1.6	78
3	Spinal Cord Stimulation Improves Survival in Ischemic Skin Flaps: An Experimental Study of the Possible Mediation by Calcitonin Gene-Related Peptide. <i>Plastic and Reconstructive Surgery</i> , 1999, 103, 1221-1228.	0.7	39
4	Prognostic information from on-line vectorcardiography in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1994, 74, 1103-1108.	0.7	30
5	Patient Characteristics in Cases of Chronic Severe Heart Failure with Different Degrees of Left Ventricular Systolic Dysfunction. <i>Cardiology</i> , 1994, 85, 137-144.	0.6	25
6	Neurohormonal activation in heart failure after acute myocardial infarction treated with beta-receptor antagonists. <i>European Journal of Heart Failure</i> , 2002, 4, 73-82.	2.9	25
7	Spinal Cord Stimulation Improves Survival in Ischemic Skin Flaps: An Experimental Study of the Possible Mediation by Calcitonin Gene-Related Peptide. <i>Plastic and Reconstructive Surgery</i> , 1999, 103, 1221-1228.	0.7	24
8	Prognostic implications of ambulatory myocardial ischemia and arrhythmias and relations to ischemia on exercise in chronic stable angina pectoris (the Angina Prognosis Study In Stockholm) <i>Tj ETQq0 0 0 rgB0, Overlock 110 Tf 50</i>		
9	Comparison of Adenosine and Exercise Stress Test for Quantitative Perfusion Imaging in Patients on Beta-Blocker Therapy. <i>Cardiology</i> , 2001, 95, 112-118.	0.6	19
10	Continuous Vectorcardiography in Patients with Chest Pain Indicative of Acute Ischemic Heart Disease. <i>Cardiology</i> , 1992, 81, 145-156.	0.6	17
11	Prognosis of patients with stable angina pectoris on antianginal drug therapy. <i>American Journal of Cardiology</i> , 1996, 77, 6D-15D.	0.7	17
12	Prognostic Information from On-Line Vectorcardiography in Unstable Angina Pectoris. <i>Cardiology</i> , 1995, 86, 60-66.	0.6	16
13	Deterioration in peak systolic velocity is closely related to ischaemia during angioplasty: a vectorcardiographic and tissue Doppler imaging study. <i>Clinical Science</i> , 2001, 100, 137-143.	1.8	14
14	Long-Term Prognostic Importance of Exercise Echocardiography after an Episode of Unstable Angina. <i>Cardiology</i> , 1995, 86, 426-431.	0.6	13
15	Genetic and Clinical Factors Affecting Plasma Clozapine Concentration. <i>primary care companion for CNS disorders, The</i> , 2015, 17, .	0.2	13
16	Psychotic disorder is an independent risk factor for increased fasting glucose and waist circumference. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 251-258.	0.7	11
17	Atrial natriuretic peptide ANP(1â€“98) and ANP(99â€“126) in patients with severe chronic congestive heart failure: Relation to echocardiographic measurements. <i>Journal of Cardiac Failure</i> , 1995, 1, 109-116.	0.7	9
18	On-line vectorcardiography during elective coronary angioplasty indicates procedure-related myocardial infarction. <i>Coronary Artery Disease</i> , 2000, 11, 161-169.	0.3	9

#	ARTICLE	IF	CITATIONS
19	Age and Gender Differences in Left Ventricular Function among Patients with Stable Angina and a Matched Control Group. <i>Cardiology</i> , 1996, 87, 287-293.	0.6	8
20	M-Mode Echocardiography in Patients with Severe Congestive Heart Failure. <i>Drugs</i> , 1990, 39, 43-48.	4.9	7
21	Vectorcardiography: A Tool for Non-invasive Detection of Reperfusion and Reocclusion?. <i>Thrombosis and Haemostasis</i> , 1999, 82, 64-67.	1.8	7
22	Use of baseline ST-vector magnitude to identify electrocardiographic injury in patients with suspected acute myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2002, 20, 535-540.	0.7	7
23	Risk prediction in stable angina pectoris. <i>European Journal of Clinical Investigation</i> , 2013, 43, 141-151.	1.7	7
24	Diabetes and glucose disturbances in patients with psychosis in Sweden. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000120.	1.2	6
25	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). <i>Schizophrenia Research</i> , 2019, 208, 138-144.	1.1	6
26	Prognostic Value of Ischemia Monitoring with On-Line Vectorcardiography in Patients with Unstable Coronary Artery Disease. <i>Cardiology</i> , 2000, 93, 183-190.	0.6	6
27	Ischemia monitoring with on-line vectorcardiography compared with results from a predischARGE exercise test in patients with acute ischemic heart disease. <i>Journal of Electrocardiology</i> , 1995, 28, 277-285.	0.4	3
28	Physical Exercise Increases Survival after an Experimental Myocardial Infarction in Rats. <i>Cardiology</i> , 1998, 90, 28-31.	0.6	2
29	Women react with more myocardial ischemia and angina pectoris during elective percutaneous transluminal coronary angioplasty. <i>Coronary Artery Disease</i> , 2000, 11, 527-535.	0.3	2
30	Prognostic Role of On-Line Vectorcardiography as Regards Repeat Revascularization after Successful Coronary Angioplasty. <i>Cardiology</i> , 2000, 93, 78-86.	0.6	2
31	Troponin T levels associated with genetic variants in NOTCH2 and MTNR1B in women with psychosis. <i>Psychiatry Research</i> , 2017, 250, 217-220.	1.7	2
32	Primary prevention in patients with coronary heart disease: The APSIS study. <i>Cardiovascular Drugs and Therapy</i> , 1995, 9, 493-493.	1.3	1
33	Vectorcardiography Risk Stratifies Emergency Department Chest Pain Patients with Left Ventricular Hypertrophy on the Initial 12-Lead ECG. <i>Annals of Noninvasive Electrocardiology</i> , 2004, 9, 149-155.	0.5	1