Sven Vilhelm Eriksson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3078195/publications.pdf

Version: 2024-02-01

33 papers 538 citations

686830 13 h-index 23 g-index

34 all docs 34 docs citations

34 times ranked 491 citing authors

#	Article	IF	CITATIONS
1	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). Schizophrenia Research, 2019, 208, 138-144.	1.1	6
2	Troponin T levels associated with genetic variants in NOTCH2 and MTNR1B in women with psychosis. Psychiatry Research, 2017, 250, 217-220.	1.7	2
3	Diabetes and glucose disturbances in patients with psychosis in Sweden. BMJ Open Diabetes Research and Care, 2015, 3, e000120.	1.2	6
4	Genetic and Clinical Factors Affecting Plasma Clozapine Concentration. primary care companion for CNS disorders, The, $2015,17,1$	0.2	13
5	Psychotic disorder is an independent risk factor for increased fasting glucose and waist circumference. Nordic Journal of Psychiatry, 2014, 68, 251-258.	0.7	11
6	Risk prediction in stable angina pectoris. European Journal of Clinical Investigation, 2013, 43, 141-151.	1.7	7
7	Vectorcardiography Risk Stratifies Emergency Department Chest Pain Patients with Left Ventricular Hypertrophy on the Initial 12-Lead ECG. Annals of Noninvasive Electrocardiology, 2004, 9, 149-155.	0.5	1
8	Use of baseline ST-vector magnitude to identify electrocardiographic injury in patients with suspected acute myocardial infarction. American Journal of Emergency Medicine, 2002, 20, 535-540.	0.7	7
9	Neurohormonal activation in heart failure after acute myocardial infarction treated with beta-receptor antagonists. European Journal of Heart Failure, 2002, 4, 73-82.	2.9	25
10	Deterioration in peak systolic velocity is closely related to ischaemia during angioplasty: a vectorcardiographic and tissue Doppler imaging study. Clinical Science, 2001, 100, 137-143.	1.8	14
11	Comparison of Adenosine and Exercise Stress Test for Quantitative Perfusion Imaging in Patients on Beta-Blocker Therapy. Cardiology, 2001, 95, 112-118.	0.6	19
12	On-line vectorcardiography during elective coronary angioplasty indicates procedure-related myocardial infarction. Coronary Artery Disease, 2000, 11, 161-169.	0.3	9
13	Women react with more myocardial ischemia and angina pectoris during elective percutaneous transluminal coronary angioplasty. Coronary Artery Disease, 2000, 11, 527-535.	0.3	2
14	Prognostic Role of On-Line Vectorcardiography as Regards Repeat Revascularization after Successful Coronary Angioplasty. Cardiology, 2000, 93, 78-86.	0.6	2
15	Prognostic Value of Ischemia Monitoring with On-Line Vectorcardiography in Patients with Unstable Coronary Artery Disease. Cardiology, 2000, 93, 183-190.	0.6	6
16	Vectorcardiography: A Tool for Non-invasive Detection of Reperfusion and Reocclusion?. Thrombosis and Haemostasis, 1999, 82, 64-67.	1.8	7
17	Prognostic implications of ambulatory myocardial ischemia and arrhythmias and relations to ischemia on exercise in chronic stable angina pectoris (the Angina Prognosis Study In Stockholm) Tj ETQq $1\ 1\ 0.7$	784 3.1 74 rg	BT 20 verlock 1
18	Spinal Cord Stimulation Improves Survival in Ischemic Skin Flaps: An Experimental Study of the Possible Mediation by Calcitonin Gene-Related Peptide. Plastic and Reconstructive Surgery, 1999, 103, 1221-1228.	0.7	24

#	Article	IF	CITATIONS
19	Spinal Cord Stimulation Improves Survival in Ischemic Skin Flaps: An Experimental Study of the Possible Mediation by Calcitonin Gene-Related Peptide. Plastic and Reconstructive Surgery, 1999, 103, 1221-1228.	0.7	39
20	Physical Exercise Increases Survival after an Experimental Myocardial Infarction in Rats. Cardiology, 1998, 90, 28-31.	0.6	2
21	Fibrinolytic Variables and Cardiovascular Prognosisin Patients With Stable Angina Pectoris Treated With Verapamil or Metoprolol. Circulation, 1997, 95, 2380-2386.	1.6	78
22	Age and Gender Differences in Left Ventricular Function among Patients with Stable Angina and a Matched Control Group. Cardiology, 1996, 87, 287-293.	0.6	8
23	Prognosis of patients with stable angina pectoris on antianginal drug therapy. American Journal of Cardiology, 1996, 77, 6D-15D.	0.7	17
24	Prognostic Information from On-Line Vectorcardiography in Unstable Angina Pectoris. Cardiology, 1995, 86, 60-66.	0.6	16
25	Ischemia monitoring with on-line vectorcardiography compared with results from a predischarge exercise test in patients with acute ischemic heart disease. Journal of Electrocardiology, 1995, 28, 277-285.	0.4	3
26	Primary prevention in patients with coronary heart disease: The APSIS study. Cardiovascular Drugs and Therapy, 1995, 9, 493-493.	1.3	1
27	Long-Term Prognostic Importance of Exercise Echocardiography after an Episode of Unstable Angina. Cardiology, 1995, 86, 426-431.	0.6	13
28	Atrial natriuretic peptide ANP(1–98) and ANP(99–126) in patients with severe chronic congestive heart failure: Relation to echocardiographic measurements. Journal of Cardiac Failure, 1995, 1, 109-116.	0.7	9
29	Patient Characteristics in Cases of Chronic Severe Heart Failure with Different Degrees of Left Ventricular Systolic Dysfunction. Cardiology, 1994, 85, 137-144.	0.6	25
30	Prognostic information from on-line vectorcardiography in acute myocardial infarction. American Journal of Cardiology, 1994, 74, 1103-1108.	0.7	30
31	Continuous Vectorcardiography in Patients with Chest Pain Indicative of Acute Ischemic Heart Disease. Cardiology, 1992, 81, 145-156.	0.6	17
32	Electrical Nerve Stimulation Improves Healing of Diabetic Ulcers. Annals of Plastic Surgery, 1992, 29, 328-331.	0.5	91
33	M-Mode Echocardiography in Patients with Severe Congestive Heart Failure. Drugs, 1990, 39, 43-48.	4.9	7