

# Kirsten Madsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3078769/publications.pdf>

Version: 2024-02-01

28  
papers

484  
citations

687363

13  
h-index

677142

22  
g-index

28  
all docs

28  
docs citations

28  
times ranked

715  
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteinuria is accompanied by intratubular complement activation and apical membrane deposition of C3dg and C5b-9 in kidney transplant recipients. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F150-F163.	2.7	9
2	FC 118: The Effect of Spironolactone on Calcineurin Inhibitor Induced Nephrotoxicityâ€”The Spiren Trial. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.7	0
3	Increased <sc>COX</sc> â€” after ureter obstruction attenuates fibrosis and is associated with <sc>EP2</sc> receptor upregulation in mouse and human kidney. <i>Acta Physiologica</i> , 2022, , e13828.	3.8	3
4	Natriuretic peptides relax human intrarenal arteries through natriuretic peptide receptor typeâ€”A recapitulated by soluble guanylyl cyclase agonists. <i>Acta Physiologica</i> , 2021, 231, e13565.	3.8	15
5	Interaction between angiotensin II and the renal prostaglandin system in calcineurin inhibitor induced nephrotoxicity. <i>Acta Physiologica</i> , 2021, 232, e13648.	3.8	1
6	Early life body size and its associations with adult bladder cancer. <i>Annals of Human Biology</i> , 2020, 47, 166-172.	1.0	4
7	Role of the reninâ€”angiotensin system in kidney development and programming of adult blood pressure. <i>Clinical Science</i> , 2020, 134, 641-656.	4.3	44
8	Renoprotective effects of cardiotrophinâ€”1 in a mouse model of chronic kidney disease. <i>Acta Physiologica</i> , 2019, 226, e13274.	3.8	1
9	Pazopanib-Induced Hypertension in Patients With Renal Cell Carcinoma Is Associated With Low Urine Excretion of NO Metabolites. <i>Hypertension</i> , 2018, 71, 473-480.	2.7	10
10	Interference with Gsâ€—Coupled Receptor Signaling in Renin-Producing Cells Leads to Renal Endothelial Damage. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3479-3489.	6.1	15
11	Vascular endothelial growth factor signaling is necessary for expansion of medullary microvessels during postnatal kidney development. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F586-F599.	2.7	8
12	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 249-255.	6.1	34
13	Disruption of cyclooxygenase type 2 exacerbates apoptosis and renal damage during obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F1035-F1048.	2.7	22
14	Patterning of renal medullary vasa recta bundles takes place in a narrow developmental window in rats and humans and is dependent on Angiotensin II AT1 receptors. <i>FASEB Journal</i> , 2015, 29, 796.1.	0.5	0
15	The water channel aquaporin-1 contributes to renin cell recruitment during chronic stimulation of renin production. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1215-F1226.	2.7	3
16	Lithium induces microcysts and polyuria in adolescent rat kidney independent of cyclooxygenase-2. <i>Physiological Reports</i> , 2014, 2, e00202.	1.7	13
17	Regulation of renin secretion by renal juxtaglomerular cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2013, 465, 25-37.	2.8	57
18	Deletion of cyclooxygenase-2 in the mouse increases arterial blood pressure with no impairment in renal NO production in response to chronic high salt intake. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 304, R899-R907.	1.8	14

#	ARTICLE	IF	CITATIONS
19	Disruption of cyclooxygenase-2 prevents downregulation of cortical AQP2 and AQP3 in response to bilateral ureteral obstruction in the mouse. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1430-F1439.	2.7	32
20	Stimulation of Renin Secretion by Catecholamines Is Dependent on Adenylyl Cyclases 5 and 6. <i>Hypertension</i> , 2011, 57, 460-468.	2.7	37
21	Angiotensin II Promotes Development of the Renal Microcirculation through AT1 Receptors. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 448-459.	6.1	67
22	Inhibition of calcineurin phosphatase promotes exocytosis of renin from juxtaglomerular cells. <i>Kidney International</i> , 2010, 77, 110-117.	5.2	21
23	Hypotonicity-Induced Renin Exocytosis from Juxtaglomerular Cells Requires Aquaporin-1 and Cyclooxygenase-2. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2154-2161.	6.1	22
24	Renin release is differentially sensitive to clinically used calcineurin inhibitors. <i>FASEB Journal</i> , 2008, 22, 736.5.	0.5	0
25	Osmotic stimulation of renin release from single mouse juxtaglomerular cells. <i>FASEB Journal</i> , 2008, 22, 736.8.	0.5	1
26	Increased AQP2 and AQP3 expression in renal cortex in COX-2 deficient mice. <i>FASEB Journal</i> , 2008, 22, 1216.1.	0.5	0
27	Glucocorticoid impairs growth of kidney outer medulla and accelerates loop of Henle differentiation and urinary concentrating capacity in rat kidney development. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F812-F822.	2.7	29
28	Low endogenous glucocorticoid allows induction of kidney cortical cyclooxygenase-2 during postnatal rat development. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F26-F37.	2.7	22