

# Abbas Ali Khodadadi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3080622/publications.pdf>

Version: 2024-02-01

130  
papers

4,670  
citations

76294

40  
h-index

123376

61  
g-index

131  
all docs

131  
docs citations

131  
times ranked

6232  
citing authors

#	ARTICLE	IF	CITATIONS
1	Co-pyrolysis of municipal sewage sludge and microalgae <i>Chlorella Vulgaris</i> : Products™ optimization; thermo-kinetic study, and ANN modeling. <i>Energy Conversion and Management</i> , 2022, 254, 115258.	4.4	22
2	Tuning the band-gap and enhancing the trichloroethylene photocatalytic degradation activities of flower-like Ni-doped SnS <sub>2</sub> /SnO <sub>2</sub> heterostructures by partial oxidation. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107793.	3.3	8
3	Highly dispersed atomic layer deposited CrO <sub>x</sub> on SiO <sub>2</sub> catalyst with enhanced yield of propylene for CO <sub>2</sub> mediated oxidative dehydrogenation of propane. <i>Molecular Catalysis</i> , 2022, 526, 112396.	1.0	2
4	Facile ultrasonic-assisted synthesis of SiO <sub>2</sub> /ZnO core/shell nanostructures: A selective ethanol sensor at low temperatures with enhanced recovery. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132187.	4.0	13
5	Effects of nitrogen-containing functional groups of reduced graphene oxide as a support for Pd in selective hydrogenation of cinnamaldehyde. <i>Research on Chemical Intermediates</i> , 2021, 47, 1429-1446.	1.3	4
6	Glucosamine-conjugated graphene quantum dots as versatile and pH-sensitive nanocarriers for enhanced delivery of curcumin targeting to breast cancer. <i>Materials Science and Engineering C</i> , 2021, 121, 111809.	3.8	34
7	Dry Reforming of Methane over Ni <sup>3+</sup> /MgO Catalysts in a Coaxial Dielectric Barrier Discharge Reactor. <i>Chemical Engineering and Technology</i> , 2021, 44, 589-599.	0.9	5
8	Enormous enhancement of Pt/SnO <sub>2</sub> sensors response and selectivity by their reduction, to CO in automotive exhaust gas pollutants including CO, NO <sub>x</sub> and C <sub>3</sub> H <sub>8</sub> . <i>Applied Surface Science</i> , 2021, 546, 149120.	3.1	42
9	In-situ one-step deposition of highly dispersed palladium nanoparticles into zirconium metal-organic framework for selective hydrogenation of furfural. <i>Molecular Catalysis</i> , 2021, 514, 111859.	1.0	4
10	Functionalized open-ended vertically aligned carbon nanotube composite membranes with high salt rejection and enhanced slip flow for desalination. <i>Separation and Purification Technology</i> , 2021, 279, 119773.	3.9	12
11	Functionalization of silica membranes for CO <sub>2</sub> separation. <i>Separation and Purification Technology</i> , 2020, 235, 116207.	3.9	17
12	Asphaltene Adsorption onto Carbonaceous Nanostructures. <i>Energy &amp; Fuels</i> , 2020, 34, 211-224.	2.5	17
13	Cyclic molecular designed dispersion (CMDD) of Fe <sub>2</sub> O <sub>3</sub> on CeO <sub>2</sub> promoted by Au for preferential CO oxidation in hydrogen. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 33598-33611.	3.8	6
14	Atmospheric pressure atomic layer deposition of iron oxide nanolayer on the Al <sub>2</sub> O <sub>3</sub> /SiO <sub>2</sub> /Si substrate for mm-tall vertically aligned CNTs growth. <i>Journal of Materials Science</i> , 2020, 55, 13634-13657.	1.7	9
15	Self-regenerative function of Cu in LaMnCu <sub>0.1</sub> O <sub>3</sub> catalyst: Towards noble metal-free intelligent perovskites for automotive exhaust gas treatment. <i>Applied Catalysis A: General</i> , 2020, 602, 117702.	2.2	8
16	A hydrophobic/oleophilic chitosan-based sorbent: Toward an effective oil spill remediation technology. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103340.	3.3	30
17	Targeting graphene quantum dots to epidermal growth factor receptor for delivery of cisplatin and cellular imaging. <i>Materials Science and Engineering C</i> , 2019, 94, 247-257.	3.8	58
18	A functionalized nano-structured cellulosic sorbent aerogel for oil spill cleanup: Synthesis and characterization. <i>Journal of Hazardous Materials</i> , 2019, 366, 229-239.	6.5	75

#	ARTICLE	IF	CITATIONS
19	Au-promoted Ce-Zr catalytic filter for Pt/SnO <sub>2</sub> sensor to selectively detect methane and ethanol in the presence of interfering indoor gases. <i>Materials Science in Semiconductor Processing</i> , 2019, 90, 182-189.	1.9	15
20	Characteristics and performance of urea modified Pt-MWCNTs for electro-oxidation of methanol. <i>Applied Surface Science</i> , 2019, 467-468, 335-344.	3.1	16
21	Nano-structured Pd doped LaFe(Co)O <sub>3</sub> perovskite; synthesis, characterization and catalytic behavior. <i>Materials Chemistry and Physics</i> , 2018, 205, 228-239.	2.0	11
22	A Comparison of a Nanostructured Enzymeless Au/Fe <sub>2</sub> O <sub>3</sub> /MWCNTs/GCE Electrode and a GOx Modified One in Electrocatalytic Detection of Glucose. <i>Electroanalysis</i> , 2018, 30, 2044-2052.	1.5	3
23	Two-stage cracking catalyst of amorphous silica-alumina on Y zeolite for enhanced product selectivity and suppressed coking. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 681-691.	1.2	10
24	SnO <sub>2</sub> decorated SiO <sub>2</sub> chemical sensors: Enhanced sensing performance toward ethanol and acetone. <i>Materials Science in Semiconductor Processing</i> , 2017, 68, 87-96.	1.9	22
25	Understanding the mechanism of synthesis of Pt <sub>3</sub> Co intermetallic nanoparticles via preferential chemical vapor deposition. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24396-24406.	5.2	21
26	Microemulsion synthesized silica/ZnO stable core/shell sensors highly selective to ethanol with minimum sensitivity to humidity. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 1070-1083.	4.0	34
27	H <sub>2</sub> /air plasma-functionalized carbon nanotubes decorated with MnO <sub>2</sub> for glucose sensing. <i>RSC Advances</i> , 2016, 6, 31807-31815.	1.7	24
28	Effects of Combustion Catalyst Dispersed by a Novel Microemulsion Method as Fuel Additive on Diesel Engine Emissions, Performance, and Characteristics. <i>Energy &amp; Fuels</i> , 2016, 30, 3392-3402.	2.5	14
29	High performance Ni-CNTs catalyst: synthesis and characterization. <i>RSC Advances</i> , 2016, 6, 47072-47082.	1.7	9
30	Targeted Delivery of Docetaxel by Use of Transferrin/Poly(allylamine hydrochloride)-functionalized Graphene Oxide Nanocarrier. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 13282-13293.	4.0	83
31	High flux acetate functionalized silica membranes based on in-situ co-condensation for CO <sub>2</sub> /N <sub>2</sub> separation. <i>Journal of Membrane Science</i> , 2016, 520, 574-582.	4.1	16
32	Artificial intelligence modeling of DME conversion to gasoline and light olefins over modified nano ZSM-5 catalysts. <i>Fuel</i> , 2016, 179, 79-86.	3.4	29
33	Highly sensitive and selective Gd <sub>2</sub> O <sub>3</sub> -doped SnO <sub>2</sub> ethanol sensors synthesized by a high temperature and pressure solvothermal method in a microreactor. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 130-139.	4.0	53
34	Highly sensitive and selective ethanol and acetone gas sensors by adding some dopants (Mn, Fe, Co, Ni) onto hexagonal ZnO plates. <i>RSC Advances</i> , 2016, 6, 7838-7845.	1.7	73
35	Atomic layer deposited Co/Al <sub>2</sub> O <sub>3</sub> catalyst with enhanced cobalt dispersion and Fischer-Tropsch synthesis activity and selectivity. <i>Applied Catalysis A: General</i> , 2016, 511, 31-46.	2.2	42
36	Plasma Functionalized Multiwalled Carbon Nanotubes for Immobilization of <i>Candida antarctica</i> Lipase B: Production of Biodiesel from Methanolysis of Rapeseed Oil. <i>Applied Biochemistry and Biotechnology</i> , 2016, 178, 974-989.	1.4	19

#	ARTICLE	IF	CITATIONS
37	Functionalized MWCNTs effects on dramatic enhancement of MWCNTs/SnO <sub>2</sub> nanocomposite gas sensing properties at low temperatures. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 252-260.	4.0	28
38	Synergetic effects of plasma and metal oxide catalysts on diesel soot oxidation. <i>Applied Catalysis B: Environmental</i> , 2016, 182, 74-84.	10.8	57
39	Gallia-ZnO nanohybrid sensors with dramatically higher sensitivity to ethanol in presence of CO, methane and VOCs. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 576-585.	4.0	25
40	Enhanced NO <sub>2</sub> gas sensing performance of bare and Pd-loaded SnO <sub>2</sub> thick film sensors under UV-light irradiation at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 429-439.	4.0	174
41	Effects of alumina phases as nickel supports on deep reactive adsorption of (4,6-dimethyl) dibenzothiophene: Comparison between $\gamma$ , $\delta$ , and $\theta$ -alumina. <i>Applied Catalysis B: Environmental</i> , 2016, 180, 312-323.	10.8	47
42	A cost-effective strategy for marine microalgae separation by electro-coagulation-flotation process aimed at bio-crude oil production: Optimization and evaluation study. <i>Separation and Purification Technology</i> , 2015, 147, 156-165.	3.9	38
43	Enhanced methanol electro-oxidation reaction on Pt-CoOx/MWCNTs hybrid electro-catalyst. <i>Applied Surface Science</i> , 2015, 335, 55-64.	3.1	18
44	Thermal and rheological properties improvement of drilling fluids using functionalized carbon nanotubes. <i>Applied Nanoscience (Switzerland)</i> , 2015, 5, 651-659.	1.6	62
45	In <sub>2</sub> O <sub>3</sub> -ZnO nanocomposites: High sensor response and selectivity to ethanol. <i>Sensors and Actuators B: Chemical</i> , 2015, 212, 395-403.	4.0	55
46	Strong effects of gallia on structure and selective responses of Ga <sub>2</sub> O <sub>3</sub> -In <sub>2</sub> O <sub>3</sub> nanocomposite sensors to either ethanol, CO or CH <sub>4</sub> . <i>Sensors and Actuators B: Chemical</i> , 2015, 220, 590-599.	4.0	28
47	A simple method for blocking defects in zeolite membranes. <i>Journal of Membrane Science</i> , 2015, 489, 270-274.	4.1	25
48	Combination of Plasma Functionalization and Phase Inversion Process Techniques for Efficient Dispersion of MWCNTs in Polyamide 6: Assessment through Morphological, Electrical, Rheological and Thermal Properties. <i>Polymer-Plastics Technology and Engineering</i> , 2015, 54, 632-638.	1.9	6
49	Highly active Fe <sub>2</sub> O <sub>3</sub> -doped TiO <sub>2</sub> photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies. <i>Applied Catalysis B: Environmental</i> , 2015, 165, 209-221.	10.8	117
50	Dual selective Pt/SnO <sub>2</sub> sensor to CO and propane in exhaust gases of gasoline engines using Pt/LaFeO <sub>3</sub> filter. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 617-623.	4.0	37
51	Ultra-low Electrical and Rheological Percolation Thresholds in PMMA/Plasma-Functionalized CNTs Nanocomposites. <i>Polymer-Plastics Technology and Engineering</i> , 2014, 53, 1450-1455.	1.9	12
52	Effects of nanoadditives on stability of Pt/SnO <sub>2</sub> as a sensing material for detection of CO. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 421-430.	4.0	19
53	Enhanced pyrolysis and oxidation of asphaltenes adsorbed onto transition metal oxides nanoparticles towards advanced in-situ combustion EOR processes by nanotechnology. <i>Applied Catalysis A: General</i> , 2014, 477, 159-171.	2.2	76
54	Palladium-Tin nanocatalysts in high concentration acetylene hydrogenation: A novel deactivation mechanism. <i>Fuel Processing Technology</i> , 2014, 120, 113-122.	3.7	24

#	ARTICLE	IF	CITATIONS
55	Preferential chemical vapor deposition of ruthenium on cobalt with highly enhanced activity and selectivity for Fischer-Tropsch synthesis. <i>Applied Catalysis A: General</i> , 2014, 470, 221-231.	2.2	25
56	Enhanced catalytic performance of Au/CuO-ZnO catalysts containing low CuO content for preferential oxidation of carbon monoxide in hydrogen-rich streams for PEMFC. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 2056-2066.	3.8	27
57	Highly Stable and Selective Non-Enzymatic Glucose Biosensor Using Carbon Nanotubes Decorated by Fe <sub>3</sub> O <sub>4</sub> Nanoparticles. <i>Journal of the Electrochemical Society</i> , 2014, 161, B19-B25.	1.3	42
58	Highly sensitive and selective ethanol sensor based on Sm <sub>2</sub> O <sub>3</sub> -loaded flower-like ZnO nanostructure. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 283-290.	4.0	75
59	Ultra-deep adsorptive desulfurization of a model diesel fuel on regenerable Ni-Cu-Al <sub>2</sub> O <sub>3</sub> at low temperatures in absence of hydrogen. <i>Journal of Hazardous Materials</i> , 2014, 271, 120-130.	6.5	88
60	Highly sensitive carbon nanotubes-SnO <sub>2</sub> nanocomposite sensor for acetone detection in diabetes mellitus breath. <i>Sensors and Actuators B: Chemical</i> , 2014, 205, 261-267.	4.0	104
61	Experimental and theoretical study of CO adsorption on the surface of single phase hexagonally plate ZnO. <i>Applied Surface Science</i> , 2014, 315, 8-15.	3.1	14
62	Fast photocatalytic degradation of congo red using CoO-doped $\gamma$ -Ga <sub>2</sub> O <sub>3</sub> nanostructures. <i>RSC Advances</i> , 2014, 4, 33262-33268.	1.7	23
63	Cumene cracking activity and enhanced regeneration of FCC catalysts comprising HY-zeolite and LaBO <sub>3</sub> (B = Co, Mn, and Fe) perovskites. <i>Applied Catalysis A: General</i> , 2014, 487, 26-35.	2.2	14
64	Simultaneous Effect of the Catalyst Precursor Concentration and the Longitudinal Position on the Growth Patterns of Multiwalled Carbon Nanotubes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 1293-1300.	1.8	0
65	Enhanced methanol electro-oxidation activity of Pt/MWCNTs electro-catalyst using manganese oxide deposited on MWCNTs. <i>Electrochimica Acta</i> , 2014, 147, 192-200.	2.6	42
66	Facile surface functionalization of multiwalled carbon nanotubes by soft dielectric barrier discharge plasma: Generate compatible interface for lipase immobilization. <i>Biochemical Engineering Journal</i> , 2014, 90, 16-26.	1.8	31
67	A Glucose Biosensor Based on Glucose Oxidase Immobilized on ZnO/Cu <sub>2</sub> O Graphene Oxide Nanocomposite Electrode. <i>Journal of the Electrochemical Society</i> , 2014, 161, B81-B87.	1.3	41
68	Ru promoted cobalt catalyst on $\gamma$ -Al <sub>2</sub> O <sub>3</sub> : Influence of different catalyst preparation method and Ru loadings on Fischer-Tropsch reaction and kinetics. <i>Applied Surface Science</i> , 2014, 313, 183-195.	3.1	42
69	Selective detection of unburned-hydrocarbon in the exhaust gas using catalytic filter. , 2014, , .		2
70	Plasma thiol-functionalized carbon nanotubes decorated with gold nanoparticles for glucose biosensor. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 488-495.	4.0	16
71	On the dispersion of CNTs in polyamide 6 matrix via solution methods: assessment through electrical, rheological, thermal and morphological analyses. <i>Polymer Bulletin</i> , 2013, 70, 2387-2398.	1.7	11
72	Asphaltene Adsorption onto Acidic/Basic Metal Oxide Nanoparticles toward in Situ Upgrading of Reservoir Oils by Nanotechnology. <i>Langmuir</i> , 2013, 29, 14135-14146.	1.6	165

#	ARTICLE	IF	CITATIONS
73	Vanadium oxide decorated carbon nanotubes as a promising support of Pt nanoparticles for methanol electro-oxidation reaction. <i>Journal of Colloid and Interface Science</i> , 2013, 393, 291-299.	5.0	31
74	Highly sensitive gallia-SnO <sub>2</sub> nanocomposite sensors to CO and ethanol in presence of methane. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 45-52.	4.0	32
75	Effect of mass transfer limitations on catalyst performance during reduction and carburization of iron based Fischer-Tropsch synthesis catalysts. <i>Journal of Energy Chemistry</i> , 2013, 22, 795-803.	7.1	14
76	Highly efficient MoO <sub>2.5</sub> (OH) <sub>0.5</sub> -doped ZnO nanoflower for photodecolorization of azo dye. <i>Solid State Sciences</i> , 2013, 26, 9-15.	1.5	7
77	SMFs-supported Pd nanocatalysts in selective acetylene hydrogenation: Pore structure-dependent deactivation mechanism. <i>Journal of Energy Chemistry</i> , 2013, 22, 717-725.	7.1	10
78	Vapor-phase selective o-alkylation of catechol with methanol over lanthanum phosphate and its modified catalysts with Ti and Cs. <i>Journal of Molecular Catalysis A</i> , 2013, 372, 79-83.	4.8	14
79	Sm <sub>2</sub> O <sub>3</sub> doped-SnO <sub>2</sub> nanoparticles, very selective and sensitive to volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2013, 181, 910-918.	4.0	53
80	Highly enhanced response and selectivity of electrospun ZnO-doped SnO <sub>2</sub> sensors to ethanol and CO in presence of CH <sub>4</sub> . <i>Sensors and Actuators B: Chemical</i> , 2013, 184, 196-204.	4.0	51
81	The effects of excess manganese in nano-size lanthanum manganite perovskite on enhancement of trichloroethylene oxidation activity. <i>Chemical Engineering Journal</i> , 2013, 215-216, 827-837.	6.6	38
82	The sensing behaviour of metal oxides (ZnO, CuO and Sm <sub>2</sub> O <sub>3</sub> ) doped-SnO <sub>2</sub> for detection of low concentrations of chlorinated volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2013, 181, 637-643.	4.0	42
83	Coupled Metal Oxide-Doped Pt/SnO <sub>2</sub> Semiconductor and Yttria-Stabilized Zirconia Electrochemical Sensors for Detection of VOCs. <i>Journal of the Electrochemical Society</i> , 2013, 160, B218-B224.	1.3	28
84	Effect of partial substitution of lanthanum by strontium or bismuth on structural features of the lanthanum manganite nanoparticles as a catalyst for carbon monoxide oxidation. <i>Catalysis Communications</i> , 2012, 28, 32-37.	1.6	21
85	CeO <sub>2</sub> doped ZnO flower-like nanostructure sensor selective to ethanol in presence of CO and CH <sub>4</sub> . <i>Sensors and Actuators B: Chemical</i> , 2012, 169, 67-73.	4.0	75
86	The role of tin-promoted Pd/MWNTs via the management of carbonaceous species in selective hydrogenation of high concentration acetylene. <i>Applied Surface Science</i> , 2012, 263, 513-522.	3.1	28
87	Modeling the Growth of Carbon Nanotubes in a Floating Catalyst Reactor. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 1143-1149.	1.8	17
88	Apple-like biomorphic synthesis of porous ZnO nanostructures for glucose direct electrochemical biosensor. <i>Current Applied Physics</i> , 2012, 12, 1033-1038.	1.1	40
89	Effect of Fe <sub>2</sub> O <sub>3</sub> addition on the morphological, optical and decolorization properties of ZnO nanostructures. <i>Materials Chemistry and Physics</i> , 2012, 133, 311-316.	2.0	35
90	Highly sensitive and selective sensors to volatile organic compounds using MWCNTs/SnO <sub>2</sub> . <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 150-155.	4.0	66

#	ARTICLE	IF	CITATIONS
91	Rapid and enhanced functionalization of MWCNTs in a dielectric barrier discharge plasma in presence of diluted CO <sub>2</sub> . Applied Physics A: Materials Science and Processing, 2012, 106, 829-836.	1.1	11
92	Preferential Oxidation of CO Based on Electro-Thermally Assisted Catalytic Ni/Cu Nanostructures on Si Micro-Grass. ECS Transactions, 2011, 35, 37-41.	0.3	0
93	Comparative model analysis of the performance of tube fitted bulk monolithic catalyst with conventional pellet shapes for natural gas reforming. Journal of Industrial and Engineering Chemistry, 2011, 17, 767-776.	2.9	11
94	Nanostructured SnO <sub>2</sub> –ZnO sensors: Highly sensitive and selective to ethanol. Sensors and Actuators B: Chemical, 2011, 160, 1298-1303.	4.0	86
95	Application of cobalt oxide nanoparticles as an electron transfer facilitator in direct electron transfer and biocatalytic reactivity of cytochrome c. Journal of Applied Electrochemistry, 2011, 41, 115-121.	1.5	9
96	Direct electron transfer and biocatalytic activity of iron storage protein molecules immobilized on electrodeposited cobalt oxide nanoparticles. Mikrochimica Acta, 2011, 173, 317-322.	2.5	9
97	Effects of excess manganese in lanthanum manganite perovskite on lowering oxidation light-off temperature for automotive exhaust gas pollutants. Chemical Engineering Journal, 2011, 169, 282-289.	6.6	48
98	Effects of Pd on enhancement of oxidation activity of LaBO <sub>3</sub> (B=Mn, Fe, Co and Ni) perovskite catalysts for pollution abatement from natural gas fueled vehicles. Applied Catalysis B: Environmental, 2011, 102, 62-70.	10.8	72
99	Microwave assisted fast synthesis of various ZnO morphologies for selective detection of CO, CH <sub>4</sub> and ethanol. Sensors and Actuators B: Chemical, 2011, 156, 737-742.	4.0	108
100	Fabrication and Highly Sensitive Gas Sensors Based on h-MoO <sub>3</sub> /SnO <sub>2</sub> Hollow Nanostructures Operated at Low Temperatures. Journal of Nanoscience and Nanotechnology, 2010, 10, 6155-6160.	0.9	4
101	Stability and thermal conductivity of nanofluids of tin dioxide synthesized via microwave-induced combustion route. Chemical Engineering Journal, 2010, 156, 471-478.	6.6	97
102	Synthesis and gas-sensing properties of nano- and meso-porous MoO <sub>3</sub> -doped SnO <sub>2</sub> . Sensors and Actuators B: Chemical, 2010, 147, 554-560.	4.0	66
103	The effects of carrier gas and liquid feed flow rates on longitudinal patterns of CNT growth. Materials Chemistry and Physics, 2010, 124, 1139-1145.	2.0	4
104	CO and ethanol dual selective sensor of Sm <sub>2</sub> O <sub>3</sub> -doped SnO <sub>2</sub> nanoparticles synthesized by microwave-induced combustion. Sensors and Actuators B: Chemical, 2010, 144, 131-138.	4.0	72
105	Highly selective Pt/SnO <sub>2</sub> sensor to propane or methane in presence of CO and ethanol, using gold nanoparticles on Fe <sub>2</sub> O <sub>3</sub> catalytic filter. Sensors and Actuators B: Chemical, 2010, 147, 400-405.	4.0	38
106	Alkaline- and template-free hydrothermal synthesis of stable SnO <sub>2</sub> nanoparticles and nanorods for CO and ethanol gas sensing. Sensors and Actuators B: Chemical, 2010, 151, 140-145.	4.0	75
107	Tube fitted bulk monolithic catalyst as novel structured reactor for gas–solid reactions. Applied Catalysis A: General, 2010, 385, 214-223.	2.2	29
108	High photocatalytic activity of Zn <sub>2</sub> SnO <sub>4</sub> among various nanostructures of Zn <sub>2</sub> xSn <sub>1-x</sub> O <sub>4</sub> prepared by a hydrothermal method. Chemical Engineering Journal, 2010, 165, 735-739.	6.6	49

#	ARTICLE	IF	CITATIONS
109	Fast and clean functionalization of carbon nanotubes by dielectric barrier discharge plasma in air compared to acid treatment. <i>Carbon</i> , 2010, 48, 1369-1379.	5.4	133
110	Plasma Functionalization of MWCNTs in He Followed by NH <sub>3</sub> Treatment and its Application in PMMA Based Nanocomposites. <i>Plasma Processes and Polymers</i> , 2010, 7, 1001-1009.	1.6	24
111	Novel Microwave-Induced Combustion Synthesis of SnO <sub>2</sub> Nanoparticles for Selective Sensing of CO Using Tin Chloride. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 6003-6008.	0.9	16
112	Highly Sensitive Tin Oxide Hollow Microspheres and Nanosheets to Ethanol Gas Prepared by Hydrothermal Method. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 6049-6055.	0.9	8
113	Effects of flower-like, sheet-like and granular SnO <sub>2</sub> nanostructures prepared by solid-state reactions on CO sensing. <i>Materials Chemistry and Physics</i> , 2009, 115, 196-199.	2.0	39
114	A novel biosensor using entangled carbon nanotubes layer grown on an alumina substrate by CCVD of methane on FeO/MgO. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 526-531.	4.0	14
115	Acetic acid effects on enhancement of growth rate and reduction of amorphous carbon deposition on CNT arrays along a growth window in a floating catalyst reactor. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 97, 417-424.	1.1	8
116	Kinetic modeling of oxidative coupling of methane over Mn/Na <sub>2</sub> WO <sub>4</sub> /SiO <sub>2</sub> catalyst. <i>Fuel Processing Technology</i> , 2009, 90, 403-410.	3.7	69
117	Highly sensitive CO and ethanol nanoflower-like SnO <sub>2</sub> sensor among various morphologies obtained by using single and mixed ionic surfactant templates. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 89-96.	4.0	74
118	Nano-ceria/zirconia promoter effects on enhanced coke combustion and oxidation of CO formed in regeneration of silica/alumina coked during cracking of triisopropylbenzene. <i>Applied Catalysis A: General</i> , 2009, 353, 271-281.	2.2	34
119	Detailed profiling of CNTs arrays along the growth window in a floating catalyst reactor. <i>Applied Surface Science</i> , 2009, 255, 7243-7250.	3.1	16
120	Modeling of Stagewise Feeding in Fluidized Bed Reactor of Oxidative Coupling of Methane. <i>Energy &amp; Fuels</i> , 2009, 23, 3745-3752.	2.5	13
121	Pd-doped LaCoO <sub>3</sub> regenerative catalyst for automotive emissions control. <i>Applied Catalysis B: Environmental</i> , 2008, 83, 214-220.	10.8	53
122	Preparation of SnO <sub>2</sub> nanoparticles and nanorods by using a hydrothermal method at low temperature. <i>Materials Letters</i> , 2008, 62, 1789-1792.	1.3	68
123	Single-wall carbon nanotubes synthesized using organic additives to Co/Mo catalysts supported on nanoporous MgO. <i>Nanotechnology</i> , 2007, 18, 315605.	1.3	80
124	Effects of ceria addition and pre-calcination temperature on performance of cobalt catalysts for Fischer-Tropsch synthesis. <i>Reaction Kinetics and Catalysis Letters</i> , 2006, 88, 225-232.	0.6	8
125	Anomalous low-to-high transition of ceria doped SnO sensors exposed to synthetic automobile exhaust gas. <i>Sensors and Actuators B: Chemical</i> , 2005, 106, 816-822.	4.0	5
126	Oxygen sensor with solid-state CeO <sub>2</sub> /ZrO <sub>2</sub> /TiO <sub>2</sub> reference. <i>Sensors and Actuators B: Chemical</i> , 2005, 108, 341-345.	4.0	29



#	ARTICLE	IF	CITATIONS
127	An yttria-doped ceria-based oxygen sensor with solid-state reference. <i>Sensors and Actuators B: Chemical</i> , 2004, 103, 178-183.	4.0	28
128	Oxidative Coupling of Methane in a Negative DC Corona Reactor at Low Temperature. <i>Canadian Journal of Chemical Engineering</i> , 2003, 81, 37-42.	0.9	1
129	Cerium oxide/SnO <sub>2</sub> -based semiconductor gas sensors with improved sensitivity to CO. <i>Sensors and Actuators B: Chemical</i> , 2001, 80, 267-271.	4.0	88
130	Recognition of Oxidative Coupling of Methane Reactor Performance Patterns. <i>Chemical Engineering and Technology</i> , 0, , .	0.9	0