

# Todd M Hillhouse

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3080913/publications.pdf>

Version: 2024-02-01

26  
papers

637  
citations

933264

10  
h-index

580701

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1025  
citing authors

#	ARTICLE	IF	CITATIONS
1	A brief history of the development of antidepressant drugs: From monoamines to glutamate.. <i>Experimental and Clinical Psychopharmacology</i> , 2015, 23, 1-21.	1.3	344
2	Positive allosteric modulation of the mu-opioid receptor produces analgesia with reduced side effects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	36
3	Ketamine, but not MK-801, produces antidepressant-like effects in rats responding on a differential-reinforcement-of-low-rate operant schedule. <i>Behavioural Pharmacology</i> , 2014, 25, 80-91.	0.8	29
4	Acute, but not repeated, administration of the neurotensin NTS1 receptor agonist PD149163 decreases conditioned footshock-induced ultrasonic vocalizations in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 49, 78-84.	2.5	25
5	Dissociable effects of the noncompetitive NMDA receptor antagonists ketamine and MK-801 on intracranial self-stimulation in rats. <i>Psychopharmacology</i> , 2014, 231, 2705-2716.	1.5	25
6	C7 $\beta$ -Methyl Analogues of the Orvinols: The Discovery of Kappa Opioid Antagonists with Nociceptin/Orphanin FQ Peptide (NOP) Receptor Partial Agonism and Low, or Zero, Efficacy at Mu Opioid Receptors. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 4242-4249.	2.9	23
7	Task- and Treatment Length-Dependent Effects of Vortioxetine on Scopolamine-Induced Cognitive Dysfunction and Hippocampal Extracellular Acetylcholine in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 358, 472-482.	1.3	20
8	Opioid receptor system contributes to the acute and sustained antidepressant-like effects, but not the hyperactivity motor effects of ketamine in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 208, 173228.	1.3	18
9	Effects of Acute and Sustained Pain Manipulations on Performance in a Visual Signal Detection Task of Attention in Rats. <i>Drug Development Research</i> , 2015, 76, 194-203.	1.4	16
10	Repeated nicotine vapor inhalation induces behavioral sensitization in male and female C57BL/6 mice. <i>Behavioural Pharmacology</i> , 2020, 31, 583-590.	0.8	12
11	Comparison of Antidepressant-Like and Abuse-Related Effects of Phencyclidine in Rats. <i>Drug Development Research</i> , 2014, 75, 479-488.	1.4	11
12	Nicotine-free vapor inhalation produces behavioral disruptions and anxiety-like behaviors in mice: Effects of puff duration, session length, sex, and flavor. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 206, 173207.	1.3	10
13	Effects of the neurotensin NTS1 receptor agonist PD149163 on visual signal detection in rats. <i>European Journal of Pharmacology</i> , 2013, 721, 201-207.	1.7	9
14	The Buprenorphine Analogue BU10119 Attenuates Drug-Primed and Stress-Induced Cocaine Reinstatement in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 378, 287-299.	1.3	8
15	Discriminative stimulus properties of the atypical antipsychotic amisulpride: comparison to its isomers and to other benzamide derivatives, antipsychotic, antidepressant, and anti-anxiety drugs in C57BL/6 mice. <i>Psychopharmacology</i> , 2017, 234, 3507-3520.	1.5	7
16	What role does the (2R,6R)-hydroxynorketamine metabolite play in the antidepressant-like and abuse-related effects of (R)-ketamine?. <i>British Journal of Pharmacology</i> , 2019, 176, 3886-3888.	2.7	7
17	(S)-amisulpride as a discriminative stimulus in C57BL/6 mice and its comparison to the stimulus effects of typical and atypical antipsychotics. <i>European Journal of Pharmacology</i> , 2014, 734, 15-22.	1.7	6
18	Effects of the noncompetitive N-methyl-D-aspartate receptor antagonist ketamine on visual signal detection performance in rats. <i>Behavioural Pharmacology</i> , 2015, 26, 495-499.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Assessment of the rapid and sustained antidepressant-like effects of dextromethorphan in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 197, 173003.	1.3	6
20	Vortioxetine Differentially Modulates MK-801-Induced Changes in Visual Signal Detection Task Performance and Locomotor Activity. <i>Frontiers in Pharmacology</i> , 2018, 9, 1024.	1.6	5
21	How to account for hallucinations in the interpretation of the antidepressant effects of psychedelics: a translational framework. <i>Psychopharmacology</i> , 2022, 239, 1853-1879.	1.5	5
22	The quetiapine active metabolite N-desalkylquetiapine and the neurotensin NTS $\alpha$ 1 receptor agonist PD149163 exhibit antidepressant-like effects on operant responding in male rats. <i>Experimental and Clinical Psychopharmacology</i> , 2014, 22, 548-556.	1.3	4
23	Preliminary assessment of the subjective effects of electronic-cigarettes in young-adult low-dose electronic-cigarette users: Effects of nicotine dose and e-liquid flavor. <i>Journal of American College Health</i> , 2021, , 1-10.	0.8	2
24	Reply to: Rapid antidepressant effects and abuse liability of ketamine. <i>Psychopharmacology</i> , 2014, 231, 2043-2044.	1.5	1
25	Discriminative stimulus properties of the typical antipsychotic haloperidol compared to other antipsychotic drugs in C57BL/6 mice. <i>Behavioural Pharmacology</i> , 2019, 30, 521-528.	0.8	1
26	Acyl Peptide Enzyme Hydrolase (APEH) activity is inhibited by lipid metabolites and peroxidation products. <i>Chemico-Biological Interactions</i> , 2021, 348, 109639.	1.7	1