

Dan Rujescu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3080991/publications.pdf>

Version: 2024-02-01

350
papers

44,428
citations

6124

83
h-index

3037

194
g-index

382
all docs

382
docs citations

382
times ranked

47477
citing authors

#	ARTICLE	IF	CITATIONS
1	General cognitive ability assessment in the German National Cohort (NAKO) – The block-adaptive number series task. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 924-935.	1.3	5
2	The value of “mega cohorts”™ for psychiatric research. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 860-864.	1.3	7
3	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
4	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
5	A meta-analysis of polygenic risk scores for mood disorders, neuroticism, and schizophrenia in antidepressant response. <i>European Neuropsychopharmacology</i> , 2022, 55, 86-95.	0.3	19
6	Evidence on sociodemographic and clinical correlates of antidepressant combination or augmentation with second-generation antipsychotics in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 114, 110480.	2.5	3
7	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	6.0	44
8	The sociodemographic and clinical profile of patients with major depressive disorder receiving SSRIs as first-line antidepressant treatment in European countries. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 715-727.	1.8	14
9	Metabolizing status of CYP2C19 in response and side effects to medications for depression: Results from a naturalistic study. <i>European Neuropsychopharmacology</i> , 2022, 56, 100-111.	0.3	5
10	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
11	New insights into the genetic etiology of Alzheimer’s disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436.	9.4	700
12	Borderline personality disorder and the big five: molecular genetic analyses indicate shared genetic architecture with neuroticism and openness. <i>Translational Psychiatry</i> , 2022, 12, 153.	2.4	7
13	Subjective short-term memory difficulties at ages 50–75 predict dementia risk in a community-based cohort followed over 17 years. <i>Age and Ageing</i> , 2022, 51, .	0.7	4
14	Eye Movement Patterns Can Distinguish Schizophrenia From the Major Affective Disorders and Healthy Control Subjects. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	3
15	Association of Rare APOE Missense Variants V236E and R251G With Risk of Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 652.	4.5	31
16	Three genetic “environmental networks for human personality. <i>Molecular Psychiatry</i> , 2021, 26, 3858-3875.	4.1	58
17	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021, 26, 5307-5319.	4.1	18
18	Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	1.4	28

#	ARTICLE	IF	CITATIONS
19	Drug repositioning for treatment-resistant depression: Hypotheses from a pharmacogenomic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110050.	2.5	21
20	Genome-wide association study identifies 48 common genetic variants associated with handedness. <i>Nature Human Behaviour</i> , 2021, 5, 59-70.	6.2	79
21	Cost-effectiveness of genetic and clinical predictors for choosing combined psychotherapy and pharmacotherapy in major depression. <i>Journal of Affective Disorders</i> , 2021, 279, 722-729.	2.0	7
22	Higher polygenic risk scores for schizophrenia may be suggestive of treatment non-response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110170.	2.5	36
23	Relationship Between Serum NMDA Receptor Antibodies and Response to Antipsychotic Treatment in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2021, 90, 9-15.	0.7	14
24	Generation of Neural Stem Cells from Pluripotent Stem Cells for Characterization of Early Neuronal Development. <i>Methods in Molecular Biology</i> , 2021, 2269, 233-244.	0.4	2
25	Impact of COMT val158met on tDCS-induced cognitive enhancement in older adults. <i>Behavioural Brain Research</i> , 2021, 401, 113081.	1.2	9
26	HLA-DQB1 6672G>C (rs113332494) is associated with clozapine-induced neutropenia and agranulocytosis in individuals of European ancestry. <i>Translational Psychiatry</i> , 2021, 11, 214.	2.4	12
27	Translating the immediate effects of S-Ketamine using hippocampal subfield analysis in healthy subjects-results of a randomized controlled trial. <i>Translational Psychiatry</i> , 2021, 11, 200.	2.4	15
28	Genetic predisposition, A β 2 misfolding in blood plasma, and Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 261.	2.4	4
29	Genome-wide analyses of smoking behaviors in schizophrenia: Findings from the Psychiatric Genomics Consortium. <i>Journal of Psychiatric Research</i> , 2021, 137, 215-224.	1.5	10
30	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. <i>Neuropsychopharmacology</i> , 2021, 46, 1788-1801.	2.8	12
31	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	5.8	140
32	<i>Toxoplasma gondii</i> , Suicidal Behavior, and Intermediate Phenotypes for Suicidal Behavior. <i>Frontiers in Psychiatry</i> , 2021, 12, 665682.	1.3	19
33	Safety and efficacy of pioglitazone for the delay of cognitive impairment in people at risk of Alzheimer's disease (TOMMORROW): a prognostic biomarker study and a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2021, 20, 537-547.	4.9	55
34	Research Domain Criteria (RDoC): A Perspective to Probe the Biological Background behind Treatment Efficacy in Depression. <i>Current Medicinal Chemistry</i> , 2021, 28, 4296-4320.	1.2	1
35	A β 2 misfolding in blood plasma is inversely associated with body mass index even in middle adulthood. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 145.	3.0	3
36	W68. A META-ANALYSIS OF POLYGENIC RISK SCORES FOR MOOD DISORDERS, NEUROTICISM, AND SCHIZOPHRENIA IN ANTIDEPRESSANT RESPONSE. <i>European Neuropsychopharmacology</i> , 2021, 51, e180.	0.3	0

#	ARTICLE	IF	CITATIONS
37	A genome-wide meta-analysis uncovers six sequence variants conferring risk of vertigo. <i>Communications Biology</i> , 2021, 4, 1148.	2.0	12
38	The Choice of either Quetiapine or Aripiprazole as Augmentation Treatment in a European Naturalistic Sample of Patients with Major Depressive Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2021, , .	1.0	2
39	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	2.3	60
40	Uncovering the complex genetics of human character. <i>Molecular Psychiatry</i> , 2020, 25, 2295-2312.	4.1	77
41	Uncovering the complex genetics of human temperament. <i>Molecular Psychiatry</i> , 2020, 25, 2275-2294.	4.1	72
42	Genetics of resilience: Implications from genome-wide association studies and candidate genes of the stress response system in posttraumatic stress disorder and depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 77-94.	1.1	54
43	Prediction of Alzheimer's disease diagnosis within 14 years through A β 2 misfolding in blood plasma compared to APOE4 status, and other risk factors. <i>Alzheimer's and Dementia</i> , 2020, 16, 283-291.	0.4	26
44	Social dysfunction in mood disorders and schizophrenia: Clinical modulators in four independent samples. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109835.	2.5	32
45	Suicide risk after psychiatric discharge: study protocol of a naturalistic, long-term, prospective observational study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 145.	0.5	2
46	Immune cell puzzle COVID-19: how do SARS-CoV infections contribute to psychiatric diseases?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 643-644.	1.8	4
47	High-risk Allele for Herpes Labialis Severity at the IFNL3/4 Locus is Associated With Vestibular Neuritis. <i>Frontiers in Neurology</i> , 2020, 11, 570638.	1.1	10
48	Neurobiological origins of individual differences in mathematical ability. <i>PLoS Biology</i> , 2020, 18, e3000871.	2.6	11
49	Proton Magnetic Resonance Spectroscopy in Common Dementias—Current Status and Perspectives. <i>Frontiers in Psychiatry</i> , 2020, 11, 769.	1.3	21
50	Association Between Temperament Traits With Toxoplasma Gondii IgG Serointensity and Seropositivity in Psychiatrically Healthy Adults. <i>Biological Psychiatry</i> , 2020, 87, S364-S365.	0.7	0
51	Gene expression and response prediction to amisulpride in the OPTiMiSE first episode psychoses. <i>Neuropsychopharmacology</i> , 2020, 45, 1637-1644.	2.8	5
52	A Variation in FGF14 Is Associated with Downbeat Nystagmus in a Genome-Wide Association Study. <i>Cerebellum</i> , 2020, 19, 348-357.	1.4	16
53	Impact of 3-Day Combined Anodal Transcranial Direct Current Stimulation-Visuospatial Training on Object-Location Memory in Healthy Older Adults and Patients with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 223-244.	1.2	19
54	Associations of urinary 8-iso-prostaglandin F _{2t} levels with all-cause dementia, Alzheimer's disease, and vascular dementia incidence: results from a prospective cohort study. <i>Alzheimer's and Dementia</i> , 2020, 16, 804-813.	0.4	15

#	ARTICLE	IF	CITATIONS
55	Polymorphisms in CRYBB2 encoding β 2-crystallin are associated with antisaccade performance and memory function. <i>Translational Psychiatry</i> , 2020, 10, 113.	2.4	3
56	Vestibular Disorders. <i>Deutsches A&#x0308;rztblatt International</i> , 2020, 117, 300-310.	0.6	62
57	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. <i>American Journal of Human Genetics</i> , 2019, 105, 334-350.	2.6	86
58	Reduction of Glycolysis Intermediate Concentrations in the Cerebrospinal Fluid of Alzheimer's Disease Patients. <i>Frontiers in Neuroscience</i> , 2019, 13, 871.	1.4	24
59	Adipose-Derived Stem/Stromal Cells Recapitulate Aging Biomarkers and Show Reduced Stem Cell Plasticity Affecting Their Adipogenic Differentiation Capacity. <i>Cellular Reprogramming</i> , 2019, 21, 187-199.	0.5	24
60	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.	9.4	641
61	F105AN EXOME SEQUENCING STUDY IN TREATMENT-RESISTANT DEPRESSION. <i>European Neuropsychopharmacology</i> , 2019, 29, S1166-S1167.	0.3	0
62	F97ASSOCIATION OF VARIANTS IN THE CR1 REGION WITH COGNITIVE DOMAINS IN HEALTHY CONTROLS AND SCHIZOPHRENIA PATIENTS. <i>European Neuropsychopharmacology</i> , 2019, 29, S1162.	0.3	0
63	Trehalose as glucose surrogate in proliferation and cellular mobility of adult neural progenitor cells derived from mouse hippocampus. <i>Journal of Neural Transmission</i> , 2019, 126, 1485-1491.	1.4	3
64	THE IMPACT OF THE DUFFY-NULL GENOTYPE IN CLOZAPINE-ASSOCIATED NEUTROPENIA: A GENOME-WIDE ASSOCIATION STUDY IN INDIVIDUALS OF AFRICAN ANCESTRY. <i>European Neuropsychopharmacology</i> , 2019, 29, S1031.	0.3	0
65	INFLUENCE OF GENOME-WIDE ASSOCIATED GENETIC POLYMORPHISMS OF SCHIZOPHRENIA ON THE VERBAL FLUENCY. <i>European Neuropsychopharmacology</i> , 2019, 29, S1019.	0.3	0
66	Epistasis of HTR1A and BDNF risk genes alters cortical 5-HT1A receptor binding: PET results link genotype to molecular phenotype in depression. <i>Translational Psychiatry</i> , 2019, 9, 5.	2.4	7
67	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019, 9, 20.	2.4	52
68	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
69	Childhood adversity and parenting behavior: the role of oxytocin receptor gene polymorphisms. <i>Journal of Neural Transmission</i> , 2019, 126, 777-787.	1.4	8
70	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	0.7	43
71	Targeted Treatment of Individuals With Psychosis Carrying a Copy Number Variant Containing a Genomic Triplication of the Glycine Decarboxylase Gene. <i>Biological Psychiatry</i> , 2019, 86, 523-535.	0.7	32
72	MODELING HUMAN CORTICAL BRAIN DEVELOPMENT BY THE GENERATION OF CEREBRAL ORGANOIDs FROM PATIENT-SPECIFIC STEM CELLS FOR THE ANALYSIS OF SCHIZOPHRENIA GENETICS. <i>European Neuropsychopharmacology</i> , 2019, 29, S1003-S1004.	0.3	0

#	ARTICLE	IF	CITATIONS
73	REPLICATION OF TWO INDEPENDENT LOCI IN HLA-DQB1 AND HLA-B CONTRIBUTING TO THE RISK OF CLOZAPINE-INDUCED AGRANULOCYTOSIS. <i>European Neuropsychopharmacology</i> , 2019, 29, S939.	0.3	1
74	Attitudes toward the right to autonomous decision-making in psychiatric genetic testing: Controversial and context-dependent. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 555-565.	1.1	6
75	Temperament and character influence on depression treatment outcome. <i>Journal of Affective Disorders</i> , 2019, 252, 464-474.	2.0	27
76	INFLUENCE OF SINGLE NUCLEOTIDE POLYMORPHISMS IN ALZHEIMER'S SUSCEPTIBILITY-LOCI ON COGNITIVE PHENOTYPES. <i>European Neuropsychopharmacology</i> , 2019, 29, S970.	0.3	0
77	PATIENT-SPECIFIC AD IN VITRO MODELS FOR THE ANALYSIS OF LATE-ONSET ALZHEIMER'S DISEASE. <i>European Neuropsychopharmacology</i> , 2019, 29, S904-S905.	0.3	0
78	Letter from the new Editor-in-Chief. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 426-426.	1.3	0
79	Risperidone-Loaded PLGA-Lipid Particles with Improved Release Kinetics: Manufacturing and Detailed Characterization by Electron Microscopy and Nano-CT. <i>Pharmaceutics</i> , 2019, 11, 665.	2.0	16
80	Genome-wide association study of treatment-resistance in depression and meta-analysis of three independent samples. <i>British Journal of Psychiatry</i> , 2019, 214, 36-41.	1.7	44
81	A genome-wide association study in individuals of African ancestry reveals the importance of the Duffy-null genotype in the assessment of clozapine-related neutropenia. <i>Molecular Psychiatry</i> , 2019, 24, 328-337.	4.1	42
82	The Genetics of Treatment-Resistant Depression: A Critical Review and Future Perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 93-104.	1.0	32
83	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018, 50, 381-389.	9.4	1,332
84	Amyloid blood biomarker detects Alzheimer's disease. <i>EMBO Molecular Medicine</i> , 2018, 10, .	3.3	145
85	Microbiome in psychiatry: where will we go?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 1-2.	1.8	1
86	Moderation of the relationship between <i>Toxoplasma gondii</i> seropositivity and trait impulsivity in younger men by the phenylalanine-tyrosine ratio. <i>Psychiatry Research</i> , 2018, 270, 992-1000.	1.7	8
87	Increased Plasma Beta-Secretase 1 May Predict Conversion to Alzheimer's Disease Dementia in Individuals With Mild Cognitive Impairment. <i>Biological Psychiatry</i> , 2018, 83, 447-455.	0.7	83
88	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 21-34.	1.1	57
89	A genome-wide association study of early gamma-band response in a schizophrenia case-control sample. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 602-609.	1.3	3
90	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.	7.1	490

#	ARTICLE	IF	CITATIONS
91	Convergence of placenta biology and genetic risk for schizophrenia. <i>Nature Medicine</i> , 2018, 24, 792-801.	15.2	214
92	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	5.8	484
93	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , 2018, 50, 912-919.	9.4	893
94	Multi-Trait Analysis of GWAS and Biological Insights Into Cognition: A Response to Hill (2018). <i>Twin Research and Human Genetics</i> , 2018, 21, 394-397.	0.3	3
95	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	1.7	37
96	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.	3.7	141
97	Genome-Wide Association Study in Vestibular Neuritis: Involvement of the Host Factor for HSV-1 Replication. <i>Frontiers in Neurology</i> , 2018, 9, 591.	1.1	44
98	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. <i>Schizophrenia Research</i> , 2018, 195, 306-317.	1.1	17
99	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 492-505.	1.3	48
100	Maoa and Maob polymorphisms and personality traits in suicide attempters and healthy controls: a preliminary study. <i>Psychiatry Research</i> , 2017, 249, 212-217.	1.7	5
101	A genetic variant within <i>STX11</i> previously associated with inattention in boys with attention deficit hyperactivity disorder is associated with enhanced cognition in healthy adult males. <i>Brain and Behavior</i> , 2017, 7, e00646.	1.0	8
102	Cognitive Characterization of Schizophrenia Risk Variants Involved in Synaptic Transmission: Evidence of CACNA1C's Role in Working Memory. <i>Neuropsychopharmacology</i> , 2017, 42, 2612-2622.	2.8	28
103	Methylene Blue (Tetramethylthionine Chloride) Influences the Mobility of Adult Neural Stem Cells: A Potentially Novel Therapeutic Mechanism of a Therapeutic Approach in the Treatment of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 531-540.	1.2	5
104	Nine differentially expressed genes from a post mortem study and their association with suicidal status in a sample of suicide completers, attempters and controls. <i>Journal of Psychiatric Research</i> , 2017, 91, 98-104.	1.5	6
105	Infection of iPSC Lines with Miscarriage-Associated Coxsackievirus and Measles Virus and Teratogenic Rubella Virus as a Model for Viral Impairment of Early Human Embryogenesis. <i>ACS Infectious Diseases</i> , 2017, 3, 886-897.	1.8	15
106	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	9.4	783
107	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. <i>Cell Reports</i> , 2017, 21, 2597-2613.	2.9	103
108	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838

#	ARTICLE	IF	CITATIONS
109	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 5-28.	1.3	75
110	Genetik und Gen-Umwelt-Interaktionen bei psychischen Erkrankungen. , 2017, , 147-191.		2
111	Parental Origin of Interstitial Duplications at 15q11.2-q13.3 in Schizophrenia and Neurodevelopmental Disorders. <i>PLoS Genetics</i> , 2016, 12, e1005993.	1.5	51
112	Blood Levels of Monoamine Precursors and Smoking in Patients with Schizophrenia. <i>Frontiers in Public Health</i> , 2016, 4, 182.	1.3	5
113	Reciprocal moderation by <i>Toxoplasma gondii</i> seropositivity and blood phenylalanine : tyrosine ratio of their associations with trait aggression. <i>Pteridines</i> , 2016, 27, 77-85.	0.5	8
114	A sequence variant associating with educational attainment also affects childhood cognition. <i>Scientific Reports</i> , 2016, 6, 36189.	1.6	2
115	Kynurenine and Tryptophan Levels in Patients With Schizophrenia and Elevated Antigliadin Immunoglobulin G Antibodies. <i>Psychosomatic Medicine</i> , 2016, 78, 931-939.	1.3	24
116	Possible biomarkers modulating haloperidol efficacy and/or tolerability. <i>Pharmacogenomics</i> , 2016, 17, 507-529.	0.6	0
117	Shared genetic contribution to ischemic stroke and Alzheimer's disease. <i>Annals of Neurology</i> , 2016, 79, 739-747.	2.8	56
118	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for Its Methodology and a Review of the Effectiveness of Switching Antipsychotics. <i>Focus (American J Psychiatry)</i> , 2016, 134, 1000-1008.	0.0	0
119	Translational medicine: from disease- and patient-specific stem cell research to clinical trials and back again. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 679-680.	1.8	3
120	Cardiovascular Risk Factors Associated With Blood Metabolite Concentrations and Their Alterations During a 4-Year Period in a Population-Based Cohort. <i>Circulation: Cardiovascular Genetics</i> , 2016, 9, 487-494.	5.1	30
121	Cognitive analysis of schizophrenia risk genes that function as epigenetic regulators of gene expression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 1170-1179.	1.1	43
122	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. <i>Nature Genetics</i> , 2016, 48, 1462-1472.	9.4	284
123	Identification of rare variants in KCTD13 at the schizophrenia risk locus 16p11.2. <i>Psychiatric Genetics</i> , 2016, 26, 293-296.	0.6	5
124	The role of ASTN2 variants in childhood and adult ADHD, comorbid disorders and associated personality traits. <i>Journal of Neural Transmission</i> , 2016, 123, 849-858.	1.4	7
125	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 406-428.	1.3	30
126	Genome-wide association study reveals greater polygenic loading for schizophrenia in cases with a family history of illness. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 276-289.	1.1	28

#	ARTICLE	IF	CITATIONS
127	Apolipoprotein E e4 and Cognitive Function: A Modifiable Association? Results from Two Independent Cohort Studies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 41, 35-45.	0.7	22
128	Effects of norepinephrine transporter gene variants on <scp>NET</scp> binding in <scp>ADHD</scp> and healthy controls investigated by <scp>PET</scp>. <i>Human Brain Mapping</i> , 2016, 37, 884-895.	1.9	37
129	Vitamin B-12 concentration, memory performance, and hippocampal structure in patients with mild cognitive impairment. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1045-1054.	2.2	56
130	Association of AADC Deletion and Gilles de la Tourette Syndrome in a Large European Cohort. <i>Biological Psychiatry</i> , 2016, 79, 383-391.	0.7	41
131	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. <i>Behavior Genetics</i> , 2016, 46, 170-182.	1.4	178
132	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016, 46, 151-169.	1.4	98
133	Combined <i>Toxoplasma gondii</i> seropositivity and high blood kynurenine â€“ Linked with nonfatal suicidal self-directed violence in patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2016, 72, 74-81.	1.5	29
134	Impact of KIBRA Polymorphism on Memory Function and the Hippocampus in Older Adults. <i>Neuropsychopharmacology</i> , 2016, 41, 781-790.	2.8	32
135	No Reliable Association between Runs of Homozygosity and Schizophrenia in a Well-Powered Replication Study. <i>PLoS Genetics</i> , 2016, 12, e1006343.	1.5	24
136	Accumulated common variants in the broader fragile X gene family modulate autistic phenotypes. <i>EMBO Molecular Medicine</i> , 2015, 7, 1565-1579.	3.3	37
137	In psychiatrically healthy individuals, overweight women but not men have lower tryptophan levels. <i>Pteridines</i> , 2015, 26, 79-84.	0.5	9
138	Investigation of the role of <i>TCF4</i> rare sequence variants in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 354-362.	1.1	12
139	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 363-373.	1.1	25
140	The Vulnerability to Suicidal Behavior is Associated with Reduced Connectivity Strength. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 632.	1.0	38
141	A Genome-Wide Copy Number Variant Study of Suicidal Behavior. <i>PLoS ONE</i> , 2015, 10, e0128369.	1.1	16
142	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 642.	6.0	289
143	Early Improvement As a Predictor of Later Response to Antipsychotics in Schizophrenia: A Diagnostic Test Review. <i>American Journal of Psychiatry</i> , 2015, 172, 617-629.	4.0	150
144	Methylphenidate Effects on Brain Activity as a Function of SLC6A3 Genotype and Striatal Dopamine Transporter Availability. <i>Neuropsychopharmacology</i> , 2015, 40, 736-745.	2.8	22

#	ARTICLE	IF	CITATIONS
145	Characterization of a REST-Regulated Internal Promoter in the Schizophrenia Genome-Wide Associated Gene MIR137. <i>Schizophrenia Bulletin</i> , 2015, 41, 698-707.	2.3	37
146	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	13.7	772
147	Interaction between 5-HTTLPR and 5-HT1B genotype status enhances cerebral 5-HT1A receptor binding. <i>NeuroImage</i> , 2015, 111, 505-512.	2.1	12
148	The Role of Abcb5 Alleles in Susceptibility to Haloperidol-Induced Toxicity in Mice and Humans. <i>PLoS Medicine</i> , 2015, 12, e1001782.	3.9	23
149	Magnetic Resonance Imaging and the Prediction of Outcome in First-Episode Schizophrenia: A Review of Current Evidence and Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2015, 41, 574-583.	2.3	94
150	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	2.3	36
151	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. <i>Schizophrenia Bulletin</i> , 2015, 41, 549-558.	2.3	47
152	Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015, 47, 445-447.	9.4	283
153	The role of <i>TREM2</i> R47H as a risk factor for Alzheimer's disease, frontotemporal lobar degeneration, amyotrophic lateral sclerosis, and Parkinson's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 1407-1416.	0.4	152
154	Neuroticism and extraversion as mediators between positive/negative life events and resilience. <i>Personality and Individual Differences</i> , 2015, 82, 193-198.	1.6	38
155	The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2015, 41, 559-573.	2.3	93
156	Association of COMT and SLC6A3 polymorphisms with impulsivity, response inhibition and brain function. <i>Cortex</i> , 2015, 71, 219-231.	1.1	12
157	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	0.9	53
158	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 658-671.	0.4	173
159	Latent infection with <i>Toxoplasma gondii</i> : Association with trait aggression and impulsivity in healthy adults. <i>Journal of Psychiatric Research</i> , 2015, 60, 87-94.	1.5	92
160	Auditory verbal hallucinations and the interhemispheric auditory pathway in chronic schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 31-44.	1.3	42
161	Elevated Levels of Plasma Phenylalanine in Schizophrenia: A Guanosine Triphosphate Cyclohydrolase-1 Metabolic Pathway Abnormality?. <i>PLoS ONE</i> , 2014, 9, e85945.	1.1	19
162	A Conserved BDNF, Glutamate- and GABA-Enriched Gene Module Related to Human Depression Identified by Coexpression Meta-Analysis and DNA Variant Genome-Wide Association Studies. <i>PLoS ONE</i> , 2014, 9, e90980.	1.1	75

#	ARTICLE	IF	CITATIONS
163	Exome Sequencing in 53 Sporadic Cases of Schizophrenia Identifies 18 Putative Candidate Genes. PLoS ONE, 2014, 9, e112745.	1.1	79
164	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	2.3	229
165	Clozapine-induced agranulocytosis is associated with rare HLA-DQB1 and HLA-B alleles. Nature Communications, 2014, 5, 4757.	5.8	153
166	Investigation of the involvement of <i>MIR185</i> and its target genes in the development of schizophrenia. Journal of Psychiatry and Neuroscience, 2014, 39, 386-396.	1.4	23
167	Integrated Pathway-Based Approach Identifies Association between Genomic Regions at CTCF and CACNB2 and Schizophrenia. PLoS Genetics, 2014, 10, e1004345.	1.5	44
168	Mild expression differences of MECP2 influencing aggressive social behavior. EMBO Molecular Medicine, 2014, 6, 662-684.	3.3	23
169	Neonatal exposure to MK801 reduces mRNA expression of mGlu3 receptors in the medial prefrontal cortex of adolescent rats. Synapse, 2014, 68, 202-208.	0.6	4
170	No Association Between NRG1 and ErbB4 Genes and Psychopathological Symptoms of Schizophrenia. NeuroMolecular Medicine, 2014, 16, 742-751.	1.8	4
171	Analysis of genome-wide significant bipolar disorder genes in borderline personality disorder. Psychiatric Genetics, 2014, 24, 262-265.	0.6	26
172	Apolipoprotein E Genotype and the Diagnostic Accuracy of Cerebrospinal Fluid Biomarkers for Alzheimer Disease. JAMA Psychiatry, 2014, 71, 1183.	6.0	85
173	Differential Effects of Common Variants in <i>SCN2A</i> on General Cognitive Ability, Brain Physiology, and messenger RNA Expression in Schizophrenia Cases and Control Individuals. JAMA Psychiatry, 2014, 71, 647.	6.0	33
174	Analysis of the KIFAP3 gene in amyotrophic lateral sclerosis: a multicenter survival study. Neurobiology of Aging, 2014, 35, 2420.e13-2420.e14.	1.5	16
175	Pleckstrin homology domain containing 6 protein (PLEKHA6) polymorphisms are associated with psychopathology and response to treatment in schizophrenic patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 51, 190-195.	2.5	10
176	Impact of COMT genotype on serotonin-1A receptor binding investigated with PET. Brain Structure and Function, 2014, 219, 2017-2028.	1.2	13
177	Convergent lines of evidence support CAMKK2 as a schizophrenia susceptibility gene. Molecular Psychiatry, 2014, 19, 774-783.	4.1	56
178	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain Imaging and Behavior, 2014, 8, 153-182.	1.1	696
179	Preliminary findings on the heritability of the neural correlates of response inhibition. Biological Psychology, 2014, 103, 19-23.	1.1	8
180	Association between dopa decarboxylase gene variants and borderline personality disorder. Psychiatry Research, 2014, 219, 693-695.	1.7	3

#	ARTICLE	IF	CITATIONS
181	Influence of differentially expressed genes from suicide post-mortem study on personality traits as endophenotypes on healthy subjects and suicide attempters. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 423-432.	1.8	11
182	Harmonization of Neuroticism and Extraversion phenotypes across inventories and cohorts in the Genetics of Personality Consortium: an application of Item Response Theory. <i>Behavior Genetics</i> , 2014, 44, 295-313.	1.4	103
183	Modeling a Genetic Risk for Schizophrenia in iPSCs and Mice Reveals Neural Stem Cell Deficits Associated with Adherens Junctions and Polarity. <i>Cell Stem Cell</i> , 2014, 15, 79-91.	5.2	238
184	Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e94661.	1.1	155
185	Exploring the Impact of BDNF Val66Met Genotype on Serotonin Transporter and Serotonin-1A Receptor Binding. <i>PLoS ONE</i> , 2014, 9, e106810.	1.1	11
186	Phadiatop Seropositivity in Schizophrenia Patients and Controls: A Preliminary Study. <i>AIMS Public Health</i> , 2014, 1, 43-50.	1.1	4
187	No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 405-412.	1.8	18
188	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013, 45, 1150-1159.	9.4	1,395
189	The "DGPPN-Cohort": a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 695-701.	1.8	17
190	MAOA and MAOB polymorphisms and anger-related traits in suicidal participants and controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 393-403.	1.8	32
191	In patients with schizophrenia, non-fatal suicidal self-directed violence is positively associated with present but not past smoking. <i>Schizophrenia Research</i> , 2013, 149, 194-195.	1.1	1
192	Serotonergic genes and suicide: A systematic review. <i>European Neuropsychopharmacology</i> , 2013, 23, 1125-1142.	0.3	109
193	Crybb2 coding for β 2-crystallin affects sensorimotor gating and hippocampal function. <i>Mammalian Genome</i> , 2013, 24, 333-348.	1.0	20
194	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013, 45, 1452-1458.	9.4	3,741
195	P300 in obsessive-compulsive disorder: Source localization and the effects of treatment. <i>Journal of Psychiatric Research</i> , 2013, 47, 1975-1983.	1.5	27
196	Variant of <i>TREM2</i> Associated with the Risk of Alzheimer's Disease. <i>New England Journal of Medicine</i> , 2013, 368, 107-116.	13.9	2,085
197	Influence of ANKK1 and DRD2 polymorphisms in response to haloperidol. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 65-74.	1.8	16
198	AKAP13, CACNA1, GRIK4 and GRIA1 genetic variations may be associated with haloperidol efficacy during acute treatment. <i>European Neuropsychopharmacology</i> , 2013, 23, 887-894.	0.3	27

#	ARTICLE	IF	CITATIONS
199	Genetics of emergent suicidality during antidepressive treatment—Data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>European Neuropsychopharmacology</i> , 2013, 23, 663-674.	0.3	21
200	Improved Detection of Common Variants Associated with Schizophrenia by Leveraging Pleiotropy with Cardiovascular-Disease Risk Factors. <i>American Journal of Human Genetics</i> , 2013, 92, 197-209.	2.6	422
201	CNTNAP2 polymorphisms and structural brain connectivity: A diffusion-tensor imaging study. <i>Journal of Psychiatric Research</i> , 2013, 47, 1349-1356.	1.5	37
202	Elevated gliadin antibody levels in individuals with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 509-515.	1.3	33
203	KCNIP4 as a candidate gene for personality disorders and adult ADHD. <i>European Neuropsychopharmacology</i> , 2013, 23, 436-447.	0.3	30
204	A Comprehensive Family-Based Replication Study of Schizophrenia Genes. <i>JAMA Psychiatry</i> , 2013, 70, 573.	6.0	138
205	Allosteric alpha-7 nicotinic receptor modulation and P50 sensory gating in schizophrenia: A proof-of-mechanism study. <i>Neuropharmacology</i> , 2013, 64, 197-204.	2.0	59
206	Opening Pandora's box in the UK: a hypothetical pharmacogenetic test for clozapine. <i>Pharmacogenomics</i> , 2013, 14, 1907-1914.	0.6	11
207	Oxytocin and oxytocin receptor gene polymorphisms and risk for schizophrenia: A case-control study. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 500-508.	1.3	84
208	The Role of the Major Histocompatibility Complex Region in Cognition and Brain Structure: A Schizophrenia GWAS Follow-Up. <i>American Journal of Psychiatry</i> , 2013, 170, 877-885.	4.0	60
209	Improved Detection of Common Variants Associated with Schizophrenia and Bipolar Disorder Using Pleiotropy-Informed Conditional False Discovery Rate. <i>PLoS Genetics</i> , 2013, 9, e1003455.	1.5	298
210	Cholinergic impact on neuroplasticity drives muscarinic M1 receptor mediated differentiation into neurons. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 241-246.	1.3	5
211	No evidence for an involvement of copy number variation in ABCA13 in schizophrenia, bipolar disorder, or major depressive disorder. <i>Psychiatric Genetics</i> , 2013, 23, 45-46.	0.6	6
212	Population Pharmacokinetic-Pharmacodynamic Modeling of Haloperidol in Patients With Schizophrenia Using Positive and Negative Syndrome Rating Scale. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 731-739.	0.7	15
213	The current development of CNS drug research. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1687-1693.	1.0	62
214	Distinct Loci in the <i>CHRNA5</i> / <i>CHRNA3</i> / <i>CHRN4</i> Gene Cluster Are Associated With Onset of Regular Smoking. <i>Genetic Epidemiology</i> , 2013, 37, 846-859.	0.6	32
215	A New Sandwich Immunoassay for Detection of the β -Secretase Cleaved, Soluble Amyloid- β Protein Precursor in Cerebrospinal Fluid and Serum. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 667-678.	1.2	9
216	Atypical parkinsonism due to a <i>D202N</i> Gerstmann-Strussler-Cheinker prion protein mutation: First in vivo diagnosed case. <i>Movement Disorders</i> , 2013, 28, 241-245.	2.2	14

#	ARTICLE	IF	CITATIONS
217	Glutamatergic Dysbalance and Oxidative Stress in In Vivo and In Vitro Models of Psychosis Based on Chronic NMDA Receptor Antagonism. PLoS ONE, 2013, 8, e59395.	1.1	24
218	Copy Number Variants in German Patients with Schizophrenia. PLoS ONE, 2013, 8, e64035.	1.1	24
219	A Positive Association between T. gondii Seropositivity and Obesity. Frontiers in Public Health, 2013, 1, 73.	1.3	32
220	Creatine Protects against Excitotoxicity in an In Vitro Model of Neurodegeneration. PLoS ONE, 2012, 7, e30554.	1.1	33
221	Sensorimotor gating and D2 receptor signalling: evidence from a molecular genetic approach. International Journal of Neuropsychopharmacology, 2012, 15, 1427-1440.	1.0	16
222	Response to Boot et al. Letter. American Journal of Psychiatry, 2012, 169, 97-97.	4.0	4
223	Smooth pursuit and visual scanpaths: Independence of two candidate oculomotor risk markers for schizophrenia. World Journal of Biological Psychiatry, 2012, 13, 200-210.	1.3	23
224	The complex role of the serotonin transporter in adult neurogenesis and neuroplasticity. A critical review. World Journal of Biological Psychiatry, 2012, 13, 240-247.	1.3	19
225	Antipsychotic Response in the First Week Predicts Later Efficacy. Neuropsychobiology, 2012, 66, 100-105.	0.9	14
226	The Role of Variation at AÎ²PP, PSEN1, PSEN2, and MAPT in Late Onset Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 28, 377-387.	1.2	53
227	Current Progress in the Genetic Research of Schizophrenia: Relevance for Drug Discovery?. Current Pharmaceutical Biotechnology, 2012, 13, 1614-1621.	0.9	4
228	Association Study of Nonsynonymous Single Nucleotide Polymorphisms in Schizophrenia. Biological Psychiatry, 2012, 71, 169-177.	0.7	78
229	Dysequilibrium of neuronal proliferation and apoptosis in a pharmacological animal model of psychosis. Methods, 2012, 56, 519-527.	1.9	11
230	Identification of common variants associated with human hippocampal and intracranial volumes. Nature Genetics, 2012, 44, 552-561.	9.4	594
231	Investigation of tryptophan hydroxylase 2 (TPH2) in schizophrenia and in the response to antipsychotics. Journal of Psychiatric Research, 2012, 46, 1073-1080.	1.5	11
232	Interplay between DISC1 and GABA Signaling Regulates Neurogenesis in Mice and Risk for Schizophrenia. Cell, 2012, 148, 1051-1064.	13.5	196
233	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. Biological Psychiatry, 2012, 72, 645-650.	0.7	15
234	Simple Viewing Tests Can Detect Eye Movement Abnormalities That Distinguish Schizophrenia Cases from Controls with Exceptional Accuracy. Biological Psychiatry, 2012, 72, 716-724.	0.7	132

#	ARTICLE	IF	CITATIONS
235	Copy number variations in neurodevelopmental disorders. <i>Progress in Neurobiology</i> , 2012, 99, 81-91.	2.8	150
236	Association between schizophrenia and common variation in neurocan (NCAN), a genetic risk factor for bipolar disorder. <i>Schizophrenia Research</i> , 2012, 138, 69-73.	1.1	70
237	Genetic variation at the synaptic vesicle gene SV2A is associated with schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 262-265.	1.1	13
238	Variation within the Huntington's Disease Gene Influences Normal Brain Structure. <i>PLoS ONE</i> , 2012, 7, e29809.	1.1	30
239	Reduced Hippocampal Volume in Healthy Young ApoE4 Carriers: An MRI Study. <i>PLoS ONE</i> , 2012, 7, e48895.	1.1	168
240	Association between Oxytocin Receptor Gene Polymorphisms and Self-Rated "Empathic Concern"™ in Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e51882.	1.1	69
241	Common Variants of the Genes Encoding Erythropoietin and Its Receptor Modulate Cognitive Performance in Schizophrenia. <i>Molecular Medicine</i> , 2012, 18, 1029-1040.	1.9	34
242	Effect of transient blockade of N-methyl-D-aspartate receptors at neonatal stage on stress-induced lactate metabolism in the medial prefrontal cortex of adult rats: Role of 5-HT1A receptor agonism. <i>Synapse</i> , 2012, 66, 408-417.	0.6	11
243	The schizophrenia risk gene ZNF804A influences the antipsychotic response of positive schizophrenia symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 193-197.	1.8	33
244	Possible Association Between OPRM1 Genetic Variance at the 118 Locus and Alcohol Dependence in a Large Treatment Sample: Relationship to Alcohol Dependence Symptoms. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1230-1236.	1.4	22
245	White Matter Differences between Healthy Young ApoE4 Carriers and Non-Carriers Identified with Tractography and Support Vector Machines. <i>PLoS ONE</i> , 2012, 7, e36024.	1.1	19
246	Long-Term Observation of a Multicomponent Cognitive Intervention in Mild Cognitive Impairment. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e1492-e1498.	1.1	48
247	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
248	Candidate Gene Analysis of the Human Natural Killer-1 Carbohydrate Pathway and Perineuronal Nets in Schizophrenia: B3GAT2 Is Associated with Disease Risk and Cortical Surface Area. <i>Biological Psychiatry</i> , 2011, 69, 90-96.	0.7	42
249	Evidence of Sex-Modulated Association of ZNF804A with Schizophrenia. <i>Biological Psychiatry</i> , 2011, 69, 914-917.	0.7	57
250	At-Risk Variant in TCF7L2 for Type II Diabetes Increases Risk of Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 59-63.	0.7	114
251	Antihypertensive Therapy Is Associated with Reduced Rate of Conversion to Alzheimer's Disease in Midregional Proatrial Natriuretic Peptide Stratified Subjects with Mild Cognitive Impairment. <i>Biological Psychiatry</i> , 2011, 70, 145-151.	0.7	24
252	Common variants on 8p12 and 1q24.2 confer risk of schizophrenia. <i>Nature Genetics</i> , 2011, 43, 1224-1227.	9.4	224

#	ARTICLE	IF	CITATIONS
253	ADAMTSL3 as a candidate gene for schizophrenia: Gene sequencing and ultra-high density association analysis by imputation. <i>Schizophrenia Research</i> , 2011, 127, 28-34.	1.1	42
254	Resequencing and follow-up of neurexin 1 (NRXN1) in schizophrenia patients. <i>Schizophrenia Research</i> , 2011, 127, 35-40.	1.1	13
255	Toxoplasma gondii antibody titers and history of suicide attempts in patients with schizophrenia. <i>Schizophrenia Research</i> , 2011, 133, 150-155.	1.1	108
256	Sociodemographic and treatment related variables are poor predictors of haloperidol induced motor side effects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 74-77.	2.5	6
257	CALHM1 P86L Polymorphism Modulates CSF A β Levels in Cognitively Healthy Individuals at Risk for Alzheimer's Disease. <i>Molecular Medicine</i> , 2011, 17, 974-979.	1.9	26
258	Association of somatoform disorder symptoms with genetic variants potentially involved in the modulation of nociception. <i>Psychiatric Genetics</i> , 2011, 21, 50.	0.6	2
259	Effects of a Newly Developed Cognitive Intervention in Amnesic Mild Cognitive Impairment and mild Alzheimer's disease: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 679-694.	1.2	121
260	Association of ADH4 genetic variants with alcohol dependence risk and related phenotypes: results from a larger multicenter association study. <i>Addiction Biology</i> , 2011, 16, 323-333.	1.4	17
261	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 429-435.	9.4	1,708
262	Homer-1 polymorphisms are associated with psychopathology and response to treatment in schizophrenic patients. <i>Journal of Psychiatric Research</i> , 2011, 45, 234-241.	1.5	55
263	Catechol-o-methyltransferase gene modulation on suicidal behavior and personality traits: review, meta-analysis and association study. <i>Journal of Psychiatric Research</i> , 2011, 45, 309-321.	1.5	133
264	Alterations of the early auditory evoked gamma-band response in first-degree relatives of patients with schizophrenia: Hints to a new intermediate phenotype. <i>Journal of Psychiatric Research</i> , 2011, 45, 699-705.	1.5	57
265	Are we going to end up with many distinct genomic syndromes in psychiatry?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 145-146.	1.8	5
266	Lack of association between 71 variations located in candidate genes and response to acute haloperidol treatment. <i>Psychopharmacology</i> , 2011, 214, 719-728.	1.5	2
267	Schizophrenia Genes: On the Matter of Their Convergence. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 12, 429-440.	0.8	5
268	Maternally Derived Microduplications at 15q11-q13: Implication of Imprinted Genes in Psychotic Illness. <i>American Journal of Psychiatry</i> , 2011, 168, 408-417.	4.0	95
269	NCAM1, TACR1 and NOS Genes and Temperament: A Study on Suicide Attempters and Controls. <i>Neuropsychobiology</i> , 2011, 64, 32-37.	0.9	12
270	Novel Schizophrenia Risk Gene TCF4 Influences Verbal Learning and Memory Functioning in Schizophrenia Patients. <i>Neuropsychobiology</i> , 2011, 63, 131-136.	0.9	40

#	ARTICLE	IF	CITATIONS
271	The Schizophrenia Risk Allele C of the <i>TCF4</i> rs9960767 Polymorphism Disrupts Sensorimotor Gating in Schizophrenia Spectrum and Healthy Volunteers. <i>Journal of Neuroscience</i> , 2011, 31, 6684-6691.	1.7	85
272	Identification of new schizophrenia susceptibility loci in an ethnically homogeneous, family-based, Arab-Israeli sample. <i>FASEB Journal</i> , 2011, 25, 4011-4023.	0.2	25
273	Dopamine-related genes and spontaneous smoking cessation in ever-heavy smokers. <i>Pharmacogenomics</i> , 2011, 12, 1099-1106.	0.6	7
274	Low Serotonergic Function and Its Normalization by Treatment With Sertraline in Obsessive-Compulsive Disorder-An Auditory Evoked Potential Study. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 341-343.	0.7	6
275	Evidence of statistical epistasis between DISC1, CIT and NDEL1 impacting risk for schizophrenia: biological validation with functional neuroimaging. <i>Human Genetics</i> , 2010, 127, 441-452.	1.8	93
276	Interaction of haloperidol plasma level and antipsychotic effect in early phases of acute psychosis treatment. <i>Journal of Psychiatric Research</i> , 2010, 44, 487-492.	1.5	23
277	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. <i>Journal of Psychiatric Research</i> , 2010, 44, 541-546.	1.5	23
278	Gene variants associated with schizophrenia in a Norwegian genome-wide study are replicated in a large European cohort. <i>Journal of Psychiatric Research</i> , 2010, 44, 748-753.	1.5	183
279	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , 2010, 42, 436-440.	9.4	581
280	Sequence variants at CHRN3, CHRNA6 and CYP2A6 affect smoking behavior. <i>Nature Genetics</i> , 2010, 42, 448-453.	9.4	649
281	Genetic Evidence Implicates the Immune System and Cholesterol Metabolism in the Aetiology of Alzheimer's Disease. <i>PLoS ONE</i> , 2010, 5, e13950.	1.1	347
282	A large genome scan for rare CNVs in amyotrophic lateral sclerosis. <i>Human Molecular Genetics</i> , 2010, 19, 4091-4099.	1.4	51
283	Advances and perspectives from genetic research: development of biological markers in Alzheimer's disease. <i>Expert Review of Molecular Diagnostics</i> , 2010, 10, 667-690.	1.5	56
284	A large replication study and meta-analysis in European samples provides further support for association of AHI1 markers with schizophrenia. <i>Human Molecular Genetics</i> , 2010, 19, 1379-1386.	1.4	51
285	Penetrance for copy number variants associated with schizophrenia. <i>Human Molecular Genetics</i> , 2010, 19, 3477-3481.	1.4	132
286	Multiple Independent Loci at Chromosome 15q25.1 Affect Smoking Quantity: a Meta-Analysis and Comparison with Lung Cancer and COPD. <i>PLoS Genetics</i> , 2010, 6, e1001053.	1.5	332
287	Serotonin Depletion Hampers Survival and Proliferation in Neurospheres Derived from Adult Neural Stem Cells. <i>Neuropsychopharmacology</i> , 2010, 35, 893-903.	2.8	40
288	Plasma Protein Biomarkers for Depression and Schizophrenia by Multi Analyte Profiling of Case-Control Collections. <i>PLoS ONE</i> , 2010, 5, e9166.	1.1	294

#	ARTICLE	IF	CITATIONS
289	Reduced Early Auditory Evoked Gamma-Band Response in Patients with Schizophrenia. <i>Biological Psychiatry</i> , 2010, 67, 224-231.	0.7	110
290	Neuroanatomical correlates of executive dysfunction in the at-risk mental state for psychosis. <i>Schizophrenia Research</i> , 2010, 123, 160-174.	1.1	46
291	Genetic findings in schizophrenia patients related to alterations in the intracellular Ca-homeostasis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1375-1380.	2.5	21
292	Influence of neuronal cell adhesion molecule (NCAM1) variants on suicidal behaviour and correlated traits. <i>Psychiatry Research</i> , 2010, 179, 222-225.	1.7	10
293	Neurexin 1 (NRXN1) Deletions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 851-854.	2.3	211
294	Tyrosine Hydroxylase and DOPA Decarboxylase Gene Variants in Personality Traits. <i>Neuropsychobiology</i> , 2009, 59, 23-27.	0.9	7
295	A Genome-Wide Investigation of SNPs and CNVs in Schizophrenia. <i>PLoS Genetics</i> , 2009, 5, e1000373.	1.5	383
296	Disruption of the neurexin 1 gene is associated with schizophrenia. <i>Human Molecular Genetics</i> , 2009, 18, 988-996.	1.4	424
297	Serotonin receptor HTR1A and HTR2C variants and personality traits in suicide attempters and controls. <i>Journal of Psychiatric Research</i> , 2009, 43, 519-525.	1.5	42
298	Inefficient neural activity in patients with schizophrenia and nonpsychotic relatives of schizophrenic patients: Evidence from a working memory task. <i>Journal of Psychiatric Research</i> , 2009, 43, 1185-1194.	1.5	43
299	Personality and attempted suicide. Analysis of anger, aggression and impulsivity. <i>Journal of Psychiatric Research</i> , 2009, 43, 1262-1271.	1.5	167
300	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
301	Genome-wide association study identifies variants at CLU and PICALM associated with Alzheimer's disease. <i>Nature Genetics</i> , 2009, 41, 1088-1093.	9.4	2,697
302	Genome-wide association study identifies 19p13.3 (UNC13A) and 9p21.2 as susceptibility loci for sporadic amyotrophic lateral sclerosis. <i>Nature Genetics</i> , 2009, 41, 1083-1087.	9.4	344
303	A primate-specific, brain isoform of KCNH2 affects cortical physiology, cognition, neuronal repolarization and risk of schizophrenia. <i>Nature Medicine</i> , 2009, 15, 509-518.	15.2	232
304	Smoking Cessation and Variations in Nicotinic Acetylcholine Receptor Subunits $\hat{1}\pm-5$, $\hat{1}\pm-3$, and $\hat{1}\pm-4$ Genes. <i>Biological Psychiatry</i> , 2009, 65, 691-695.	0.7	41
305	EEG-vigilance differences between patients with borderline personality disorder, patients with obsessive-compulsive disorder and healthy controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 137-143.	1.8	57
306	Association of catechol-O-methyltransferase variants with loudness dependence of auditory evoked potentials. <i>Human Psychopharmacology</i> , 2008, 23, 115-120.	0.7	18

#	ARTICLE	IF	CITATIONS
307	NOS-I and -III gene variants are differentially associated with facets of suicidal behavior and aggression-related traits. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 42-48.	1.1	50
308	Large recurrent microdeletions associated with schizophrenia. Nature, 2008, 455, 232-236.	13.7	1,619
309	Identification of loci associated with schizophrenia by genome-wide association and follow-up. Nature Genetics, 2008, 40, 1053-1055.	9.4	977
310	Electrophysiological evidence for cortical abnormalities in obsessive-compulsive disorder. A replication study using auditory event-related P300 subcomponents. Journal of Psychiatric Research, 2008, 42, 297-303.	1.5	32
311	Temperament and character of suicide attempters. Journal of Psychiatric Research, 2008, 42, 938-945.	1.5	63
312	Estrogen receptor gene 1 variants are not associated with suicidal behavior. Psychiatry Research, 2008, 160, 1-7.	1.7	14
313	Expression of N-methyl-d-aspartate (NMDA) receptor subunits and splice variants in an animal model of long-term voluntary alcohol self-administration. Drug and Alcohol Dependence, 2008, 96, 16-21.	1.6	22
314	Further evidence for a functional role of the glutamate receptor gene GRM3 in schizophrenia. European Neuropsychopharmacology, 2008, 18, 768-772.	0.3	47
315	Is the roller coaster ride in schizophrenia genetics coming to an end? Breakthrough or wishful thinking?. World Journal of Biological Psychiatry, 2008, 9, 162-164.	1.3	3
316	Strong evidence that GNB1L is associated with schizophrenia. Human Molecular Genetics, 2008, 17, 555-566.	1.4	64
317	Gene expression profiling of post-mortem orbitofrontal cortex in violent suicide victims. International Journal of Neuropsychopharmacology, 2008, 11, 217-28.	1.0	66
318	Association of functional polymorphisms in NOS1 and NOS3 with loudness dependence of auditory evoked potentials. International Journal of Neuropsychopharmacology, 2008, 11, 477-83.	1.0	20
319	Association analysis between variants of the interleukin-1β and the interleukin-1 receptor antagonist gene and antidepressant treatment response in major depression. Neuropsychiatric Disease and Treatment, 2008, 4, 269.	1.0	32
320	Molecular Genetic Findings in Suicidal Behavior: What is Beyond the Serotonergic System?. Archives of Suicide Research, 2007, 11, 17-40.	1.2	66
321	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. Psychiatry Research, 2007, 153, 183-187.	1.7	7
322	5-HT2A SNPs and the Temperament and Character Inventory. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1275-1281.	2.5	32
323	A monoamine oxidase B gene variant and short-term antidepressant treatment response. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1370-1377.	2.5	22
324	ABCG1 gene variants in suicidal behavior and aggression-related traits. European Neuropsychopharmacology, 2007, 17, 410-416.	0.3	24

#	ARTICLE	IF	CITATIONS
325	Alterations of hippocampal and prefrontal GABAergic interneurons in an animal model of psychosis induced by NMDA receptor antagonism. <i>Schizophrenia Research</i> , 2007, 97, 254-263.	1.1	106
326	Candidate genes of anxiety-related behavior in HAB/LAB rats and mice: Focus on vasopressin and glyoxalase-I. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 89-102.	2.9	167
327	Evidence for statistical epistasis between catechol-O-methyltransferase (COMT) and polymorphisms in RGS4, G72 (DAOA), GRM3, and DISC1: influence on risk of schizophrenia. <i>Human Genetics</i> , 2007, 120, 889-906.	1.8	130
328	A Pharmacological Model for Psychosis Based on N-methyl-D-aspartate Receptor Hypofunction: Molecular, Cellular, Functional and Behavioral Abnormalities. <i>Biological Psychiatry</i> , 2006, 59, 721-729.	0.7	219
329	Factor structure and external validity of the PANSS revisited. <i>Schizophrenia Research</i> , 2006, 82, 213-223.	1.1	124
330	The alternative splicing of tau exon 10 and its regulatory proteins CLK2 and TRA2-BETA1 changes in sporadic Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2006, 96, 635-644.	2.1	123
331	Platelet 5-HT _{2A} receptor binding and tryptophan availability in depression are not associated with recent history of suicide attempts but with personality traits characteristic for suicidal behavior. <i>Journal of Affective Disorders</i> , 2006, 91, 57-62.	2.0	21
332	Anger- and aggression-related traits are associated with polymorphisms in the 5-HT-2A gene. <i>Journal of Affective Disorders</i> , 2006, 96, 75-81.	2.0	98
333	A Ser9Gly Polymorphism in the Dopamine D3 Receptor Gene (DRD3) and Event-Related P300 Potentials. <i>Neuropsychopharmacology</i> , 2006, 31, 1335-1344.	2.8	58
334	Polymorphisms in the NMDA subunit 2B are not associated with alcohol dependence and alcohol withdrawal?induced seizures and delirium tremens. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 129-135.	1.8	21
335	A Multicenter Study about Neurobiology of Suicidal Behavior: Design, Development, and Preliminary Results. <i>Archives of Suicide Research</i> , 2005, 9, 19-26.	1.2	5
336	Kinematical Analysis of Motor Function in Schizophrenic Patients: a Possibility to Separate Negative Symptoms from Extrapyramidal Dysfunction Induced by Neuroleptics?. <i>Pharmacopsychiatry</i> , 2004, 37, 110-118.	1.7	14
337	Lack of association between serotonin 5-HT _{1B} receptor gene polymorphism and suicidal behavior. , 2003, 116B, 69-71.		38
338	Genetic variations in tryptophan hydroxylase in suicidal behavior. <i>Biological Psychiatry</i> , 2003, 54, 465-473.	0.7	137
339	A functional single nucleotide polymorphism (V158M) in the COMT gene is associated with aggressive personality traits. <i>Biological Psychiatry</i> , 2003, 54, 34-39.	0.7	162
340	Association study of a SNP coding for a M129V substitution in the prion protein in schizophrenia. <i>Schizophrenia Research</i> , 2003, 62, 289-291.	1.1	2
341	Analysis of genetic variations of protein tyrosine kinase fyn and their association with alcohol dependence in two independent cohorts. <i>Biological Psychiatry</i> , 2003, 54, 1422-1426.	0.7	70
342	Detection of TOAD-64 in adult rat brain as revealed by two-dimensional protein gel electrophoresis followed by MALDI mass spectrometry. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 693-698.	2.5	4

#	ARTICLE	IF	CITATIONS
343	Regulation of Alternative Splicing of Human Tau Exon 10 by Phosphorylation of Splicing Factors. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 80-90.	1.0	101
344	A polymorphism in the promoter of the serotonin transporter gene is not associated with suicidal behavior. <i>Psychiatric Genetics</i> , 2001, 11, 169-172.	0.6	39
345	Association of Short-Term Response to Haloperidol Treatment With a Polymorphism in the Dopamine D2Receptor Gene. <i>American Journal of Psychiatry</i> , 2001, 158, 802-804.	4.0	144
346	Association of an Interleukin-1 β Genetic Polymorphism With Altered Brain Structure in Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1316-1319.	4.0	110
347	Neurotoxicity of NMDA antagonists: a glutamatergic theory of schizophrenia based on selective impairment of local inhibitory feedback circuits. <i>Dialogues in Clinical Neuroscience</i> , 2000, 2, 287-298.	1.8	5
348	Induction of c-fos gene expression by the selective sigma receptor ligand EMD 57445 in rat brain. <i>European Neuropsychopharmacology</i> , 1996, 6, 237-243.	0.3	19
349	Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. <i>Schizophrenia Bulletin Open</i> , 0, , .	0.9	2
350	Mapping the genetic architecture of suicide attempt and suicide death using polygenic risk scores for clinically-related psychiatric disorders and traits. <i>Psychological Medicine</i> , 0, , 1-9.	2.7	0