Zdenka Bartosova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/308139/publications.pdf

Version: 2024-02-01

1305906 1255698 14 175 8 13 citations h-index g-index papers 14 14 14 343 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Overexpression of Two New Acyl-CoA:Diacylglycerol Acyltransferase 2-Like Acyl-CoA:Sterol Acyltransferases Enhanced Squalene Accumulation in Aurantiochytrium limacinum. Frontiers in Microbiology, 2022, 13, 822254.	1.5	9
2	Impaired NDRG1 functions in Schwann cells cause demyelinating neuropathy in a dog model of Charcot-Marie-Tooth type 4D. Neuromuscular Disorders, 2021, 31, 56-68.	0.3	3
3	Combined Metabolome and Lipidome Analyses for In-Depth Characterization of Lipid Accumulation in the DHA Producing Aurantiochytrium sp. T66. Metabolites, 2021, 11, 135.	1.3	12
4	Diet and Life Stage-Associated Lipidome Remodeling in Atlantic Salmon. Journal of Agricultural and Food Chemistry, 2021, 69, 3787-3796.	2.4	5
5	High Throughput Semiquantitative UHPSFC–MS/MS Lipid Profiling and Lipid Class Determination. Journal of Chromatographic Science, 2021, 59, 670-680.	0.7	13
6	Demyelinating polyneuropathy in goats lacking prion protein. FASEB Journal, 2020, 34, 2359-2375.	0.2	27
7	Absolute Quantification of the Central Carbon Metabolome in Eight Commonly Applied Prokaryotic and Eukaryotic Model Systems. Metabolites, 2020, 10, 74.	1.3	39
8	HPLC–ED of low-molecular weight brominated phenols and tetrabromobisphenol A using pretreated carbon fiber microelectrode. Talanta, 2014, 122, 115-121.	2.9	8
9	Electrochemical Pretreatment of Carbon Fiber Microelectrodes Based on Sinusoidal-wave Potential Cycling and its Application to Amperometric Sensing of Bioactive Compounds. Current Analytical Chemistry, 2013, 9, 305-311.	0.6	6
10	Electrochemical Pretreatment of Carbon Fiber Microelectrodes Based on Sinusoidal-wave Potential Cycling and its Application to Amperometric Sensing of Bioactive Compounds. Current Analytical Chemistry, 2013, 9, 305-311.	0.6	6
11	Electrochemically Pretreated Carbon Microfiber Electrodes as Sensitive HPLC-EC Detectors. Scientific World Journal, The, 2012, 2012, 1-6.	0.8	10
12	High-performance liquid chromatographic method with amperometric detection employing boron-doped diamond electrode for the determination of sildenafil, vardenafil and their main metabolites in plasma. Journal of Chromatography A, 2011, 1218, 7996-8001.	1.8	23
13	Study of electrochemical oxidation of cyanidin glycosides by online combination of electrochemistry with electrospray ionization tandem mass spectrometry. Monatshefte Fýr Chemie, 2011, 142, 1211-1217.	0.9	4
14	Electrochemical characterization of repaglinide and its determination in human plasma using liquid chromatography with dual-channel coulometric detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3243-3248.	1.2	10