

Vassilios A Tsihrintzis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3081895/vassilios-a-tsihrintzis-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125 papers	3,933 citations	36 h-index	58 g-index
139 ext. papers	4,512 ext. citations	4.7 avg, IF	6.05 L-index

#	Paper	IF	Citations
125	Effect of temperature, HRT, vegetation and porous media on removal efficiency of pilot-scale horizontal subsurface flow constructed wetlands. <i>Ecological Engineering</i> , 2007 , 29, 173-191	3.9	43 ⁸
124	Effects of loading, resting period, temperature, porous media, vegetation and aeration on performance of pilot-scale vertical flow constructed wetlands. <i>Chemical Engineering Journal</i> , 2012 , 181-182, 416-430	14.7	170
123	Constructed Floating Wetlands: A review of research, design, operation and management aspects, and data meta-analysis. <i>Chemical Engineering Journal</i> , 2017 , 308, 1120-1132	14.7	137
122	Runoff quality prediction from small urban catchments using SWMM. <i>Hydrological Processes</i> , 1998 , 12, 311-329	3.3	126
121	Assessment of groundwater vulnerability to pollution: a combination of GIS, fuzzy logic and decision making techniques. <i>Environmental Geology</i> , 2006 , 49, 653-673		102
120	Assessment of water quality of first-flush roof runoff and harvested rainwater. <i>Journal of Hydrology</i> , 2012 , 466-467, 115-126	6	96
119	Combining geographic information system, multicriteria evaluation techniques and fuzzy logic in siting MSW landfills. <i>Environmental Geology</i> , 2006 , 51, 797-811		95
118	Modeling and Management of Urban Stormwater Runoff Quality: A Review. <i>Water Resources Management</i> , 1997 , 11, 136-164	3.7	92
117	Experimental investigation of inertial flow processes in porous media. <i>Journal of Hydrology</i> , 2009 , 374, 242-254	6	86
116	An artificial neural network model and design equations for BOD and COD removal prediction in horizontal subsurface flow constructed wetlands. <i>Chemical Engineering Journal</i> , 2008 , 143, 96-110	14.7	85
115	Determination of Forchheimer equation coefficients a and b. <i>Hydrological Processes</i> , 2007 , 21, 534-554	3.3	84
114	Environmental Benefits and Control of Pollution to Surface Water and Groundwater by Agroforestry Systems: a Review. <i>Water Resources Management</i> , 2018 , 32, 1-29	3.7	74
113	A small-size vertical flow constructed wetland for on-site treatment of household wastewater. <i>Ecological Engineering</i> , 2012 , 44, 337-343	3.9	68
112	Experimental investigation of flow behavior in smooth and rough artificial fractures. <i>Journal of Hydrology</i> , 2015 , 521, 108-118	6	63
111	Effect of wastewater step-feeding on removal efficiency of pilot-scale horizontal subsurface flow constructed wetlands. <i>Ecological Engineering</i> , 2011 , 37, 431-443	3.9	63
110	Use of Geographic Information Systems (GIS) in water resources: A review. <i>Water Resources Management</i> , 1996 , 10, 251-277	3.7	62
109	Dewatering mechanisms in pilot-scale Sludge Drying Reed Beds: Effect of design and operational parameters. <i>Chemical Engineering Journal</i> , 2011 , 172, 430-443	14.7	60

108	Effluent quality improvement of two pilot-scale, horizontal subsurface flow constructed wetlands using natural zeolite (clinoptilolite). <i>Microporous and Mesoporous Materials</i> , 2009 , 124, 131-143	5.3	58
107	Effect of operational and design parameters on removal efficiency of pilot-scale FWS constructed wetlands and comparison with HSF systems. <i>Ecological Engineering</i> , 2010 , 36, 862-875	3.9	58
106	Approximate analytical solutions of the Forchheimer equation. <i>Journal of Hydrology</i> , 2005 , 309, 93-103	6	58
105	Modeling of non-point source pollution in a Mediterranean drainage basin. <i>Environmental Modeling and Assessment</i> , 2006 , 11, 219-233	2	56
104	Performance of pilot-scale vertical flow constructed wetlands treating simulated municipal wastewater: effect of various design parameters. <i>Desalination</i> , 2009 , 248, 753-770	10.3	55
103	Hydrological and water quality modeling in a medium-sized basin using the Soil and Water Assessment Tool (SWAT). <i>Desalination</i> , 2010 , 250, 274-286	10.3	55
102	Water Quality Trends in a Coastal Lagoon Impacted by Non-point Source Pollution after Implementation of Protective Measures. <i>Hydrobiologia</i> , 2006 , 563, 385-406	2.4	55
101	Constructed wetlands for wastewater and activated sludge treatment in north Greece: a review. <i>Water Science and Technology</i> , 2010 , 61, 2653-72	2.2	50
100	Total nitrogen and ammonia removal prediction in horizontal subsurface flow constructed wetlands: use of artificial neural networks and development of a design equation. <i>Bioresource Technology</i> , 2009 , 100, 586-96	11	49
99	Characterization of rain and roof drainage water quality in Xanthi, Greece. <i>Environmental Monitoring and Assessment</i> , 2007 , 127, 15-27	3.1	47
98	A quantitative method for accounting human opinion, preferences and perceptions in ecosystem management. <i>Journal of Environmental Management</i> , 2003 , 68, 193-205	7.9	47
97	Removal of Endocrine Disrupting Chemicals in HSF and VF pilot-scale constructed wetlands. <i>Chemical Engineering Journal</i> , 2016 , 294, 146-156	14.7	45
96	Use of zeolite and bauxite as filter media treating the effluent of Vertical Flow Constructed Wetlands. <i>Microporous and Mesoporous Materials</i> , 2012 , 155, 106-116	5.3	42
95	Perceptions and preferences of the local population in Eastern Macedonia and Thrace National Park in Greece. <i>Landscape and Urban Planning</i> , 2006 , 77, 1-16	7.7	42
94	Soil salinization in the agricultural lands of Rhodope District, northeastern Greece. <i>Environmental Monitoring and Assessment</i> , 2010 , 166, 79-94	3.1	40
93	Artificial neural network use in ortho-phosphate and total phosphorus removal prediction in horizontal subsurface flow constructed wetlands. <i>Biosystems Engineering</i> , 2009 , 102, 190-201	4.8	39
92	Low-cost approaches for the removal of terbuthylazine from agricultural wastewater: Constructed wetlands and biopurification system. <i>Chemical Engineering Journal</i> , 2018 , 335, 647-656	14.7	38
91	Effect of outlet water level raising and effluent recirculation on removal efficiency of pilot-scale, horizontal subsurface flow constructed wetlands. <i>Desalination</i> , 2009 , 248, 961-976	10.3	37

90	Effect of various design and operation parameters on performance of pilot-scale Sludge Drying Reed Beds. <i>Ecological Engineering</i> , 2012 , 38, 65-78	3.9	36
89	Modeling of Vertical Flow Constructed Wetlands 2014 , 165-179		35
88	Chromium removal from wastewater using HSF and VF pilot-scale constructed wetlands: Overall performance, and fate and distribution of this element within the wetland environment. <i>Chemosphere</i> , 2017 , 168, 716-730	8.4	35
87	Heavy metal fate in pilot-scale sludge drying reed beds under various design and operation conditions. <i>Journal of Hazardous Materials</i> , 2012 , 213-214, 393-405	12.8	33
86	Water quality trends in Polyphytos reservoir, Aliakmon River, Greece. <i>Environmental Monitoring and Assessment</i> , 2009 , 149, 163-81	3.1	33
85	Optimal Sizing of Rainwater Harvesting Tanks for Domestic Use in Greece. <i>Water Resources Management</i> , 2015 , 29, 4357-4377	3.7	32
84	S-metolachlor herbicide removal in pilot-scale horizontal subsurface flow constructed wetlands. <i>Chemical Engineering Journal</i> , 2018 , 339, 108-116	14.7	32
83	A fuzzy inference system for wind-wave modeling. <i>Ocean Engineering</i> , 2009 , 36, 1358-1365	3.9	32
82	Stability and maturity of thickened wastewater sludge treated in pilot-scale sludge treatment wetlands. <i>Water Research</i> , 2011 , 45, 6441-52	12.5	31
81	Evaluation of evapotranspiration in small on-site HSF constructed wetlands. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 766-85	2.3	30
80	MODELING PREVENTION ALTERNATWES FOR NONPOINT SOURCE POLLUTION AT A WELLFIELD IN FLORIDA1. <i>Journal of the American Water Resources Association</i> , 1996 , 32, 317-331	2.1	30
79	Hydraulic Resistance Determination in Marsh Wetlands. <i>Water Resources Management</i> , 2000 , 14, 285-309	3.7	29
78	Fuzzy logic models for BOD removal prediction in free-water surface constructed wetlands. <i>Ecological Engineering</i> , 2013 , 51, 66-74	3.9	27
77	Use of GIS in siting stabilization pond facilities for domestic wastewater treatment. <i>Journal of Environmental Management</i> , 2007 , 82, 155-66	7.9	26
76	The use of Vertical Flow Constructed Wetlands in Wastewater Treatment. <i>Water Resources Management</i> , 2017 , 31, 3245-3270	3.7	25
75	URBAN STORMWATER QUANTITY/QUALITY MODELING USING THE SCS METHOD AND EMPIRICAL EQUATIONS1. <i>Journal of the American Water Resources Association</i> , 1997 , 33, 163-176	2.1	25
74	Modeling of flow and BOD fate in horizontal subsurface flow constructed wetlands. <i>Chemical Engineering Journal</i> , 2012 , 200-202, 681-693	14.7	24
73	Water quality of Vistonis Lagoon, Northern Greece: seasonal variation and impact of bottom sediments. <i>Desalination</i> , 2007 , 210, 83-97	10.3	24

72	Performance and modeling of a vertical flow constructed wetland-maturation pond system. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2011 , 46, 692-708	2.3	22
71	Hydrodynamic Modeling of Wetlands for Flood Detention. <i>Water Resources Management</i> , 1998 , 12, 251-269	3.7	21
70	Ecosystem Management: A Review of a New Concept and Methodology. <i>Water Resources Management</i> , 2000 , 14, 257-283	3.7	21
69	Spatial and temporal changes of water quality, and SWAT modeling of Vosvozis river basin, North Greece. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2010 , 45, 1421-40	2.3	20
68	Treatment of agricultural equipment rinsing water containing a fungicide in pilot-scale horizontal subsurface flow constructed wetlands. <i>Ecological Engineering</i> , 2017 , 101, 193-200	3.9	19
67	Design Methodology of Free Water Surface Constructed Wetlands. <i>Water Resources Management</i> , 2004 , 18, 541-565	3.7	18
66	Removal of faecal bacteria from septage by treating it in a full-scale duckweed-covered pond system. <i>Journal of Environmental Management</i> , 2011 , 92, 3130-5	7.9	17
65	Delineation of groundwater protection zones by the backward particle tracking method: theoretical background and GIS-based stochastic analysis. <i>Environmental Geology</i> , 2008 , 54, 1081-1090		17
64	A robust approach for comparing conventional and sustainable flood mitigation measures in urban basins. <i>Journal of Environmental Management</i> , 2020 , 269, 110822	7.9	15
63	Construction and operation costs of constructed wetlands treating wastewater. <i>Water Science and Technology</i> , 2014 , 70, 803-10	2.2	15
62	Simulation of hydrodynamics and nitrogen transformation processes in HSF constructed wetlands and porous media using the advection-dispersion-reaction equation with linear sink-source terms. <i>Ecological Engineering</i> , 2011 , 37, 1407-1415	3.9	15
61	Water quantity and quality assessment of lower Nestos river, Greece. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2011 , 46, 1050-67	2.3	15
60	GIS-Aided Modeling of Nonpoint Source Pollution Impacts on Surface and Ground Waters. <i>Water Resources Management</i> , 1997 , 11, 207-218	3.7	15
59	Adaptation of urban drainage networks to climate change: A review. <i>Science of the Total Environment</i> , 2021 , 771, 145431	10.2	15
58	Effect of operational and design parameters on performance of pilot-scale horizontal subsurface flow constructed wetlands treating university campus wastewater. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 19504-19	5.1	15
57	Quantifying Roughness Coefficient Uncertainty in Urban Flooding Simulations through a Simplified Methodology. <i>Water (Switzerland)</i> , 2017 , 9, 944	3	14
56	Comparative evaluation of river chemical status based on WFD methodology and CCME water quality index. <i>Science of the Total Environment</i> , 2020 , 745, 140849	10.2	14
55	Effect of Operational and Design Parameters on Performance of Pilot-Scale Vertical Flow Constructed Wetlands Treating University Campus Wastewater. <i>Water Resources Management</i> , 2016 , 30, 5875-5899	3.7	14

54	Performance of Seven Water Quality Indices (WQIs) in a Mediterranean River. <i>Environmental Monitoring and Assessment</i> , 2019 , 191, 505	3.1	13
53	Water quality evaluation of a lacustrine water body in the Mediterranean based on different water quality index (WQI) methodologies. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2020 , 55, 537-548	2.3	13
52	Comparative Assessment of Various Water Quality Indices (WQIs) in Polyphytos Reservoir-Aliakmon River, Greece. <i>Proceedings (mdpi)</i> , 2018 , 2, 611	0.3	13
51	Comparative Modeling of HSF Constructed Wetland Performance With and Without Evapotranspiration and Rainfall. <i>Environmental Processes</i> , 2014 , 1, 171-186	2.8	12
50	Hydrodynamic and nutrient modeling in a Mediterranean coastal lagoon. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2009 , 44, 1400-23 ^{2.3}	2.3	12
49	INTEGRATING HUMANS IN ECOSYSTEM MANAGEMENT USING MULTI-CRITERIA DECISION MAKING1. <i>Journal of the American Water Resources Association</i> , 2003 , 39, 277-288	2.1	12
48	Fuzzy Modeling for Nitrogen and Phosphorus Removal Estimation in Free-Water Surface Constructed Wetlands. <i>Environmental Processes</i> , 2016 , 3, 65-79	2.8	12
47	Effect of first-flush device, roofing material, and antecedent dry days on water quality of harvested rainwater. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21997-22006	5.1	10
46	Modeling Urban Stormwater Runoff Processes Using the Santa Barbara Method. <i>Water Resources Management</i> , 1998 , 12, 139-166	3.7	10
45	Design Methodology and Area Sensitivity Analysis of Horizontal Subsurface Flow Constructed Wetlands. <i>Water Resources Management</i> , 2003 , 17, 147-174	3.7	10
44	Management of groundwater resources using surface pumps: Optimization using Genetic Algorithms and the Tabu Search method. <i>KSCE Journal of Civil Engineering</i> , 2017 , 21, 2968-2976	1.9	9
43	Tree uptake of excess nutrients and herbicides in a maize-olive tree cultivation system. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018 , 53, 1-12	2.3	9
42	The Water Footprint of Crops in the Area of Mesogeia, Attiki, Greece. <i>Environmental Processes</i> , 2017 , 4, 63-79	2.8	9
41	Spreading of three-dimensional inclined gravity plumes. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 1996 , 34, 695-711	1.9	9
40	Simulation of Low Impact Development (LID) Practices and Comparison with Conventional Drainage Solutions. <i>Proceedings (mdpi)</i> , 2018 , 2, 640	0.3	9
39	Treatment of Special Wastewaters in VFCWs 2014 , 145-164		8
38	Analytical Solutions and Simulation Approaches for Double Permeability Aquifers. <i>Water Resources Management</i> , 2009 , 23, 395-415	3.7	8
37	CHLfuzzy: a spreadsheet tool for the fuzzy modeling of chlorophyll concentrations in coastal lagoons. <i>Hydrobiologia</i> , 2008 , 610, 99-112	2.4	8

36	Multiobjective Approaches in Freshwater Wetland Restoration and Design. <i>Water International</i> , 1995 , 20, 98-105	2.4	8
35	Pesticide and Fertilizer Pollution Reduction in Two Alley Cropping Agroforestry Cultivating Systems. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	7
34	Effect of trees on the reduction of nutrient concentrations in the soils of cultivated areas. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 327	3.1	7
33	Hydrodynamic response of Thassos Passage (N. Aegean Sea) to Nestos River discharge and meteorological forcing. <i>Continental Shelf Research</i> , 2013 , 59, 37-51	2.4	7
32	Economic Valuation of Ecosystem Services Provided by the Restoration of an Irrigation Canal to a Riparian Corridor. <i>Environmental Processes</i> , 2017 , 4, 749-769	2.8	7
31	Numerical simulation of phosphorus removal in horizontal subsurface flow constructed wetlands. <i>Desalination and Water Treatment</i> , 2015 , 56, 1282-1290		6
30	Treatment Processes in VFCWs 2014 , 57-84		6
29	Using Sentinel-1 Imagery to Assess Predictive Performance of a Hydraulic Model. <i>Water Resources Management</i> , 2020 , 34, 4415-4430	3.7	6
28	Development and Validation of a Simple and Efficient Method for the Determination of Pendimethalin and Its Metabolite M455H001 in Soil by Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS). <i>Analytical Letters</i> , 2019 , 52, 685-696	2.2	6
27	Hydrogeological Investigation of a Karst Aquifer System. <i>Environmental Processes</i> , 2018 , 5, 155-181	2.8	5
26	Hybrid natural systems for treatment of olive mill wastewater. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 800-809	3.5	5
25	Monitoring and modeling of two alluvial aquifers in lower Nestos river basin, Northern Greece. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 1849-68	2.3	5
24	Restoration of a seashore eroded due to dam operation through beach nourishment. <i>Ecohydrology and Hydrobiology</i> , 2012 , 12, 123-135	2.8	4
23	Use of GIS and Multi-Criteria Evaluation Techniques in Environmental Problems. <i>Smart Innovation, Systems and Technologies</i> , 2010 , 5-59	0.5	4
22	ILLUDAS and PSRM-QUAL predictive ability in small urban areas and comparison with other models. <i>Hydrological Processes</i> , 2008 , 22, 3321-3336	3.3	4
21	Modelling Alternative Feeding Techniques in HSF Constructed Wetlands. <i>Environmental Processes</i> , 2016 , 3, 47-63	2.8	4
20	Evaluation of the water quality status of two surface water reservoirs in a Mediterranean island. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 570	3.1	4
19	Suspended particulate matter estimates using optical and acoustic sensors: application in Nestos River plume (Thracian Sea, North Aegean Sea). <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 392	3.1	3

18	Methodology for holistic assessment of grey-green flood mitigation measures for climate change adaptation in urban basins. <i>Journal of Hydrology</i> , 2021 , 603, 126885	6	3
17	Removal of Emerging Pollutants in Horizontal Subsurface Flow and Vertical Flow Pilot-Scale Constructed Wetlands. <i>Processes</i> , 2021 , 9, 2200	2.9	3
16	Processes and Mechanisms in Sludge Treatment Wetlands 2014 , 209-214		2
15	VFCW Types 2014 , 27-38		2
14	A Budget Model to Scale Nutrient Biogeochemical Cycles in Two Semienclosed Gulfs. <i>Environmental Modeling and Assessment</i> , 2009 , 14, 59-72	2	2
13	Environmental footprint of constructed wetlands treating wastewater. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2015 , 50, 631-8	2.3	2
12	Performance of Sludge Treatment Wetlands 2014 , 215-291		1
11	Book Review Marcello Benedini and George Tsakiris. (2013). Water Quality Modelling for Rivers and Streams, Springer, Water Science and Technology Library Series, Vol. 70, 288p, ISBN 978-94-007-5508-6. <i>Water Resources Management</i> , 2013 , 27, 5299	3.7	1
10	VFCW Components 2014 , 39-55		1
9	Techno-Economic Aspects of Vertical Flow Constructed Wetlands 2014 , 293-313		1
8	Constructed Wetlands Classification 2014 , 17-25		1
7	Domestic/Municipal Wastewater Treatment with VFCWs 2014 , 85-144		1
6	Performance of Pilot-scale Constructed Floating Wetlands in the Removal of Nutrients and Pesticides. <i>Water Resources Management</i> , 1	3.7	1
5	Indices of Coastal Vulnerability to Climate Change: a Review. <i>Environmental Processes</i> , 2022 , 9,	2.8	1
4	Dynamics of changes in the concentrations of herbicides and nutrients in the soils of a combined wheat-poplar tree cultivation: a field experimental model during the growing season. <i>Agroforestry Systems</i> , 2021 , 95, 321-338	2	0
3	Water Resources and Environment. <i>Water Resources Management</i> , 2018 , 32, 4813-4817	3.7	0
2	Pyraclostrobin Removal in Pilot-Scale Horizontal Subsurface Flow Constructed Wetlands and in Porous Media Filters. <i>Processes</i> , 2022 , 10, 414	2.9	0
1	Sludge Treatment Wetlands Basic Design Considerations 2014 , 191-208		

