

# James A Sharpe

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3082298/james-a-sharpe-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99  
papers

6,423  
citations

41  
h-index

79  
g-index

111  
ext. papers

7,747  
ext. citations

8.3  
avg, IF

5.94  
L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 99 | Optical projection tomography as a tool for 3D microscopy and gene expression studies. <i>Science</i> , <b>2002</b> , 296, 541-5  | 33.3 | 897       |
| 98 | Senescence is a developmental mechanism that contributes to embryonic growth and patterning. <i>Cell</i> , <b>2013</b> , 155, 1119-30                                     | 56.2 | 657       |
| 97 | Modeling digits. Digit patterning is controlled by a Bmp-Sox9-Wnt Turing network modulated by morphogen gradients. <i>Science</i> , <b>2014</b> , 345, 566-70             | 33.3 | 301       |
| 96 | Hox genes regulate digit patterning by controlling the wavelength of a Turing-type mechanism. <i>Science</i> , <b>2012</b> , 338, 1476-80                                 | 33.3 | 247       |
| 95 | Positional information and reaction-diffusion: two big ideas in developmental biology combine. <i>Development (Cambridge)</i> , <b>2015</b> , 142, 1203-11                | 6.6  | 221       |
| 94 | Reprogramming Hox expression in the vertebrate hindbrain: influence of paraxial mesoderm and rhombomere transposition. <i>Neuron</i> , <b>1996</b> , 16, 487-500          | 13.9 | 176       |
| 93 | Tomographic molecular imaging and 3D quantification within adult mouse organs. <i>Nature Methods</i> , <b>2007</b> , 4, 31-3  | 21.6 | 152       |
| 92 | The role of spatially controlled cell proliferation in limb bud morphogenesis. <i>PLoS Biology</i> , <b>2010</b> , 8, e1000420  | 10.4 | 143       |
| 91 | Optical projection tomography. <i>Annual Review of Biomedical Engineering</i> , <b>2004</b> , 6, 209-28   | 12   | 136       |
| 90 | Selectivity, sharing and competitive interactions in the regulation of Hoxb genes. <i>EMBO Journal</i> , <b>1998</b> , 17, 1788-98  | 13   | 126       |
| 89 | An atlas of gene regulatory networks reveals multiple three-gene mechanisms for interpreting morphogen gradients. <i>Molecular Systems Biology</i> , <b>2010</b> , 6, 425 | 12.2 | 124       |
| 88 | Optical projection tomography as a new tool for studying embryo anatomy. <i>Journal of Anatomy</i> , <b>2003</b> , 202, 175-81  | 2.9  | 124       |
| 87 | Identification of sonic hedgehog as a candidate gene responsible for the polydactylous mouse mutant Sasquatch. <i>Current Biology</i> , <b>1999</b> , 9, 97-100           | 6.3  | 115       |
| 86 | Visualizing plant development and gene expression in three dimensions using optical projection tomography. <i>Plant Cell</i> , <b>2006</b> , 18, 2145-56                  | 11.6 | 113       |
| 85 | Mechanobiology of embryonic skeletal development: Insights from animal models. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , <b>2010</b> , 90, 203-13      |      | 109       |
| 84 | EMAP and EMAGE: a framework for understanding spatially organized data. <i>Neuroinformatics</i> , <b>2003</b> , 1, 309-25   | 3.2  | 95        |
| 83 | A unified design space of synthetic stripe-forming networks. <i>Nature Communications</i> , <b>2014</b> , 5, 4905   | 17.4 | 80        |

|    |   |      |    |
|----|---|------|----|
| 82 | Dynamical feature extraction at the sensory periphery guides chemotaxis. <i>ELife</i> , <b>2015</b> , 4,  | 8.9  | 79 |
| 81 | Correction of artefacts in optical projection tomography. <i>Physics in Medicine and Biology</i> , <b>2005</b> , 50, 4645-58  |      | 75 |
| 80 | Perspective: The promise of multi-cellular engineered living systems. <i>APL Bioengineering</i> , <b>2018</b> , 2, 040906.6   |      | 74 |
| 79 | In vitro whole-organ imaging: 4D quantification of growing mouse limb buds. <i>Nature Methods</i> , <b>2008</b> , 5, 609-12   | 21.6 | 72 |
| 78 | High-throughput mathematical analysis identifies Turing networks for patterning with equally diffusing signals. <i>ELife</i> , <b>2016</b> , 5,   | 8.9  | 72 |
| 77 | Quantification and three-dimensional imaging of the insulinitis-induced destruction of beta-cells in murine type 1 diabetes. <i>Diabetes</i> , <b>2010</b> , 59, 1756-64  | 0.9  | 70 |
| 76 | Decrease in Cell Volume Generates Contractile Forces Driving Dorsal Closure. <i>Developmental Cell</i> , <b>2015</b> , 33, 611-21   | 10.2 | 69 |
| 75 | 3D representation of Wnt and Frizzled gene expression patterns in the mouse embryo at embryonic day 11.5 (Ts19). <i>Gene Expression Patterns</i> , <b>2008</b> , 8, 331-48  | 1.5  | 67 |
| 74 | Resolution improvement in emission optical projection tomography. <i>Physics in Medicine and Biology</i> , <b>2007</b> , 52, 2775-90  | 3.8  | 67 |
| 73 | Turing patterns in development: what about the horse part?. <i>Current Opinion in Genetics and Development</i> , <b>2012</b> , 22, 578-84   | 4.9  | 62 |
| 72 | The fin-to-limb transition as the re-organization of a Turing pattern. <i>Nature Communications</i> , <b>2016</b> , 7, 11582  | 17.4 | 60 |
| 71 | Spleen versus pancreas: strict control of organ interrelationship revealed by analyses of Bapx1 <sup>-/-</sup> mice. <i>Genes and Development</i> , <b>2006</b> , 20, 2208-13                                       | 12.6 | 60 |
| 70 | Image formation by linear and nonlinear digital scanned light-sheet fluorescence microscopy with Gaussian and Bessel beam profiles. <i>Biomedical Optics Express</i> , <b>2012</b> , 3, 1492-505                    | 3.5  | 58 |
| 69 | pMHC affinity controls duration of CD8 <sup>+</sup> T cell-DC interactions and imprints timing of effector differentiation versus expansion. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 2811-2829 | 16.6 | 56 |
| 68 | 3 dimensional modelling of early human brain development using optical projection tomography. <i>BMC Neuroscience</i> , <b>2004</b> , 5, 27   | 3.2  | 56 |
| 67 | Cell tracing reveals a dorsoventral lineage restriction plane in the mouse limb bud mesenchyme. <i>Development (Cambridge)</i> , <b>2007</b> , 134, 3713-22   | 6.6  | 55 |
| 66 | Computer modeling in developmental biology: growing today, essential tomorrow. <i>Development (Cambridge)</i> , <b>2017</b> , 144, 4214-4225  | 6.6  | 54 |
| 65 | Three-dimensional imaging of <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , <b>2007</b> , 2, e834   | 3.7  | 54 |

|    |  |      |    |
|----|--|------|----|
| 64 | A Local, Self-Organizing Reaction-Diffusion Model Can Explain Somite Patterning in Embryos. <i>Cell Systems</i> , <b>2015</b> , 1, 257-69  | 10.6 | 53 |
| 63 | Scapula development is governed by genetic interactions of Pbx1 with its family members and with Emx2 via their cooperative control of Alx1. <i>Development (Cambridge)</i> , <b>2010</b> , 137, 2559-69   | 6.6  | 53 |
| 62 | Personalized respiratory medicine: exploring the horizon, addressing the issues. Summary of a BRN-AJRCCM workshop held in Barcelona on June 12, 2014. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2015</b> , 191, 391-401 | 10.2 | 48 |
| 61 | FishNet: an online database of zebrafish anatomy. <i>BMC Biology</i> , <b>2007</b> , 5, 34   | 7.3  | 47 |
| 60 | N-myc controls proliferation, morphogenesis, and patterning of the inner ear. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 7178-89   | 6.6  | 44 |
| 59 | High-resolution three-dimensional imaging of islet-infiltrate interactions based on optical projection tomography assessments of the intact adult mouse pancreas. <i>Journal of Biomedical Optics</i> , <b>2008</b> , 13, 054070                     | 3.5  | 41 |
| 58 | 3D confocal reconstruction of gene expression in mouse. <i>Mechanisms of Development</i> , <b>2001</b> , 100, 59-63  | 1.7  | 40 |
| 57 | Immobilized chicks as a model system for early-onset developmental dysplasia of the hip. <i>Journal of Orthopaedic Research</i> , <b>2014</b> , 32, 777-85   | 3.8  | 39 |
| 56 | Budding behaviors: Growth of the limb as a model of morphogenesis. <i>Developmental Dynamics</i> , <b>2011</b> , 240, 1054-62  | 2.9  | 39 |
| 55 | Image processing assisted algorithms for optical projection tomography. <i>IEEE Transactions on Medical Imaging</i> , <b>2012</b> , 31, 1-15   | 11.7 | 38 |
| 54 | Evidence that Fgf10 contributes to the skeletal and visceral defects of an Apert syndrome mouse model. <i>Developmental Dynamics</i> , <b>2009</b> , 238, 376-85   | 2.9  | 38 |
| 53 | A shift in anterior-posterior positional information underlies the fin-to-limb evolution. <i>ELife</i> , <b>2015</b> , 4,  | 8.9  | 38 |
| 52 | Live optical projection tomography. <i>Organogenesis</i> , <b>2009</b> , 5, 211-6  | 1.7  | 37 |
| 51 | Localization and fate of Fgf10-expressing cells in the adult mouse brain implicate Fgf10 in control of neurogenesis. <i>Molecular and Cellular Neurosciences</i> , <b>2008</b> , 37, 857-68  | 4.8  | 37 |
| 50 | Genetic background influences embryonic lethality and the occurrence of neural tube defects in Men1 null mice: relevance to genetic modifiers. <i>Journal of Endocrinology</i> , <b>2009</b> , 203, 133-42   | 4.7  | 36 |
| 49 | OPTiSPIM: integrating optical projection tomography in light sheet microscopy extends specimen characterization to nonfluorescent contrasts. <i>Optics Letters</i> , <b>2014</b> , 39, 1053-6  | 3    | 35 |
| 48 | A spectrum of modularity in multi-functional gene circuits. <i>Molecular Systems Biology</i> , <b>2017</b> , 13, 925   | 12.2 | 33 |
| 47 | Fluorescence lifetime optical projection tomography. <i>Journal of Biophotonics</i> , <b>2008</b> , 1, 390-4   | 3.1  | 33 |

|    |   |      |    |
|----|---|------|----|
| 46 | Dynamics of gene circuits shapes evolvability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 2103-8                 | 11.5 | 31 |
| 45 | Widespread tangential dispersion and extensive cell death during early neurogenesis in the mouse neocortex. <i>Developmental Biology</i> , <b>2004</b> , 267, 109-18              | 3.1  | 31 |
| 44 | Data-driven modelling of a gene regulatory network for cell fate decisions in the growing limb bud. <i>Molecular Systems Biology</i> , <b>2015</b> , 11, 815                      | 12.2 | 29 |
| 43 | Naive B-cell trafficking is shaped by local chemokine availability and LFA-1-independent stromal interactions. <i>Blood</i> , <b>2013</b> , 121, 4101-9                           | 2.2  | 28 |
| 42 | A GDF5 point mutation strikes twice--causing BDA1 and SYNS2. <i>PLoS Genetics</i> , <b>2013</b> , 9, e1003846   | 6    | 28 |
| 41 | Near infrared optical projection tomography for assessments of cell mass distribution in diabetes research. <i>Journal of Visualized Experiments</i> , <b>2013</b> , e50238       | 1.6  | 28 |
| 40 | Clonal analysis in mice underlines the importance of rhombomeric boundaries in cell movement restriction during hindbrain segmentation. <i>PLoS ONE</i> , <b>2010</b> , 5, e10112 | 3.7  | 28 |
| 39 | A global "imaging" view on systems approaches in immunology. <i>European Journal of Immunology</i> , <b>2012</b> , 42, 3116-25  | 6.1  | 26 |
| 38 | A landmark-free morphometric staging system for the mouse limb bud. <i>Development (Cambridge)</i> , <b>2011</b> , 138, 1227-34   | 6.6  | 25 |
| 37 | A computational clonal analysis of the developing mouse limb bud. <i>PLoS Computational Biology</i> , <b>2011</b> , 7, e1001071   | 5    | 25 |
| 36 | 3D modelling, gene expression mapping and post-mapping image analysis in the developing human brain. <i>Brain Research Bulletin</i> , <b>2005</b> , 66, 449-53                    | 3.9  | 24 |
| 35 | Light sheet fluorescence microscopy for in situ cell interaction analysis in mouse lymph nodes. <i>Journal of Immunological Methods</i> , <b>2016</b> , 431, 1-10                 | 2.5  | 23 |
| 34 | On the concept of mechanism in development <b>2014</b> , 56-78  |      | 23 |
| 33 | Control of pelvic girdle development by genes of the Pbx family and Emx2. <i>Developmental Dynamics</i> , <b>2011</b> , 240, 1173-89  | 2.9  | 22 |
| 32 | Key Features of Turing Systems are Determined Purely by Network Topology. <i>Physical Review X</i> , <b>2018</b> , 8,   | 9.1  | 21 |
| 31 | Joint shape morphogenesis precedes cavitation of the developing hip joint. <i>Journal of Anatomy</i> , <b>2014</b> , 224, 482-9   | 2.9  | 19 |
| 30 | Optical projection tomography of vertebrate embryo development. <i>Cold Spring Harbor Protocols</i> , <b>2011</b> , 2011, 586-94  | 1.2  | 19 |
| 29 | Wolpert's French Flag: what's the problem?. <i>Development (Cambridge)</i> , <b>2019</b> , 146,   | 6.6  | 18 |

|    |  |      |    |
|----|--|------|----|
| 28 | Attenuation artifacts in light sheet fluorescence microscopy corrected by OPTISPIIM. <i>Light: Science and Applications</i> , <b>2018</b> , 7, 70  | 16.7 | 18 |
| 27 | Preparation of mouse embryos for optical projection tomography imaging. <i>Cold Spring Harbor Protocols</i> , <b>2011</b> , 2011, 664-9  | 1.2  | 17 |
| 26 | Migratory appendicular muscles precursor cells in the common ancestor to all vertebrates. <i>Nature Ecology and Evolution</i> , <b>2017</b> , 1, 1731-1736   | 12.3 | 16 |
| 25 | ya  a: GPU-Powered Spheroid Models for Mesenchyme and Epithelium. <i>Cell Systems</i> , <b>2019</b> , 8, 261-266.e310.6  | 10.6 | 15 |
| 24 | Intravital imaging of hair-cell development and regeneration in the zebrafish. <i>Frontiers in Neuroanatomy</i> , <b>2013</b> , 7, 33  | 3.6  | 15 |
| 23 | Synthetic circuits reveal how mechanisms of gene regulatory networks constrain evolution. <i>Molecular Systems Biology</i> , <b>2018</b> , 14, e8102   | 12.2 | 15 |
| 22 | Design principles of stripe-forming motifs: the role of positive feedback. <i>Scientific Reports</i> , <b>2014</b> , 4, 50034.9  | 4.9  | 14 |
| 21 | Quantitative measurements in 3-dimensional datasets of mouse lymph nodes resolve organ-wide functional dependencies. <i>Computational and Mathematical Methods in Medicine</i> , <b>2012</b> , 2012, 128431  | 2.8  | 13 |
| 20 | Gene expression analysis of canonical Wnt pathway transcriptional regulators during early morphogenesis of the facial region in the mouse embryo. <i>Gene Expression Patterns</i> , <b>2009</b> , 9, 296-305 | 1.5  | 12 |
| 19 | Geometric Morphometrics on Gene Expression Patterns Within Phenotypes: A Case Example on Limb Development. <i>Systematic Biology</i> , <b>2016</b> , 65, 194-211   | 8.4  | 11 |
| 18 | Topologically selective islet vulnerability and self-sustained downregulation of markers for $\beta$ cell maturity in streptozotocin-induced diabetes. <i>Communications Biology</i> , <b>2020</b> , 3, 541  | 6.7  | 10 |
| 17 | Antigen Availability and DOCK2-Driven Motility Govern CD4 T Cell Interactions with Dendritic Cells In Vivo. <i>Journal of Immunology</i> , <b>2017</b> , 199, 520-530  | 5.3  | 9  |
| 16 | Endogenous CRISPR/Cas9 arrays for scalable whole-organism lineage tracing. <i>Development (Cambridge)</i> , <b>2020</b> , 147,   | 6.6  | 8  |
| 15 | ESCRT-II/Vps25 constrains digit number by endosome-mediated selective modulation of FGF-SHH signaling. <i>Cell Reports</i> , <b>2014</b> , 9, 674-87   | 10.6 | 8  |
| 14 | Mechanistic explanations for restricted evolutionary paths that emerge from gene regulatory networks. <i>PLoS ONE</i> , <b>2013</b> , 8, e61178  | 3.7  | 8  |
| 13 | A quantitative method for staging mouse embryos based on limb morphometry. <i>Development (Cambridge)</i> , <b>2018</b> , 145,   | 6.6  | 6  |
| 12 | Toward Controllable Morphogenesis in Large Robot Swarms. <i>IEEE Robotics and Automation Letters</i> , <b>2019</b> , 4, 3386-3393  | 4.2  | 5  |
| 11 | On the mechanical interplay between intra- and inter-synchronization during collective cell migration: a numerical investigation. <i>Bulletin of Mathematical Biology</i> , <b>2013</b> , 75, 2575-99        | 2.1  | 5  |

|    |   |      |   |
|----|---|------|---|
| 10 | Quantification of gene expression patterns to reveal the origins of abnormal morphogenesis. <i>ELife</i> , <b>2018</b> , 7,   | 8.9  | 5 |
| 9  | Two ways to use imaging: focusing directly on mechanism, or indirectly via behaviour?. <i>Current Opinion in Genetics and Development</i> , <b>2011</b> , 21, 523-9 | 4.9  | 4 |
| 8  | Dynamics of anteroposterior axis establishment in a mammalian embryo-like system  |      | 3 |
| 7  | Transfecting RNA quadruplexes results in few transcriptome perturbations. <i>RNA Biology</i> , <b>2013</b> , 10, 205-108  | 4.8  | 2 |
| 6  | Optical Projection Tomography <b>2009</b> , 199-224   |      | 2 |
| 5  | Cellular mechanisms of chick limb bud morphogenesis   |      | 1 |
| 4  | Epigallocatechin-3-Gallate Improves Facial Dysmorphology Associated with Down Syndrome  |      | 1 |
| 3  | Developmental biology: Cells unite by trapping a signal. <i>Nature</i> , <b>2014</b> , 515, 41-2  | 50.4 |   |
| 2  | Other Organs311-332   |      |   |
| 1  | In-silico organogenesis: measuring and modelling vertebrate limb development. <i>FASEB Journal</i> , <b>2012</b> , 26, 337.3  | 0.9  |   |