

# Francisco Lemos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3082503/publications.pdf>

Version: 2024-02-01

24  
papers

928  
citations

687363

13  
h-index

610901

24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

1154  
citing authors

#	ARTICLE	IF	CITATIONS
1	A versatile inhibitor of digestive enzymes in <i>Aedes aegypti</i> larvae selected from a pacifastin (TiPI) phage display library. <i>Biochemical and Biophysical Research Communications</i> , 2022, 590, 139-144.	2.1	1
2	Neem oil increases the persistence of the entomopathogenic fungus <i>Metarhizium anisopliae</i> for the control of <i>Aedes aegypti</i> (Diptera: Culicidae) larvae. <i>Parasites and Vectors</i> , 2019, 12, 163.	2.5	12
3	Hypometabolic strategy and glucose metabolism maintenance of <i>Aedes aegypti</i> egg desiccation. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2019, 227, 56-63.	1.6	6
4	Functional characterization of a serine protease inhibitor modulated in the infection of the <i>Aedes aegypti</i> with dengue virus. <i>Biochimie</i> , 2018, 144, 160-168.	2.6	10
5	Larvicidal activity of <i>Ramalina usnea</i> lichen against <i>Aedes aegypti</i> . <i>Revista Brasileira De Farmacognosia</i> , 2016, 26, 530-532.	1.4	12
6	Production of serine protease inhibitors by mutagenesis and their effects on the mortality of <i>Aedes aegypti</i> L. larvae. <i>Parasites and Vectors</i> , 2015, 8, 511.	2.5	2
7	A Trypsin Inhibitor from <i>Clitoria fairchildiana</i> Cotyledons is Active Against Digestive Enzymes of <i>Aedes aegypti</i> Larvae. <i>Protein and Peptide Letters</i> , 2015, 22, 893-902.	0.9	4
8	Defense response in non-genomic model species: methyl jasmonate exposure reveals the passion fruit leaves' ability to assemble a cocktail of functionally diversified Kunitz-type trypsin inhibitors and recruit two of them against papain. <i>Planta</i> , 2014, 240, 345-356.	3.2	10
9	Selective inhibitors of digestive enzymes from <i>Aedes aegypti</i> larvae identified by phage display. <i>Insect Biochemistry and Molecular Biology</i> , 2013, 43, 9-16.	2.7	8
10	Molecular characterization of genes encoding trypsin-like enzymes from <i>Aedes aegypti</i> larvae and identification of digestive enzymes. <i>Gene</i> , 2011, 489, 70-75.	2.2	27
11	Comparative Larvicidal Activity of Essential Oils from Three Medicinal Plants against <i>Aedes aegypti</i> L.. <i>Chemistry and Biodiversity</i> , 2010, 7, 2801-2807.	2.1	27
12	Culture-dependent and culture-independent characterization of microorganisms associated with <i>Aedes aegypti</i> (Diptera: Culicidae) (L.) and dynamics of bacterial colonization in the midgut. <i>Acta Tropica</i> , 2010, 115, 275-281.	2.0	179
13	Toxicity of Hydrolyzed Vicilins toward <i>Callosobruchus maculatus</i> and Phytopathogenic Fungi. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8056-8061.	5.2	12
14	First isolation of microorganisms from the gut diverticulum of <i>Aedes aegypti</i> (Diptera: Culicidae): new perspectives for an insect-bacteria association. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2007, 102, 919-924.	1.6	91
15	Induction of actin gene expression in the mosquito midgut by blood ingestion correlates with striking changes of cell shape. <i>Journal of Insect Physiology</i> , 2007, 53, 833-839.	2.0	15
16	<i>Aedes aegypti</i> peritrophic matrix and its interaction with heme during blood digestion. <i>Insect Biochemistry and Molecular Biology</i> , 2002, 32, 517-523.	2.7	101
17	Presence of chitinase and beta-N-acetylglucosaminidase in the <i>Aedes aegypti</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2002, 32, 1723-1729.	2.7	87
18	Derris ( <i>Lonchocarpus</i> ) urucu (Leguminosae) Extract Modifies the Peritrophic Matrix Structure of <i>Aedes aegypti</i> (Diptera:Culicidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 371-375.	1.6	32

#	ARTICLE	IF	CITATIONS
19	Trypsin and aminopeptidase gene expression is affected by age and food composition in <i>Anopheles gambiae</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1996, 26, 651-658.	2.7	54
20	Antibody-mediated inhibition of <i>Aedes aegypti</i> midgut trypsins blocks sporogonic development of <i>Plasmodium gallinaceum</i> . <i>Infection and Immunity</i> , 1996, 64, 739-743.	2.2	63
21	A bacteria-digesting midgut-lysozyme from <i>Musca domestica</i> (diptera) larvae. Purification, properties and secretory mechanism. <i>Insect Biochemistry and Molecular Biology</i> , 1993, 23, 533-541.	2.7	70
22	Soluble and membrane-bound forms of trypsin-like enzymes in <i>Musca domestica</i> larval midguts. <i>Insect Biochemistry and Molecular Biology</i> , 1992, 22, 613-619.	2.7	36
23	A high yield preparation of <i>Musca domestica</i> larval midgut microvilli and the subcellular distribution of amylase and trypsin. <i>Insect Biochemistry and Molecular Biology</i> , 1992, 22, 433-438.	2.7	22
24	Properties and intracellular distribution of a cathepsin D-like proteinase active at the acid region of <i>Musca domestica</i> midgut. <i>Insect Biochemistry</i> , 1991, 21, 457-465.	1.8	47